Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: RATS/F 344/NCTR

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Aloe vera whole leaf extract (native)

CAS Number: ALOEVLEAFEXT

Time Report Requested: 14:39:01 First Dose M/F: 04/17/05 / 04/17/05

Lab: NCTR

C Number: C20116B

Lock Date: 09/08/2009

Cage Range: ALL

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Treatment Groups: Include ALL

Study Gender: Both

TDMSE Version: 2.2.0

Route: DOSED WATER

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Aloe vera whole leaf extract (native)

CAS Number: ALOEVLEAFEXT

Time Report Requested: 14:39:01 First Dose M/F: 04/17/05 / 04/17/05

Lab: NCTR

FISCHER 344 RATS-NCTR RATS MALE	CONTROL WATER	ALOEWHOLLEAF 0.5	ALOEWHOLLEAF 1.0	ALOEWHOLLEAF 1.5	
Disposition Summary					
Animals Initially In Study	48	48	48	48	
Early Deaths	40	40	40	40	
Moribund Sacrifice	28	26	23	26	
Natural Death	2	5	2	4	
Survivors	-	· ·	-	-	
Moribund Sacrifice	3		4	3	
Terminal Sacrifice	15	17	19	15	
Animals Examined Microscopically	48	48	48	48	
ALIMENTARY SYSTEM					
Esophagus	(48)	(48)	(48)	(48)	
Inflammation	1 [3.0]	1 [4.0]	1 [4.0]	,	
Ulcer	1 [3.0]	1 [4.0]	1 [4.0]		
Mucosa, Hyperplasia	1 [3.0]				
Intestine Large, Ascending Colon	(47)	(47)	(48)	(46)	
Hyperplasia				2 [3.5]	
Inflammation			1 [2.0]	2 [2.5]	
Lymphoid Tissue, Hyperplasia				1 [3.0]	
Mucosa, Hyperplasia		30 [1.9]	38 [2.8]	32 [3.2]	
Intestine Large, Cecum	(46)	(45)	(48)	(48)	
Dilatation	1		8	17	
Hemorrhage				1 [3.0]	
Hyperplasia	1 [1.0]				
Inflammation	1 [2.0]			2 [2.5]	
Ulcer				1 [4.0]	
Lymphoid Tissue, Hyperplasia		2 [2.5]	3 [2.0]	1 [2.0]	
Mucosa, Hyperplasia		13 [1.5]	24 [1.9]	25 [2.4]	
Intestine Large, Colon	(0)	(1)	(3)	(5)	
Inflammation			1 [4.0]		
Ulcer			1 [4.0]		
Mucosa, Hyperplasia		1 [3.0]	1 [2.0]	4 [3.8]	
Intestine Large, Descending Colon	(47)	(46)	(46)	(47)	
Inflammation			2 [1.5]		

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Aloe vera whole leaf extract (native)

CAS Number: ALOEVLEAFEXT

Time Report Requested: 14:39:01 First Dose M/F: 04/17/05 / 04/17/05

Lab: NCTR

FISCHER 344 RATS-NCTR RATS MALE	CONTROL WATER	ALOEWHOLLEAF 0.5	ALOEWHOLLEAF 1.0	ALOEWHOLLEAF 1.5	
Lymphoid Tissue, Hyperplasia		1 [2.0]		1 [2.0]	
Mucosa, Hyperplasia		17 [1.5]	31 [1.6]	30 [1.7]	
Intestine Large, Rectum	(47)	(47)	(48)	(48)	
Mucosa, Hyperplasia	,	1 [1.0]	1 [2.0]	4 [2.0]	
Intestine Large, Transverse Colon	(47)	(47)	(47)	(47)	
Hyperplasia	,	,	,	1 [2.0]	
Inflammation			1 [2.0]		
Lymphoid Tissue, Hyperplasia		1 [2.0]	2 [3.0]		
Mucosa, Hyperplasia		30 [1.8]	42 [2.2]	34 [2.4]	
Intestine Small	(0)	(1)	(0)	(0)	
Intestine Small, Duodenum	(48)	(46)	(48)	(48)	
Mucosa, Hyperplasia	1 [2.0]	10 [2.3]	3 [2.7]	6 [2.2]	
Intestine Small, Ileum	(45)	(45)	(48)	(48)	
Hyperplasia	1 [1.0]	,	,	,	
Inflammation	1 [2.0]		1 [2.0]		
Lymphoid Tissue, Hyperplasia		1 [2.0]		2 [3.5]	
Mucosa, Hyperplasia		3 [1.7]	3 [2.3]	2 [2.0]	
Intestine Small, Jejunum	(45)	(44)	(46)	(46)	
Inflammation	,	,	,	1 [2.0]	
Lymphatic, Dilatation			1 [3.0]		
Lymphoid Tissue, Hyperplasia	1 [2.0]	1 [2.0]	1 [2.0]	1 [2.0]	
Mucosa, Hyperplasia		1 [2.0]	2 [2.0]	3 [2.0]	
Liver	(48)	(48)	(48)	(48)	
Angiectasis	,	,	1 [2.0]	1 [3.0]	
Basophilic Focus			2		
Basophilic Focus, Multiple		1	1	1	
Cyst Multilocular	1			1	
Degeneration, Cystic	9 [2.2]	6 [1.7]	2 [1.0]		
Eosinophilic Focus	4			1	
Eosinophilic Focus, Multiple	1		1		
Granuloma	2 [2.0]	5 [1.2]	6 [1.7]	10 [1.7]	
Hematopoietic Cell Proliferation		1 [1.0]	1 [2.0]	1 [1.0]	
Hemorrhage			1 [2.0]		
Hepatodiaphragmatic Nodule	1	2	2	1	
Infiltration Cellular, Lymphocyte		1 [2.0]	4 [1.3]	3 [1.3]	
Infiltration Cellular, Polymorphonuclear			-	1 [2.0]	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Aloe vera whole leaf extract (native)

CAS Number: ALOEVLEAFEXT

Time Report Requested: 14:39:01 **First Dose M/F:** 04/17/05 / 04/17/05

Lab: NCTR

FISCHER 344 RATS-NCTR RATS MALE	CONTROL WATER	ALOEWHOLLEAF 0.5	ALOEWHOLLEAF 1.0	ALOEWHOLLEAF 1.5	
Necrosis, Coagulative	1 [3.0]	2 [2.0]		2 [1.5]	
Regeneration	1 [0.0]	و الد.ن		1 [3.0]	
Tension Lipidosis				1 [3.0]	
Vacuolization Cytoplasmic	12 [2.4]	14 [2.5]	6 [2.8]	1 [2.0]	
Artery, Media, Hypertrophy	12 [2.1]	1 [2.0]	0 [2.0]	1 [2.0]	
Bile Duct, Hyperplasia	15 [2.1]	16 [1.8]	9 [1.4]	5 [1.6]	
Caudate Lobe, Developmental Malformation	10 [2.1]	10 [1.0]	1	3 [1.0]	
Centrilobular, Degeneration		1 [4.0]	2 [2.5]		
Centrilobular, Necrosis	1 [2.0]	1 [3.0]	1 [3.0]	1 [3.0]	
Hepatocyte, Periportal, Hypertrophy	1 [2.0]	1 [0.0]	1 [0.0]	1 [3.0]	
Left Lateral Lobe, Developmental Malformation	1	2	2	1	
Median Lobe, Developmental Malformation	•	-	_	1	
Periductular, Fibrosis		1 [2.0]		•	
Right Lateral Lobe, Developmental Malformation		. [2.0]		1	
Mesentery	(10)	(10)	(4)	(5)	
Accessory Spleen	,	,	1	,	
Ectopic Tissue				1	
Hemorrhage	1 [4.0]				
Inflammation			1 [3.0]	1 [3.0]	
Polyarteritis		1 [4.0]		1 [4.0]	
Thrombosis	1			1	
Fat, Necrosis	7 [3.1]	6 [2.7]	2 [3.0]	2 [2.5]	
Oral Mucosa	(2)	(1)	(2)	(1)	
Keratin Cyst			1		
Epithelium, Hyperplasia	1 [4.0]				
Pancreas	(48)	(48)	(48)	(48)	
Infiltration Cellular, Lymphocyte				1 [1.0]	
Polyarteritis	3 [3.7]		3 [2.3]		
Acinar Cell, Atrophy	12 [1.8]	17 [1.9]	19 [1.6]	24 [1.8]	
Proximal Colon	(44)	(44)	(46)	(41)	
Hemorrhage				1 [3.0]	
Hyperplasia, Lymphoid				1 [3.0]	
Inflammation	1 [2.0]	4 [2.3]	3 [2.0]	1 [2.0]	
Ulcer		2 [2.5]			
Mucosa, Hyperplasia		29 [2.0]	36 [2.5]	32 [3.0]	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC

Route: DOSED WATER

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Aloe vera whole leaf extract (native)

CAS Number: ALOEVLEAFEXT

Time Report Requested: 14:39:01 First Dose M/F: 04/17/05 / 04/17/05

Lab: NCTR

FISCHER 344 RATS-NCTR RATS MALE	CONTROL WATER	ALOEWHOLLEAF 0.5	ALOEWHOLLEAF 1.0	ALOEWHOLLEAF 1.5	
Saliyany Clanda	(40)	(40)	(40)	(40)	
Salivary Glands Acinar Cell, Atrophy	(48)	(48) 1 [3.0]	(48)	(48)	
Sublingual Gland, Infiltration Cellular					
Stomach, Forestomach	(40)	1 [2.0]	(40)	(40)	
	(48)	(47)	(48)	(48)	
Edema	1 [4.0]	4 [3.8]	1 [2.0]	0.10.51	
Hyperplasia	10 [2.2]	13 [2.8]	9 [2.2]	2 [2.5]	
Inflammation	11 [2.9]	9 [3.2]	5 [3.4]	3 [4.0]	
Perforation	0.70 =1	1 [4.0]	0.14.03	4.54.03	
Ulcer	3 [2.7]	3 [3.7]	3 [4.0]	1 [4.0]	
Stomach, Glandular	(48)	(47)	(48)	(48)	
Diverticulum		1			
Edema	1 [4.0]	1 [2.0]		1 [2.0]	
Erosion	1 [2.0]				
Inflammation	1 [3.0]	3 [2.7]	3 [2.0]		
Mineralization	1 [2.0]				
Ulcer		1 [2.0]			
Mucosa, Hyperplasia	1 [2.0]	12 [2.3]	7 [2.4]	11 [2.4]	
Mucosa, Necrosis, Focal	2 [1.5]		1 [2.0]		
CARDIOVASCULAR SYSTEM					
Blood Vessel	(48)	(48)	(48)	(48)	
Heart	(48)	(48)	(48)	(48)	
Cardiomyopathy	34 [2.0]	39 [2.0]	38 [2.0]	32 [2.0]	
Dilatation	0 . [2.0]	00 [2.0]	1	02 [2.0]	
Atrium, Dilatation			1 [4.0]		
Atrium, Thrombus	6	9	10	4	
Atrium, Myocardium, Degeneration	Ŭ	1 [3.0]		·	
ENDOCRINE SYSTEM					
Adrenal Cortex	(49)	(49)	(49)	(49)	
	(48)	(48)	(48)	(48)	
Accessory Adrenal Cortical Nodule	2 [2 0]	1	1	2 (2 2)	
Angiectasis	2 [2.0]	2 [2.0]	2 [1.5]	2 [2.0]	
Atrophy	1 [3.0]	2 [2.5]	1 [3.0]		

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC

Route: DOSED WATER

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Aloe vera whole leaf extract (native)

CAS Number: ALOEVLEAFEXT

Time Report Requested: 14:39:01 First Dose M/F: 04/17/05 / 04/17/05

Lab: NCTR

FISCHER 344 RATS-NCTR RATS MALE	CONTROL WATER	ALOEWHOLLEAF 0.5	ALOEWHOLLEAF 1.0	ALOEWHOLLEAF 1.5	
Hyperplasia, Focal	2 [2.5]	1 [1.0]	2 [2.0]	3 [1.7]	
Hypertrophy, Focal	3 [2.0]		8 [1.8]	2 [2.0]	
Necrosis, Coagulative		1 [3.0]			
Thrombus				1 [2.0]	
Vacuolization Cytoplasmic	24 [2.5]	22 [2.5]	15 [2.3]	14 [2.2]	
Adrenal Medulla	(48)	(47)	(48)	(48)	
Angiectasis	3 [2.0]	2 [1.5]	2 [2.0]	3 [2.0]	
Hyperplasia, Focal	10 [2.5]	4 [1.8]	3 [2.7]	6 [2.8]	
Islets, Pancreatic	(48)	(48)	(48)	(48)	
Hyperplasia	, ,	1 [2.0]	1 [3.0]	, ,	
Parathyroid Gland	(47)	(48)	(46)	(48)	
Hyperplasia, Focal	, ,		, ,	1 [1.0]	
Pituitary Gland	(48)	(48)	(47)	(48)	
Angiectasis		2 [2.5]	2 [2.5]	5 [2.0]	
Hemorrhage		1 [2.0]		1 [3.0]	
Pars Distalis, Cyst	1	2	1	2	
Pars Distalis, Hyperplasia	5 [2.2]		4 [2.5]	5 [2.0]	
Pars Intermedia, Cyst	1	1			
Thyroid Gland	(48)	(47)	(48)	(48)	
Ultimobranchial Cyst		1			
C-cell, Hyperplasia	8 [1.9]	7 [1.9]	6 [2.0]	6 [1.5]	
Follicular Cell, Hyperplasia	1 [2.0]	1 [1.0]	1 [2.0]	1 [1.0]	
GENERAL BODY SYSTEM					
Tissue NOS	(0)	(0)	(1)	(2)	
GENITAL SYSTEM					
Epididymis	(48)	(48)	(48)	(48)	
Atrophy	(10)	1 [3.0]	1 [2.0]	()	
Exfoliated Germ Cell	37 [2.4]	27 [2.2]	36 [2.3]	23 [2.1]	
Granuloma Sperm	ر، ا <u>ح</u> . ۱۱	[]	2 [2.5]	[]	
Hypospermia	28 [3.2]	25 [3.6]	27 [3.3]	26 [3.6]	
Inflammation	1 [2.0]	_0 [0.0]	[0.0]	1 [3.0]	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Aloe vera whole leaf extract (native)

CAS Number: ALOEVLEAFEXT

Time Report Requested: 14:39:01 First Dose M/F: 04/17/05 / 04/17/05

Lab: NCTR

FISCHER 344 RATS-NCTR RATS MALE	CONTROL WATER	ALOEWHOLLEAF 0.5	ALOEWHOLLEAF 1.0	ALOEWHOLLEAF 1.5	
Preputial Gland	(48)	(48)	(48)	(48)	
Atrophy	(12)	1 [2.0]	(1-)	1 [2.0]	
Inflammation	38 [2.6]	41 [2.5]	39 [2.4]	37 [2.3]	
Duct, Ectasia	6 [2.7]	13 [2.5]	13 [2.3]	9 [2.3]	
Duct, Hyperplasia		1 [2.0]	1 [2.0]		
Prostate	(48)	(48)	(48)	(48)	
Atrophy	, ,	1 [3.0]	,	,	
Inflammation	34 [2.2]	32 [2.0]	36 [2.2]	27 [2.3]	
Seminal Vesicle	(48)	(48)	(48)	(48)	
Atrophy	4 [2.0]	11 [2.2]	8 [2.4]	6 [2.2]	
Decreased Secretory Fluid	7 [2.7]	8 [2.9]	9 [3.3]	9 [3.2]	
Testes	(48)	(48)	(48)	(48)	
Granuloma Sperm	1 [2.0]	, ,	, ,	, ,	
Inflammation	1 [2.0]				
Polyarteritis	1 [2.0]		1 [3.0]		
Interstitial Cell, Hyperplasia	3 [2.3]	2 [2.0]	2 [2.5]	4 [2.0]	
Seminiferous Tubule, Atrophy	17 [2.8]	11 [2.7]	17 [3.0]	8 [2.9]	
HEMATOPOIETIC SYSTEM					
Bone Marrow	(48)	(48)	(48)	(48)	
Atrophy	8 [2.1]	3 [2.7]	4 [2.8]	2 [3.0]	
Hyperplasia	7 [2.6]	8 [2.6]	4 [2.5]	5 [2.8]	
Myeloid Cell, Hyperplasia		1 [3.0]	1 [2.0]	1 [2.0]	
Lymph Node	(24)	(13)	(19)	(17)	
Lumbar, Degeneration, Cystic	4 [3.0]	4 [2.8]	2 [2.5]	1 [4.0]	
Lumbar, Hyperplasia, Lymphoid		1 [3.0]		1 [2.0]	
Lumbar, Infiltration Cellular, Plasma Cell		1 [3.0]			
Mediastinal, Degeneration, Cystic	1 [2.0]		1 [2.0]		
Mediastinal, Hemorrhage	1 [4.0]	2 [2.0]	1 [2.0]	1 [2.0]	
Mediastinal, Pigmentation		1 [2.0]		-	
Mediastinal, Medulla, Sinus, Dilatation			1 [3.0]		
Medulla, Pancreatic, Sinus, Dilatation	1 [2.0]		2 [2.5]		
Medulla, Renal, Sinus, Dilatation		1 [3.0]	- ·		
Medulla, Sinus, Dilatation	1 [2.0]	· -			

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Aloe vera whole leaf extract (native)

CAS Number: ALOEVLEAFEXT

Time Report Requested: 14:39:01 First Dose M/F: 04/17/05 / 04/17/05

Lab: NCTR

FISCHER 344 RATS-NCTR RATS MALE	CONTROL WATER	ALOEWHOLLEAF 0.5	ALOEWHOLLEAF 1.0	ALOEWHOLLEAF 1.5	
Pancreatic, Degeneration, Cystic			1 [3.0]	1 [3.0]	
Pancreatic, Hyperplasia, Lymphoid	1 [2.0]	1 [2.0]	3 [2.3]	2 [2.0]	
Pancreatic, Infiltration Cellular, Plasma Cell	1 [2.0]				
Pancreatic, Pigmentation			1 [2.0]		
Renal, Degeneration, Cystic	2 [1.5]	1 [2.0]	1 [3.0]	2 [2.5]	
Renal, Hemorrhage			1 [2.0]	• •	
Renal, Hyperplasia, Lymphoid		2 [2.5]			
Renal, Infiltration Cellular, Plasma Cell		1 [3.0]			
Renal, Pigmentation		[]	1 [2.0]		
Lymph Node, Mandibular	(48)	(48)	(48)	(48)	
Atrophy, Lymphocyte	1 [1.0]	1 [2.0]	,	,	
Degeneration, Cystic	11 [2.5]	9 [2.1]	5 [2.2]	5 [2.6]	
Hematopoietic Cell Proliferation	1 [1.0]				
Hemorrhage		1 [3.0]			
Hyperplasia, Lymphoid	1 [2.0]	2 [2.0]	3 [2.0]		
Infiltration Cellular, Plasma Cell	9 [2.2]	14 [2.1]	10 [2.3]	11 [2.2]	
Necrosis, Lymphoid	1 [2.0]				
Medulla, Sinus, Dilatation		1 [2.0]		1 [3.0]	
Lymph Node, Mesenteric	(47)	(48)	(48)	(48)	
Degeneration, Cystic	8 [2.5]	11 [2.8]	42 [3.8]	41 [3.6]	
Fibrosis				1 [2.0]	
Hemorrhage	2 [3.0]	2 [2.0]		1 [4.0]	
Hyperplasia, Lymphoid			1 [2.0]	4 [2.8]	
Infiltration Cellular, Plasma Cell	1 [2.0]				
Inflammation				1 [4.0]	
Necrosis, Lymphoid	1 [2.0]		1 [3.0]		
Medulla, Sinus, Dilatation		4 [2.5]	1 [3.0]		
Spleen	(48)	(48)	(48)	(48)	
Accessory Spleen	1	,	1	,	
Atrophy		2 [2.5]			
Congestion	1 [3.0]	3 [2.7]	2 [2.0]		
Fibrosis	r1	1 [3.0]	1 [3.0]		
Hematopoietic Cell Proliferation	3 [2.3]	1 [2.0]	1 [2.0]	1 [2.0]	
Hyperplasia, Lymphoid	1 [2.0]	1 [2.0]	1		
Hyperplasia, Focal	1 [3.0]	1			
Infarct	6	9	5	1	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC

Route: DOSED WATER

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Aloe vera whole leaf extract (native)

CAS Number: ALOEVLEAFEXT

Time Report Requested: 14:39:01 First Dose M/F: 04/17/05 / 04/17/05

Lab: NCTR

FISCHER 344 RATS-NCTR RATS MALE	CONTROL WATER	ALOEWHOLLEAF 0.5	ALOEWHOLLEAF 1.0	ALOEWHOLLEAF 1.5	
Pigmentation	3 [2.7]	9 [2.3]	3 [2.3]	6 [2.2]	
Thrombus	ر ۱ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ	9 [2.0]	3 <u>[2</u> .5]	0 [2.2] 1	
Capsule, Fibrosis	'		1 [2.0]	'	
Lymphoid Follicle, Necrosis	1 [4.0]		1 [2.0]		
Red Pulp, Hyperplasia	. [•]		1 [2.0]		
Thymus	(46)	(47)	(44)	(44)	
Atrophy	38 [2.4]	42 [2.4]	39 [2.4]	40 [2.3]	
Cyst	1	2	00 [2.1]	10 [2.0]	
Ectopic Thyroid	·	1			
Hemorrhage		·		1 [1.0]	
Epithelial Cell, Hyperplasia			1 [2.0]	. []	
INTEGUMENTARY SYSTEM					
Mammary Gland	(44)	(46)	(48)	(41)	
Galactocele	9	11	11	10	
Lactation	23 [1.9]	19 [2.3]	24 [2.2]	10 [2.2]	
Alveolus, Hyperplasia	12 [2.0]	14 [2.3]	12 [2.4]	6 [2.2]	
Skin	(48)	(48)	(48)	(48)	
Cyst Epithelial Inclusion	1	1		1	
Inflammation	1 [3.0]	1 [2.0]	2 [2.5]		
Inflammation, Granulomatous		1 [4.0]			
Epidermis, Necrosis	1 [3.0]				
Fat, Subcutaneous Tissue, Necrosis			1 [3.0]		
Foot, Inflammation, Chronic				1 [2.0]	
Subcutaneous Tissue, Inflammation, Focal		1 [3.0]			
Tail, Hyperkeratosis, Multifocal			1 [3.0]		
MUSCULOSKELETAL SYSTEM					
Bone	(0)	(2)	(2)	(1)	
Cartilage, Sternum, Degeneration				1 [4.0]	
Cranium, Periosteum, Hemorrhage			1 [2.0]		
Bone, Femur	(48)	(48)	(48)	(48)	
Osteopetrosis	1 [3.0]				

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Route: DOSED WATER

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Aloe vera whole leaf extract (native)

CAS Number: ALOEVLEAFEXT

Time Report Requested: 14:39:01 First Dose M/F: 04/17/05 / 04/17/05

Lab: NCTR

FISCHER 344 RATS-NCTR RATS MALE	CONTROL WATER	ALOEWHOLLEAF 0.5	ALOEWHOLLEAF 1.0	ALOEWHOLLEAF 1.5	
Skeletal Muscle	(2)	(2)	(0)	(2)	
NERVOUS SYSTEM					
Brain	(0)	(0)	(1)	(0)	
Brain, Brain Stem	(48)	(48)	(48)	(48)	
Hemorrhage	, ,	1 [3.0]	1 [3.0]	, ,	
Hypothalamus, Compression	11 [2.1]	10 [3.0]	13 [2.6]	9 [3.0]	
Brain, Cerebellum	(48)	(48)	(48)	(48)	
Compression	, ,	,	1 [3.0]	,	
Hemorrhage			2 [1.5]		
Brain, Cerebrum	(48)	(48)	(48)	(48)	
Hemorrhage	, ,	,	,	1 [2.0]	
Hydrocephalus			1 [2.0]	1 [2.0]	
Mineralization, Focal			1 [1.0]		
Spinal Cord	(1)	(1)	(0)	(3)	
Hemorrhage		. ,	. ,	1 [3.0]	
RESPIRATORY SYSTEM					
Lung	(48)	(48)	(48)	(48)	
Granuloma	(- /	(- /	1 [1.0]	1 [2.0]	
Hemorrhage	1 [2.0]		1	1 [1.0]	
Infiltration Cellular, Lymphocyte	,	1 [1.0]		,	
Metaplasia, Osseous		,		1 [1.0]	
Alveolar Epithelium, Hyperplasia	2 [2.0]	1 [2.0]	2 [3.0]	1 [1.0]	
Alveolus, Infiltration Cellular, Histiocyte	3 [1.0]	3 [1.3]	10 [1.3]	6 [1.2]	
Alveolus, Infiltration Cellular, Lymphocyte			1 [1.0]		
Alveolus, Inflammation	2 [2.5]		3 [2.0]	2 [2.5]	
Mediastinum, Inflammation	r -1		1 [3.0]		
Nose	(48)	(48)	(47)	(48)	
Foreign Body	, ,	, ,	`1 [']	, ,	
Fungus	1		1		
Inflammation	4 [1.8]	3 [2.0]	4 [2.0]	1 [2.0]	
Goblet Cell, Hyperplasia	1 [3.0]	1 [2.0]	1 [2.0]	2 [1.5]	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: RATS/F 344/NCTR

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Aloe vera whole leaf extract (native)

CAS Number: ALOEVLEAFEXT

Time Report Requested: 14:39:01 First Dose M/F: 04/17/05 / 04/17/05

Lab: NCTR

					<u>Lub.</u> NOTK
FISCHER 344 RATS-NCTR RATS MALE	CONTROL WATER	ALOEWHOLLEAF 0.5	ALOEWHOLLEAF 1.0	ALOEWHOLLEAF 1.5	
Trachea Mucosa, Cyst	(48)	(48) 1	(48)	(48)	
SPECIAL SENSES SYSTEM					
Eye	(47)	(46)	(47)	(48)	
Cataract	2	,	, ,	2	
Phthisis Bulbi				1	
Retina, Degeneration	5 [2.8]	2 [1.5]		4 [2.5]	
Sclera, Metaplasia, Osseous	2 [2.5]	1 [2.0]	1 [3.0]	1 [2.0]	
Harderian Gland	(48)	(48)	(48)	(48)	
Atrophy	1 [2.0]	,	,	,	
Infiltration Cellular, Lymphocyte	7 [1.3]	11 [1.1]	8 [1.3]	8 [1.5]	
Inflammation			1 [2.0]	2 [2.0]	
Lacrimal Gland	(0)	(1)	(0)	(0)	
Zymbal's Gland	(0)	(2)	(1)	(0)	
URINARY SYSTEM					
Kidney	(48)	(48)	(48)	(48)	
Hydronephrosis	,	1 [2.0]	1 [2.0]	,	
Nephropathy	48 [3.0]	47 [3.2]	48 [2.7]	45 [2.3]	
Cortex, Cyst	2			1	
Renal Tubule, Necrosis		1 [3.0]			
Urinary Bladder	(48)	(48)	(48)	(48)	
Dilatation	1	5	1	2	
Hemorrhage				1 [3.0]	
Hyperplasia			1 [2.0]		
Inflammation			1 [2.0]		

^{***} END OF MALE ***

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Route: DOSED WATER

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Aloe vera whole leaf extract (native)

CAS Number: ALOEVLEAFEXT

Time Report Requested: 14:39:01 First Dose M/F: 04/17/05 / 04/17/05

Lab: NCTR

FISCHER 344 RATS-NCTR RATS FEMALE	CONTROL WATER	ALOEWHOLLEAF 0.5	ALOEWHOLLEAF 1.0	ALOEWHOLLEAF 1.5	
Disposition Summary					
Animals Initially In Study	48	48	48	48	
Early Deaths					
Moribund Sacrifice	15	15	17	20	
Natural Death	2		4	5	
Survivors					
Moribund Sacrifice	1	2	2	2	
Natural Death			1	1	
Terminal Sacrifice	30	31	24	20	
Animals Examined Microscopically	48	48	48	48	
ALIMENTARY SYSTEM					
Esophagus	(48)	(47)	(48)	(48)	
Inflammation	1 [4.0]	,	,	` ,	
Intestine Large, Ascending Colon	(47)	(48)	(46)	(46)	
Dilatation	` ,	, ,	1	1	
Inflammation		1 [2.0]	1 [2.0]	2 [2.0]	
Lymphoid Tissue, Hyperplasia			2 [2.5]	2 [3.5]	
Mucosa, Hyperplasia		40 [2.0]	35 [2.3]	39 [2.6]	
Intestine Large, Cecum	(47)	(48)	(47)	(48)	
Dilatation			9	25	
Inflammation		1 [2.0]	2 [2.0]	2 [2.5]	
Perforation				1 [4.0]	
Lymphoid Tissue, Hyperplasia		1 [2.0]		2 [2.5]	
Mucosa, Hyperplasia		4 [1.8]	17 [2.2]	27 [2.2]	
Intestine Large, Colon	(0)	(0)	(2)	(1)	
Inflammation	. ,		1 [2.0]	• •	
Necrosis			1 [4.0]		
Mucosa, Hyperplasia			1 [4.0]		
Intestine Large, Descending Colon	(47)	(48)	(46)	(47)	
Inflammation	` '	. ,	1 [2.0]		
Ulcer			1 [3.0]		
Mucosa, Hyperplasia		17 [1.4]	18 [1.4]	27 [1.5]	
Intestine Large, Rectum	(48)	(48)	(47)	(47)	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Aloe vera whole leaf extract (native)

CAS Number: ALOEVLEAFEXT

Time Report Requested: 14:39:01 First Dose M/F: 04/17/05 / 04/17/05

Lab: NCTR

FISCHER 344 RATS-NCTR RATS FEMALE	CONTROL WATER	ALOEWHOLLEAF 0.5	ALOEWHOLLEAF 1.0	ALOEWHOLLEAF 1.5	
Polyarteritis		1 [2.0]			
Mucosa, Hyperplasia				5 [1.6]	
Intestine Large, Transverse Colon	(47)	(48)	(46)	(46)	
Dilatation	. ,	,	1	, ,	
Inflammation		1 [1.0]	1 [2.0]		
Lymphoid Tissue, Hyperplasia		1 [2.0]	1 [2.0]		
Mucosa, Hyperplasia		40 [1.7]	33 [1.8]	42 [2.1]	
Intestine Small, Duodenum	(48)	(48)	(48)	(48)	
Inflammation	(- /	(- /	1 [1.0]	1 [2.0]	
Mucosa, Hyperplasia	1 [2.0]	4 [2.0]	5 [2.0]	2 [1.5]	
Intestine Small, Ileum	(47)	(48)	(43)	(44)	
Inflammation	(,	1 [3.0]	1 [2.0]	(/	
Lymphoid Tissue, Hyperplasia	1 [3.0]	1 [2.0]	1 [3.0]		
Mucosa, Hyperplasia	. []	2 [2.5]	2 [1.5]	6 [2.5]	
Intestine Small, Jejunum	(47)	(48)	(45)	(43)	
Inflammation	(,	2 [3.5]	(10)	(12)	
Ulcer		1 [4.0]			
Lymphatic, Dilatation		1 [4.0]			
Submucosa, Fibrosis		1 [4.0]			
Liver	(48)	(48)	(48)	(48)	
Angiectasis	(1-)	(15)	1 [3.0]	1 [4.0]	
Basophilic Focus		1	. []	1	
Basophilic Focus, Multiple	22	27	12	13	
Cyst Multilocular	1	_ .	. -	. •	
Eosinophilic Focus	5	7	2	1	
Eosinophilic Focus, Multiple	-	1		1	
Granuloma	21 [1.9]	19 [1.6]	20 [1.9]	15 [1.7]	
Hematopoietic Cell Proliferation	1 [1.0]		[]		
Hepatodiaphragmatic Nodule	4	2	4	2	
Infiltration Cellular, Lymphocyte	1 [1.0]	3 [1.7]	1 [2.0]	3 [1.7]	
Necrosis, Coagulative	. []	• []	2 [2.0]	0 []	
Regeneration			- [~]	1 [3.0]	
Tension Lipidosis			2 [2.5]	. [0.0]	
Vacuolization Cytoplasmic	6 [2.5]	9 [2.6]	4 [2.5]	5 [1.8]	
Bile Duct, Hyperplasia	9 [1.6]	5 [1.4]	6 [1.3]	2 [1.0]	
Caudate Lobe, Developmental Malformation	0 [1.0]	÷ []	4	1	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Route: DOSED WATER

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Aloe vera whole leaf extract (native)

CAS Number: ALOEVLEAFEXT

Time Report Requested: 14:39:01 **First Dose M/F:** 04/17/05 / 04/17/05

Lab: NCTR

FISCHER 344 RATS-NCTR RATS FEMALE	CONTROL WATER	ALOEWHOLLEAF 0.5	ALOEWHOLLEAF 1.0	ALOEWHOLLEAF 1.5	
Counters Loho Inform				4 [4 0]	
Caudate Lobe, Infarct				1 [4.0]	
Centrilobular, Necrosis	4	0	0	2 [2.0]	
Left Lateral Lobe, Developmental Malformation	4	2	3	1	
Left Lateral Lobe, Infarct				1 [4.0]	
Median Lobe, Developmental Malformation			4 [0.0]	1	
Periportal, Inflammation, Chronic			1 [2.0]	1 [2.0]	
Right Lateral Lobe, Developmental Malformation			2		
Mesentery	(6)	(9)	(10)	(4)	
Polyarteritis		1 [4.0]	1 [3.0]		
Thrombosis		1			
Fat, Necrosis	6 [2.8]	8 [2.6]	6 [2.7]	4 [3.0]	
Oral Mucosa	(0)	(1)	(1)	(0)	
Pancreas	(48)	(48)	(48)	(48)	
Accessory Spleen			1		
Polyarteritis		1 [3.0]	1 [3.0]		
Acinar Cell, Atrophy	10 [2.1]	11 [1.6]	17 [1.7]	17 [2.0]	
Proximal Colon	(43)	(45)	(42)	(39)	
Dilatation			1		
Foreign Body				1	
Inflammation		2 [1.5]	11 [2.4]	8 [2.3]	
Ulcer		1 [2.0]	2 [2.5]	1 [3.0]	
Mucosa, Hyperplasia		30 [2.1]	33 [2.5]	32 [2.5]	
Salivary Glands	(48)	(48)	(48)	(48)	
Acinar Cell, Atrophy	1 [2.0]	,	,	, ,	
Stomach, Forestomach	(48)	(48)	(48)	(48)	
Edema	,	2 [3.0]	2 [2.5]	1 [3.0]	
Hyperplasia	1 [3.0]	7 [2.6]	10 [2.4]	9 [2.3]	
Inflammation	F1	r -1	4 [3.3]	3 [3.3]	
Stomach, Glandular	(48)	(48)	(48)	(48)	
Edema	(/	1 [3.0]	(/	1 [3.0]	
Inflammation		. []	1 [2.0]	1 [2.0]	
Ulcer			. [=.0]	1 [2.0]	
Mucosa, Hyperplasia		1 [2.0]	3 [2.3]	3 [2.0]	
Mucosa, Necrosis, Focal		1 [2.0]	0 [2.0]	0 [2.0]	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Route: DOSED WATER

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Aloe vera whole leaf extract (native)

CAS Number: ALOEVLEAFEXT

Time Report Requested: 14:39:01 First Dose M/F: 04/17/05 / 04/17/05

Lab: NCTR

FISCHER 344 RATS-NCTR RATS FEMALE	CONTROL WATER	ALOEWHOLLEAF 0.5	ALOEWHOLLEAF 1.0	ALOEWHOLLEAF 1.5	
CARDIOVASCULAR SYSTEM					
Heart Cardiomyopathy Atrium, Thrombus	(48) 35 [1.8]	(48) 40 [1.8]	(48) 32 [1.5] 1	(48) 33 [1.7] 1	
ENDOCRINE SYSTEM					
Adrenal Cortex Accessory Adrenal Cortical Nodule	(48)	(48)	(48) 1	(48)	
Accessory Adrenal Cortical Nodule Anglectasis Atrophy	31 [2.1]	25 [2.2]	20 [2.4]	19 [2.1] 1 [2.0]	
Fibrosis, Focal Hemorrhage	1 [2.0]			1 [3.0]	
Hyperplasia, Focal Hypertrophy	1 [2.0]	2 [2.0]		2 [1.5]	
Hypertrophy, Focal Necrosis, Coagulative	2 [1.5]	2 [1.5]	6 [1.8]	1 [2.0] 1 [2.0]	
Vacuolization Cytoplasmic Adrenal Medulla	6 [1.8] (47)	7 [2.4] (46)	5 [2.4] (48)	6 [2.2] (47)	
Angiectasis Hyperplasia, Focal	2 [2.0]	6 [1.8] 1 [2.0]	1 [2.0] 1 [1.0]	6 [2.2] 1 [2.0]	
Islets, Pancreatic Parathyroid Gland	(48) (47)	(48) (45)	(47) (46)	(48) (47)	
Hyperplasia, Focal Pituitary Gland	1 [2.0] (48)	(48)	(48)	(47)	
Angiectasis Pigmentation	2 [3.0]	1 [3.0]	(10)	1 [2.0] 1 [3.0]	
Pars Distalis, Cyst Pars Distalis, Hyperplasia	1 3 [1.7]	5 3 [2.3]	4 2 [2.5]	6 4 [2.0]	
Pars Intermedia, Cyst Pars Nervosa, Cyst			1	1	
Thyroid Gland C-cell, Hyperplasia	(48) 15 [1.9]	(48) 13 [1.4]	(48) 8 [1.4]	(47) 3 [1.7]	
Follicular Cell, Hyperplasia				1 [1.0]	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC

Route: DOSED WATER

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Aloe vera whole leaf extract (native)

CAS Number: ALOEVLEAFEXT

Time Report Requested: 14:39:01 First Dose M/F: 04/17/05 / 04/17/05

Lab: NCTR

FISCHER 344 RATS-NCTR RATS FEMALE	CONTROL WATER	ALOEWHOLLEAF 0.5	ALOEWHOLLEAF 1.0	ALOEWHOLLEAF 1.5	
GENERAL BODY SYSTEM					
Tissue NOS Fat, Necrosis	(0)	(0)	(2) 1 [2.0]	(0)	
GENITAL SYSTEM					
Clitoral Gland Atrophy	(48)	(48)	(48)	(48) 1 [2.0]	
Hyperplasia Inflammation	33 [2.2]	26 [2.1]	1 [2.0] 30 [2.1]	30 [2.2]	
Duct, Ectasia	12 [2.3]	15 [2.7]	8 [2.1]	8 [2.4]	
Duct, Hyperplasia	2 [2.0]	.0 [2.11]	2 [2.0]	5 [2.2]	
Ovary	(48)	(48)	(48)	(48)	
Atrophy	47 [2.3]	44 [2.5]	42 [2.6]	47 [2.4]	
Cyst	2	4	6	4	
Uterus	(48)	(48)	(48)	(48)	
Hyperplasia, Focal	2 [3.5]	1 [2.0]	2 [2.0]	5 [2.0]	
Hypoplasia	1				
Inflammation	1 [2.0]	2 [1.5]		2 [2.0]	
Adventitia, Inflammation			1 [2.0]		
Bilateral, Horn, Dilatation				1 [3.0]	
Cervix, Mucocyte, Metaplasia	1 [2.0]	1 [3.0]			
Cervix, Muscularis, Hyperplasia		1 [2.0]			
Cervix, Muscularis, Hypertrophy	1 [3.0]	1 [3.0]	1 [4.0]		
Endometrium, Hyperplasia, Cystic	10 [1.7]	16 [1.9]	8 [2.0]	12 [2.2]	
Horn, Dilatation	1 [3.0]	2 [3.0]	1 [2.0]		
Vagina	(4)	(3)	(2)	(4)	
Dilatation	1	1	1		
Inflammation, Suppurative	1 [2.0]			3 [2.7]	
Mucocyte, Hyperplasia	3 [2.7]	1 [4.0]	2 [3.5]	4 [3.0]	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Route: DOSED WATER

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Aloe vera whole leaf extract (native)

CAS Number: ALOEVLEAFEXT

Time Report Requested: 14:39:01 First Dose M/F: 04/17/05 / 04/17/05

Lab: NCTR

FISCHER 344 RATS-NCTR RATS FEMALE	CONTROL WATER	ALOEWHOLLEAF 0.5	ALOEWHOLLEAF 1.0	ALOEWHOLLEAF 1.5
HEMATOPOIETIC SYSTEM				
Bone Marrow	(48)	(48)	(48)	(47)
Atrophy		2 [2.0]	1 [3.0]	
Hyperplasia	1 [2.0]	4 [2.3]	3 [2.7]	1 [2.0]
Proliferation				1 [4.0]
Myeloid Cell, Hyperplasia			3 [2.0]	1 [2.0]
Lymph Node	(9)	(7)	(8)	(9)
Degeneration, Cystic			2 [2.0]	
Lumbar, Degeneration, Cystic	2 [2.5]			
Lumbar, Hyperplasia, Lymphoid	1 [2.0]			
Mediastinal, Hemorrhage		1 [3.0]	2 [2.5]	
Mediastinal, Hyperplasia, Lymphoid				1 [2.0]
Mediastinal, Polyarteritis		1 [4.0]		
Mediastinal, Medulla, Sinus, Dilatation		1 [2.0]		
Medulla, Pancreatic, Sinus, Dilatation				1 [3.0]
Pancreatic, Degeneration, Cystic				1 [3.0]
Pancreatic, Hemorrhage			1 [3.0]	
Pancreatic, Hyperplasia, Lymphoid		1 [2.0]		1 [3.0]
Lymph Node, Mandibular	(48)	(47)	(48)	(47)
Cyst	2 [2.5]	1 [2.0]		
Degeneration, Cystic	2 [1.5]	3 [2.0]	3 [2.3]	4 [1.8]
Hyperplasia, Lymphoid	1 [2.0]			1 [2.0]
Infiltration Cellular, Plasma Cell	7 [1.9]	9 [2.3]	9 [2.2]	4 [2.0]
Medulla, Sinus, Dilatation	2 [2.0]			2 [2.5]
Lymph Node, Mesenteric	(46)	(47)	(48)	(47)
Amyloid Deposition	` ,		1 [3.0]	1 [3.0]
Atrophy, Lymphocyte				4 [3.0]
Degeneration, Cystic		16 [3.2]	40 [3.8]	43 [3.5]
Fibrosis				1 [3.0]
Hemorrhage	3 [2.0]	3 [2.0]	1 [2.0]	
Hyperplasia, Lymphoid		2 [2.0]	2 [2.0]	3 [3.0]
Medulla, Sinus, Dilatation	1 [2.0]	3 [2.3]	1 [3.0]	1 [3.0]
Spleen	(48)	(48)	(48)	(48)
Accessory Spleen	2	1	. ,	• •
Atrophy	1 [4.0]	1 [2.0]	1 [3.0]	2 [2.0]

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC

Route: DOSED WATER

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Aloe vera whole leaf extract (native)

CAS Number: ALOEVLEAFEXT

Time Report Requested: 14:39:01 First Dose M/F: 04/17/05 / 04/17/05

Lab: NCTR

FISCHER 344 RATS-NCTR RATS FEMALE	CONTROL WATER	ALOEWHOLLEAF 0.5	ALOEWHOLLEAF 1.0	ALOEWHOLLEAF 1.5	
Fibrosis	1 [4.0]				
Hematopoietic Cell Proliferation	4 [2.8]	1 [3.0]	1 [4.0]	1 [2.0]	
Hyperplasia, Focal	1 [3.0]	5 [2.8]	1 [3.0]	1 [2.0]	
Infarct	1	2		3	
Pigmentation	7 [2.3]	6 [2.3]	5 [2.6]	6 [2.5]	
Thrombus	2				
Red Pulp, Hyperplasia		3 [2.0]			
Thymus	(46)	(45)	(45)	(44)	
Atrophy	43 [2.2]	44 [2.2]	40 [2.4]	42 [2.3]	
Cyst		1		1	
Hemorrhage	1 [2.0]				
NTEGUMENTARY SYSTEM					
Mammary Gland	(47)	(48)	(48)	(47)	
Galactocele	3	1	3	5	
Lactation	27 [1.9]	28 [2.1]	24 [2.1]	23 [2.1]	
Alveolus, Hyperplasia	27 [2.0]	38 [2.2]	28 [2.1]	22 [2.1]	
Alveolus, Hypertrophy	1 [2.0]				
Skin	(48)	(48)	(48)	(48)	
Cyst Epithelial Inclusion			1		
Inflammation		1 [2.0]			
Epidermis, Hyperplasia	1 [2.0]			1 [3.0]	
Epidermis, Necrosis	1 [2.0]	1 [3.0]		1 [2.0]	
Foot, Hyperkeratosis	1 [2.0]				
MUSCULOSKELETAL SYSTEM					
Bone	(0)	(2)	(0)	(0)	
Cervical, Vertebra, Fracture	` '	2	` '	•	
Bone, Femur	(48)	(48)	(48)	(48)	
Fibrous Osteodystrophy	, ,	1 [2.0]	, ,	,	
Osteopetrosis	8 [3.0]	3 [3.0]	4 [3.0]	5 [3.2]	
Skeletal Muscle	(0)	(3)	(0)	(2)	
Polyarteritis	· /	1 [4.0]	()	· /	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Aloe vera whole leaf extract (native)

CAS Number: ALOEVLEAFEXT

Time Report Requested: 14:39:01 **First Dose M/F:** 04/17/05 / 04/17/05

Lab: NCTR

FISCHER 344 RATS-NCTR RATS FEMALE	CONTROL WATER	ALOEWHOLLEAF 0.5	ALOEWHOLLEAF 1.0	ALOEWHOLLEAF 1.5	
Diaphragm, Inflammation		1 [2.0]			
NERVOUS SYSTEM					
Brain, Brain Stem	(48)	(48)	(48)	(48)	
Hypothalamus, Compression	13 [2.2]	14 [2.4]	8 [2.4]	8 [2.3]	
Brain, Cerebellum	(48)	(48)	(48)	(48)	
Brain, Cerebrum	(48)	(48)	(48)	(48)	
Hemorrhage			1 [2.0]		
Hydrocephalus	1 [2.0]	1 [2.0]			
RESPIRATORY SYSTEM					
Lung	(48)	(48)	(48)	(48)	
Granuloma	6 [2.2]	4 [2.0]	4 [1.3]	3 [1.3]	
Hemorrhage		2 [2.0]	1 [2.0]		
Alveolar Epithelium, Hyperplasia	4 [2.5]	2 [1.5]	1 [2.0]		
Alveolus, Infiltration Cellular, Histiocyte	13 [1.7]	8 [1.1]	9 [1.1]	11 [1.4]	
Alveolus, Inflammation	3 [1.7]	4 [2.0]	2 [1.5]		
Artery, Mineralization			1 [1.0]		
Nose	(48)	(48)	(48)	(48)	
Inflammation	1 [1.0]	6 [2.0]	8 [1.9]	2 [1.5]	
Osteopetrosis	1 [3.0]	2 [2.5]	1 [3.0]	2 [2.0]	
Goblet Cell, Hyperplasia		1 [2.0]	1 [2.0]		
SPECIAL SENSES SYSTEM					
Ear	(0)	(0)	(1)	(0)	
Canal, External Ear, Inflammation	(♥)	(♥)	1 [3.0]	(0)	
Eye	(48)	(48)	(46)	(46)	
Cataract	(10)	2	1	1	
Hemorrhage		1 [4.0]	•	•	
Phthisis Bulbi		1			
Retina, Degeneration	4 [1.8]	8 [2.9]	3 [2.3]	3 [2.3]	
	. []	- []	- []	- []	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC

Route: DOSED WATER

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Aloe vera whole leaf extract (native)

CAS Number: ALOEVLEAFEXT

Time Report Requested: 14:39:01 First Dose M/F: 04/17/05 / 04/17/05

Lab: NCTR

Species/Strain: RATS/F 344/NCTR

FISCHER 344 RATS-NCTR RATS FEMALE	CONTROL WATER	ALOEWHOLLEAF 0.5	ALOEWHOLLEAF 1.0	ALOEWHOLLEAF 1.5	
Harderian Gland	(48)	(48)	(48)	(48)	
Hyperplasia	,	,	1 [4.0]	,	
Infiltration Cellular, Lymphocyte	24 [1.5]	21 [1.3]	18 [1.6]	17 [1.2]	
Inflammation	1 [2.0]	1 [2.0]			
Zymbal's Gland	(1)	(0)	(1)	(1)	
URINARY SYSTEM					
Kidney	(48)	(48)	(48)	(48)	
Hydronephrosis	1 [2.0]				
Infarct	2 [2.5]		2 [2.0]		
Mineralization	40 [2.2]	35 [1.9]	40 [2.1]	35 [1.9]	
Nephropathy	47 [2.1]	45 [2.2]	40 [1.8]	40 [1.7]	
Cortex, Cyst				1	
Cortex, Inflammation, Chronic			1 [3.0]		
Epithelium, Pelvis, Hyperplasia			1 [3.0]		
Renal Tubule, Pigmentation				1 [2.0]	
Urinary Bladder	(48)	(48)	(48)	(48)	
Dilatation	1				
Inflammation				1 [2.0]	

*** END OF REPORT ***

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)