Experiment Number: A31999

NTP Study Number:

G04: In Vivo Micronucleus Summary Data

Date Report Requested: 09/20/2018

Test Type: Genetic Toxicology - Micronucleus

Test Compound: 3'-Azido-3'-deoxythymidine and 2',3'-Dideoxyinosine (AIDS Initiative)

CAS Number: AZTDDICOMB

Time Report Requested: 09:31:00

Route: Gavage

Species/Strain: Mouse/CD-1

A31999

4 Days

Study Duration:

Study Methodology: Slide Scoring

Male Study Result: Positive

G04: In Vivo Micronucleus Summary Data

Date Report Requested: 09/20/2018 Test Compound: 3'-Azido-3'-deoxythymidine and 2',3'-Dideoxyinosine (AIDS Initiative) Time Report Requested: 09:31:00

CAS Number: AZTDDICOMB

Species/Strain: Mouse/CD-1

Route: Gavage

Experiment Number: A31999

Test Type: Genetic Toxicology - Micronucleus

Tissue: Blood; Sex: Male; Number of Treatments: 0; Time interval between final treatment and cell sampling: 24 h

		MN PCE/1000		% PCE
Dose (mg/kg)	N	Mean ± SEM	p-Value	Mean ± SEM
Vehicle Control ¹	5	2.70 ± 0.51		43.00 ± 1.74
50.0	5	17.90 ± 8.28	0.0388	33.00 ± 2.86
75.0	5	31.90 ± 12.11	0.0043 *	37.90 ± 2.93
150.0	5	75.90 ± 20.19	< 0.001 *	32.10 ± 3.75
d p-Value		< 0.001 *		

Trial Summary: Positive

G04: In Vivo Micronucleus Summary Data

Test Compound: 3'-Azido-3'-deoxythymidine and 2',3'-Dideoxyinosine (AIDS Initiative)

Date Report Requested: 09/20/2018

Time Report Requested: 09:31:00

Route: Gavage CAS Number: AZTDDICOMB

Species/Strain: Mouse/CD-1

Experiment Number: A31999

LEGEND

Test Type: Genetic Toxicology - Micronucleus

MN = micronucleated, PCE = polychromatic erythrocyte, NCE = normochromatic erythrocyte

CAS Number = Chemical Abstracts Service registry number

N = Number of subjects

Values given as Mean or Mean ± Standard Error Mean

Results were tabulated as the mean of the pooled results from all animals within a treatment group, plus or minus the standard error of the mean

Pairwise comparison to the concurrent control, dosed groups significant at p = 0.025/number of treatment groups; positive control value is significant at p = 0.05

Cochran-Armitage trend test, significant at p = 0.025

* Statistically significant pairwise or trend test

1: Vehicle Control: Maalox

** END OF REPORT **