

TDMS No. 20107 - 04
Test Type: CHRONIC
Route: GAVAGE
Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine
CAS Number: 99-97-8

Date Report Requested: 03/10/2011
Time Report Requested: 11:42:39
First Dose M/F: 10/26/04 / 10/25/04
Lab: BAT

F1_M3

C Number: C20107
Lock Date: 02/26/2008
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
Study Gender: Both
TDMSE Version: 2.3.0
PWG Approval Date: NONE

Note: Animals arranged according to days on test.

TDMS No. 20107 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 03/10/2011

Time Report Requested: 11:42:39

First Dose M/F: 10/26/04 / 10/25/04

Lab: BAT

B6C3F1 MICE MALE 0 MG/KG	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	ANIMAL ID	males (cont...)
		0	0	1	5	5	5	5	5	6	6	6	6	6	7	7	7	7	7	7	7	7	7	7		
		0	0	5	4	6	6	8	8	9	4	5	7	8	9	2	2	3	3	3	3	3	3	3	0	
		4	4	6	8	1	2	4	8	1	3	5	8	5	8	6	7	0	0	0	1	1	1	1	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	2	2	3	0	0	2	1	3	4	4	4	2	1	5	0	0	2	2	0	0	0	1	0	
		6	0	6	8	8	7	1	0	2	9	3	0	2	2	0	3	9	4	5	1	2	5	1	0	

Pituitary Gland

+ + + + + + + + + + + + + + + + + + + + + + + + + +

Thyroid Gland
Follicular Cell, Adenoma

+ + + + + + + + + + + + + + + + + + + + + + + + + +

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Epididymis

+ + + + + + + + + + + + + + + + + + + + + + + + + +

Preputial Gland

+ + + + + + + + + + + + + + + + + + + + + + + + + +

Prostate

+ + + + + + + + + + + + + + + + + + + + + + + + + +

Seminal Vesicle

+ + + + + + + + + + + + + + + + + + + + + + + + + +

Testes

+ + + + + + + + + + + + + + + + + + + + + + + + + +

HEMATOPOIETIC SYSTEM

Bone Marrow

+ + + + + + + + + + + + + + + + + + + + + + + + + +

Lymph Node

+ + + + + + + + + + + + + + + + + + + + + + + + + +

Lymph Node, Mandibular

+ + + + + + + + + + + + + + + + + + + + + + + + + +

Lymph Node, Mesenteric
Hemangiosarcoma

+ + + + + + + + + + + + + + + + + + + + + + + + + +
X

Spleen

+ + + + + + + A + + + + + + + + + A + + + + + + + + + +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine
 CAS Number: 99-97-8

Date Report Requested: 03/10/2011
 Time Report Requested: 11:42:39
 First Dose M/F: 10/26/04 / 10/25/04
 Lab: BAT

| B6C3F1 MICE MALE
0 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|-------------------------------------------------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------|--|
| | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | | | |
| ANIMAL ID | 0
0
0
1
6 | 0
0
0
1
7 | 0
0
0
1
8 | 0
0
0
2
3 | 0
0
0
2
9 | 0
0
0
3
0 | 0
0
0
3
1 | 0
0
0
3
4 | 0
0
0
3
9 | 0
0
0
3
1 | 0
0
0
4
2 | 0
0
0
4
4 | 0
0
0
4
5 | 0
0
0
4
6 | 0
0
0
0
4 | 0
0
0
1
3 | 0
0
0
1
9 | 0
0
0
2
7 | 0
0
0
2
8 | 0
0
0
3
3 | 0
0
0
3
5 | 0
0
0
3
6 | 0
0
0
3
7 | 0
0
0
4
7 | 0
0
0
4
8 | | |
| Hemangiosarcoma | | X | | | | X | X | | | | | | | | | | | | | | | | | | | 3 | |
| Thymus
Carcinoma, Metastatic, Zymbal'S Gland | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
1 | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 | |
| Skin
Subcutaneous Tissue, Lipoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Alveolar/Bronchiolar Adenoma | | | | | X | | | | | | | | | X | X | X | | X | | | X | | X | | 11 | | |
| Alveolar/Bronchiolar Carcinoma
Carcinoma, Metastatic, Zymbal'S Gland | | X | | | | | | | | X | | | | | | | | | | | | | | | 2 | | |
| Hemangiosarcoma | | | | | | X | | | | | | | | | | | | | | | | | | | 1 | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | X | | X | | | | | | | | | | | | | | | | 1 | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | | |
| 6 MG/KG | 0
0
0
5
7 | 0
0
0
5
9 | 0
0
0
6
0 | 0
0
0
6
1 | 0
0
0
7
5 | 0
0
0
8
0 | 0
0
0
8
1 | 0
0
0
8
8 | 0
0
0
8
9 | 0
0
0
8
9 | 0
0
0
9
3 | 0
0
0
9
4 | 0
0
0
5
1 | 0
0
0
6
2 | 0
0
0
6
7 | 0
0
0
7
1 | 0
0
0
7
3 | 0
0
0
8
8 | 0
0
0
8
9 | 0
0
0
9
9 | 0
0
0
9
9 | 0
0
0
9
7 | 0
0
0
9
8 | 0
0
0
9
9 | 0
0
0
9
0 | 0
0
0
0
0 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Subcutaneous Tissue, Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Lipoma | | | | | | | X | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Melanoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skeletal Muscle | | | | | | | | | | | | | | | + | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma | | | | X | | | | | | X | | X | | X | | | | | | | X | | | | | | 11 |
| Alveolar/Bronchiolar Adenoma, Multiple | | | | | | X | | | X | | | X | | | | | | | | | | | | | | | 5 |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | X | | | | | | | | | | | | | | | | | | | 2 |
| Alveolar/Bronchiolar Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | X | | | | | | | | | | | | | | | | | | | 2 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | X | | | | | | | | | | | | | | | | | | X | | | | | | 5 |
| Osteosarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Bronchus, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine
 CAS Number: 99-97-8

Date Report Requested: 03/10/2011
 Time Report Requested: 11:42:39
 First Dose M/F: 10/26/04 / 10/25/04
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-----------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE MALE | 60 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | | 2 | 4 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | | 5 | 4 | 6 | 8 | 0 | 2 | 3 | 5 | 6 | 6 | 7 | 7 | 8 | 9 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 6 | 9 | 2 | 0 | 9 | 3 | 8 | 5 | 5 | 9 | 2 | 2 | 2 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | | 6 | 6 | 6 | 8 | 7 | 6 | 0 | 9 | 5 | 7 | 6 | 8 | 7 | 8 | 5 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | | |
| | | | 3 | 2 | 6 | 8 | 3 | 7 | 0 | 9 | 8 | 2 | 8 | 5 | 6 | 9 | 2 | 0 | 5 | 1 | 4 | 7 | 9 | 7 | 9 | 7 | 3 | 6 | 7 | | | | | | | | | | | | | |

males
(cont...)

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemangiosarcoma | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 03/10/2011

Time Report Requested: 11:42:39

First Dose M/F: 10/26/04 / 10/25/04

Lab: BAT

| B6C3F1 MICE MALE

60 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
|----------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----------|
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| | 6 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 5 | 5 | 5 | 5 | 6 | 6 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | | |
| | 9 | 8 | 0 | 2 | 4 | 1 | 2 | 4 | 6 | 1 | 4 | 5 | 9 | 1 | 4 | 0 | 5 | 1 | 3 | 6 | 0 | 3 | 5 | 7 | | |
| Salivary Glands | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Stomach, Forestomach | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Squamous Cell Papilloma | | | | X | | | | | | | | | | | | | X | | | | | | | | 3 | |
| Stomach, Glandular | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Tooth | | + | + | | + | | | + | + | + | + | + | + | | | | | | + | + | + | | + | | 30 | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Heart | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Subcapsular, Adenoma | | | | | | | | | X | | | | | | | | | | | | | | | | 1 | |
| Adrenal Medulla | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | | | | | | | X | 1 | |
| Islets, Pancreatic | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Parathyroid Gland | | + | + | M | M | + | + | + | + | + | + | + | + | + | + | + | + | + | M | M | + | + | + | + | 42 | |
| Pituitary Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Thyroid Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

GENERAL BODY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine
 CAS Number: 99-97-8

Date Report Requested: 03/10/2011
 Time Report Requested: 11:42:39
 First Dose M/F: 10/26/04 / 10/25/04
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|--|
| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| 60 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | |
| | | 6 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 5 | 5 | 5 | 5 | 6 | 6 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | | |
| | | 9 | 8 | 0 | 2 | 4 | 1 | 2 | 4 | 6 | 1 | 4 | 5 | 9 | 1 | 4 | 0 | 5 | 1 | 3 | 6 | 0 | 3 | 5 | 8 | |

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | X | 1 | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | 49 | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine
 CAS Number: 99-97-8

Date Report Requested: 03/10/2011
 Time Report Requested: 11:42:39
 First Dose M/F: 10/26/04 / 10/25/04
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|------------------------------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0
4
4
4 | 0
6
4
2 | 0
6
4
5 | 0
6
6
3 | 0
6
6
6 | 0
6
6
6 | 0
6
9
8 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | females
(cont...) |
| | ANIMAL ID | 0
0
2
2
2 | 0
0
2
4
8 | 0
0
2
1
1 | 0
0
2
5
6 | 0
0
2
3
6 | 0
0
2
4
6 | 0
0
2
2
7 | 0
0
2
0
3 | 0
0
2
0
4 | 0
0
2
0
5 | 0
0
2
0
6 | 0
0
2
0
7 | 0
0
2
1
0 | 0
0
2
1
2 | 0
0
2
1
4 | 0
0
2
2
7 | 0
0
2
2
0 | 0
0
2
2
1 | 0
0
2
2
4 | 0
0
2
2
5 | 0
0
2
3
4 | 0
0
2
3
7 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangioma | | | | | | | X | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | | | | | | | X | X | | | | | | | | X | X | X | | X | | | X | X |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma | | | | | X | | X | | | | | X | | | | | | | | | | | | X |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | |
| Adenoma | | | | | | | | | | | | | X | | | | | | | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine
 CAS Number: 99-97-8

Date Report Requested: 03/10/2011
 Time Report Requested: 11:42:39
 First Dose M/F: 10/26/04 / 10/25/04
 Lab: BAT

| B6C3F1 MICE FEMALE | DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | females
(cont...) | |
|--------------------|-------------|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|------|
| | | 0444 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | | 0666 |
| 0 MG/KG | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 2 | 4 | 1 | 5 | 3 | 4 | 2 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 3 | 3 | |
| | | 2 | 8 | 1 | 0 | 6 | 6 | 7 | 3 | 4 | 5 | 6 | 7 | 0 | 2 | 4 | 7 | 0 | 1 | 4 | 5 | 4 | |

Squamous Cell Papilloma

X

Stomach, Glandular

+ + + + + + + + + + + + + + + + + + + + + + + +

Tooth

+ + + + +

CARDIOVASCULAR SYSTEM

Blood Vessel

+ + + + + + + + + + + + + + + + + + + + + + + +

Heart

+ + + + + + + + + + + + + + + + + + + + + + + +

ENDOCRINE SYSTEM

Adrenal Cortex

+ + + + + + + + + + + + + + + + + + + + + + + +

Adrenal Medulla
 Pheochromocytoma Benign

+ + + + + + + + + + + + + + + + + + + + + + + +
 X

Islets, Pancreatic

+ + + + + + + + + + + + + + + + + + + + + + + +

Parathyroid Gland

+ + + + + + + + + + + + + + + + + + + + + + + +

Pituitary Gland

+ + + + + + + + + + + + + + + + + + + + + + + +

Thyroid Gland

+ + + + + + + + + + + + + + + + + + + + + + + +

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 03/10/2011

Time Report Requested: 11:42:39

First Dose M/F: 10/26/04 / 10/25/04

Lab: BAT

| B6C3F1 MICE FEMALE
0 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---------------------------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|----------------------|
| | 0444 | 0666 | 0666 | 0666 | 0666 | 0666 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | | |
| ANIMAL ID | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | | |
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tubulostromal Adenoma | | | | | | | | | | | | | | | | | | | | | | X | | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| HEMATOPOIETIC SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymph Node, Mesenteric | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Spleen | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Keratoacanthoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Fibrosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Fibrosarcoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine
 CAS Number: 99-97-8

Date Report Requested: 03/10/2011
 Time Report Requested: 11:42:39
 First Dose M/F: 10/26/04 / 10/25/04
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------------|---|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 4 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 4 | 4 | 4 | 6 | 6 | 6 | 9 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 4 | 2 | 5 | 3 | 6 | 6 | 8 | 2 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 0 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 2 | 4 | 1 | 5 | 3 | 4 | 2 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 3 | 3 | 4 | 4 | |
| | | 8 | 1 | 0 | 6 | 6 | 7 | 3 | 4 | 5 | 6 | 7 | 0 | 2 | 4 | 7 | 0 | 1 | 4 | 5 | 4 | 7 | 2 | 3 | |
| | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) | |

MUSCULOSKELETAL SYSTEM

Bone + + + + + + + + + + + + + + + + + + + + + + + + + +

NERVOUS SYSTEM

Brain + + + + + + + + + + + + + + + + + + + + + + + + + +

RESPIRATORY SYSTEM

Lung + + + + + + + + + + + + + + + + + + + + + + + + + +

Alveolar/Bronchiolar Adenoma, Multiple
 Hepatocellular Carcinoma, Metastatic, Liver X

Nose + + + + + + + + + + + + + + + + + + + + + + + + + +

Trachea + + + + + + + + + + + + + + + + + + + + + + + + + +

SPECIAL SENSES SYSTEM

Eye + + + + + + + + + + + + + + + + + + + + + + + + + +

Harderian Gland Adenoma + + + + + + + + + + + + + + + + + + + + + + + + + +

URINARY SYSTEM

Kidney + + + + + + + + + + + + + + + + + + + + + + + + + +

Urinary Bladder + + + + + + + + + + + + + + + + + + + + + + + + + +

SYSTEMIC LESIONS

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine
 CAS Number: 99-97-8

Date Report Requested: 03/10/2011
 Time Report Requested: 11:42:39
 First Dose M/F: 10/26/04 / 10/25/04
 Lab: BAT

| B6C3F1 MICE FEMALE | DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | females
(cont...) | | |
|--------------------|-------------|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|------|------|
| | | 0444 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | | 0666 | 0666 |
| 0 MG/KG | | 0444 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | |
| | | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | |
| | | 2224 | 2221 | 2225 | 2223 | 2224 | 2220 | 2220 | 2220 | 2220 | 2220 | 2220 | 2220 | 2220 | 2220 | 2220 | 2220 | 2220 | 2220 | 2220 | 2220 | 2220 | 2220 | |
| | | 2228 | 2221 | 2220 | 2226 | 2226 | 2227 | 2223 | 2224 | 2225 | 2226 | 2227 | 2220 | 2222 | 2224 | 2227 | 2220 | 2221 | 2224 | 2225 | 2224 | 2227 | 2223 | |
| Multiple Organ | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | X | | X | | | | | X | X | | | | X | | X | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 03/10/2011

Time Report Requested: 11:42:39

First Dose M/F: 10/26/04 / 10/25/04

Lab: BAT

| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|--------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 |
| 0 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 2 | 9 | 3 | 5 | 6 | 3 | 6 | 8 | 9 | 0 | 1 | 3 | 5 | 8 | 9 | 1 | 5 | 9 | 8 | 8 | 8 | |

MUSCULOSKELETAL SYSTEM

Bone + + + + + + + + + + + + + + + + + + + + + + + + 50

NERVOUS SYSTEM

Brain + + + + + + + + + + + + + + + + + + + + + + + + 50

RESPIRATORY SYSTEM

Lung + + + + + + + + + + + + + + + + + + + + + + + + 50

Alveolar/Bronchiolar Adenoma, Multiple X X 2

Hepatocellular Carcinoma, Metastatic, Liver X 2

Nose + + + + + + + + + + + + + + + + + + + + + + + + 50

Trachea + + + + + + + + + + + + + + + + + + + + + + + + 50

SPECIAL SENSES SYSTEM

Eye + + + + + + + + + + + + + + + + + + + + + + + + 50

Harderian Gland + + + + + + + + + + + + + + + + + + + + + + + + 50

Adenoma X 1

URINARY SYSTEM

Kidney + + + + + + + + + + + + + + + + + + + + + + + + 50

Urinary Bladder + + + + + + + + + + + + + + + + + + + + + + + + 50

SYSTEMIC LESIONS

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 03/10/2011

Time Report Requested: 11:42:39

First Dose M/F: 10/26/04 / 10/25/04

Lab: BAT

| B6C3F1 MICE FEMALE
0 MG/KG | DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------------------------|-------------|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 0 | 1 | 1 | 3 | 4 | |
| | | 1 | 2 | 9 | 3 | 5 | 6 | 3 | 6 | 8 | 9 | 0 | 1 | 3 | 5 | 8 | 9 | 1 | 5 | 9 | 8 | 8 | 9 | 2 | 4 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | X | | | X | | | | X | X | | X | X | | X | X | | | | X | | 15 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 03/10/2011

Time Report Requested: 11:42:39

First Dose M/F: 10/26/04 / 10/25/04

Lab: BAT

| B6C3F1 MICE FEMALE
6 MG/KG | DAY ON TEST | 008 | 009 | 005 | 006 | 007 | 008 | 009 | 010 | 011 | 012 | 013 | 014 | 015 | 016 | 017 | 018 | 019 | 020 | 021 | 022 | 023 | 024 | 025 | females
(cont...) |
|-------------------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----------------------|
| | ANIMAL ID | 003 | 004 | 007 | 008 | 009 | 010 | 011 | 012 | 013 | 014 | 015 | 016 | 017 | 018 | 019 | 020 | 021 | 022 | 023 | 024 | 025 | | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

Pars Intermedia, Adenoma

X X

Thyroid Gland

+ + + + + + + + + + + + + + + + + + + + + + + +

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Clitoral Gland

+ + + + + + + + + + + + + + + + + + + + + + + +

Ovary

+ + + + + + + M + + + + + + + + + + + + + + + +

Cystadenoma

Luteoma

Thecoma Benign

Oviduct

+

Sarcoma, Metastatic, Skeletal Muscle

X

Uterus

+ + + + + + + + + + + + + + + + + + + + + + + +

Polyp Stromal

X

HEMATOPOIETIC SYSTEM

Bone Marrow

+ + + + + + + + + + + + + + + + + + + + + + + +

Lymph Node

+

+

Lymph Node, Mandibular

+ + + + + + + + + + + + + + + + + + + + + + + +

Lymph Node, Mesenteric

A + + + + + + + + + + + + + + + + + + + + + + + +

Sarcoma, Metastatic, Skeletal Muscle

X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 03/10/2011

Time Report Requested: 11:42:39

First Dose M/F: 10/26/04 / 10/25/04

Lab: BAT

| B6C3F1 MICE FEMALE
6 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ANIMAL ID | females
(cont...) |
|-------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------------------|
| | | 0 | 4 | 5 | 5 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | | 0 | 4 | 5 | 5 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 | |
| | | 8 | 9 | 9 | 5 | 1 | 1 | 0 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | |
| | | 0 | 7 | 8 | 7 | 9 | 7 | 5 | 8 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 0 | |
| | | 0 | 6 | 8 | 7 | 6 | 2 | 4 | 7 | 1 | 3 | 5 | 8 | 2 | 4 | 7 | 8 | 3 | 5 | 8 | 1 | 2 | 3 | 0 | |

Spleen
 Hemangiosarcoma
 Sarcoma, Metastatic, Skeletal Muscle

A + + + + + + + + + + + + + + X + + + + + + + + + +

X

Thymus
 Sarcoma, Metastatic, Skeletal Muscle

+ + + + + + + + + + + + + + + + + + + + + + + + + +

X

INTEGUMENTARY SYSTEM

Mammary Gland

+ + + + + + + + + + + + + + + + + + + + + + + + + +

Skin
 Dermis, Fibrous Histiocytoma
 Subcutaneous Tissue, Liposarcoma

+ + + + + + + + + + + + + + + + + + + + + + + + + +

X

MUSCULOSKELETAL SYSTEM

Bone

+ + + + + + + + + + + + + + + + + + + + + + + + + +

Skeletal Muscle
 Sarcoma

+
 X

NERVOUS SYSTEM

Brain

+ + + + + + + + + + + + + + + + + + + + + + + + + +

RESPIRATORY SYSTEM

Lung
 Alveolar/Bronchiolar Adenoma
 Alveolar/Bronchiolar Adenoma, Multiple
 Alveolar/Bronchiolar Carcinoma
 Carcinoma, Metastatic, Harderian Gland

+ + + + + + + + + + + + + + + + + + + + + + + + + +

X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 03/10/2011

Time Report Requested: 11:42:39

First Dose M/F: 10/26/04 / 10/25/04

Lab: BAT

| B6C3F1 MICE FEMALE
6 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|----------------------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|--|
| | 0729 | 0729 | 0729 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | | |
| ANIMAL ID | 0093 | 0095 | 0097 | 0096 | 0090 | 0091 | 0099 | 0094 | 0094 | 0099 | 0090 | 0094 | 0098 | 0099 | 0095 | 0097 | 0099 | 0093 | 0095 | 0096 | 0097 | 0097 | 0098 | 0099 | | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Sarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Sarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Dermis, Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Subcutaneous Tissue, Liposarcoma | | | | | | | | | | | | | | | X | | | | | | | | | 1 | | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Alveolar/Bronchiolar Adenoma | X | | | | | | | | | | | | | | X | | | | | | | | 3 | | | |
| Alveolar/Bronchiolar Adenoma, Multiple | | | | | | | | | | | | | | | X | | | | | | | | 1 | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | X | | | | | | | | | | | | | 1 | | | |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | | X | 1 | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|
| | 0729 | 0729 | 0729 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | |
| 6 MG/KG | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 00293 | 00293 | 00293 | 00295 | 00296 | 00296 | 00296 | 00297 | 00298 | 00298 | 00298 | 00299 | 00299 | 00299 | 00299 | 00299 | 00299 | 00299 | 00299 | 00299 | 00299 | 00299 | 00299 | 00299 | 00299 | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | X | | | | X | | | | | | | | | | | | | | 3 | |
| Sarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Adenoma | X | | | | X | | | | X | X | | | | | | | | | X | | | | | 6 | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | X | | | | 1 | | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Lymphoma Malignant | | | | X | | | | | | X | | | | X | | | | | | | | | | 9 | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 03/10/2011

Time Report Requested: 11:42:39

First Dose M/F: 10/26/04 / 10/25/04

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 2 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 1 | 5 | 0 | 8 | 2 | 4 | 6 | 6 | 0 | 0 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 1 | 3 | 1 | 5 | 7 | 9 | 0 | 9 | 3 | 9 | 5 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| 20 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | | 4 | 1 | 3 | 1 | 2 | 3 | 0 | 4 | 4 | 0 | 3 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | |
| | | 0 | 4 | 0 | 7 | 0 | 2 | 1 | 2 | 8 | 3 | 5 | 2 | 6 | 7 | 2 | 3 | 6 | 9 | 1 | 3 | 4 | 3 | 6 | 7 | 8 |

females (cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | X | | | | | | | | | | |
| Hepatocellular Adenoma | | | | | | X | | | | | | | | | | | X | | | | | | |
| Hepatocellular Adenoma, Multiple | | | | | | | X | X | | | | X | X | X | | | X | X | X | X | X | X | X |
| Hepatocellular Carcinoma | | | | | | | | X | | X | | | X | | | | X | | | | | | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | X | | | | | X | | X |
| Mesentery | | | | | | | + | | | | | | + | | | | | | | | + | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| B6C3F1 MICE FEMALE
20 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) |
|-----------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---|-----------|----------------------|
| | 0
0
1
1 | 0
2
5
3 | 0
5
0
1 | 0
5
8
5 | 0
6
2
7 | 0
6
4
9 | 0
6
6
0 | 0
6
6
9 | 0
7
0
3 | 0
7
0
9 | 0
7
1
5 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | | | |
| Squamous Cell Papilloma | | | | | | | | | X | | | | | | | | | | | | | | | X | | |
| Squamous Cell Papilloma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Tooth | | | | + | + | | + | | | | | | | | | | | | + | | | | | | | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Parathyroid Gland | M | M | + | + | + | + | + | M | + | + | + | + | + | M | + | + | + | + | + | + | M | M | + | + | | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Pars Distalis, Adenoma | | | | X | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | | | | | |

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|------------------------------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0
0
1
1 | 0
2
5
3 | 0
5
0
1 | 0
5
8
5 | 0
6
2
7 | 0
6
4
9 | 0
6
6
0 | 0
6
6
9 | 0
7
0
3 | 0
7
0
9 | 0
7
1
5 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | females
(cont...) |
| | ANIMAL ID | 0
0
3
4
0 | 0
0
3
1
4 | 0
0
3
3
0 | 0
0
3
1
7 | 0
0
3
2
0 | 0
0
3
0
1 | 0
0
3
4
2 | 0
0
3
4
8 | 0
0
3
4
3 | 0
0
3
0
5 | 0
0
3
0
2 | 0
0
3
3
6 | 0
0
3
0
7 | 0
0
3
0
2 | 0
0
3
1
6 | 0
0
3
1
9 | 0
0
3
2
1 | 0
0
3
2
3 | 0
0
3
2
4 | 0
0
3
2
3 | 0
0
3
3
6 | 0
0
3
3
7 | 0
0
3
3
8 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | X | | | | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | X | | |
| Fibrous Histiocytoma | | | | | | | | | X | | | | | | | | | | | | | | | | |
| Polyp Stromal | | | | | | | | | | | | X | | | | | | | | | | | | | |
| Sarcoma Stromal | | | | | | | | | | | | | | | | | | | | | | X | | | |
| Squamous Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | X | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | | | | | | | | | | | | | | | | | | | | | | | | | |
| Spleen | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Subcutaneous Tissue, Fibrosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-----------------|------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0
0
1
1 | 0
2
5
3 | 0
5
0
1 | 0
5
8
5 | 0
6
2
7 | 0
6
4
9 | 0
6
6
0 | 0
6
6
9 | 0
7
0
3 | 0
7
0
9 | 0
7
1
5 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | |
| | 20 MG/KG | ANIMAL ID | 0
0
3
4
0 | 0
0
3
1
4 | 0
0
3
3
0 | 0
0
3
1
7 | 0
0
3
2
0 | 0
0
3
0
1 | 0
0
3
4
2 | 0
0
3
4
8 | 0
0
3
0
3 | 0
0
3
3
5 | 0
0
3
0
2 | 0
0
3
0
6 | 0
0
3
0
7 | 0
0
3
1
2 | 0
0
3
1
3 | 0
0
3
2
4 | 0
0
3
3
3 | 0
0
3
3
3 | 0
0
3
3
3 | 0
0
3
3
6 | 0
0
3
3
7 | 0
0
3
3
8 | |

Subcutaneous Tissue, Melanoma Malignant
 Subcutaneous Tissue, Neurofibrosarcoma X
 Subcutaneous Tissue, Sarcoma
 Subcutaneous Tissue, Schwannoma Malignant

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | |
| Rhabdomyosarcoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Peripheral Nerve | | | | + | | | | | | | | | | | | | | | | | | | | | |
| Spinal Cord | | | | + | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Alveolar/Bronchiolar Adenoma | | | | | | X | | | | | | | | | | | X | | | | | | | | | X |
| Alveolar/Bronchiolar Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | X | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | X | | | | | | | | | | | | | | | | X |
| Fibrous Histiocytoma | | | | | | | | | | | X | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 03/10/2011

Time Report Requested: 11:42:39

First Dose M/F: 10/26/04 / 10/25/04

Lab: BAT

| B6C3F1 MICE FEMALE
20 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-----------------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|
| | 0729 | 0729 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | |
| ANIMAL ID | 00344 | 00349 | 00344 | 00349 | 00340 | 00341 | 00348 | 00342 | 00347 | 00341 | 00346 | 00347 | 00340 | 00345 | 00348 | 00345 | 00345 | 00346 | 00348 | 00349 | 00344 | 00349 | 00343 | 00345 | |
| Squamous Cell Papilloma | | | | | | | X | | | | | | | | X | X | | | | | | | | | |
| Squamous Cell Papilloma, Multiple | | | | | | | | | | | | | | | | | | | | | X | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Tooth | | | | | | | + | | | | + | | | | + | | | | | | | | | | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Parathyroid Gland | M | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | M | + | + | M | + | + | + | M | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Pars Distalis, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | | | | |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 20 MG/KG | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | 4 | 4 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 5 | 0 | 0 | 1 | 2 | 2 | 2 | 2 | 3 | 4 | | |
| | 4 | 9 | 4 | 9 | 0 | 1 | 8 | 2 | 7 | 1 | 1 | 6 | 7 | 0 | 5 | 8 | 5 | 5 | 6 | 8 | 9 | 4 | 3 | | |

| | | |
|-------------------------------------------|---|---|
| Subcutaneous Tissue, Melanoma Malignant | X | 1 |
| Subcutaneous Tissue, Neurofibrosarcoma | | 1 |
| Subcutaneous Tissue, Sarcoma | X | 1 |
| Subcutaneous Tissue, Schwannoma Malignant | X | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Rhabdomyosarcoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | 1 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma | | | X | | | X | | X | | | | | | | X | | | | | | | | | 7 |
| Alveolar/Bronchiolar Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | X | | | | | | | | | | | | | | | | 2 |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 03/10/2011

Time Report Requested: 11:42:39

First Dose M/F: 10/26/04 / 10/25/04

Lab: BAT

| B6C3F1 MICE FEMALE
60 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ANIMAL ID | females
(cont...) |
|--------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------------------|
| | 0 | 0 | 3 | 3 | 4 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | 4 | 5 | 8 | 8 | 8 | 1 | 7 | 7 | 7 | 0 | 0 | 2 | 4 | 9 | 0 | 0 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | |
| | 3 | 3 | 6 | 7 | 1 | 2 | 0 | 3 | 8 | 9 | 2 | 7 | 5 | 9 | 1 | 8 | 1 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | |
| | 9 | 5 | 5 | 7 | 6 | 0 | 8 | 8 | 8 | 8 | 7 | 9 | 6 | 9 | 7 | 5 | 8 | 6 | 5 | 5 | 6 | 6 | 6 | 8 | 0 | |
| | 1 | 6 | 2 | 4 | 8 | 0 | 2 | 5 | 3 | 4 | 1 | 5 | 0 | 0 | 9 | 4 | 9 | 5 | 1 | 9 | 2 | 3 | 9 | 8 | 0 | |

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Ovary
Cystadenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node
Mediastinal, Osteosarcoma, Metastatic, Bone | | | + | | | | | | | | | + | | | | | | | + | | | | | |
| Lymph Node, Mandibular
Hemangioma | + | + | + | + | + | M | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Thymus | + | + | + | + | + | + | M | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

MUSCULOSKELETAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 04
Test Type: CHRONIC
Route: GAVAGE
Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 03/10/2011

Time Report Requested: 11:42:39

First Dose M/F: 10/26/04 / 10/25/04

Lab: BAT

| B6C3F1 MICE FEMALE
60 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 4 | 5 | 8 | 8 | 8 | 1 | 7 | 7 | 7 | 0 | 0 | 2 | 4 | 9 | 0 | 0 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 3 | 3 | 6 | 7 | 1 | 2 | 0 | 3 | 8 | 9 | 2 | 7 | 5 | 9 | 1 | 8 | 1 | 9 | 9 | 9 | 9 | 9 | 9 |
| | | 1 | 6 | 2 | 4 | 8 | 0 | 2 | 5 | 3 | 4 | 1 | 5 | 0 | 9 | 4 | 9 | 5 | 1 | 9 | 2 | 3 | 3 | 4 |

females
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | X | | | | X | | X | | | X | X | | | X | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

| B6C3F1 MICE FEMALE
60 MG/KG | DAY ON TEST | | ANIMAL ID | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|----------|------------------------------|--|
| | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | | | |
| Bone
Osteosarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 | |
| Skeletal Muscle
Rhabdomyosarcoma | | | | | | | | | | | | | | | | | | | | | | | | 2
2 | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain
Meningioma Benign | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49
1 | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung
Alveolar/Bronchiolar Adenoma
Alveolar/Bronchiolar Carcinoma
Hepatoblastoma, Metastatic, Liver
Hepatocellular Carcinoma, Metastatic, Liver
Osteosarcoma, Metastatic, Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
12
1
1
2
1 | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Harderian Gland
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49
3 | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 03/10/2011

Time Report Requested: 11:42:39

First Dose M/F: 10/26/04 / 10/25/04

Lab: BAT

| B6C3F1 MICE FEMALE
60 MG/KG | DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--------------------------------|-------------|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|
| | | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | | 0730 |
| Kidney | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Urinary Bladder | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | X | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | X | | | | | | | | | | | | | | | | X | | 8 |

*** END OF REPORT ***

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically