

Experiment Number: 20314 - 03
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Glycidamide
CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
Time Report Requested: 07:40:57
First Dose M/F: 05/30/05 / 05/30/05
Lab: NCTR

NTP Study Number: C20314
Lock Date: 11/01/2011
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
Study Gender: Both
TDMSE Version: 3.0.2.2_002
PWG Approval Date: NONE

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

FISCHER 344 RATS-NCTR RATS MALE 0.70 GLYCID	DAY ON TEST																				ANIMAL ID	males (cont...)													
	0 5 5 5	0 6 1 4	0 6 1 0	0 7 3 7	0 5 3 4	0 6 6 7	0 7 3 7	0 5 1 9	0 6 6 0	0 4 2 8	0 5 3 7	0 6 2 6	0 4 7 4	0 4 7 4	0 6 2 4	0 6 9 0	0 6 0 0	0 5 2 3	0 6 7 9	0 4 4 6			0 4 7 4	0 4 0 7	0 6 1 6										
	0 0 0 1 1	0 0 0 1 2	0 0 0 2 1	0 0 0 3 2	0 0 0 3 1	0 0 0 4 2	0 0 0 4 1	0 0 0 5 2	0 0 0 5 1	0 0 0 5 1	0 0 0 5 2	0 0 0 5 1	0 0 0 5 2	0 0 0 5 3	0 0 0 5 3	0 0 0 5 4	0 0 0 5 4	0 0 0 5 5	0 0 0 5 5	0 0 0 5 5	0 0 0 5 5	0 0 0 5 5	0 0 0 5 5	0 0 0 5 5	0 0 0 5 5	0 0 0 5 5	0 0 0 5 5	0 0 0 5 5	0 0 0 5 5	0 0 0 5 5	0 0 0 5 5	0 0 0 5 5	0 0 0 5 5	0 0 0 5 5	0 0 0 5 5

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Colon	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Ileum Hyperplasia, Lymphoid	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	A 2	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Jejunum Hyperplasia, Lymphoid	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Angiectasis			4																								
Basophilic Focus		X																									
Basophilic Focus, Multiple				X	X																						
Clear Cell Focus		X																									
Congestion																											
Deformity										X	X																
Degeneration, Cystic	2	4	4			4		3				2			3	4		2			2						
Eosinophilic Focus					X																						
Eosinophilic Focus, Multiple																											
Hepatodiaphragmatic Nodule																											
Infiltration Cellular, Lymphocyte																											3

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

FISCHER 344 RATS-NCTR RATS MALE 0.70 GLYCID	DAY ON TEST																								ANIMAL ID	males (cont...)
	0555	0614	0610	0737	0534	0667	0737	0519	0660	0482	0577	0646	0444	0664	0660	0562	0663	0567	0649	0473	0446	0474	0607	0516		
Inflammation, Chronic Active Mixed Cell Focus							2																			
Necrosis																										
Pigmentation																										
Thrombosis																										
Vacuolization Cytoplasmic																										
Bile Duct, Hyperplasia																										
Hepatocyte, Degeneration																										
Oval Cell, Hyperplasia																										
Mesentery Fat, Necrosis																										
Oral Mucosa Keratin Cyst																										
Epithelium, Hyperplasia																										
Epithelium, Hyperplasia, Basal Cell																										
Pancreas Angiectasis																										
Acinus, Degeneration																										
Salivary Glands																										
Stomach, Forestomach Epithelium, Hyperplasia																										
Stomach, Glandular Necrosis																										
Pigmentation																										

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

FISCHER 344 RATS-NCTR RATS MALE 0.70 GLYCID	DAY ON TEST																				ANIMAL ID	males (cont...)			
	0555	0614	0660	0713	0733	0754	0767	0811	0826	0848	0857	0900	0908	0917	0926	0934	0943	0952	0961	0970			0979	0988	0997
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00001	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00002	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00003	
	1	1	2	2	3	3	4	4	5	5	1	1	2	2	3	3	4	4	5	5	1	1	2	00004	
	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	00005	

Ulcer Epithelium, Hyperplasia	2										2									
Tongue	+					+					+					+				

CARDIOVASCULAR SYSTEM

Blood Vessel	+																							
Heart	+																							
Cardiomyopathy	2	2	2	3	2	2	3	2	3	2	3	1	2	3	2	2	2	2	2	1	2	2	2	
Congestion											4													
Metaplasia, Osseous											2													
Thrombosis											4													
Atrium, Dilatation											4													
Ventricle, Dilatation																								

ENDOCRINE SYSTEM

Adrenal Cortex	+																							
Atrophy											4													
Degeneration, Cystic																								
Hypertrophy											2													
Thrombosis											4													
Vacuolization Cytoplasmic	2	2	2		2	3	4		4		2	2	2		2	4	3	2	2	2		2		
Adrenal Medulla	+																							
Hyperplasia											4 2 2													
Islets, Pancreatic	+																							

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

FISCHER 344 RATS-NCTR RATS MALE 0.70 GLYCID	DAY ON TEST																				ANIMAL ID	males (cont...)			
	0555	0664	0660	0777	0774	0667	0777	0559	0660	0448	0557	0666	0447	0444	0662	0666	0000	0662	0553	0667			0449	0446	0447
	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000
	1111	2221	2221	3331	3332	4441	4442	5551	5552	1111	1112	2221	2222	3331	3332	4441	4442	5551	5552	5551	5552	4441	4442	1111	1112

Hyperplasia

2 1

Parathyroid Gland
Hyperplasia

+
2 4 2 2

Pituitary Gland
Pars Distalis, Cyst
Pars Distalis, Hyperplasia

+
2 4 2

Thyroid Gland
C-cell, Hyperplasia
Follicular Cell, Hyperplasia

+
2 1 1 1 1 1 2

GENERAL BODY SYSTEM

Tissue NOS

+

GENITAL SYSTEM

Coagulating Gland
Inflammation, Suppurative
Necrosis
Epithelium, Hyperplasia

+
4
4
4

Epididymis
Exfoliated Germ Cell
Hypospermia
Epithelium, Degeneration

+
4 4 4 4
4 3 3 3 3 4 4 4
4 2 2 3 3 4

Preputial Gland
Cyst

+ +

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|--------------------|------|
| | 0555 | 0614 | 0610 | 0737 | 0754 | 0667 | 0777 | 0563 | 0661 | 0448 | 0556 | 0644 | 0444 | 0666 | 0666 | 0066 | 0665 | 0666 | 0444 | 0444 | | | 0447 |
| | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0001 | 0001 | 0001 | 0001 | 0001 |
| | 1111 | 2211 | 2222 | 3311 | 3322 | 4431 | 4442 | 5511 | 5551 | 5511 | 5522 | 5522 | 5533 | 5533 | 4441 | 4442 | 5544 | 5551 | 5551 | 4411 | 4411 | 4422 | 4433 |

| | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperkeratosis | | | | 4 | | | | | | | | | | | | | | | | | | | |
| Inflammation, Suppurative | | | 3 | | | 1 | | 3 | | | 2 | | | 4 | | | 3 | | | | 2 | 2 | |
| Inflammation, Chronic Active | | | | | | | | | | 2 | | | 1 | 2 | | | 4 | | | | 1 | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | |
| Acinus, Degeneration | | | | 3 | | | | 3 | | | | | 3 | 3 | 4 | | 4 | 2 | 3 | | | | |
| Duct, Ectasia | | | | 4 | | | | 4 | | | 3 | 3 | 2 | | 4 | 2 | | 4 | | | | | 3 |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Cyst Multilocular | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Suppurative | 2 | 1 | | 2 | | | | 2 | | | 3 | | | 2 | 4 | | 2 | | 4 | | | | |
| Inflammation, Chronic Active | | | | | 2 | | | 1 | | | | | 1 | | | | | | | | 2 | | |
| Necrosis | | | | | | | | | | | | | | | 4 | | | | | | | | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Atrophy | | | | 4 | | 3 | | 3 | | | 2 | | | | | | | 3 | 2 | | | 2 | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | 4 | | | | | | | | |
| Necrosis | | | | | | | | | | | | | | | 4 | | | | | | | | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | 4 | | | | | | | | |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Interstitial Cell, Hyperplasia | | | | 1 | | 2 | 2 | | | | | | | 1 | 2 | 1 | | 1 | | | 2 | | |
| Seminiferous Tubule, Degeneration | 1 | | 2 | 4 | 3 | 2 | 4 | 3 | 4 | 2 | 2 | 2 | | 3 | 4 | 2 | 2 | 2 | 4 | 2 | | | 4 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | 2 | | | | 2 | | | | | | | | | 3 | 3 | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Glycidamide
CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
Time Report Requested: 07:40:57
First Dose M/F: 05/30/05 / 05/30/05
Lab: NCTR

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| FISCHER 344 RATS-NCTR RATS
MALE | 5 | 6 | 6 | 7 | 5 | 6 | 7 | 5 | 6 | 4 | 5 | 6 | 4 | 4 | 6 | 6 | 6 | 6 | 5 | 6 | 4 | 4 | 4 | 6 | 5 |
| | 5 | 1 | 1 | 3 | 3 | 6 | 3 | 1 | 6 | 2 | 3 | 2 | 7 | 7 | 2 | 9 | 0 | 6 | 2 | 7 | 3 | 4 | 7 | 0 | 1 |
| | 5 | 4 | 0 | 7 | 4 | 7 | 7 | 9 | 0 | 8 | 7 | 6 | 4 | 4 | 4 | 0 | 0 | 2 | 3 | 7 | 9 | 6 | 4 | 7 | 6 |
| 0.70 GLYCID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 4 | 4 | 4 | 4 | |
| | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 | 5 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 5 | 5 | 1 | 1 | 2 | |
| | 1 | 2 | 1 | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 2 | 1 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |

males (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|---|--|---|--|--|--|---|--|---|--|--|--|--|--|--|--|---|---|---|
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Hyperplasia, Lymphoid | | | | | | | | | + | | | | + | | | | | | | | | | + | | + |
| Lumbar, Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | 3 | | |
| Lumbar, Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | | | 3 | | |
| Mediastinal, Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Mediastinal, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Mediastinal, Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Pancreatic, Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreatic, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Pancreatic, Sinus, Dilatation | | | | | | | 2 | | | | | | | | | | | | | | | | | | |
| Renal, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | 3 | |
| Renal, Pigmentation | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Sinus, Dilatation | | | | | | | | | | | | | | | 3 | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymph Node, Mandibular | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia, Lymphoid | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Infiltration Cellular, Plasma Cell | 2 | | | | | | | | | | | | | | | | | | | | | 2 | 2 | | |
| Sinus, Dilatation | 1 | | | 3 | | 2 | | | | 2 | | | | 3 | 2 | | 2 | 2 | | | | 2 | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymph Node, Mesenteric | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemorrhage | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia, Lymphoid | | | | 2 | | | | | | | | | | | | | 1 | 2 | | | | | | | |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sinus, Dilatation | 2 | | | | | | | | | | | | 2 | | | | | | | | | | 2 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|--|---|---|---|---|---|---|---|---|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Spleen | | | | | | | | | | | | | | | | | | | | | | | | | |
| Accessory Spleen | | + | + | + | + | + | + | + | + | | | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Congestion | | | | | | | | | | | X | | | | | | | | | | | | 4 | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|--------------------|------|
| | 0555 | 0614 | 0610 | 0737 | 0534 | 0667 | 0737 | 0519 | 0660 | 0448 | 0557 | 0644 | 0444 | 0662 | 0660 | 0662 | 0553 | 0667 | 0449 | 0446 | | | 0447 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 | 5 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 | 5 | 1 | 1 | 2 | 2 |
| | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Depletion Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | |
| Fibrosis | | | | | | | | | | | | 2 | | | 4 | 3 | | | | | | 4 | | |
| Hematopoietic Cell Proliferation | | 2 | | | 2 | | | | | 2 | | | | | | | | | | | | | | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | 3 | | | |
| Hyperplasia, Stromal | | | 2 | | | | | | | | | | | | | | | | | | | | | |
| Necrosis | | | | | | | | 4 | | | | | | | | | | | | | | | | |
| Pigmentation | | 2 | | | | | 2 | | | | | 3 | 2 | | | 3 | 3 | | 3 | | | | | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | M |
| Atrophy | 4 | 2 | 4 | 4 | 3 | 4 | 4 | | | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 3 | | 4 | 4 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | M | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | 3 | | | |
| Galactocele | | | | 4 | | | 3 | | | | | | | | 3 | | | | | | | | | |
| Lactation | | | | | | | | | | 2 | | | | | 2 | 1 | | | | | | | | |
| Alveolus, Hyperplasia | | | | 4 | | | | | | | | | | | | | | | | | | | | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cyst Epithelial Inclusion | | | | | | | X | | | | | | | | | | | | | X | | | | |
| Fibrosis | | | | | | | | | | | 3 | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | | | | | | | 2 | | | | | | | | | | | | | | |
| Necrosis | | | | | | | | | | | | | | | | 3 | | | | | | | | |
| Epithelium, Hyperplasia | | | | | | | | | | 3 | | | | | | | | | | | | | | |
| Sebaceous Gland, Hyperplasia | | | 3 | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|--------------------|
| | 0555 | 0614 | 0610 | 0737 | 0734 | 0767 | 0777 | 0819 | 0860 | 0948 | 0957 | 1046 | 1044 | 1126 | 1124 | 1204 | 1206 | 1203 | 1305 | 1306 | 1307 | 1404 | 1404 | 1407 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 | 5 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 | 5 | 1 | 1 | 2 | 2 | 3 | 1 |
| | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | | | | | | | | | | | | | | | | | | | | | | | | | | + |
| Bone, Femur | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Fibrous Osteodystrophy | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain, Brain Stem | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Compression | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Gliosis | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Brain, Cerebellum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Brain, Cerebrum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gliosis | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peripheral Nerve, Sciatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Axon, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spinal Cord, Cervical | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gliosis | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Axon, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spinal Cord, Lumbar | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|-----------|--------------------|
| | 0555 | 0614 | 0610 | 0737 | 0534 | 0667 | 0737 | 0519 | 0660 | 0428 | 0557 | 0646 | 0444 | 0664 | 0660 | 0562 | 0663 | 0479 | 0446 | 0447 | 0470 | 0616 | 0516 | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 000011 | | |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Axon, Degeneration | | 1 | | | | | 1 | | | | | | | 1 | 1 | | | | | | | | | | | |
| Nerve, Degeneration | | | 2 | 2 | | 2 | 2 | | 1 | | | 1 | 1 | | | 1 | 1 | 2 | | 2 | | 1 | | | | |
| Nerve, Gliosis | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Spinal Cord, Thoracic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Axon, Degeneration | | 1 | 1 | 1 | | 1 | 1 | | 1 | | 1 | 1 | 1 | | 1 | | | | 1 | 1 | | | 1 | | | |
| Nerve, Degeneration | | | | | | | | | | | | | | | 1 | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Foreign Body | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Histiocyte | | | | 3 | | | 2 | 3 | | | | | | | | | 1 | | | | 1 | | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | 2 | | | | | | |
| Inflammation, Granulomatous | | | | | | | | | | | | | | | | | | | | | | | | |
| Pigmentation | | | | 3 | | | | | | | | | | | | | | | | | | | | |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | 4 | | | | | | | 2 | | | | | | |
| Endothelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Inflammation, Suppurative | | | | | | | 3 | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | |
| Goblet Cell, Hyperplasia | | | | | | | 4 | | | | | | | | | | | | | | | | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|--------------------|
| | 0555 | 0664 | 0660 | 0777 | 0774 | 0667 | 0777 | 0559 | 0660 | 0448 | 0557 | 0662 | 0447 | 0444 | 0662 | 0664 | 0660 | 0552 | 0663 | 0777 | 0449 | 0446 | 0447 | 0006 | 0005 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 5 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 1 | 1 | 1 | | |
| | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Bilateral, Retina, Degeneration | | | | | | | | 3 | | 1 | | | | | | | 4 | | | | | | | |
| Retina, Degeneration | | 1 | | | | | 2 | | | | | 1 | | | | | | | | | | | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Necrosis | | | | | | | | | | | | | | | | | 3 | | | | | | | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | |
| Zymbal's Gland | | | | | | | | | | | | | | | | + | | | | | | | | + |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Cyst | | | | | | | | | | | | 4 | | | | | | | | | | | | | |
| Hyaline Droplet | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hydronephrosis | | | | | | | | 1 | | | | | | | | | | | | | | 2 | | | |
| Nephropathy | 2 | 3 | 2 | 4 | 2 | 2 | 4 | 2 | 4 | 2 | 1 | 2 | | 2 | 2 | 4 | 3 | 4 | 1 | 4 | 1 | 2 | 2 | 3 | 2 |
| Pigmentation | | | | | | | | | | | | | | | 3 | | | | | | | 3 | | | |
| Urethra | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lumen, Dilatation | | | | | | | | | | | | 2 | | | | | | | | | | 2 | | | |
| Transitional Epithelium, Hyperplasia | | | | | | | 2 | | | | | | | | | 2 | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| | | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|---|--|
| FISCHER 344 RATS-NCTR RATS
MALE
0.70 GLYCID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 7 | 5 | 6 | 3 | 7 | 7 | 6 | 6 | 7 | 6 | 4 | 6 | 6 | 5 | 5 | 5 | 6 | 6 | 5 | 6 | 5 | 6 | 5 | |
| | | 2 | 4 | 6 | 9 | 2 | 0 | 9 | 9 | 1 | 1 | 1 | 0 | 3 | 4 | 5 | 0 | 7 | 7 | 6 | 9 | 2 | 0 | 4 | |
| | | 3 | 4 | 6 | 2 | 9 | 2 | 5 | 7 | 6 | 0 | 1 | 3 | 2 | 1 | 5 | 5 | 2 | 3 | 9 | 1 | 0 | 1 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | | 4 | 4 | 4 | 4 | 4 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| | | 3 | 4 | 4 | 5 | 5 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 | 3 | 3 | 4 | 4 | 5 | 5 | 6 | 6 | | |
| | | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 2 | | |
| | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|---------------------------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Large, Cecum | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | 46 |
| Intestine Large, Colon | + | + | + | A | + | A | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | 45 |
| Intestine Large, Rectum | + | + | + | A | + | A | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | 45 |
| Intestine Small, Duodenum | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | 46 |
| Intestine Small, Ileum
Hyperplasia, Lymphoid | + | + | + | A | + | + | + | + | + | + | + | + | + | + | 2 | + | A | + | + | + | + | + | 45
2 2.0 |
| Intestine Small, Jejunum
Hyperplasia, Lymphoid | + | + | + | A | + | A | + | + | + | + | + | + | + | + | 2 | + | A | + | + | + | + | + | 45
1 2.0 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | 47 |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Basophilic Focus | | | | | | | | | | | | | | | X | | | | | | | | 2 |
| Basophilic Focus, Multiple | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Clear Cell Focus | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Congestion | | | | | | | | | | | | | | | | 3 | | | | | | | 1 3.0 |
| Deformity | | | | | X | | | | | | | | | | | | | | | | | | 3 |
| Degeneration, Cystic | 4 | 2 | 3 | | 4 | 2 | | | | | 3 | | | 2 | | | | 4 | | 3 | | 1 4 | 21 3.0 |
| Eosinophilic Focus | | | | | | | | | | | | | | | | | | X | | | | X | 3 |
| Eosinophilic Focus, Multiple | X | | | | | | | | | | | | | | | | | | X | | | | 2 |
| Hepatodiaphragmatic Nodule | | | | | | | X | | | | | | | | | | | | | | | | 1 |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|---|-----|-----|-----|
| | 0
7
2
3 | 0
5
4
4 | 0
6
6
6 | 0
3
9
2 | 0
7
2
9 | 0
7
0
2 | 0
6
9
5 | 0
6
9
7 | 0
7
1
6 | 0
6
1
0 | 0
4
1
1 | 0
6
0
3 | 0
6
3
2 | 0
5
4
1 | 0
5
5
5 | 0
6
7
2 | 0
6
7
3 | 0
5
6
9 | 0
6
9
1 | 0
5
2
0 | | 0
6
0
7 | 0
5
4
1 | | | | |
| ANIMAL ID | 0
1
4
3
2 | 0
1
4
4
1 | 0
1
4
4
2 | 0
1
4
4
5 | 0
1
4
5
1 | 0
1
8
1
2 | 0
1
8
1
1 | 0
1
8
2
2 | 0
1
8
3
1 | 0
1
8
3
2 | 0
1
8
3
4 | 0
1
8
4
1 | 0
1
8
4
2 | 0
1
8
4
5 | 0
2
4
5
3 | 0
2
4
3
1 | 0
2
4
4
4 | 0
2
4
4
5 | 0
2
4
4
1 | 0
2
4
5
5 | 0
2
4
6
6 | 0
2
4
6
1 | 0
2
4
6
2 | | | | |
| Inflammation, Chronic Active
Mixed Cell Focus | | | | | | | | | | | | | | | | | | | | | | | 1 | 2 | 1.5 | | |
| Necrosis | | | | | | | | 4 | 2 | | | | | | | | | | | | | | | | 5 | 3.4 | |
| Pigmentation | | | | | | | | | 3 | | | | | | | | | | | | | | | | 3 | 2.3 | |
| Thrombosis | | | | | | | 4 | | | | | | | | | | | | | | | | | | 2 | 4.0 | |
| Vacuolization Cytoplasmic | | | | 2 | | 3 | 4 | | | | | 4 | 4 | | 2 | | | | | | | | | | 12 | 3.0 | |
| Bile Duct, Hyperplasia | 4 | 3 | 4 | | 3 | 3 | 4 | 4 | 3 | 4 | 3 | 4 | 4 | 4 | | | | 4 | | 4 | 2 | 1 | | | 36 | 3.3 | |
| Hepatocyte, Degeneration | | | | | 4 | 4 | 4 | 4 | | | | | 4 | | | | | | | | | | | | 8 | 3.8 | |
| Oval Cell, Hyperplasia | | | | | | | | 4 | | | | | | | | | | | | | | | | | 1 | 4.0 | |
| Mesentery
Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 | 1.0 |
| Oral Mucosa
Keratin Cyst | | | | | | | | | | | | | | | | | | | | | | | | | 7 | 1 | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 3.0 | |
| Epithelium, Hyperplasia, Basal Cell | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 | |
| Pancreas
Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | 48 | 1 | 4.0 |
| Acinus, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | 23 | 2.5 | |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | 47 | | |
| Stomach, Forestomach
Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 47 | 2 | 2.5 |
| Stomach, Glandular
Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | 46 | 4 | 3.0 |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
7
2
3 | 0
5
4
4 | 0
6
6
6 | 0
3
9
2 | 0
7
2
9 | 0
7
0
2 | 0
6
9
5 | 0
6
9
7 | 0
7
1
6 | 0
6
1
0 | 0
4
1
1 | 0
6
3
2 | 0
6
6
1 | 0
5
4
5 | 0
5
5
5 | 0
6
7
2 | 0
6
7
3 | 0
5
6
9 | 0
6
2
0 | 0
6
0
7 | | 0
5
4
1 |
| ANIMAL ID | 0
1
4
3
2 | 0
1
4
4
1 | 0
1
4
4
2 | 0
1
4
5
1 | 0
1
4
5
1 | 0
1
8
1
2 | 0
1
8
1
2 | 0
1
8
2
2 | 0
1
8
2
2 | 0
1
8
3
2 | 0
1
8
3
4 | 0
1
8
4
2 | 0
1
8
4
5 | 0
1
8
4
5 | 0
2
4
3
1 | 0
2
4
3
2 | 0
2
4
4
1 | 0
2
4
4
5 | 0
2
4
5
1 | 0
2
4
5
2 | 0
2
4
6
1 | 0
2
4
6
2 |

Ulcer
 Epithelium, Hyperplasia 1 2.0
1 2.0

Tongue + 6

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|--|---|---|---|---|---|---|---|---|--|---|--|--|---|---|---|---|---|---|----|---|----|-----|
| Blood Vessel | + | | | | | | | | | | | | | | | | | | | | 48 | | | |
| Heart | + | | | | | | | | | | | | | | | | | | | | 48 | | | |
| Cardiomyopathy | 3 | | 2 | 2 | | 2 | | | 2 | 1 | | 2 | | | 3 | 1 | 3 | 1 | 2 | 2 | | 2 | 34 | 2.1 |
| Congestion | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Metaplasia, Osseous | | | | | | | | | | | | 2 | | | | | | | | | | | 2 | 2.0 |
| Thrombosis | | | | 4 | 4 | 4 | 4 | 4 | 4 | | | | | | | 4 | | | | | | 4 | 9 | 4.0 |
| Atrium, Dilatation | | | | | | | | | | | | | | | 4 | | | | | | | | 2 | 4.0 |
| Ventricle, Dilatation | | | | | | | | 4 | | | | | | | | | | | | | | | 1 | 4.0 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|--|---|--|---|---|---|---|---|---|--|---|---|---|--|--|---|---|---|--|----|---|---|-----|-----|
| Adrenal Cortex | + + + A + | | | | | | | | | | | | | | | | | | | | 47 | | | | |
| Atrophy | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | |
| Degeneration, Cystic | | | | | | | | | | | | | | | | | 4 | | | | | | 1 | 4.0 | |
| Hypertrophy | | | | | 3 | | | | | | | 2 | | | | | | | | | | | 3 | 2.3 | |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | |
| Vacuolization Cytoplasmic | 3 | | 2 | | 3 | 2 | 4 | 4 | 2 | 1 | | 3 | 2 | 3 | | | 3 | 2 | 2 | | | 2 | 2 | 34 | 2.5 |
| Adrenal Medulla | + | | | | | | | | | | | | | | | | | | | | 48 | | | | |
| Hyperplasia | | | | | | | | | | 1 | | | | | | | | | | | 1 | | 6 | 2.0 | |
| Islets, Pancreatic | + | | | | | | | | | | | | | | | | | | | | 48 | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-------------------------|---------------------------|
| | 0
7
2
3 | 0
5
4
4 | 0
6
6
6 | 0
3
9
2 | 0
7
2
9 | 0
7
0
2 | 0
6
9
5 | 0
6
9
7 | 0
7
1
6 | 0
6
1
0 | 0
4
1
1 | 0
6
3
2 | 0
6
6
1 | 0
5
4
5 | 0
5
5
5 | 0
6
7
2 | 0
6
7
3 | 0
5
6
9 | 0
6
2
0 | 0
6
0
7 | | 0
5
4
1 | |
| ANIMAL ID | 0
1
4
3
2 | 0
1
4
4
1 | 0
1
4
4
2 | 0
1
4
5
1 | 0
1
4
5
1 | 0
1
8
1
2 | 0
1
8
1
2 | 0
1
8
2
2 | 0
1
8
3
2 | 0
1
8
3
2 | 0
1
8
4
1 | 0
1
8
4
2 | 0
1
8
5
1 | 0
1
8
5
2 | 0
2
4
3
1 | 0
2
4
3
2 | 0
2
4
4
1 | 0
2
4
4
2 | 0
2
4
5
1 | 0
2
4
5
2 | 0
2
4
6
1 | 0
2
4
6
2 | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | 1 | 3 1.3 | |
| Parathyroid Gland
Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 7 2.3 |
| Pituitary Gland
Pars Distalis, Cyst
Pars Distalis, Hyperplasia | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | 3 3.3
8 2.1 |
| Thyroid Gland
C-cell, Hyperplasia
Follicular Cell, Hyperplasia | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | 46 | 14 1.4
4 1.8 |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Tissue NOS | | | | | | | | | | | | | | | | | | | | | 1 | | |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Coagulating Gland
Inflammation, Suppurative
Necrosis
Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | 1 | 1 4.0
1 4.0
1 4.0 | |
| Epididymis
Exfoliated Germ Cell
Hypospermia
Epithelium, Degeneration | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | 4 3.3
24 3.5
18 3.1 |
| Preputial Gland
Cyst | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 1 4.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|--------|
| | 0723 | 0724 | 0726 | 0729 | 0732 | 0737 | 0739 | 0746 | 0747 | 0756 | 0757 | 0766 | 0767 | 0776 | 0777 | 0786 | 0787 | 0796 | 0797 | 0806 | | 0807 |
| ANIMAL ID | 01432 | 01444 | 01444 | 01455 | 01455 | 01471 | 01472 | 01481 | 01482 | 01491 | 01492 | 01501 | 01502 | 01511 | 01512 | 01521 | 01522 | 01531 | 01532 | 01541 | 01542 | |
| Fibrosis | | | | | | 4 | 4 | | | | | | | | | | | | | | | 2 4.0 |
| Hyperkeratosis | | | 4 | | | | | | | | | | | | | | | | | | | 2 4.0 |
| Inflammation, Suppurative | 3 | | 2 | | 4 | | | 4 | 2 | | | 2 | 4 | | 2 | 2 | | | | | 1 | 18 2.6 |
| Inflammation, Chronic Active | | 2 | | | | 3 | 4 | | | | 2 | | | | | | | 2 | | | | 10 2.3 |
| Necrosis | | | | | | 4 | | | | | | | | | | | | | | | | 1 4.0 |
| Acinus, Degeneration | 4 | 3 | | | 4 | 4 | 4 | 4 | | 2 | 3 | | 3 | 3 | | | 3 | 3 | | 3 | | 22 3.2 |
| Duct, Ectasia | | | 4 | | 4 | | | 3 | 3 | | 2 | | 2 | | | | 2 | | 3 | | | 17 3.1 |
| Epithelium, Hyperplasia | | | | | | | | | | | | 3 | | | | | | | | | | 2 3.0 |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Cyst Multilocular | | | | | 3 | | | | | | | | | | | | | | | | 3 | 2 3.0 |
| Inflammation, Suppurative | | | 2 | | 4 | 4 | | 4 | 4 | 2 | | 2 | 4 | | | | 2 | 4 | | 4 | 1 | 22 2.8 |
| Inflammation, Chronic Active | | 2 | | | | | 2 | | | | 2 | | | | | | | | | | | 7 1.7 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Epithelium, Hyperplasia | | | 2 | | | | 1 | | | | | | | | | | | 2 | | | | 3 1.7 |
| Seminal Vesicle | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Atrophy | | 4 | | | 3 | 4 | 4 | 3 | 4 | | | 3 | | | | 4 | | | 3 | 2 | | 18 3.1 |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | 2 | | | | | 2 3.0 |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Interstitial Cell, Hyperplasia | | | | | | | | | | | | 2 | 1 | | | | 2 | | | | | 11 1.5 |
| Seminiferous Tubule, Degeneration | 4 | 4 | 4 | 1 | 4 | 4 | 4 | 4 | 4 | 3 | | 4 | 3 | 2 | 4 | 1 | 4 | 4 | 3 | 4 | 3 | 41 3.0 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|
| Bone Marrow | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | 46 |
| Hyperplasia | 3 | | | | | 3 | | | | | | | | | | 3 | 2 | 2 | | | 3 | 10 2.6 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--------|
| | 0
7
2
3 | 0
5
4
4 | 0
6
6
6 | 0
3
9
2 | 0
7
2
9 | 0
7
0
2 | 0
6
9
5 | 0
6
9
7 | 0
7
1
6 | 0
6
1
0 | 0
4
1
1 | 0
6
3
2 | 0
6
4
1 | 0
5
5
5 | 0
5
0
5 | 0
6
7
2 | 0
6
7
3 | 0
5
6
9 | 0
6
2
1 | 0
5
0
7 | | 0
6
4
1 | |
| ANIMAL ID | 0
1
4
3
2 | 0
1
4
4
1 | 0
1
4
4
2 | 0
1
4
5
1 | 0
1
4
5
2 | 0
1
8
1
1 | 0
1
8
1
2 | 0
1
8
2
2 | 0
1
8
2
3 | 0
1
8
3
3 | 0
1
8
4
4 | 0
1
8
4
5 | 0
1
8
4
5 | 0
2
4
3
1 | 0
2
4
3
1 | 0
2
4
4
2 | 0
2
4
4
1 | 0
2
4
4
5 | 0
2
4
5
1 | 0
2
4
5
6 | 0
2
4
5
6 | 0
2
4
6
2 | |
| Lymph Node | + | + | + | | + | + | + | + | + | | | + | + | | | | | | | | + | + | 23 |
| Lumbar, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Lumbar, Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | 4 | 1 4.0 |
| Lumbar, Sinus, Dilatation | | | | | | | | | | | | | 2 | | | | | | | | | | 2 2.5 |
| Mediastinal, Hemorrhage | | | | | | | | | 2 | | | | | | | | | | | | 2 | | 2 2.0 |
| Mediastinal, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Mediastinal, Sinus, Dilatation | | | | | | | | 2 | 2 | | | | | | | | | | | | | | 3 2.0 |
| Pancreatic, Hemorrhage | | | | | | | | | | | | | | | | | | | | | | 4 | 1 4.0 |
| Pancreatic, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Pancreatic, Sinus, Dilatation | | | | | | | 2 | | | | | | | | | | | | | | | | 2 2.0 |
| Renal, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | 2 | 2 2.5 |
| Renal, Pigmentation | | | | | | | | | 3 | | | | | | | | | | | | | | 1 3.0 |
| Renal, Sinus, Dilatation | | | | | | | | 2 | | | | | | | | | | | | | | 2 | 3 2.3 |
| Lymph Node, Mandibular | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| Hyperplasia, Lymphoid | | | 3 | | 3 | | | 2 | | 2 | | 2 | | 2 | | | | 2 | | 2 | | | 11 2.2 |
| Infiltration Cellular, Plasma Cell | 3 | | | | | | 3 | 3 | | 3 | | 3 | | | 3 | | 4 | 2 | | | 2 | 2 | 19 2.5 |
| Sinus, Dilatation | 2 | | 3 | | | | 2 | 2 | | | | | | | | | | | | | | | 6 2.3 |
| Lymph Node, Mesenteric | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| Hemorrhage | | | | | | | | 2 | | | | | | | | | | 2 | | | 4 | | 3 2.7 |
| Hyperplasia, Lymphoid | | | | | | 2 | | | | | | 2 | 2 | 2 | 2 | | | | 4 | 2 | | | 10 2.1 |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | 3 | | | | | | | | 1 3.0 |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | 2 | | 1 2.0 |
| Sinus, Dilatation | | | | | | | 2 | | | | | | | | | | | 4 | | | | | 5 2.4 |
| Spleen | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| Accessory Spleen | X | | | | | | | | | | | | | | | | | | | | | | 3 |
| Congestion | | | | | | | | | | | | | | 4 | | | | | | | | | 2 4.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|------------------|-------|--------|
| | 0
7
2
3 | 0
5
4
4 | 0
6
6
6 | 0
3
9
2 | 0
7
2
9 | 0
7
0
2 | 0
6
9
5 | 0
6
9
7 | 0
7
1
6 | 0
6
1
0 | 0
4
1
3 | 0
6
0
2 | 0
6
3
2 | 0
5
4
1 | 0
5
5
5 | 0
6
7
2 | 0
6
7
3 | 0
5
6
9 | 0
6
2
0 | 0
5
0
7 | | 0
6
4
1 | | |
| ANIMAL ID | 0
1
4
3
2 | 0
1
4
4
1 | 0
1
4
4
2 | 0
1
4
5
1 | 0
1
4
5
1 | 0
1
8
1
2 | 0
1
8
1
2 | 0
1
8
2
2 | 0
1
8
3
2 | 0
1
8
3
4 | 0
1
8
4
2 | 0
1
8
4
5 | 0
1
8
4
5 | 0
2
4
3
1 | 0
2
4
3
2 | 0
2
4
4
1 | 0
2
4
4
2 | 0
2
4
5
1 | 0
2
4
5
2 | 0
2
4
6
1 | 0
2
4
6
2 | | | |
| Depletion Lymphoid | | | | | | | | 3 | | | | | | | | | | | | | | 1 3.0 | | |
| Fibrosis | 4 | | | | 2 | 4 | | 4 | 4 | | | | 4 | | | 3 | | | | | | 11 3.5 | | |
| Hematopoietic Cell Proliferation | | | | | | 4 | | | | | | | | | 2 | | 4 | | | 4 | | 7 2.9 | | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | 4 | 1 4.0 | | |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | 1 3.0 | | |
| Hyperplasia, Stromal | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | 1 4.0 | | |
| Pigmentation | | | | | | | | 4 | | | | | | 3 | | | | | | | | 9 2.8 | | |
| Thymus Atrophy | + | + | + | A | + | + | + | M | + | + | + | + | + | + | + | + | + | + | M | + | + | + | 43 | |
| | 4 | 4 | 4 | | 4 | 4 | 4 | | 4 | 2 | | 4 | 4 | 4 | 4 | 2 | 4 | 4 | 3 | | 4 | 4 | 4 | 40 3.8 |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | + | M | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | 42 | |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 | |
| Galactoceles | 4 | | | | | | | | | | | | | | | 2 | | | 4 | | | | 6 3.3 | |
| Lactation | | | | | 2 | | | | 3 | | | 3 | | | | | | 2 | | | | | 7 2.1 | |
| Alveolus, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Cyst Epithelial Inclusion | | | | X | | | | | | X | | | | | | | | | | | | | 4 | |
| Fibrosis | | | | | | | | | | | | | | | | 4 | | | | | | | 2 3.5 | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 | |
| Sebaceous Gland, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 | |

MUSCULOSKELETAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--------------------------------|
| | 0
7
2
3 | 0
5
4
4 | 0
6
6
6 | 0
3
9
2 | 0
7
2
9 | 0
7
0
2 | 0
6
9
5 | 0
6
9
7 | 0
7
1
6 | 0
6
1
0 | 0
4
1
1 | 0
6
0
3 | 0
6
3
2 | 0
5
4
1 | 0
5
5
5 | 0
6
7
2 | 0
6
7
3 | 0
5
6
9 | 0
6
2
0 | 0
6
0
7 | | 0
5
4
1 |
| ANIMAL ID | 0
1
4
3
2 | 0
1
4
4
1 | 0
1
4
4
2 | 0
1
4
4
1 | 0
1
4
5
2 | 0
1
8
1
1 | 0
1
8
1
2 | 0
1
8
2
2 | 0
1
8
3
2 | 0
1
8
3
4 | 0
1
8
4
2 | 0
1
8
4
5 | 0
1
8
4
5 | 0
2
4
3
1 | 0
2
4
3
2 | 0
2
4
4
1 | 0
2
4
4
2 | 0
2
4
5
1 | 0
2
4
5
2 | 0
2
4
5
6 | 0
2
4
6
1 | |
| Bone | | | | | | | | | | | | | | | | | | | | | | 1 |
| Bone, Femur
Fibrous Osteodystrophy | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
1 2.0 |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | |
| Brain, Brain Stem
Compression
Gliosis
Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
9 2.4
3 3.0
1 1.0 |
| Brain, Cerebellum
Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
1 1.0 |
| Brain, Cerebrum
Gliosis
Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
2 3.0
1 2.0 |
| Peripheral Nerve, Sciatic
Axon, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
28 1.0 |
| Spinal Cord, Cervical
Gliosis
Mineralization
Axon, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
1 3.0
1 1.0
27 1.0 |
| Spinal Cord, Lumbar | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
7
2
3 | 0
5
4
4 | 0
6
6
6 | 0
3
9
2 | 0
7
2
9 | 0
7
0
2 | 0
6
9
5 | 0
6
9
7 | 0
7
1
6 | 0
6
1
0 | 0
4
1
1 | 0
6
3
2 | 0
6
4
1 | 0
5
5
5 | 0
5
0
5 | 0
6
7
2 | 0
6
7
3 | 0
5
6
9 | 0
6
2
0 | 0
6
0
7 | | 0
5
4
1 |
| ANIMAL ID | 0
1
4
3
2 | 0
1
4
4
1 | 0
1
4
4
2 | 0
1
4
5
1 | 0
1
4
5
1 | 0
1
8
1
2 | 0
1
8
1
2 | 0
1
8
2
2 | 0
1
8
2
2 | 0
1
8
3
2 | 0
1
8
3
4 | 0
1
8
4
2 | 0
1
8
4
5 | 0
1
8
4
5 | 0
2
4
3
1 | 0
2
4
3
2 | 0
2
4
4
1 | 0
2
4
4
2 | 0
2
4
5
1 | 0
2
4
5
2 | 0
2
4
6
1 | 0
2
4
6
2 |

| | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|---|---|--|---|--|---|---|---|--|---|---|--|---|--|---|---|---|--|---|----|----|-----|
| Mineralization | | | | | | | | | | | | | | | | | | | | | 2 | 2 | 1.5 |
| Axon, Degeneration | 1 | | | | | | | | | | | | | | | | | | | | | 5 | 1.0 |
| Nerve, Degeneration | 2 | 1 | 1 | | 1 | | 1 | 2 | 2 | | 1 | 2 | | 1 | | 2 | 1 | 1 | | 1 | | 26 | 1.4 |
| Nerve, Gliosis | 1 | | | | | | | | | | | | | | | | | | | | | 1 | 1.0 |
| Spinal Cord, Thoracic | + | | | | | | | | | | | | | | | | | | | | 48 | | |
| Mineralization | | | | | | | | | | | | | | | | | | | | | 2 | 1 | 2.0 |
| Axon, Degeneration | 1 1 | | | | | | | | | | | | | | | | | | | | | 27 | 1.0 |
| Nerve, Degeneration | 2 | | | | | | | | | | | | | | | | | | | | | 5 | 1.2 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|--|--|---|---|---|--|---|--|--|--|---|--|---|--|---|--|---|--|----|---|-----|-----|
| Lung | + + + A + | | | | | | | | | | | | | | | | | | | | 47 | | | |
| Foreign Body | | | | | | | | | | | | | | | | | | | | | X | 1 | | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | 2 | 3.0 | |
| Infiltration Cellular, Histiocyte | 4 | 1 | | | 1 | 4 | 4 | | 1 | | | | 2 | | 1 | | 3 | | 4 | | 1 | 2 | 15 | 2.1 |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 | |
| Inflammation, Granulomatous | | | | | | | | | | | | | | | | | | | | | 4 | 1 | 4.0 | |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | 2 | 2 | 2.5 | |
| Alveolar Epithelium, Hyperplasia | 4 | | | | | | | | | | | | | | | | | | | | | 3 | 3.2 | |
| Endothelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | 4 | 1 | 4.0 | |
| Nose | + | | | | | | | | | | | | | | | | | | | | 48 | | | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | 2 | 2.5 | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | 2.0 | |
| Goblet Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 2 | 3.0 | |
| Trachea | + + + A + | | | | | | | | | | | | | | | | | | | | 47 | | | |

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--------|
| | 0
7
2
3 | 0
5
4
4 | 0
6
6
6 | 0
3
9
2 | 0
7
2
9 | 0
7
0
2 | 0
6
9
5 | 0
6
9
7 | 0
7
1
6 | 0
6
1
0 | 0
4
1
1 | 0
6
3
2 | 0
6
4
1 | 0
5
5
5 | 0
5
0
5 | 0
6
7
2 | 0
6
7
3 | 0
5
6
9 | 0
6
2
0 | 0
6
0
7 | | 0
5
4
1 | |
| ANIMAL ID | 0
1
4
3
2 | 0
1
4
4
1 | 0
1
4
4
2 | 0
1
4
5
1 | 0
1
4
1
2 | 0
1
8
1
1 | 0
1
8
1
2 | 0
1
8
2
1 | 0
1
8
2
3 | 0
1
8
3
2 | 0
1
8
4
1 | 0
1
8
4
2 | 0
1
8
4
5 | 0
1
8
4
5 | 0
2
4
3
1 | 0
2
4
3
2 | 0
2
4
4
1 | 0
2
4
4
5 | 0
2
4
4
5 | 0
2
4
5
2 | 0
2
4
6
1 | 0
2
4
6
6 | |
| Eye | + | + | + | A | + | A | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | 45 |
| Bilateral, Retina, Degeneration | | | | | | | | | | | | | | | | | | | | | | | 5 2.2 |
| Retina, Degeneration | | | | | 2 | | | | | | | | | | | | | | | | | | 4 1.5 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Epithelium, Hyperplasia | | | | | | | | | | | | | 3 | | | | | | | | | | 1 3.0 |
| Zymbal's Gland | | | | | | | | | | | | | | | | + | | | | | | | 3 |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Hyaline Droplet | | | | | | | | | | | | | | | | | | 4 | | | | | 1 4.0 |
| Hydronephrosis | | | | | | | | | | | | | | | | | | | | | | | 2 1.5 |
| Nephropathy | 4 | | 3 | | 4 | 2 | 3 | 3 | 4 | 3 | | 3 | 2 | 1 | 4 | 1 | 2 | 3 | 3 | 4 | 3 | 4 | 44 2.7 |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | | 2 3.0 |
| Urethra | | | | | | | | | | | | | | | | | | | | | | + | 1 |
| Urinary Bladder | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Lumen, Dilatation | | | | | | 4 | | | | | | | | | | 3 | | 4 | | | | | 5 3.0 |
| Transitional Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 2 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------------|
| FISCHER 344 RATS-NCTR RATS
MALE
0.35 GLYCID | ANIMAL ID | 569 | 737 | 588 | 084 | 085 | 089 | 065 | 066 | 058 | 074 | 077 | 072 | 073 | 075 | 076 | 057 | 073 | 068 | 066 | 066 | 076 | 066 | 066 | 057 | 077 |
| | | 00361 | 00367 | 00371 | 00372 | 00381 | 00382 | 00391 | 00392 | 00401 | 00402 | 00411 | 00412 | 00421 | 00422 | 00431 | 00432 | 00441 | 00442 | 00451 | 00452 | 00461 | 00462 | 00471 | 00472 | 00481 |
| | | 00361 | 00367 | 00371 | 00372 | 00381 | 00382 | 00391 | 00392 | 00401 | 00402 | 00411 | 00412 | 00421 | 00422 | 00431 | 00432 | 00441 | 00442 | 00451 | 00452 | 00461 | 00462 | 00471 | 00472 | 00481 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus
Inflammation, Suppurative
Ulcer | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum
Hyperplasia, Lymphoid
Lumen, Dilatation | + | + | A | A | + | + | + | + | 1 | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | A | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum
Epithelium, Hyperplasia | + | + | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum
Epithelium, Hyperplasia | + | + | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Basophilic Focus | | X | | | | | | | | | | X | X | | | | | | | | | | | X | | |
| Basophilic Focus, Multiple
Congestion | | | | | | | | | | | | | | | | | X | | | | | | | | | |
| Deformity | | | | | | | | X | | | | | | | | | | | | | | | | | | 4 |
| Degeneration, Cystic
Eosinophilic Focus | | 2 | | | | | | | 3 | 2 | | | | | 3 | 2 | | 2 | 2 | | 4 | | | | | |
| Eosinophilic Focus, Multiple | | | | | | | | | | | X | | | | X | | | X | | X | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically M .. Missing tissue
 X .. Lesion present A .. Autolysis precludes evaluation
 I .. Insufficient tissue BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | males
(cont...) | | | | | | | | | | | | | | | | |
|---|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|--|--|--|--|--|
| | 0569 | 0738 | 0588 | 0485 | 0688 | 0589 | 0565 | 0663 | 0668 | 0574 | 0668 | 0573 | 0777 | 0777 | 0775 | 0777 | 0583 | 0783 | 0682 | 0668 | | 0760 | 0663 | 0699 | 0588 | 0039 | 0698 | 0686 | 0586 | 0757 | 0663 | 0586 | | | | | |
| | ANIMAL ID | 00361 | 00336 | 00337 | 00333 | 00333 | 00333 | 00333 | 00344 | 00344 | 00377 | 00377 | 00377 | 00377 | 00377 | 00377 | 00377 | 00377 | 00377 | 00377 | | 00377 | 00377 | 00377 | 00377 | 00377 | 00377 | 00377 | 00377 | 00377 | 00377 | | | | | | |
| Hepatodiaphragmatic Nodule Infiltration Cellular, Lymphocyte Inflammation, Chronic Active Mineralization Mixed Cell Focus Necrosis Pigmentation Vacuolization Cytoplasmic Bile Duct, Hyperplasia Biliary Tract, Fibrosis Hepatocyte, Degeneration | | | | | | | | | | | X | | | | | | | 3 | | | | | | | | | | | | | | | | | | | |
| Mesentery Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oral Mucosa Keratin Cyst Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas Acinar Cell, Hyperplasia Acinus, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach Inflammation, Chronic Active Ulcer Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) | | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
5
6
9 | 0
7
3
7 | 0
5
8
8 | 0
4
8
5 | 0
6
0
4 | 0
5
8
5 | 0
5
8
9 | 0
6
3
5 | 0
6
6
9 | 0
5
8
4 | 0
7
3
7 | 0
7
3
5 | 0
7
2
7 | 0
5
3
6 | 0
7
8
7 | 0
6
3
2 | 0
6
8
2 | 0
6
9
8 | 0
7
0
4 | 0
6
3
6 | | | 0
6
9
6 | 0
5
8
6 |
| | 0
0
3
6
1 | 0
0
3
6
2 | 0
0
3
7
1 | 0
0
3
7
2 | 0
0
3
8
1 | 0
0
3
8
2 | 0
0
3
9
1 | 0
0
4
0
2 | 0
0
4
0
1 | 0
0
4
0
1 | 0
0
7
1
2 | 0
0
7
1
2 | 0
0
7
2
2 | 0
0
7
3
1 | 0
0
7
3
2 | 0
0
7
4
1 | 0
0
7
4
2 | 0
0
7
5
1 | 0
0
7
5
2 | 0
1
3
5
1 | 0
1
3
5
2 | 0
1
3
5
2 | 0
1
3
5
2 | 0
1
3
5
2 |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Stomach, Glandular
Inflammation, Chronic Active
Necrosis
Pigmentation
Epithelium, Degeneration | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Tongue
Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cardiomyopathy | 2 | 2 | 2 | 2 | 2 | | 2 | | | | 3 | 2 | 2 | 2 | | 2 | | 2 | | | | | 2 | |
| Congestion | | | | | | | | | | | | | | | | | | | | | | 4 | | |
| Thrombosis | | | | | | | | | | | | 4 | | 4 | | | | | 3 | | 4 | | 4 | |
| Ventricle, Dilatation | | | | | | | | | | | | | 4 | | | | | 4 | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Accessory Adrenal Cortical Nodule | | | | | | | | | | | | | | | | | | | | X | | | | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | |
| Hypertrophy | | | | | | | | | | | | | | | | 3 | | | | | | | | |
| Metaplasia, Osseous | | | | | | | | | | | | | 3 | | | | | | | | | | | |
| Vacuolization Cytoplasmic | 2 | 3 | | | 3 | 1 | | 1 | 2 | 3 | | | | 2 | 2 | | | | 4 | 2 | 4 | 2 | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) | | | | | | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|--------------------|------|------|------|------|------|------|
| | 0569 | 0737 | 0588 | 0485 | 0684 | 0585 | 0585 | 0666 | 0666 | 0583 | 0783 | 0777 | 0777 | 0777 | 0583 | 0783 | 0683 | 0666 | 0666 | 0777 | | | 0666 | 0666 | 0583 | 0783 | 0683 | 0583 |
| Hyperplasia | | | | | | | 2 | | | | | 3 | | | | | 2 | | | | | | | | | | | |
| Islets, Pancreatic
Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Parathyroid Gland
Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | |
| Pituitary Gland
Hemorrhage
Inflammation, Suppurative
Pars Distalis, Cyst
Pars Distalis, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Thyroid Gland
Cyst
C-cell, Hyperplasia | 2 | | | | 1 | 3 | | | | | 2 | | | 4 | | | 3 | | | | 2 | | | 2 | | 2 | 2 | |
| Tissue NOS | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

GENERAL BODY SYSTEM

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Exfoliated Germ Cell | | | | | | | 2 | | | | | | | | | | | | | | | 4 | | | | | |
| Hypospermia | | | 4 | | | 4 | | 4 | 4 | | 4 | 4 | | 4 | 4 | 4 | 4 | | 2 | 4 | 4 | | 4 | 2 | 3 | | |
| Epithelium, Degeneration | | | 4 | | | 4 | 3 | 3 | 4 | | 4 | 4 | | 3 | 3 | 4 | 3 | | | 3 | 3 | | | | | | |
| Preputial Gland
Hyperkeratosis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--------------------|
| | 0
5
6
9 | 0
7
3
7 | 0
5
8
8 | 0
4
8
5 | 0
6
0
4 | 0
5
8
5 | 0
5
8
9 | 0
6
3
5 | 0
6
6
9 | 0
5
8
4 | 0
7
3
7 | 0
7
3
5 | 0
7
2
7 | 0
7
3
5 | 0
5
8
6 | 0
7
3
2 | 0
6
8
2 | 0
6
9
2 | 0
6
8
4 | 0
7
0
2 | 0
6
3
4 | 0
6
9
6 | 0
5
8
6 | 0
7
3
2 | |
| | 0
0
3
6
1 | 0
0
3
6
2 | 0
0
3
7
1 | 0
0
3
7
2 | 0
0
3
8
1 | 0
0
3
8
2 | 0
0
3
9
1 | 0
0
3
9
2 | 0
0
4
0
1 | 0
0
4
0
2 | 0
0
4
1
1 | 0
0
4
1
2 | 0
0
4
2
1 | 0
0
4
2
2 | 0
0
7
3
1 | 0
0
7
3
2 | 0
0
7
4
1 | 0
0
7
4
2 | 0
0
7
5
1 | 0
0
7
5
2 | 0
1
7
5
1 | 0
1
7
5
2 | 0
1
7
5
1 | 0
1
7
5
2 | |
| Inflammation, Suppurative | | | | 3 | | 2 | | 4 | 4 | | 4 | 4 | | 2 | 3 | | 4 | 2 | | 4 | 4 | | 3 | 2 | |
| Inflammation, Chronic Active | | | | | 2 | | 2 | | | | | | | | 2 | | | | | | | | | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Acinus, Degeneration | | | | 2 | 3 | 3 | | 4 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | | | 3 | 4 | | 3 | 3 | |
| Duct, Ectasia | | | | | 3 | | | 4 | 3 | 4 | 4 | 3 | | 3 | 3 | | 3 | | | 3 | 4 | | | 4 | |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Inflammation, Suppurative | | | 1 | | 1 | | | | 3 | | | | 3 | 2 | | 2 | | | 2 | | 4 | 3 | | 2 | |
| Inflammation, Chronic Active | | 4 | | | | | 1 | | | | | | | | 2 | | | | 2 | | | | 3 | | |
| Acinus, Degeneration | | | | | | | | 3 | | | | | | | | | | | | | | | | | |
| Epithelium, Hyperplasia | | | | | | | | | | 2 | 4 | 2 | | 1 | | | | | 2 | | | 1 | 2 | | |
| Seminal Vesicle | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Atrophy | | 4 | | | | 4 | | 4 | 4 | | 4 | 4 | 2 | 4 | 3 | 3 | 3 | | | 4 | 2 | | 3 | 4 | |
| Lumen, Dilatation | | | | | | | | | | | | | | | | | | | | | | 1 | | | |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Interstitial Cell, Hyperplasia | | | | 1 | | | 1 | | | | | | 2 | | | | | | | | | 1 | | | |
| Seminiferous Tubule, Degeneration | | 4 | | | 3 | 4 | 2 | | 4 | | 4 | 4 | 2 | 4 | 4 | 4 | 4 | | 4 | 4 | 4 | | 4 | 2 | 4 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Atrophy | | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia | 2 | | | | | | | | | | | | | 3 | | | | | 2 | | 2 | | 2 | |
| Lymph Node | | + | | + | | | | + | + | | + | | + | + | + | + | | + | + | | | + | + | + |
| Inguinal, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | |
| Inguinal, Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Hyperplasia, Lymphoid | | | | | | | | 3 | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) | | | |
|--|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------|--------------------|------------------|------------------|------------------|
| | 0
5
6
9 | 0
7
3
7 | 0
5
8
8 | 0
4
8
5 | 0
6
0
4 | 0
5
8
5 | 0
5
8
9 | 0
6
3
5 | 0
6
6
9 | 0
5
8
4 | 0
7
3
7 | 0
7
3
5 | 0
7
2
7 | 0
5
3
6 | 0
7
8
7 | 0
6
3
2 | 0
6
8
2 | 0
6
9
8 | 0
7
0
4 | 0
6
3
6 | | | 0
6
9
6 | 0
5
8
6 | 0
7
3
6 |
| Lumbar, Sinus, Dilatation | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinal, Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinal, Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | | 2 | | | |
| Pancreatic, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | 4 | | | |
| Pancreatic, Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | | 2 | | | |
| Renal, Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Hyperplasia, Lymphoid Infiltration Cellular, Plasma Cell Sinus, Dilatation | 3 | 2 | 2 | 4 | | | | 2 | 3 | | | | 2 | | | 2 | | 2 | 4 | 4 | | 2 | | | |
| Lymph Node, Mesenteric Hemorrhage | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Hyperplasia, Lymphoid Infiltration Cellular, Plasma Cell Sinus, Dilatation | 3 | | | | | 4 | | | | | | 2 | | | | | | 2 | 2 | 2 | | 2 | | | |
| Spleen Accessory Spleen Congestion | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Fibrosis Hematopoietic Cell Proliferation Hemorrhage Necrosis Pigmentation | | 3 | 3 | | | | | | | | | 2 | | 2 | | 2 | | 3 | | 3 | | 4 | 2 | 2 | |
| Thymus | + | + | + | M | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | M | + | + |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) | | | | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|--------------------|------|------|------|------|
| | 0569 | 0737 | 0588 | 0480 | 0688 | 0589 | 0565 | 0663 | 0668 | 0584 | 0669 | 0665 | 0737 | 0773 | 0772 | 0773 | 0586 | 0738 | 0682 | 0666 | | | 0667 | 0766 | 0663 | 0666 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 3 | 3 | 3 | 3 |
| | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 9 | 0 | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 | 5 | 1 | 1 | 1 | 2 | 2 | 3 |
| | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 |
| Atrophy | 3 | | 4 | | 4 | | 4 | | 4 | | 4 | | 4 | | 4 | | 4 | | 4 | | 4 | | 4 | | 4 | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | |
| Fibrosis | | | | | | | | | | | | | | 4 | | | | | | | | | | | |
| Galactocele | | | | | | | | | | | | | 4 | | | | | | | | | | | | |
| Lactation | | 3 | 2 | | | | | | | | | | | | | | | | | | | | | | |
| Alveolus, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cyst Epithelial Inclusion | | | | | | | | | | | | | | X | | | | | | | | | | | |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperkeratosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cranium, Deformity | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone, Femur | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Fibrous Osteodystrophy | | | | | | | | | | | | | | | | | | | | | | | | | |
| Osteopetrosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

NERVOUS SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) | |
|--|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|--------------------|------|
| | 0569 | 0737 | 0588 | 0488 | 0608 | 0588 | 0559 | 0066 | 0066 | 0558 | 0733 | 0772 | 0773 | 0583 | 0738 | 0682 | 0668 | 0668 | 0700 | 0663 | | | 0666 |
| Brain, Brain Stem
Compression
Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | 4 | 2 | | | | | | | | | 2 | | | | | | | | 2 | | | |
| Brain, Cerebellum
Hemorrhage
Infiltration Cellular, Polymorphonuclear
Ventricle, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Brain, Cerebrum
Compression
Mineralization
Ventricle, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | 1 | | | | | | | | | | | | |
| Peripheral Nerve, Sciatic
Axon, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | 1 | | 1 | 1 | 1 | | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | | | | 1 | 1 | 1 | 1 | 1 | 1 |
| Spinal Cord, Cervical
Hemorrhage
Axon, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | 1 | 1 | | | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | 1 | 1 |
| Spinal Cord, Lumbar
Axon, Degeneration
Nerve, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | 1 | 1 | | | | 1 | | | | | 2 | 1 | 2 | 2 | 1 | 2 | 1 | 1 | 2 | 1 | 1 | | 1 |
| Spinal Cord, Thoracic
Hemorrhage
Axon, Degeneration
Nerve, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | 1 | | 1 | | | | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| DAY ON TEST | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | | | | | | |
|--|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|------------------------|------|------|------|------|------|
| | 0569 | 0377 | 0588 | 0485 | 0684 | 0585 | 0588 | 0635 | 0669 | 0544 | 0777 | 0775 | 0773 | 0772 | 0775 | 0586 | 0776 | 0666 | 0668 | 0760 | | | 0663 | 0669 | 0588 | 0757 | 0663 |
| FISCHER 344 RATS-NCTR RATS MALE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.35 GLYCID | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0036 | 0037 | 0038 | 0033 | 0033 | 0033 | 0033 | 0033 | 0034 | 0044 | 0077 | 0077 | 0077 | 0077 | 0077 | 0073 | 0073 | 0074 | 0075 | 0077 | 0073 | 0033 | 0033 | 0033 | 0033 | 0022 | 0022 |
| | 1166 | 2277 | 1177 | 2288 | 1188 | 2299 | 1199 | 2200 | 1111 | 2222 | 1177 | 1177 | 1177 | 1177 | 1133 | 1133 | 1144 | 1144 | 1155 | 1155 | 1111 | 1111 | 1111 | 1111 | 1122 | 1122 | 1133 |
| | | | | | | | | | | | | | | | | | | | | | | males (cont...) | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Histiocyte | | 2 | | | | | | | | | | | | | | | | | | | 3 | | | | | 2 |
| Inflammation, Granulomatous | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic | | | | | | 1 | | | | | | | | | | | | | | | | | | | | |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bronchus, Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | 2 | | | | |
| Nose | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Inflammation, Suppurative | | | | | | | | | | | | | 2 | | | | | | | | | | | | | |
| Goblet Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nasopharyngeal Duct, Hyperkeratosis | | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Nasopharyngeal Duct, Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ear | | | | | | | | | | | | | | | | | | | | | | | | | | | + |
| Eye | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Cataract | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bilateral, Retina, Degeneration | | | 2 | | | | | | | | | | 4 | | 2 | | | | | | | | | | | | |
| Cornea, Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cornea, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cornea, Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Retina, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|--------------------|------|
| | 0569 | 0738 | 0588 | 0480 | 0688 | 0588 | 0566 | 0666 | 0568 | 0668 | 0733 | 0773 | 0773 | 0773 | 0578 | 0738 | 0688 | 0666 | 0666 | 0666 | 0770 | 0663 | 0666 | 0588 | | | 0773 |
| | 0036 | 0037 | 0038 | 0035 | 0034 | 0035 | 0035 | 0036 | 0036 | 0035 | 0037 | 0037 | 0037 | 0037 | 0035 | 0037 | 0038 | 0033 | 0039 | 0038 | 0030 | 0033 | 0039 | 0038 | 0032 | 0033 | |
| | 0036 | 0037 | 0037 | 0037 | 0038 | 0038 | 0039 | 0030 | 0031 | 0032 | 0031 | 0032 | 0032 | 0031 | 0032 | 0033 | 0034 | 0034 | 0035 | 0035 | 0031 | 0031 | 0031 | 0031 | 0031 | 0033 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Harderian Gland
Inflammation, Chronic Active
Acinus, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Zymbal's Gland
Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | 3 | | |
| Hyaline Droplet | | | | | | | | | | 3 | | | | | | | | 3 | | | | | | | |
| Nephropathy | 3 | 4 | 1 | 1 | 2 | | 1 | 3 | 4 | | 3 | 3 | 3 | 3 | 2 | 3 | 2 | 3 | 2 | 2 | 4 | 2 | 4 | 3 | 4 |
| Pigmentation | | | | | | | | | | 3 | | | | | 2 | | | | | | | | | | |
| Transitional Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | 3 | | |
| Lumen, Dilatation | | | | 3 | 4 | | | | | | | | | | | | | | | | | | | | |
| Transitional Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|---|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|----|----|----|
| | 07 | 05 | 05 | 07 | 07 | 06 | 05 | 07 | 06 | 06 | 06 | 07 | 04 | 07 | 06 | 06 | 06 | 05 | 00 | 07 | | 06 | 04 | |
| ANIMAL ID | 17 | 15 | 17 | 18 | 10 | 15 | 15 | 22 | 24 | 05 | 04 | 07 | 03 | 01 | 01 | 09 | 03 | 07 | 09 | 07 | 03 | 03 | 08 | 08 |
| | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 |
| | 33 | 33 | 33 | 33 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 | 38 |
| | 24 | 24 | 24 | 25 | 25 | 26 | 26 | 27 | 28 | 28 | 28 | 29 | 29 | 00 | 00 | 04 | 04 | 05 | 05 | 06 | 06 | 07 | 07 | 07 |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|-------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 4.0 |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 4.0 |
| Intestine Large, Cecum | A | + | + | + | + | + | + | + | + | + | + | + | + | A | A | + | + | + | + | + | + | + | + | 42 | |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | 3 | 1 1.0 |
| Lumen, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Intestine Large, Colon | A | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | 43 | |
| Intestine Large, Rectum | A | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | 44 | |
| Intestine Small, Duodenum | A | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | 43 | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 4.0 |
| Intestine Small, Ileum | A | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | 43 | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 3 | 1 3.0 |
| Intestine Small, Jejunum | A | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | 43 | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| Basophilic Focus | | | | X | | | | | | | | | | X | | | | | | | | | X | 7 | |
| Basophilic Focus, Multiple | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Congestion | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 | |
| Deformity | | | | | X | X | | | | | X | | | | | | | | | | | | | 4 | |
| Degeneration, Cystic | 4 | | | | | | | 2 | | 4 | 2 | 2 | | | | | | | | | | | | 13 2.6 | |
| Eosinophilic Focus | X | | | | | | | | | | | X | | | | | | | | | | | | 5 | |
| Eosinophilic Focus, Multiple | | | | | | | | | | | | | | | | | | | | | | | | 2 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|---|--------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| | 7 | 5 | 5 | 7 | 7 | 6 | 5 | 7 | 6 | 6 | 6 | 7 | 4 | 7 | 6 | 6 | 6 | 6 | 5 | 0 | | 7 | 6 | 4 |
| ANIMAL ID | 1 | 5 | 7 | 1 | 0 | 5 | 5 | 2 | 4 | 0 | 7 | 3 | 1 | 1 | 9 | 3 | 7 | 9 | 7 | 3 | 3 | 8 | 8 | |
| | 7 | 1 | 8 | 8 | 3 | 5 | 6 | 2 | 5 | 4 | 7 | 7 | 8 | 9 | 2 | 5 | 4 | 1 | 4 | 0 | 7 | 6 | 8 | 8 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 3 | 3 | 3 | 3 | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 3 | 4 | 4 | 5 | 5 | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 9 | 0 | 0 | 4 | 4 | 5 | 5 | 6 | 6 | 7 | 7 | 7 |
| | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 2 |
| Hepatodiaphragmatic Nodule | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Inflammation, Chronic Active | | | | 2 | | | | | | | | | | | | | | | 1 | | | | | 4 1.3 |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Mixed Cell Focus | | | | | | | | | | | X | | | | | | | | | | | | | 2 |
| Necrosis | | | | | | 4 | | | | | | 2 | | 2 | 4 | | | | | | | | | 7 3.0 |
| Pigmentation | | | | 2 | | | | 2 | 2 | | | | | | | | | 3 | | | | | | 5 2.2 |
| Vacuolization Cytoplasmic | 4 | | 1 | | 2 | 4 | | | | | 3 | | | | 4 | | 4 | | | | | 4 | | 12 3.1 |
| Bile Duct, Hyperplasia | | 1 | | 3 | 2 | 4 | 3 | 3 | 2 | 4 | 3 | 4 | | 3 | | 3 | 2 | 2 | 2 | | 2 | 2 | 2 | 38 2.9 |
| Biliary Tract, Fibrosis | | | | | | | | | | | | | | | | | 3 | | | | | | | 1 3.0 |
| Hepatocyte, Degeneration | 4 | 2 | | | | | | | | | | | | 4 | 4 | | 4 | | | | | | | 10 3.6 |
| Mesentery | + | | | + | | + | | | | | | | | + | + | | | | | | | | | 9 |
| Fat, Necrosis | 3 | | | 4 | | 4 | | | | | | | | 4 | 4 | | | | | | | | | 7 3.6 |
| Oral Mucosa | | | | | | | | | | | | | | | | | + | | | | | + | | 6 |
| Keratin Cyst | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | 4 | | | | | | | | 3 3.0 |
| Pancreas | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | 46 |
| Acinar Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 4.0 |
| Acinus, Degeneration | 3 | | | | 3 | | 3 | 4 | 1 | | 2 | 3 | | | | 2 | | 2 | | | 2 | | | 25 2.4 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | 46 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | 3 | 3 3.3 |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | 4 | 5 3.8 |
| Epithelium, Hyperplasia | | | | | | 3 | | | | | 2 | | | 2 | | | 4 | | | | | 3 | | 9 2.8 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|
| | 07 | 05 | 05 | 07 | 07 | 06 | 05 | 07 | 06 | 06 | 06 | 07 | 04 | 07 | 06 | 06 | 06 | 05 | 00 | 07 | |
| ANIMAL ID | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 |
| | 33 | 33 | 33 | 33 | 33 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 88 | 88 | 11 | 11 | 11 | 11 | 11 | 11 |
| | 24 | 14 | 24 | 15 | 55 | 66 | 66 | 17 | 22 | 18 | 88 | 88 | 99 | 99 | 00 | 44 | 55 | 66 | 66 | 77 | 77 |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|-----|
| Stomach, Glandular
Inflammation, Chronic Active
Necrosis
Pigmentation
Epithelium, Degeneration | A | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | 44 | 1 | 3.0 |
| | | | | | | | | | | | | | | | | | | | | | | | 2 | 3.0 |
| | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.0 |
| | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.0 |
| Tongue
Epithelium, Hyperplasia | | | | | | | | + | | | | | | | | | | | | + | | 2 | 1 | 3.0 |
| | | | | | | | | 3 | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|-----|-----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | 31 | 2.0 | |
| Cardiomyopathy | | 2 | 1 | 1 | 2 | | 2 | 2 | 2 | 3 | 2 | 2 | 2 | | 2 | | | | 3 | 2 | 2 | 1 | | 1 | 4.0 |
| Congestion | | | | | | | | | | | | | | | | | | | | | | | 8 | 3.6 | |
| Thrombosis | | | | | | 2 | | | | | | | | 4 | 4 | | | | | | | | 2 | 4.0 | |
| Ventricle, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|-----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | |
| Accessory Adrenal Cortical Nodule | | | | | | | | | | | | | | | | | | | | | | | 3 | |
| Hyperplasia | | | | | | | 2 | | | | | | | | | | | | | | | | 1 | 2.0 |
| Hypertrophy | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |
| Vacuolization Cytoplasmic | 2 | | | 2 | | 4 | | 2 | 2 | | 4 | 3 | 2 | 3 | 4 | | 4 | 1 | | 3 | 4 | 2 | 28 | 2.6 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
7
1
7 | 0
5
5
1 | 0
5
7
8 | 0
7
8
1 | 0
7
3
5 | 0
6
5
6 | 0
5
2
5 | 0
7
2
2 | 0
6
4
5 | 0
6
0
4 | 0
6
7
7 | 0
4
1
8 | 0
7
1
9 | 0
6
2
2 | 0
6
3
5 | 0
6
7
4 | 0
6
9
1 | 0
5
7
4 | 0
0
3
0 | 0
7
3
7 | | 0
6
8
0 | 0
4
8
8 |
| ANIMAL ID | 0
1
3
3
2 | 0
1
3
4
1 | 0
1
3
4
2 | 0
1
3
5
1 | 0
1
3
5
2 | 0
1
7
6
1 | 0
1
7
6
2 | 0
1
7
7
1 | 0
1
7
7
2 | 0
1
7
7
1 | 0
1
7
7
2 | 0
1
7
7
1 | 0
1
8
8
0 | 0
1
8
8
1 | 0
2
1
1
2 | 0
2
1
4
1 | 0
2
1
4
1 | 0
2
1
5
1 | 0
2
1
6
1 | 0
2
1
7
2 | 0
2
1
8
1 | 0
2
1
9
2 | 0
2
1
0
1 |
| Hyperplasia | 2 | | | | | 2 | | | | | | | | | | | | | | | | | 5 2.2 |
| Islets, Pancreatic
Hyperplasia | A | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 45
2 1.5 |
| Parathyroid Gland
Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | 45
3 2.3 |
| Pituitary Gland
Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47
1 4.0 |
| Inflammation, Suppurative
Pars Distalis, Cyst | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Pars Distalis, Hyperplasia | | | | | 2 | | | | | | | 3 | | | | | | | | | | | 10 2.2 |
| Thyroid Gland
Cyst | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47
3 1.7 |
| C-cell, Hyperplasia | 2 | | | | | | | | | | | | | | | | | | | | | | 18 1.3 |
| | | 1 | 1 | | | 1 | 2 | | | | | | 1 | | 1 | 1 | 1 | | | 3 | | | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Tissue NOS | | | | | | | | | | | | | | | | | | | | | | | 1 |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Exfoliated Germ Cell | | 3 | | | | | | | | | | | | | | | | | | | | | 3 3.0 |
| Hypospermia | 4 | 3 | 4 | 4 | | 4 | | | 4 | 3 | 3 | 4 | | 4 | 4 | 3 | 4 | 3 | | | 4 | | 31 3.7 |
| Epithelium, Degeneration | 4 | | 3 | 3 | 2 | 4 | | | 4 | 3 | 3 | 4 | | 3 | 4 | 3 | 4 | 3 | | | 3 | | 28 3.4 |
| Preputial Gland
Hyperkeratosis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47
1 4.0 |
| | | | | | | | | | | | | | | 4 | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
7
1
7 | 0
5
5
1 | 0
5
7
8 | 0
7
1
8 | 0
7
0
3 | 0
6
5
5 | 0
5
7
6 | 0
7
2
2 | 0
6
6
5 | 0
6
6
4 | 0
7
3
7 | 0
4
1
8 | 0
7
1
9 | 0
6
6
2 | 0
6
3
5 | 0
6
7
4 | 0
6
6
6 | 0
5
7
4 | 0
0
3
0 | 0
7
3
7 | | 0
6
8
0 | 0
4
8
8 |
| ANIMAL ID | 0
1
3
3
2 | 0
1
3
4
1 | 0
1
3
4
2 | 0
1
3
4
1 | 0
1
3
5
2 | 0
1
7
6
1 | 0
1
7
6
2 | 0
1
7
7
1 | 0
1
7
7
2 | 0
1
7
7
1 | 0
1
7
7
2 | 0
1
7
7
1 | 0
1
8
8
2 | 0
1
8
8
1 | 0
2
1
1
2 | 0
2
1
4
1 | 0
2
2
4
2 | 0
2
2
5
1 | 0
2
2
6
1 | 0
2
2
6
2 | 0
2
2
7
1 | 0
2
2
7
2 | 0
2
2
7
2 |
| Inflammation, Suppurative | | | | | 4 | 3 | 2 | | | | | 4 | 3 | | 3 | 3 | 4 | 3 | | | | 4 | 24 |
| Inflammation, Chronic Active | 2 | | 2 | | | | | 2 | | | | | | 1 | | | | | | 4 | | | 8 |
| Necrosis | | | | | | | | | | | | | | | | | | | | 4 | | | 1 |
| Acinus, Degeneration | 4 | | 2 | | 3 | 2 | | | | | 3 | 3 | | | | 4 | 3 | 3 | | 3 | | 3 | 26 |
| Duct, Ectasia | 4 | | | | 4 | 2 | | | 1 | | 4 | 4 | | | 4 | 2 | 4 | | | 4 | 4 | | 23 |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Inflammation, Suppurative | | | | 1 | 2 | 3 | | 2 | | 2 | 3 | | | | | 1 | 4 | 2 | 3 | | 4 | | 21 |
| Inflammation, Chronic Active | | | | | | | | 2 | | | | | | | 2 | | | | | | | | 8 |
| Acinus, Degeneration | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Epithelium, Hyperplasia | | | | | | | | | | | 2 | | | | | | | | | | | | 8 |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Atrophy | 4 | | 4 | 4 | 2 | 3 | | | 4 | | 3 | | | 4 | 4 | 4 | 4 | | | | 3 | | 27 |
| Lumen, Dilatation | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Interstitial Cell, Hyperplasia | | | | | 2 | | | | | | | | | | | | | | 1 | | | | 6 |
| Seminiferous Tubule, Degeneration | 4 | 4 | 2 | 4 | 2 | 4 | 2 | 2 | 4 | 4 | 4 | 4 | | 4 | 4 | 3 | 4 | 4 | 2 | | 3 | 4 | 38 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | 46 |
| Atrophy | | | | | | | | | | | | | | | | | | | | | 4 | | 1 |
| Hyperplasia | | 3 | | 3 | | | 2 | | 2 | | | | 3 | 3 | | | | 2 | | | | | 12 |
| Lymph Node | + | | | + | | | | | + | | | | | | + | + | + | + | M | | + | | 23 |
| Inguinal, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | 3 | | | 1 |
| Inguinal, Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | 3 | | | 1 |
| Lumbar, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----|-----|-----|
| | 0
7
1
7 | 0
5
5
1 | 0
5
7
8 | 0
7
1
8 | 0
7
0
3 | 0
6
5
5 | 0
5
7
6 | 0
7
2
2 | 0
6
6
4 | 0
6
6
0 | 0
7
3
7 | 0
4
1
8 | 0
7
1
9 | 0
6
6
2 | 0
6
6
5 | 0
6
7
4 | 0
5
9
1 | 0
0
7
3 | 0
7
6
8 | 0
4
8
8 | | | | |
| ANIMAL ID | 0
1
3
3
2 | 0
1
3
4
1 | 0
1
3
4
2 | 0
1
3
5
1 | 0
1
3
5
2 | 0
1
7
6
1 | 0
1
7
6
2 | 0
1
7
7
1 | 0
1
7
7
2 | 0
1
7
8
1 | 0
1
7
8
2 | 0
1
7
8
2 | 0
1
8
9
1 | 0
1
8
9
2 | 0
2
1
4
1 | 0
2
1
4
2 | 0
2
1
5
1 | 0
2
1
6
2 | 0
2
1
6
2 | 0
2
1
7
2 | 0
2
1
7
2 | | | |
| Lumbar, Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 | | |
| Mediastinal, Hemorrhage | | | | | | | | | | | | | | | | 4 | | | | | 2 | 2 | 3.0 | |
| Mediastinal, Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | 2 | 2 | 2.0 | |
| Pancreatic, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | |
| Pancreatic, Sinus, Dilatation | | | | | | | | | | | | | | | 2 | | | | | | | 2 | 2.0 | |
| Renal, Sinus, Dilatation | | | | | | | 2 | | | | | | | | | | | | | | 3 | 2 | 2.5 | |
| Lymph Node, Mandibular Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | 1 | 2.0 |
| Hyperplasia, Lymphoid | | | 1 | | | | | | | | | | | | | 3 | | | | | 2 | 7 | 2.0 | |
| Infiltration Cellular, Plasma Cell | | | | | 3 | 2 | 4 | | | 2 | 2 | | | | 2 | 4 | | | | | 2 | 20 | 2.7 | |
| Sinus, Dilatation | | | | | 2 | | | | | 2 | | | | | | | | | | | 2 | 6 | 2.2 | |
| Lymph Node, Mesenteric Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 | 1 | 2.0 |
| Hyperplasia, Lymphoid | | | 2 | 1 | | | 2 | | | 1 | | | 2 | | 2 | 2 | | | | | 2 | 12 | 1.8 | |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 | |
| Sinus, Dilatation | | | | | | | | | | | | | | 3 | | | | | | | 3 | 5 | 3.0 | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | |
| Accessory Spleen | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Congestion | | | | | | | | | | | | | | | | | | | | | | 2 | 4.0 | |
| Depletion Lymphoid | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | 13 | 2.9 | |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | 8 | 2.8 | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 | |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | 13 | 2.9 | |
| Thymus | + | + | + | + | + | | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 42 | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-----------|-----------------|--|
| | 0
7 | 0
5 | 0
5 | 0
7 | 0
7 | 0
6 | 0
5 | 0
7 | 0
6 | 0
6 | 0
6 | 0
7 | 0
4 | 0
7 | 0
6 | 0
6 | 0
6 | 0
5 | 0
0 | 0
7 | | | 0
6 | 0
4 | |
| ANIMAL ID | 1
7 | 1
5 | 1
7 | 1
8 | 1
0 | 1
5 | 1
5 | 1
2 | 1
4 | 1
0 | 1
7 | 1
3 | 1
1 | 1
1 | 1
9 | 1
3 | 1
7 | 1
9 | 1
7 | 1
3 | 1
3 | 1
8 | 1
8 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS | |
| Atrophy | 4 | 2 | 4 | 4 | | 4 | 4 | 4 | 4 | 4 | 4 | 2 | 4 | | 4 | 4 | 4 | 4 | | 3 | 4 | 4 | 34 | 3.8 | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|--|--------------|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | | + | + | + | 44 | | |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Galactocele | | | | | 3 | | | | | | | | | | | | | | | | 4 | 4 | | | | 4 3.8 |
| Lactation | | | | | | | | | | 2 | 2 | | | | | | | | | | | | | | | 6 2.2 |
| Alveolus, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 3 | | | | 1 3.0 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | + | + | + | 47 | | |
| Cyst Epithelial Inclusion | | | | | | X | | | | | | | | | | 4 | | | | X | | | | | | 5 4.0 |
| Fibrosis | | | | | | | | | | | | 4 | | | | | | | | | | | | | | 2 4.0 |
| Hyperkeratosis | | | | | | | | | | | | | | | | | | | | | | 4 | | | | 1 4.0 |
| Inflammation, Suppurative | | | | | | 4 | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 3 | | | | 1 3.0 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|---|---|-----------|--|--------------|----------|
| Bone | | | | | | | | | | | | | | | | | | | | | | | | | | 3 | |
| Cranium, Deformity | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Bone, Femur | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | + | + | + | 47 | | | |
| Fibrous Osteodystrophy | | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 | |
| Osteopetrosis | | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 | |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | + | + | + | 47 | | | |

NERVOUS SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|--------|
| | 07 | 05 | 05 | 07 | 07 | 06 | 05 | 07 | 06 | 06 | 06 | 07 | 04 | 07 | 06 | 06 | 06 | 05 | 00 | 07 | | 06 |
| ANIMAL ID | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | |
| Brain, Brain Stem
Compression
Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| | | | | | 2 | | | | | | | 2 | | | | | 1 | | | | 2 | 8 2.1 |
| | | | | | | | | | | | | | | | | | | | 1 | | | 1 1.0 |
| Brain, Cerebellum
Hemorrhage
Infiltration Cellular, Polymorphonuclear
Ventricle, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| | | | | | | 3 | | | | | | | | | | | | | | | | 1 3.0 |
| Brain, Cerebrum
Compression
Mineralization
Ventricle, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| | | | | | | | | | | | | | | | | | | | | | | 3 2.3 |
| Peripheral Nerve, Sciatic
Axon, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| | 1 | 1 | | | | 1 | 1 | 1 | 1 | 1 | | 1 | 1 | 1 | 2 | | | | | | | 28 1.0 |
| Spinal Cord, Cervical
Hemorrhage
Axon, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| | 1 | | | 1 | | 1 | | 1 | 1 | | | 1 | | 1 | | | 1 | 1 | | 1 | 1 | 1 1.0 |
| | | | | | | | | | | | | | | | | | | | | | | 28 1.0 |
| Spinal Cord, Lumbar
Axon, Degeneration
Nerve, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| | | | | | | | | | | | | | | | | | | | | | | 2 1.0 |
| | 2 | 1 | | | 1 | 1 | | 1 | 2 | 1 | 1 | 2 | | 1 | | 2 | 1 | 1 | 1 | 2 | 1 | 32 1.3 |
| Spinal Cord, Thoracic
Hemorrhage
Axon, Degeneration
Nerve, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| | | | | | | | | | | | | | | | | | | | | | | 30 1.0 |
| | | | | | | | | | | | | | | | | | | | | | | 4 1.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------|--------|--------|
| | 0
7 | 0
5 | 0
5 | 0
7 | 0
7 | 0
6 | 0
5 | 0
7 | 0
6 | 0
6 | 0
6 | 0
7 | 0
4 | 0
7 | 0
6 | 0
6 | 0
6 | 0
5 | 0
0 | 0
7 | | 0
6 | 0
4 |
| ANIMAL ID | 1 | 5 | 7 | 1 | 0 | 5 | 5 | 2 | 4 | 0 | 7 | 3 | 1 | 1 | 9 | 3 | 7 | 9 | 7 | 3 | 3 | 8 | 8 |
| | 7 | 1 | 8 | 8 | 3 | 5 | 6 | 2 | 5 | 4 | 7 | 7 | 8 | 9 | 2 | 5 | 4 | 1 | 4 | 0 | 7 | 6 | 8 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 3 | 3 | 3 | 3 | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 3 | 4 | 4 | 5 | 5 | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 9 | 0 | 4 | 4 | 5 | 5 | 6 | 6 | 7 | 7 | 7 |
| | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | 1 | | | | | | | | 1 | | | 5 1.8 |
| Inflammation, Granulomatous | | | | | | | | | | 3 | | | | | | | | | | | | | 1 3.0 |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Bronchus, Inflammation, Suppurative | | | | | | | | | | | | | | | | | | 4 | | | | | 1 4.0 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | 45 | |
| Inflammation, Suppurative | | | | | | | | | 3 | | 2 | | | | | | | | | 2 | | | 4 2.3 |
| Goblet Cell, Hyperplasia | | | | | | | | | 2 | | | | | | | | | | | | | | 1 2.0 |
| Nasopharyngeal Duct, Hyperkeratosis | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Nasopharyngeal Duct, Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Ear | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Eye | A | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | 44 |
| Cataract | | | | | | | | | | | | | | | | | | | | | 4 | | 1 4.0 |
| Bilateral, Retina, Degeneration | | | | | | | | | | | | | | | | | | | | | | | 7 2.1 |
| Cornea, Inflammation, Suppurative | | | | | | 4 | | | | | | | | | | | | | | | | | 1 4.0 |
| Cornea, Necrosis | | | | | | 4 | | | | | | | | | | | | | | | | | 1 4.0 |
| Cornea, Ulcer | | | | | | 4 | | | | | | | | | | | | | | | | | 1 4.0 |
| Retina, Degeneration | | | | | | | | | | | | | | | | | | | | 3 | | | 2 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|----|----|
| | 07 | 05 | 05 | 07 | 07 | 06 | 05 | 07 | 06 | 06 | 06 | 07 | 04 | 07 | 06 | 06 | 06 | 05 | 00 | 07 | | 06 | 04 |
| ANIMAL ID | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | | |
| | 7 | 5 | 7 | 8 | 8 | 3 | 5 | 6 | 2 | 5 | 4 | 7 | 8 | 9 | 2 | 5 | 4 | 1 | 4 | 0 | 7 | 6 | 4 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 3 | 3 | 3 | 3 | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 3 | 4 | 4 | 4 | 5 | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 9 | 0 | 4 | 4 | 5 | 5 | 6 | 6 | 7 | 7 | 7 |
| | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|-----|
| Harderian Gland
Inflammation, Chronic Active
Acinus, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | 46 | 1 | 4.0 |
| | | | | | 4 | | | | | | 4 | | | | | | | | | | | | | | 1 | 4.0 |
| Zymbal's Gland
Inflammation, Suppurative | | | | | | | | | | + | | | | | + | | | | | | | | | 2 | 1 | 4.0 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|-----|-----|
| Kidney
Cyst | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | 1 | 3.0 | |
| Hyaline Droplet | | | | | | | 4 | | | | | | | | | | | | | | | | | 3 | 3.3 | |
| Nephropathy | 4 | 1 | 2 | 3 | 4 | 3 | 2 | 4 | 2 | 3 | 4 | 4 | 1 | 2 | 4 | 2 | 4 | 4 | 3 | | 4 | 4 | 2 | 45 | 2.8 | |
| Pigmentation | | | | | | | | | | | | | | | | 3 | | | | | | | | 3 | 2.7 | |
| Transitional Epithelium, Hyperplasia | | | | | | | | | | | | 2 | | | | | | | | | | 3 | | 2 | 2.5 | |
| Urinary Bladder
Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | 1 | 3.0 |
| Lumen, Dilatation | 4 | | | | | | | | | | | | | | | | 4 | | | | 4 | | | 5 | 3.8 | |
| Transitional Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 2 | | 1 | 2.0 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|--|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|--------------------|
| | 0684 | 0737 | 0737 | 0630 | 0713 | 0737 | 0653 | 0561 | 0611 | 0667 | 0553 | 0733 | 0670 | 0723 | 0493 | 0733 | 0674 | 0552 | 0681 | 0738 | 0634 | 0743 | 0676 | 0737 | | |
| | 0041 | 0042 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|--|---|--|--|--|---|--|---|--|---|--|--|---|--|---|---|---|---|---|---|---|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + + + + + + + + + + + + + + + A + + + + + + + + + + + A | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + + + + + + + + + + + + + + + A + + + + + + + + + + + A | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + + + + + + + + + + + + + + + A + + + + + + + + + + + A | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Duodenum | + + + + + + + + + + + + + + + A + + + + + + + + + + + A | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + + + + + + + + + + + + + + + A + + + + + + + + + + + A | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Jejunum | + + + + + + + + + + + + + + + A + + + + + + + + + + + A | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basophilic Focus, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Congestion | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Deformity | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Degeneration, Cystic | 4 | 4 | | 2 | | 2 | | 2 | | | | 2 | | | | | | | 3 | | | | | 3 | 4 | 2 | 3 |
| Eosinophilic Focus | X | | | | X | X | | | | | | | | | | | | | | | | | | | | | |
| Eosinophilic Focus, Multiple | | X | | | | | | | | | | | | | | | | | X | | X | | | | | | |
| Hemorrhage | | | | | | | | | | | | 4 | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | | | 2 | | 1 | | | | | | | | | | | 2 | | 2 | 1 | | | | | |
| Mixed Cell Focus | | | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Necrosis | | | | | | | | | | | | 4 | | | | | | | | | | | | | | | |
| Pigmentation | | | | 2 | | | | | | | | | | | | | | | | | 3 | | 2 | | | | |
| Vacuolization Cytoplasmic | | | 2 | | | 2 | | | | | | | | 4 | | 2 | | | | | | | | | | 3 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) | | |
|--|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|--------------------|------|------|
| | 0684 | 0737 | 0737 | 0630 | 0713 | 0773 | 0651 | 0561 | 0667 | 0553 | 0733 | 0670 | 0742 | 0473 | 0733 | 0674 | 0562 | 0658 | 0731 | 0672 | 0561 | 0673 | 0676 | 0734 | | | 0737 | 0676 |
| Bile Duct, Hyperplasia | 4 | 4 | 3 | | 4 | 2 | 4 | | 4 | 4 | 3 | | 3 | 4 | 3 | 2 | 2 | 4 | | 2 | 1 | 3 | 4 | 3 | 4 | | | |
| Biliary Tract, Fibrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocyte, Degeneration | | | | | | | | | | | | | | 4 | 3 | | | | | | | | | 4 | | | | |
| Hepatocyte, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 4 | | | | |
| Oval Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | + | + | | | + | | | | | | | | | | | | | | | | | | | | | | | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fat, Necrosis | 3 | 4 | | | 3 | | | | | | | | | | | | | | | | | | | 4 | | | | |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Foreign Body | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A |
| Vacuolization Cytoplasmic | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Acinar Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Acinus, Degeneration | 1 | 3 | 1 | | | 3 | 2 | | | 2 | | | | 4 | | 2 | | | | | 3 | 2 | 4 | 2 | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | 2 | | | | | | | | | | | | 3 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | A |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | | | | 3 | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS MALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males (cont...) | | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|-----------------|------|------|
| | 0684 | 0737 | 0737 | 0630 | 0713 | 0737 | 0653 | 0519 | 0612 | 0660 | 0558 | 0557 | 0733 | 0670 | 0723 | 0498 | 0737 | 0674 | 0552 | 0681 | 0737 | 0664 | 0734 | 0676 | | | 0737 | 0686 |
| | 004 | 004 | 004 | 004 | 004 | 004 | 004 | 004 | 004 | 004 | 004 | 004 | 004 | 004 | 004 | 004 | 004 | 004 | 004 | 004 | 004 | 004 | 004 | 004 | 004 | 004 | 004 | 004 |

Necrosis
 Pigmentation
 Ulcer
 Epithelium, Degeneration

4

Tongue

+

CARDIOVASCULAR SYSTEM

Blood Vessel

+ +

Heart

+ +

Cardiomyopathy

2 2 2 3 1 2 2 2 3 2 2 1 2 2 1 2 3 2

Mineralization

2

Thrombosis

4 4 4 4 4 4 4

Atrium, Dilatation

4 3

Ventricle, Dilatation

4

ENDOCRINE SYSTEM

Adrenal Cortex

+ +

Accessory Adrenal Cortical Nodule

X

Hypertrophy

3 2

Metaplasia, Osseous

4

Vacuolization Cytoplasmic

2 2 2 1 2 2 2 3 2 3 2 2 2 3 2 3 2

Adrenal Medulla

+ +

Hyperplasia

1 2 2 4 2 2

Islets, Pancreatic

+ +

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

M .. Missing tissue

1-4 .. Lesion qualified as:

X .. Lesion present

A .. Autolysis precludes evaluation

1) Minimal 3) Moderate

I .. Insufficient tissue

BLANK .. Not examined microscopically

2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|--|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-----------|--------------------|
| | 0684 | 0737 | 0737 | 0630 | 0713 | 0737 | 0653 | 0519 | 0612 | 0660 | 0558 | 0553 | 0773 | 0677 | 0723 | 0493 | 0733 | 0774 | 0651 | 0582 | 0671 | 0763 | 0746 | 0677 | | |
| | 004111 | 004422 | 004422 | 004433 | 004422 | 004433 | 004421 | 004451 | 004456 | 004461 | 004477 | 004488 | 004488 | 004488 | 004488 | 004488 | 004499 | 004499 | 004400 | 004400 | 004411 | 004411 | 004411 | 004411 | 004411 | |

Hyperplasia

Parathyroid Gland
Hyperplasia

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| 2 | | 2 | | | | 2 | | | 2 | | | | | | 3 | | | | | | | | | |

Pituitary Gland
Pars Distalis, Cyst
Pars Distalis, Hyperplasia

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| | | | 3 | | | | | | | | | | | | 1 | | | | | | | | | |

Thyroid Gland
Cyst
C-cell, Hyperplasia
Follicular Cell, Hyperplasia

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 1 | 1 | | 2 | 2 | 1 | | | | 1 | 1 | | | | 2 | 1 | | | | | 1 | 1 | |
| | | | | | | 2 | | | | | | | | | | | | 1 | | | | | | |

GENERAL BODY SYSTEM

Tissue NOS

+

GENITAL SYSTEM

Epididymis
Exfoliated Germ Cell
Hypospermia
Epithelium, Degeneration

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |

Preputial Gland
Cyst
Inflammation, Suppurative
Inflammation, Chronic Active
Acinus, Degeneration

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|--|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|--------------------|
| | 0684 | 0737 | 0737 | 0630 | 0713 | 0773 | 0651 | 0561 | 0667 | 0553 | 0773 | 0667 | 0723 | 0673 | 0493 | 0733 | 0773 | 0664 | 0557 | 0668 | 0733 | 0664 | 0773 | 0667 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Duct, Ectasia
Epithelium, Hyperplasia | 2 | 4 | | | 2 | 3 | | | 4 | 4 | | 4 | | | | 4 | 3 | | | | 2 | | | | 3 |
| Prostate
Infiltration Cellular, Lymphocyte
Inflammation, Suppurative
Inflammation, Chronic Active
Epithelium, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | 2 | | | | | | | | | 4 | 2 | 2 | | | | 1 | 4 | 2 |
| | | 3 | 2 | | 3 | | 2 | | | 2 | | | | | 2 | | | | | 2 | | | | | |
| | 1 | | | | | 4 | | | 2 | | | | | | | | | | | | | | | | 2 |
| Seminal Vesicle
Atrophy
Lumen, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A |
| | 2 | 4 | 4 | 2 | | 2 | 4 | | | 3 | | | 4 | 3 | | | | | | 2 | | | 3 | 3 | 4 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Testes
Polyarteritis
Interstitial Cell, Hyperplasia
Seminiferous Tubule, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| | 3 | 4 | 4 | 3 | 2 | 2 | 4 | | 3 | 2 | 4 | | 4 | 4 | 2 | | 4 | 4 | | 3 | 4 | 4 | 1 | 4 | 2 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow
Atrophy
Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | A |
| | 2 | 2 | 2 | | | | | | | | | | 3 | 3 | | | | | 2 | 2 | | | | 3 | |
| Lymph Node
Lumbar, Infiltration Cellular, Plasma Cell
Lumbar, Sinus, Dilatation
Mediastinal, Pigmentation
Mediastinal, Sinus, Dilatation
Pancreatic, Hyperplasia, Lymphoid | + | | | | | + | + | | + | + | + | | | | | | | | | | + | | | | + |
| | | | | | | | 4 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically M .. Missing tissue 1-4 .. Lesion qualified as:
 X .. Lesion present A .. Autolysis precludes evaluation 1) Minimal 3) Moderate
 I .. Insufficient tissue BLANK .. Not examined microscopically 2) Mild 4) Marked

Experiment Number: 20314 - 03
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Glycidamide

CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
Time Report Requested: 07:40:57
First Dose M/F: 05/30/05 / 05/30/05
Lab: NCTR

| | 0
6 | 0
7 | 0
7 | 0
6 | 0
7 | 0
7 | 0
6 | 0
5 | 0
6 | 0
6 | 0
5 | 0
5 | 0
7 | 0
6 | 0
7 | 0
4 | 0
7 | 0
7 | 0
6 | 0
5 | 0
6 | 0
7 | 0
6 | 0
7 | 0
6 | 0
7 | 0
6 | 0
6 | 0
6 |
|---|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|--------|----------------------------|
| FISCHER 344 RATS-NCTR RATS
MALE
0.175 GLYCID | 8
4 | 3
7 | 3
7 | 0
3 | 1
4 | 3
7 | 5
3 | 1
9 | 1
2 | 7
0 | 7
8 | 3
5 | 3
7 | 7
0 | 2
3 | 9
8 | 3
7 | 3
7 | 1
4 | 7
2 | 8
1 | 3
7 | 4
6 | 3
7 | 4
6 | 3
7 | 8
6 | 6
6 | |
| ANIMAL ID | 0
4
1
1 | 0
4
1
2 | 0
4
2
1 | 0
4
2
2 | 0
4
3
1 | 0
4
3
2 | 0
4
4
1 | 0
4
5
2 | 0
4
5
1 | 0
4
6
2 | 0
8
7
1 | 0
8
7
1 | 0
8
7
2 | 0
8
7
2 | 0
8
8
1 | 0
8
8
2 | 0
8
9
1 | 0
8
9
2 | 0
9
0
1 | 0
9
0
2 | 0
0
1
1 | 0
1
2
2 | 0
1
1
1 | 0
1
2
1 | 0
1
2
2 | 0
1
2
3 | 0
1
2
1 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
| Pancreatic, Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Renal, Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Lymph Node, Mandibular
Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hyperplasia, Lymphoid | | | | | | | | | | | 1 | 2 | | | | | | | | | | | | | | | | 1 | |
| Infiltration Cellular, Plasma Cell | | 3 | | 4 | | 3 | | | | | | 2 | 3 | | 4 | 3 | 3 | | | | 3 | 2 | 3 | 2 | | | | | |
| Sinus, Dilatation | | | | | | | | | | 2 | | | | | | | | | | | 2 | 2 | | | | | | 2 | |
| Lymph Node, Mesenteric
Angiectasis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemorrhage | | | | | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia, Lymphoid | | 4 | | | | | | | | | 2 | | | | | | 3 | 2 | | | | | | | | | 2 | | |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | 4 | | | | | | | | | | | | | |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | 2 | | | | | | | | |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Congestion | | | | | | | | | | | | | | | | 4 | | | | | | | | | | | | | |
| Depletion Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fibrosis | | 4 | | | 4 | | | | | | | | 2 | | | | | 4 | | | | | | | | 4 | 4 | | |
| Hematopoietic Cell Proliferation | | | | | | | | 2 | | | 4 | | | | | | | | | | 2 | | | | | | | | |
| Hemorrhage | | | | | | | | | | | | | 3 | | | | | | | | | | 2 | | | | | | |
| Hyperplasia, Lymphoid | | | | | | | | | | | | 3 | | | | | | | | | | | 2 | | | | | | |
| Hyperplasia, Stromal | | | | | | | | | | | | | | 3 | | | | | | | | | | | | | | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pigmentation | | | | 2 | | | | 2 | | | | 2 | | | 4 | | | | 3 | 2 | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|--|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--------------------|
| | 0
6
8
4 | 0
7
3
7 | 0
7
3
7 | 0
6
0
3 | 0
7
1
4 | 0
7
3
7 | 0
6
5
3 | 0
5
1
9 | 0
6
1
2 | 0
6
6
0 | 0
5
7
5 | 0
5
3
7 | 0
7
6
0 | 0
6
7
3 | 0
4
9
8 | 0
7
3
7 | 0
7
6
4 | 0
5
7
2 | 0
6
8
1 | 0
7
8
3 | 0
6
3
4 | 0
7
6
7 | 0
6
7
6 | | | |
| | 0
0
4
1
1 | 0
0
4
1
2 | 0
0
4
2
1 | 0
0
4
3
2 | 0
0
4
3
1 | 0
0
4
4
2 | 0
0
4
4
1 | 0
0
4
5
2 | 0
0
4
5
1 | 0
0
4
6
2 | 0
0
8
6
1 | 0
0
8
7
2 | 0
0
8
8
1 | 0
0
8
8
2 | 0
0
8
8
2 | 0
0
8
8
1 | 0
0
8
8
2 | 0
0
9
9
1 | 0
0
9
9
2 | 0
0
1
1
1 | 0
0
2
2
2 | 0
0
1
1
2 | 0
0
1
1
2 | 0
0
1
1
2 | 0
0
1
1
2 | |

Thymus Atrophy + + + + + M + + + + + + + + + M M + + + + M
 4 4 4 4 4 4 3 4 4 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4

INTEGUMENTARY SYSTEM

Mammary Gland + + + + + + + + + + + M + + + + + M +
 Galactocele 4 4 4
 Lactation 2 3 2 2 3 3 2 3 2 2
 Alveolus, Hyperplasia 3 3
 Skin +
 Cyst Epithelial Inclusion X X
 Inflammation, Chronic Active 4

MUSCULOSKELETAL SYSTEM

Bone
 Cranium, Deformity
 Bone, Femur +
 Fibrous Osteodystrophy
 Skeletal Muscle +

NERVOUS SYSTEM

Brain, Brain Stem +
 Compression 2 3 3 4 4 3 3 3 4
 Hemorrhage

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically M .. Missing tissue 1-4 .. Lesion qualified as:
 X .. Lesion present A .. Autolysis precludes evaluation 1) Minimal 3) Moderate
 I .. Insufficient tissue BLANK .. Not examined microscopically 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|--|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|--------------------|
| | 0684 | 0737 | 0737 | 0630 | 0713 | 0773 | 0655 | 0561 | 0667 | 0553 | 0773 | 0667 | 0723 | 0493 | 0733 | 0764 | 0652 | 0568 | 0673 | 0664 | 0734 | 0676 | 0737 | 0686 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 004111 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|---------------|-----------|-------|
| Brain, Cerebellum
Hemorrhage
Ventricle, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 2 | 3 2 | | |
| Brain, Cerebrum
Hemorrhage
Mineralization
Ventricle, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 2 | 2 | 3 2 | |
| Peripheral Nerve, Sciatic
Axon, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 1 1 | 1 1 1 1 | | |
| Spinal Cord, Cervical
Cyst
Hemorrhage
Axon, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 1 1 1 | 1 1 1 | | |
| Spinal Cord, Lumbar
Axon, Degeneration
Nerve, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 1 1 1 | 1 1 1 1 1 1 2 | 1 1 | 1 1 2 |
| Spinal Cord, Thoracic
Axon, Degeneration
Nerve, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 1 | 1 1 1 | 1 1 1 1 1 | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung
Infiltration Cellular, Histiocyte
Inflammation, Suppurative | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 4 | 2 | 3 | 2 |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Glycidamide

CAS Number: 5694-00-8

Date Report Requested: 12/17/2014

Time Report Requested: 07:40:57

First Dose M/F: 05/30/05 / 05/30/05

Lab: NCTR

| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | males
(cont...) | | | |
|--|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|---|---|---|
| DAY ON TEST | | 6 | 7 | 7 | 6 | 7 | 7 | 6 | 5 | 6 | 6 | 5 | 5 | 7 | 6 | 7 | 4 | 7 | 7 | 6 | 5 | 6 | 7 | 6 | | 7 | 6 | 6 |
| FISCHER 344 RATS-NCTR RATS
MALE
0.175 GLYCID | ANIMAL ID | 8 | 3 | 3 | 0 | 1 | 3 | 5 | 1 | 1 | 7 | 7 | 3 | 3 | 7 | 2 | 9 | 3 | 3 | 1 | 7 | 8 | 3 | 4 | | 3 | 8 | 6 |
| | | 4 | 7 | 7 | 3 | 4 | 7 | 3 | 9 | 2 | 0 | 8 | 5 | 7 | 0 | 3 | 8 | 7 | 7 | 4 | 2 | 1 | 7 | 8 | 3 | 4 | 6 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 2 | 2 | 2 | 2 | 2 |
| | | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 | 5 | 6 | 6 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 9 | 0 | 1 | 1 | 1 | 2 | 2 | 3 |
| | | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar Epithelium, Hyperplasia | | | | | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Suppurative | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | | |
| Trachea | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|
| Ear | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bilateral, Retina, Degeneration | | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | M | + | + | + | + | + | + | + | + | + | + | + | A | | | |
| Retina, Degeneration | | 2 | | | | 2 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sclera, Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active Acinus, Degeneration | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Zymbal's Gland | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Kidney | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nephropathy | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Pigmentation | | 2 | 4 | 4 | 2 | 3 | 4 | 2 | 4 | 2 | 4 | 2 | 3 | 4 | 2 | 4 | 3 | 2 | 4 | 4 | 2 | 4 | 2 | 2 | 4 | | | | | | | |
| Transitional Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| FISCHER 344 RATS-NCTR RATS MALE
0.175 GLYCID | DAY ON TEST | 0684 | 0737 | 0737 | 0603 | 0714 | 0773 | 0659 | 0561 | 0662 | 0557 | 0533 | 0770 | 0672 | 0493 | 0737 | 0674 | 0552 | 0661 | 0737 | 0663 | 0746 | 0737 | 0676 | 0778 | 0634 | 0737 | 0676 | 0738 | 0686 |
| | ANIMAL ID | 0411 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 |

males
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lumen, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Transitional Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-------|
| | 0667 | 0737 | 0675 | 0737 | 0730 | 0556 | 0555 | 0777 | 0777 | 0579 | 0682 | 0663 | 0669 | 0665 | 0662 | 0733 | 0733 | 0730 | 0577 | 0749 | | 0640 |
| ANIMAL ID | 01232 | 01442 | 01142 | 01152 | 01152 | 01152 | 01152 | 01152 | 01152 | 01152 | 01152 | 01152 | 01152 | 01152 | 01152 | 01221 | 01221 | 01221 | 01221 | 01221 | 01221 | 01221 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | A | + | + | + | + | A | + | + | + | + | + | + | A | + | 43 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | A | + | 44 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | A | + | 44 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | A | + | + | + | + | A | + | + | + | + | + | + | A | + | 43 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | A | + | + | + | + | A | + | + | + | + | + | + | A | + | 43 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | A | + | + | + | + | A | + | + | + | + | + | + | A | + | 43 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Basophilic Focus | | | | | | | | | | | | | | X | | | X | | | | | X | 6 |
| Basophilic Focus, Multiple | | X | X | | | | | | X | | | | | | | | | | | | X | | 5 |
| Congestion | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Deformity | | | | | | | | | | | | | X | | | | | | | | | | 3 |
| Degeneration, Cystic | | 2 | | | 2 | | | | 2 | | | 2 | | 3 | | 1 | 2 | 4 | | 2 | | 1 | 21 2.5 |
| Eosinophilic Focus | | | | X | | | | | X | | | | | X | X | | X | | | | X | | 9 |
| Eosinophilic Focus, Multiple | | | | | X | | | | | | | | | | | | | X | | | | | 5 |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Inflammation, Chronic Active | | | | | | | | | | | | | 3 | | | | | | | 1 | | | 7 1.7 |
| Mixed Cell Focus | | | | | | | | | | | | | | | | X | | | | | | | 2 |
| Necrosis | | | | | | | | | | | | 2 | | | | | | | | | | | 2 3.0 |
| Pigmentation | | | | | | | | | | | | | 2 | | 3 | | | | | 3 | | | 6 2.5 |
| Vacuolization Cytoplasmic | 4 | | 3 | 2 | | 2 | 4 | | | | 4 | 3 | | | | | | | 2 | 2 | | | 14 2.8 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|--|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|---|-----|-----|
| | 067 | 077 | 067 | 077 | 077 | 055 | 055 | 077 | 077 | 055 | 066 | 066 | 066 | 066 | 077 | 077 | 077 | 055 | 077 | 044 | | | 066 | 077 |
| ANIMAL ID | 01232 | 01144 | 01144 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | | | |
| Bile Duct, Hyperplasia | 3 | 2 | | 2 | 4 | | 4 | 2 | 2 | | 4 | 2 | 4 | 4 | 3 | 2 | 2 | 3 | | 4 | 4 | 2 | 39 | 3.1 |
| Biliary Tract, Fibrosis | | | | | | | | | | | | | | 3 | | | | | | | | | 1 | 3.0 |
| Hepatocyte, Degeneration | 4 | | | | | | 4 | | | | | | | 4 | | | | | | | | | 6 | 3.8 |
| Hepatocyte, Hyperplasia | 4 | | | | | | | | | | | | | | | | | | | | | | 2 | 4.0 |
| Oval Cell, Hyperplasia | | | | | | | | | | | | | 4 | | | | | | | | | | 1 | 4.0 |
| Mesentery | | | | | | + | | | | | | | | | | | | | + | | | | 6 | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | 3 | | | | 1 | 3.0 |
| Pigmentation | | | | | 4 | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Fat, Necrosis | | | | | 4 | | | | | | | | | | | | | | 2 | | | | 6 | 3.3 |
| Oral Mucosa | | | | | | | | | | | + | | | | | | | | + | | | | 2 | |
| Foreign Body | | | | | | | | | | | X | | | | | | | | | | | | 1 | |
| Epithelium, Hyperplasia | | | | | | | | | | | 2 | | | | | | | | | | | | 1 | 2.0 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| Vacuolization Cytoplasmic | | | | | | | | | | | | | | | | | | | 2 | | | | 1 | 2.0 |
| Acinar Cell, Hyperplasia | | | | | | | | | | 4 | | | | | | | | | | | | | 1 | 4.0 |
| Acinus, Degeneration | | 2 | 3 | | 2 | | 2 | | | | | 2 | 2 | | | | | | 2 | | | | 19 | 2.3 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | 46 | |
| Inflammation, Chronic Active | | | | | | | | | | 2 | | | | | | | | | | | | | 2 | 2.5 |
| Ulcer | | | | | | | | | | 3 | | | | | | | | | | | | | 2 | 3.5 |
| Epithelium, Hyperplasia | | | | | | | | | | 2 | | | | | | | | | | | | | 3 | 2.3 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | A | 44 | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |
| Inflammation, Chronic Active | | | | | 2 | | | | | | | | 2 | | | | | | 3 | | | | 3 | 2.3 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Glycidamide

CAS Number: 5694-00-8

Date Report Requested: 12/17/2014

Time Report Requested: 07:40:57

First Dose M/F: 05/30/05 / 05/30/05

Lab: NCTR

| FISCHER 344 RATS-NCTR RATS MALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|
| | 067 | 067 | 067 | 067 | 067 | 067 | 067 | 067 | 067 | 067 | 067 | 067 | 067 | 067 | 067 | 067 | 067 | 067 | 067 | 067 | |
| | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | 67 | |
| ANIMAL ID | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|--|--|--|--|---|--|--|--|--|--|--|--|--|--|---|---|--|--|--|--|---|---|-----|-----|
| Necrosis | | | | | | | | | | | | | | | 3 | | | | | | 4 | 2 | 3.5 | |
| Pigmentation | | | | | | | | | | | | | | | 2 | | | | | | | | 1 | 2.0 |
| Ulcer | | | | | 2 | | | | | | | | | | | | | | | | | | 2 | 3.0 |
| Epithelium, Degeneration | | | | | | | | | | | | | | | | 3 | | | | | | | 1 | 3.0 |
| Tongue | | | | | | | | | | | | | | | | | | | | | | | | 1 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|----|-----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Cardiomyopathy | | 2 | | 3 | | 2 | 2 | 3 | 2 | 3 | | | | 3 | 1 | 2 | 3 | 2 | 2 | 2 | 2 | 3 | 1 | 36 | 2.1 |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Thrombosis | 4 | 4 | 3 | | | | | | | 3 | | 4 | | 4 | | | | | | | | | | 14 | 3.8 |
| Atrium, Dilatation | | | | | 4 | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Ventricle, Dilatation | | | 4 | | | | | | | | | | | | | | | | | | | | | 2 | 4.0 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|-----|-----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Accessory Adrenal Cortical Nodule | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Hypertrophy | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.5 | |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | |
| Vacuolization Cytoplasmic | 4 | | 1 | 2 | 4 | | 3 | | | | | 4 | 2 | 4 | 2 | 3 | | 3 | | | 3 | 2 | 3 | 31 | 2.5 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Hyperplasia | | | | | | | | | | | 2 | | | | | | | | | | | | 7 | 2.1 | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically M .. Missing tissue
 X .. Lesion present A .. Autolysis precludes evaluation
 I .. Insufficient tissue BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|----------|-------------|
| | 0676775577553348392113667757467 | 0676775577553348392113667757467 | 0676775577553348392113667757467 | 0676775577553348392113667757467 | 0676775577553348392113667757467 | 0676775577553348392113667757467 | 0676775577553348392113667757467 | 0676775577553348392113667757467 | 0676775577553348392113667757467 | 0676775577553348392113667757467 | 0676775577553348392113667757467 | 0676775577553348392113667757467 | 0676775577553348392113667757467 | 0676775577553348392113667757467 | 0676775577553348392113667757467 | 0676775577553348392113667757467 | 0676775577553348392113667757467 | 0676775577553348392113667757467 | 0676775577553348392113667757467 | 0676775577553348392113667757467 | | |
| ANIMAL ID | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | |
| Hyperplasia | 3 | | | | | | | | | | | | | | | | | | | | | 2 2.5 |
| Parathyroid Gland
Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47
6 2.2 |
| Pituitary Gland
Pars Distalis, Cyst | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
3 2.3 |
| Pars Distalis, Hyperplasia | | | 3 | | | | 2 | | | | | | | | | | 3 | | 2 | 1 | | 6 2.0 |
| Thyroid Gland
Cyst | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
1 3.0 |
| C-cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 18 1.3 |
| Follicular Cell, Hyperplasia | | | | 2 | | | | 1 | | | | | | 1 | 1 | | | | | | | 3 1.7 |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | |
| Tissue NOS | | | | | | | | | | | | | | | | | | | | | | 1 |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | |
| Epididymis
Exfoliated Germ Cell | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
2 2.5 |
| Hypospermia | 4 | 4 | 4 | 4 | 4 | | | 4 | 4 | | | 4 | 4 | 3 | | 4 | 4 | 4 | 4 | | 4 | 31 3.7 |
| Epithelium, Degeneration | 4 | 2 | 4 | 4 | 3 | | | 3 | 3 | | | 4 | 4 | | | 3 | 4 | 2 | 3 | | 3 | 27 3.1 |
| Preputial Gland
Cyst | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
1 4.0 |
| Inflammation, Suppurative | | | | 4 | 4 | | | 2 | 4 | | | 2 | 3 | 4 | | 4 | 3 | 4 | 4 | 2 | | 25 3.4 |
| Inflammation, Chronic Active | | | | | | | | | 2 | | | | | | 3 | | | | | | 2 | 9 2.1 |
| Acinus, Degeneration | 4 | | 3 | 3 | | | 3 | 4 | | 4 | 3 | 3 | 3 | | 3 | | | | 2 | 2 | | 25 2.9 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-------|
| | 0667 | 0737 | 0675 | 0737 | 0730 | 0506 | 0505 | 0737 | 0737 | 0549 | 0682 | 0663 | 0666 | 0666 | 0666 | 0777 | 0777 | 0577 | 0757 | 0449 | | 0640 |
| ANIMAL ID | 01232 | 01444 | 01444 | 01551 | 01551 | 01551 | 01551 | 01551 | 01551 | 01551 | 01551 | 01551 | 01551 | 01551 | 01551 | 02211 | 02211 | 02211 | 02211 | 02211 | 02211 | 02211 |
| Duct, Ectasia
Epithelium, Hyperplasia | 4 | 2 | 4 | 4 | | 3 | 4 | 4 | | | 4 | 4 | | | 4 | 4 | 4 | 2 | | | 4 | |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Infiltration Cellular, Lymphocyte
Inflammation, Suppurative | | 3 | | 2 | 2 | 1 | 1 | | 3 | | 3 | 3 | | 3 | 4 | | 2 | | 3 | | 2 | |
| Inflammation, Chronic Active
Epithelium, Hyperplasia | 3 | | | | | | | 2 | | 3 | | | | | | 2 | | | | | | 2 |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + |
| Atrophy
Lumen, Dilatation | 4 | 2 | 4 | 4 | 4 | | | 3 | | | | 4 | | 2 | 4 | | 2 | 3 | 3 | | | 2 |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Polyarteritis
Interstitial Cell, Hyperplasia | | | 1 | | | 2 | 1 | | | | | 2 | 2 | | 1 | | | | 2 | | | |
| Seminiferous Tubule, Degeneration | 4 | 4 | 4 | 4 | 4 | | | 4 | 4 | | 4 | 4 | 4 | 4 | 4 | 2 | 4 | | 4 | | | 4 |
| HEMATOPOIETIC SYSTEM | | | | | | | | | | | | | | | | | | | | | | |
| Bone Marrow | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + |
| Atrophy
Hyperplasia | | | | | | 2 | | | | | 4 | | | | | | | | 3 | | | |
| Lymph Node | + | | M | + | | + | + | + | + | + | + | | | | | + | + | | + | | | |
| Lumbar, Infiltration Cellular, Plasma Cell
Lumbar, Sinus, Dilatation | | | | | | | | | | | | | | | | 4 | | | | | | 4 |
| Mediastinal, Pigmentation
Mediastinal, Sinus, Dilatation | | | | | | | | | | | | | | | | 3 | | | | | | 3 |
| Pancreatic, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-----|
| | 067 | 077 | 067 | 077 | 077 | 055 | 055 | 077 | 077 | 055 | 066 | 066 | 066 | 066 | 077 | 077 | 077 | 055 | 077 | 044 | | 066 |
| ANIMAL ID | 01232 | 01144 | 01144 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | 01155 | |
| Pancreatic, Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | | 2 |
| Renal, Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | 2 |
| Renal, Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | | 3 |
| Lymph Node, Mandibular Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | 3 |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | 2 |
| Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymph Node, Mesenteric Angiectasis | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | 2 |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | 2 |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | 1 |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | 2 |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | 2 |
| Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | | 2 |
| Spleen Congestion | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Depletion Lymphoid | | | | | | | | | | | | | | | | | | | | | | 4 |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | 4 |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | 2 |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | 2 |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | 4 |
| Hyperplasia, Stromal | | | | | | | | | | | | | | | | | | | | | | 4 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | 4 |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | 4 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | |
|--|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-------|------|-----|-----|
| | 0667 | 0737 | 0675 | 0737 | 0730 | 0556 | 0555 | 0777 | 0777 | 0534 | 0568 | 0633 | 0669 | 0665 | 0662 | 0733 | 0733 | 0730 | 0533 | 0724 | | 0644 | 0763 | | |
| ANIMAL ID | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | | | |
| Thymus Atrophy | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | 43 | 41 | 3.9 |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland Galactocele | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | 45 | 5 | 3.4 |
| Lactation | 2 | | | 2 | | | | | 2 | | | | 3 | 3 | | 2 | | 2 | | | | 2 | 17 | 2.4 | |
| Alveolus, Hyperplasia | | | | | | | | | | | | | 3 | | | | | | | | | 4 | 4 | 3.3 | |
| Skin Cyst Epithelial Inclusion | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 3 | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | X | 1 | 4.0 | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone Cranium, Deformity | | | | | | + | | | | | | | | | | | | | | | | + | 2 | 1 | |
| Bone, Femur Fibrous Osteodystrophy | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 2 | 3.0 |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain, Brain Stem Compression | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 13 | 3.2 |
| Hemorrhage | | | | | | | | | | 3 | | | | | 2 | 4 | | | | | | 3 | 1 | 3.0 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|--|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-------|--------------------------------|
| | 0667 | 0737 | 0675 | 0737 | 0730 | 0556 | 0555 | 0773 | 0777 | 0549 | 0682 | 0663 | 0669 | 0665 | 0663 | 0773 | 0773 | 0770 | 0557 | 0749 | | 0664 | 0767 |
| ANIMAL ID | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | 01232 | |
| Brain, Cerebellum
Hemorrhage
Ventricle, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
1 1.0
3 2.3 |
| Brain, Cerebrum
Hemorrhage
Mineralization
Ventricle, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
1 2.0
2 1.5
4 2.3 |
| Peripheral Nerve, Sciatic
Axon, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
26 1.0 |
| Spinal Cord, Cervical
Cyst
Hemorrhage
Axon, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
1 1.0
1 1.0
23 1.0 |
| Spinal Cord, Lumbar
Axon, Degeneration
Nerve, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
4 1.0
29 1.2 |
| Spinal Cord, Thoracic
Axon, Degeneration
Nerve, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
25 1.0
3 1.0 |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Lung
Infiltration Cellular, Histiocyte
Inflammation, Suppurative | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
8 2.1
1 3.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| DAY ON TEST | FISCHER 344 RATS-NCTR RATS MALE | | | | | | | | | | | | | | | | | | | | ANIMAL ID | | | | |
|-------------|---------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----------|---|-----|-----|-----------------|
| | 067 | 077 | 067 | 077 | 077 | 055 | 055 | 077 | 077 | 055 | 066 | 066 | 066 | 066 | 077 | 077 | 077 | 055 | 077 | 044 | | | 066 | 077 | |
| 067 | 6 | 7 | 6 | 7 | 7 | 5 | 5 | 7 | 7 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 5 | 7 | 4 | 6 | 7 | 1 | | |
| 077 | 3 | 7 | 7 | 3 | 3 | 0 | 0 | 3 | 3 | 4 | 8 | 3 | 9 | 5 | 2 | 3 | 3 | 3 | 3 | 2 | 4 | 4 | 3 | 2 | |
| 075 | 7 | 7 | 5 | 7 | 0 | 6 | 5 | 7 | 7 | 9 | 2 | 1 | 1 | 3 | 6 | 7 | 7 | 0 | 7 | 5 | 9 | 0 | 7 | 2 | |
| 000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | |
| 001 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| 002 | 2 | 2 | 2 | 2 | 2 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | |
| 003 | 4 | 4 | 4 | 5 | 5 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 | 8 | 8 | 9 | 9 | 0 | 0 | 1 | 1 | 1 | 2 | |
| 002 | 1 | 2 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 2 | 2 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|-------|
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1 | 2.0 | |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 3 | 3 2.3 |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|---|-------|
| Ear | | | | | | | | | | | | | | | | | | | | | | | | | + | | 1 |
| Eye | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | A | + | | 43 | | | |
| Bilateral, Retina, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | 3 | | 5 2.0 |
| Retina, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2 1.5 |
| Sclera, Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2 2.0 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Acinus, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1 2.0 |
| Zymbal's Gland | | | | | | | | | | | | | | | | | | | | | | | | | + | | 3 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--------|-------|
| Kidney | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | |
| Nephropathy | 2 | 3 | 3 | 4 | 4 | 2 | 2 | 2 | 4 | | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 2 | 3 | 3 | | | 46 3.1 | |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1 2.0 |
| Transitional Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| DAY ON TEST | FISCHER 344 RATS-NCTR RATS MALE | | | | | | | | | | | | | | | | | | | | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----------|-----------------|-----|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|
| | 067 | 077 | 067 | 077 | 077 | 055 | 055 | 077 | 077 | 055 | 066 | 066 | 066 | 066 | 077 | 077 | 077 | 055 | 077 | 044 | | | 066 | 077 | | | | | | | | | | | | | | | | | | | | |
| 067 | 637 | 737 | 675 | 737 | 730 | 506 | 505 | 737 | 737 | 549 | 682 | 631 | 661 | 663 | 723 | 733 | 733 | 537 | 733 | 429 | 640 | 737 | | | | | | | | | | | | | | | | | | | | | | |
| 012 | 112 | 112 | 112 | 112 | 112 | 112 | 112 | 112 | 112 | 112 | 112 | 112 | 112 | 112 | 112 | 112 | 112 | 112 | 112 | 112 | 112 | 112 | | | | | | | | | | | | | | | | | | | | | | |
| 032 | 442 | 442 | 452 | 552 | 512 | 112 | 112 | 222 | 222 | 332 | 332 | 442 | 442 | 552 | 552 | 882 | 882 | 992 | 992 | 002 | 002 | 112 | | | | | | | | | | | | | | | | | | | | | | |
| 022 | 112 | 112 | 122 | 112 | 122 | 112 | 122 | 112 | 122 | 112 | 122 | 112 | 122 | 112 | 122 | 112 | 122 | 112 | 122 | 112 | 122 | 112 | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | | | | | | | | | | | | | | | | | | | | | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Lumen, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Transitional Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 3.0 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------------------|
| | 0737 | 0754 | 0765 | 0759 | 0773 | 0777 | 0777 | 0777 | 0767 | 0776 | 0755 | 0766 | 0766 | 0744 | 0766 | 0777 | 0766 | 0777 | 0766 | 0766 | 0774 | 0777 | 0773 | 0732 | |
| ANIMAL ID | 0011 | 0011 | 0012 | 0022 | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | 0009 | 0009 | 0009 | 0009 | 0009 | 0009 | 0009 | 0009 | 0009 | 0000 | 0000 | 0006 | 0000 | 0000 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum | + | A | + | + | + | + | + | + | + | A | + | + | A | + | + | + | + | + | A | A | + | + | + | A |
| Intestine Large, Colon | + | A | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | A | A | + | + | + | A |
| Intestine Large, Rectum | + | A | + | + | + | + | + | + | + | A | + | + | A | + | + | + | + | + | A | A | + | + | + | A |
| Intestine Small, Duodenum
Inflammation, Chronic Active
Necrosis
Epithelium, Hyperplasia | + | A | + | + | + | + | + | + | + | A | + | + | A | + | + | + | + | + | A | A | + | + | + | A |
| Intestine Small, Ileum | + | A | + | + | + | + | + | + | + | A | + | + | A | + | + | + | + | + | A | A | + | + | + | A |
| Intestine Small, Jejunum
Bacterium
Inflammation, Chronic Active
Necrosis | + | A | + | + | + | + | + | + | + | A | + | + | A | + | + | + | + | + | A | A | + | + | + | A |
| Liver | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | + | + | + | + | + |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | X | | | | | |
| Basophilic Focus, Multiple | | | | | | | | X | | | | | | | | | X | | | | | | X | |
| Clear Cell Focus | | | | | | | X | | | | | | | | | | | | | | | | | |
| Deformity | | | | | | | | | | | | | | | | | | | | | | | | |
| Degeneration, Cystic | 2 | | | 4 | | 4 | 4 | 2 | 4 | | 4 | 2 | | 3 | 3 | 3 | | 2 | 4 | | 4 | | | |
| Eosinophilic Focus | | | | | | X | | | | | | | | | | X | X | | | | | | | |
| Eosinophilic Focus, Multiple | X | | | X | | | | X | | | | X | | | | | | | | X | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) | | | |
|---|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------|--------------------|------------------|------------------|------------------|
| | 0
7
3
7 | 0
5
7
4 | 0
6
7
5 | 0
5
9
2 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
6
4
0 | 0
7
3
7 | 0
5
5
9 | 0
6
4
1 | 0
6
2
4 | 0
4
6
8 | 0
6
4
9 | 0
7
3
7 | 0
6
4
8 | 0
7
3
7 | 0
6
9
5 | 0
6
5
8 | | | 0
7
3
7 | 0
4
7
7 | 0
7
3
7 |
| Hepatodiaphragmatic Nodule | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hypertrophy | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | 1 | | | | | | | | | | | | | | | | | | | | | |
| Mixed Cell Focus | | | | | | | | | | | | | | | | | | | | | | | | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pigmentation | | | | 2 | | | | | | | | | | | | | | | | | | | | | |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Vacuolization Cytoplasmic | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bile Duct, Hyperplasia | 2 | | 2 | 3 | 4 | 1 | 4 | 4 | 4 | 4 | | 4 | 2 | 2 | 3 | 4 | 4 | 3 | 3 | 4 | 3 | 4 | | 2 | |
| Biliary Tract, Fibrosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocyte, Degeneration | | | | 3 | | | | | | | | | | | | | | | | | | | | | |
| Hepatocyte, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | |
| Polyarteritis | + | A | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | A | |
| Acinus, Degeneration | | | | 2 | 1 | | 4 | 2 | | 4 | 2 | | 2 | 2 | | 2 | | 2 | 3 | | 2 | 4 | | 2 | |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epithelium, Hyperplasia | | | | 3 | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|---|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----------|--------------------|
| | 07 | 05 | 06 | 05 | 07 | 07 | 07 | 07 | 06 | 07 | 05 | 06 | 06 | 04 | 06 | 07 | 06 | 07 | 07 | 06 | 06 | 07 | 04 | 07 | | |
| | 37 | 74 | 75 | 92 | 37 | 37 | 37 | 37 | 40 | 37 | 59 | 41 | 24 | 68 | 49 | 37 | 48 | 37 | 75 | 68 | 58 | 37 | 77 | 32 | | |
| | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | |
| | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 99 | 99 | 99 | 99 | 99 | 99 | 99 | 99 | 99 | 00 | 00 | 00 | 00 | 00 | | |
| | 11 | 12 | 22 | 33 | 44 | 55 | 66 | 77 | 88 | 99 | 11 | 22 | 11 | 22 | 11 | 22 | 11 | 22 | 11 | 22 | 11 | 22 | 11 | 22 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Stomach, Glandular Necrosis | + | A | + | + | + | + | + | + | + | + | A | + | + | A | + | + | + | + | + | A | A | + | + | + | A |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tongue Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cardiomyopathy | 2 | 2 | 1 | 1 | 3 | 3 | | 3 | 2 | | 3 | 2 | 2 | 2 | | 2 | | 3 | 1 | 2 | 3 | 2 | 2 | 3 | 2 |
| Metaplasia, Osseous Mineralization | | | | | | | 3 | | | | | | | | | | | | | | | | | | |
| Thrombosis | | | 4 | | 2 | 4 | | | 4 | | | | | 3 | | 4 | | | | | 2 | | | | |
| Atrium, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A |
| Degeneration, Cystic | | | | | | | | | | | | | | | | | | | | | | | | | |
| Vacuolization Cytoplasmic | | | | 2 | | 2 | | 3 | | 2 | 2 | | 3 | 2 | | 2 | 2 | | 3 | | | | | 2 | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A |
| Hyperplasia | | | | | 2 | | | 3 | 1 | | | | | | 2 | 2 | | 2 | | 2 | 3 | | | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|---|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------|--------------------|
| | 0
7
3
7 | 0
5
7
4 | 0
6
7
5 | 0
5
9
2 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
6
4
0 | 0
7
3
7 | 0
5
5
9 | 0
6
4
1 | 0
6
2
4 | 0
4
6
8 | 0
6
4
9 | 0
7
3
8 | 0
6
4
7 | 0
7
3
7 | 0
6
5
8 | 0
6
3
7 | 0
4
7
7 | 0
7
3
7 | 0
3
2
3 | | | |
| | 0
0
1
1 | 0
0
1
2 | 0
0
1
2 | 0
0
1
2 | 0
0
1
3 | 0
0
1
4 | 0
0
1
2 | 0
0
1
4 | 0
0
1
2 | 0
0
1
5 | 0
0
1
6 | 0
0
1
7 | 0
0
1
8 | 0
0
1
9 | 0
0
1
0 | 0
0
1
1 | 0
0
1
2 | 0
0
1
3 | 0
0
1
4 | 0
0
1
5 | 0
0
1
6 | 0
0
1
7 | 0
0
1
8 | 0
0
1
9 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Pituitary Gland | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pars Distalis, Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pars Distalis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pars Intermedia, Cyst | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pars Nervosa, Rathke's Cleft, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cyst | + | A | + | + | + | + | + | + | + | + | A | + | + | A | + | + | + | + | + | + | + | + | + | A | | |
| C-cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Follicular Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Epididymis | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Exfoliated Germ Cell | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hypospermia | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epithelium, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Preputial Gland | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|---|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----------|--------------------|
| | 07 | 05 | 06 | 05 | 07 | 07 | 07 | 07 | 06 | 07 | 05 | 06 | 06 | 04 | 06 | 07 | 06 | 07 | 07 | 06 | 06 | 07 | 04 | 07 | | |
| | 37 | 74 | 75 | 92 | 37 | 37 | 37 | 37 | 40 | 37 | 59 | 41 | 24 | 68 | 49 | 37 | 48 | 37 | 37 | 65 | 58 | 37 | 77 | 37 | 23 | |
| | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | |
| | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 19 | 99 | 99 | 99 | 99 | 99 | 99 | 99 | 99 | 00 | 00 | 00 | 00 | 00 | 00 | |
| | 11 | 12 | 22 | 32 | 33 | 44 | 44 | 55 | 56 | 66 | 77 | 88 | 88 | 99 | 99 | 00 | 00 | 00 | 00 | 06 | 06 | 07 | 07 | 08 | 11 | |
| | 4 | | 2 | | 3 | | | 4 | 4 | | | | 2 | | | 2 | 4 | | | | | 3 | | 4 | | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | 2 | | | | | | 2 | | | | 2 | | | | | | 2 | | | | | | |
| Acinus, Degeneration | 3 | 4 | | | | 3 | 3 | 3 | | 3 | | | | 3 | 3 | 3 | 3 | | 2 | | | | | 3 | | |
| Duct, Ectasia | 4 | | 3 | 3 | 4 | | 2 | 4 | 4 | 2 | | | | 3 | | 4 | | 4 | 3 | | | 3 | | 4 | | |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Inflammation, Suppurative | | | 4 | 1 | | | | | | | 2 | | 3 | 4 | | | 3 | | | 2 | 3 | 3 | 1 | | 2 | |
| Inflammation, Chronic Active | | | | | | | | | 4 | | | | | 3 | 1 | | | | | | | | | | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epithelium, Hyperplasia | | | | | | | | | | 2 | | | | | 1 | | | | | | | 2 | | | | |
| Seminal Vesicle | + | A | + | + | + | + | + | + | + | + | A | + | + | A | + | + | + | + | + | A | + | + | + | + | A | |
| Atrophy | 4 | | | | | | 4 | 4 | | 4 | | | | | 3 | | 4 | 4 | | | | | 4 | | | |
| Lumen, Dilatation | | | | | | | | | | | | | | | | | | | | | | 4 | | | | |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | |
| Interstitial Cell, Hyperplasia | | 2 | | | 1 | | 3 | | | | | | | | | | | | | | | | | | | |
| Seminiferous Tubule, Degeneration | 4 | | 2 | 2 | | 4 | 4 | 4 | 2 | 4 | | | 1 | | 4 | 3 | 4 | 4 | 3 | 4 | 4 | 4 | | 4 | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | A | + | + | + | + | + | + | + | + | A | + | + | A | + | + | + | + | + | + | A | + | + | + | A |
| Atrophy | | | | | | | | | | | | | | | | | 4 | | | | | | | | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Sinus, Dilatation | | | + | + | | | + | + | + | | | | | + | | | | | | + | + | | | + | |
| Mediastinal, Hemorrhage | | | 2 | | | | | | | | | | | | 3 | | | | | | | | | | 3 |
| Mediastinal, Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreatic, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) | | | |
|---|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|--------------------|-------------------|-------------------|------------------|
| | 0
7
3
7 | 0
5
7
4 | 0
6
7
5 | 0
5
9
2 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
6
3
7 | 0
7
4
0 | 0
6
3
7 | 0
5
5
9 | 0
6
4
1 | 0
6
2
4 | 0
4
6
8 | 0
6
4
9 | 0
7
3
7 | 0
6
4
8 | 0
7
3
7 | 0
6
9
5 | 0
6
5
8 | | | 0
7
3
7 | 0
4
7
7 | 0
7
3
7 |
| | 0
0
1
1 | 0
0
1
2 | 0
0
1
1 | 0
0
1
2 | 0
0
1
3 | 0
0
1
4 | 0
0
1
2 | 0
0
1
4 | 0
0
1
5 | 0
0
1
6 | 0
0
1
7 | 0
0
1
8 | 0
0
1
9 | 0
0
1
10 | 0
0
1
11 | 0
0
1
12 | 0
0
1
13 | 0
0
1
14 | 0
0
1
15 | 0
0
1
16 | 0
0
1
17 | 0
0
1
18 | 0
0
1
19 | 0
0
1
20 | |

Pancreatic, Sinus, Dilatation
 Renal, Hemorrhage
 Renal, Sinus, Dilatation
 Sinus, Dilatation

4

Lymph Node, Mandibular
 Hemorrhage
 Hyperplasia, Lymphoid
 Infiltration Cellular, Plasma Cell
 Infiltration Cellular, Polymorphonuclear
 Sinus, Dilatation

+ + + + + + + + + + + + + A + + + + + + A + + + A
 3 3 2 2 2 4 3 3 2 2
 3 4 3 4 2

Lymph Node, Mesenteric
 Hemorrhage
 Hyperplasia, Lymphoid
 Infiltration Cellular, Plasma Cell
 Sinus, Dilatation

+ + + + + + + + + + + + A + + + + + + A + + + +
 3 2 3 2 1
 3

Spleen
 Accessory Spleen
 Congestion
 Fibrosis
 Hematopoietic Cell Proliferation
 Hemorrhage
 Hyperplasia, Lymphoid
 Necrosis
 Pigmentation

+ A
 X X 4 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
 3 3 2 3 2 3 3 2 2

Thymus Atrophy + M + + + + M + + + A + + + + + + + + A M + + + A
 4 4 4 4 4 3 4 4 4 4 4 4 4 4 4 4 4 4 3 2 4

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically M .. Missing tissue 1-4 .. Lesion qualified as:
 X .. Lesion present A .. Autolysis precludes evaluation 1) Minimal 3) Moderate
 I .. Insufficient tissue BLANK .. Not examined microscopically 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| | | DAY ON TEST | | | | | | | | | | | | | | | | | | | | males
(cont...) | | |
|---|--|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|--------------------|------------------|------------------|
| FISCHER 344 RATS-NCTR RATS
MALE
0.0875 GLYCID | | 0
7
3
7 | 0
5
7
4 | 0
6
7
5 | 0
5
9
2 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
6
3
7 | 0
7
4
0 | 0
7
3
7 | 0
6
5
1 | 0
6
4
8 | 0
6
4
9 | 0
7
3
7 | 0
6
4
8 | 0
7
3
7 | 0
6
9
5 | 0
6
5
8 | 0
7
3
7 | 0
4
7
7 | | 0
7
3
7 | 0
3
2
3 |
| ANIMAL ID | | 0
0
1
1 | 0
0
1
2 | 0
0
1
2 | 0
0
1
2 | 0
0
1
3 | 0
0
1
3 | 0
0
1
4 | 0
0
1
4 | 0
0
1
5 | 0
0
1
6 | 0
0
1
6 | 0
0
1
7 | 0
0
1
7 | 0
0
1
8 | 0
0
1
8 | 0
0
1
9 | 0
0
1
9 | 0
0
1
0 | 0
0
1
0 | 0
0
1
1 | | 0
0
1
1 | 0
0
1
2 |

Hemorrhage

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | + | + | + | + | M | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | M |
| Galactoceles | | | | | | | | 4 | | | | | | | | | | | 3 | | | | | |
| Lactation | | | | | | | | | 2 | | | 2 | 2 | | | | | | | 2 | | | | 1 |
| Alveolus, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cyst Epithelial Inclusion | | | | | | | | | | | | | | | X | | | | | | | | | |
| Fibrosis | | | | | | | | | | | | | | | | | 4 | | | | | | | |
| Hyperkeratosis | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 2 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone, Femur | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Fibrous Osteodystrophy | | | | | | | | | | | | | | | | | 4 | | | | | | | |
| Osteopetrosis | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain, Brain Stem | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Compression | | | 4 | | | | | 2 | | 2 | | | | | | | | | 1 | | 3 | | | 1 |
| Gliosis | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hemorrhage | | | | 3 | | | | | | | | | 2 | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| | | DAY ON TEST | | | | | | | | | | | | | | | | | | | | males
(cont...) | | | |
|--|-----------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|--------------------|------------------|------------------|---|
| | | 0
7
3
7 | 0
5
7
4 | 0
6
7
5 | 0
5
9
2 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
6
4
0 | 0
7
3
7 | 0
5
4
9 | 0
6
2
1 | 0
6
4
8 | 0
7
3
7 | 0
6
4
8 | 0
7
3
7 | 0
6
6
5 | 0
6
5
8 | 0
7
3
7 | 0
4
7
7 | | 0
7
3
7 | 0
3
2
3 | |
| FISCHER 344 RATS-NCTR RATS
MALE
0.0875 GLYCID | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | | 0 |
| | | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 | 5 | 6 | 6 | 7 | 8 | 8 | 9 | 9 | 0 | 0 | 6 | 6 | 7 | | 7 |

Necrosis

2

Brain, Cerebellum

Ventricle, Dilatation

+
2

Brain, Cerebrum

Ventricle, Dilatation

+
2 2

Peripheral Nerve, Sciatic

Axon, Degeneration

+
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2 1

Spinal Cord, Cervical

Axon, Degeneration

+ + + + + + + + + + A + + + + + + + + + + + + + + A
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Spinal Cord, Lumbar

Axon, Degeneration

+ + + + + + + + + + A + + + + + + + + + + + + + + A
1 1

Nerve, Degeneration

Nerve, Gliosis

1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2 2 2
1

Spinal Cord, Thoracic

Axon, Degeneration

Nerve, Degeneration

+ + + + + + + + + + A + + + + + + + + + + + + + + A
1
1 1

RESPIRATORY SYSTEM

Lung

Infiltration Cellular, Histiocyte

Pigmentation

Alveolar Epithelium, Hyperplasia

+ A +
2 2 2
2

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|---|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|-----------|--------------------|
| | 0737 | 0754 | 0765 | 0759 | 0773 | 0777 | 0777 | 0777 | 0766 | 0777 | 0756 | 0766 | 0744 | 0766 | 0777 | 0766 | 0777 | 0766 | 0766 | 0777 | 0744 | 0777 | 0773 | 0732 | | |
| | 001111 | 001111 | 001111 | 001111 | 001111 | 001111 | 001111 | 001111 | 001111 | 001111 | 001111 | 001111 | 001111 | 001111 | 001111 | 001111 | 001111 | 001111 | 001111 | 001111 | 001111 | 001111 | 001111 | | | |
| Nose | + | A | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | A | | | |
| Inflammation, Suppurative | | | | | | | | | | | 2 | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | 2 | | | | |
| Goblet Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 3 | | | |
| Trachea | + | A | + | + | + | + | + | + | + | + | A | + | + | A | + | + | + | + | + | + | + | + | A | | | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | A | + | + | + | + | + | + | + | + | A | + | + | A | + | + | + | + | + | A | A | + | + | A | | |
| Cataract | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Phthisis Bulbi | | | | | | | | | | 4 | | | | | | | | | | | | | | | | |
| Bilateral, Retina, Degeneration | | | | | | | | | | | | | | 2 | | | | | | | | | | | | |
| Retina, Degeneration | | | | | | | | | | 1 | | | | | | | | | | | | | | | | |
| Sclera, Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | A | + | + | + | A | | |
| Hydronephrosis | | | | | | | | | | | | | | 1 | | | | | | | | | | | | |
| Nephropathy | 4 | 4 | 4 | 2 | 4 | 3 | 3 | 4 | 3 | 4 | | 2 | 4 | | 3 | 3 | 3 | 4 | 4 | | 4 | 4 | 1 | 4 | | |
| Urinary Bladder | + | A | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | A | + | + | A | | |
| Lumen, Dilatation | | | | 4 | | | | | | | | 3 | | | | | | | | 4 | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | |
|---|----------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| | 07
18 | 07
13
7 | 07
33
7 | 07
33
7 | 07
33
7 | 07
33
7 | 06
62 | 06
63 | 06
65 | 05
72 | 06
64 | 06
67 | 05
52 | 07
73 | 06
69 | 06
68 | 04
46 | 05
51 | 07
73 | 06
64 | | 07
71 | 06
68 | 07
71 | 06
63 | 07
71 |
| ANIMAL ID | 01
00
82 | 01
11
00
81 | 01
11
00
92 | 01
11
00
91 | 01
11
00
62 | 01
11
06
61 | 01
11
06
62 | 01
11
06
67 | 01
11
06
62 | 01
11
06
61 | 01
11
06
68 | 01
11
06
62 | 01
11
06
61 | 01
11
07
72 | 01
11
07
71 | 01
20
06
61 | 01
20
06
62 | 01
20
00
01 | 01
20
00
02 | 01
20
00
01 | 01
20
00
02 | 01
20
00
01 | 01
20
08
81 | 01
20
08
82 | 01
20
09
92 | 01
20
09
91 |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|---|---|-----|-----|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | 47 | | | | |
| Intestine Large, Cecum | + | | | | | | | | | | | | | | | | | | | | | | | | 37 | | | | |
| Intestine Large, Colon | + | | | | | | | | | | | | | | | | | | | | | | | | 38 | | | | |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | | 37 | | | | |
| Intestine Small, Duodenum | + | | | | | | | | | | | | | | | | | | | | | | | | 37 | | | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 1 | 3.0 | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 1 | 3.0 | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 | 4.0 | |
| Intestine Small, Ileum | + | | | | | | | | | | | | | | | | | | | | | | | | 37 | | | | |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | | | | | 36 | | | | |
| Bacterium | 4 | | | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 | 4.0 | |
| Inflammation, Chronic Active | 4 | | | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 | 4.0 | |
| Necrosis | 4 | | | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 | 4.0 | |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | 47 | | | | |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Basophilic Focus, Multiple | X | | | | | | | | | | | | | | | | | | | | | | | | | | | 8 | |
| Clear Cell Focus | X | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Deformity | | | | | | | | | | | | | | | | | | | | | | | | | | X | | 4 | |
| Degeneration, Cystic | 2 | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | 20 | 3.1 |
| Eosinophilic Focus | X | | | | | | | | | | | | | | | | | | | | | | | | | | | 6 | |
| Eosinophilic Focus, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | | 5 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | | |
|---|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|----------|--------|
| | 07
18 | 07
13
7 | 07
33
7 | 07
33
7 | 07
33
7 | 07
33
7 | 06
32 | 06
33 | 06
25 | 05
27 | 06
28 | 06
29 | 05
00 | 03
03 | 06
07 | 06
08 | 04
06 | 05
01 | 07
03 | 06
04 | | 07
01 | 06
08 | 07
01 | 06
03 | 07
01 | |
| ANIMAL ID | 00
11
00
89
2 | 00
11
00
99
1 | 00
11
00
99
2 | 00
11
00
99
1 | 00
11
00
99
2 | 00
11
06
66
1 | 00
11
06
66
2 | 00
11
06
66
7 | 00
11
06
66
2 | 00
11
06
66
8 | 00
11
06
66
1 | 00
11
06
66
2 | 00
11
06
66
9 | 00
11
06
66
2 | 00
11
07
78
1 | 00
11
07
78
2 | 00
11
00
66
1 | 00
11
00
66
2 | 00
11
00
66
1 | 00
11
00
66
2 | 00
11
00
66
1 | 00
11
00
66
2 | 00
11
00
66
1 | 00
11
00
66
2 | 00
11
00
66
1 | | |
| Hepatodiaphragmatic Nodule | | | | | | | | | | X | | | | | | | | | | | | | | | | | 1 |
| Hypertrophy | | | | | | | | | | | | | | | | 4 | | | | | | | | | | | 1 4.0 |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | | | | | | | | | | | 4 | | | | | | | | | 1 4.0 |
| Inflammation, Chronic Active | | | | | | 1 | | | | 1 | | | | 2 | | | | 1 | | | | | | | | | 5 1.2 |
| Mixed Cell Focus | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Necrosis | | | | | 2 | | | | | | | | 4 | 2 | | | | | | | 4 | | | | | | 5 3.2 |
| Pigmentation | | | | | | | | | | | 2 | | | | | | | | | | | | | | 3 | | 5 2.4 |
| Thrombosis | | | | | | | | | | | 4 | | | | | | | | | | 4 | | | | | | 2 4.0 |
| Vacuolization Cytoplasmic | | | | | | | | | | | 4 | | | 4 | 4 | | 4 | | | | | | | 4 | | | 15 3.3 |
| Bile Duct, Hyperplasia | 1 | 2 | 3 | 4 | 2 | 2 | 3 | 4 | 4 | | 4 | | 4 | 2 | 4 | 4 | 2 | | 3 | | | | 4 | | | 38 3.1 | |
| Biliary Tract, Fibrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Hepatocyte, Degeneration | | | | | 4 | | | | | | | | 4 | 4 | | 4 | | | | | | | | | | | 6 3.8 |
| Hepatocyte, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | | 8 |
| Fat, Necrosis | | | | | | + | | + | + | + | | | | | | | | | | | + | | | | | | 6 3.7 |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 3.0 |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | | 44 |
| Polyarteritis | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Acinus, Degeneration | 3 | 3 | 3 | 2 | 2 | | 4 | 4 | 4 | 2 | 2 | 2 | | | | | | | | 4 | 3 | 2 | 4 | 2 | | 30 2.7 | |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | | | 44 |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | | | 46 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 3.3 |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 3.7 |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | 6 2.7 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|---|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|----|
| | 07
18 | 07
17 | 07
13 | 07
13 | 07
13 | 07
13 | 07
13 | 06
12 | 06
13 | 06
15 | 06
15 | 06
15 | 06
15 | 06
15 | 06
15 | 06
15 | 06
15 | 06
15 | 06
15 | 06
15 | | 06
15 | | |
| ANIMAL ID | 01
08
2 | 01
09
1 | 01
09
2 | 01
00
1 | 01
01
2 | 01
06
1 | 01
06
2 | 01
06
1 | 01
06
2 | 01
06
1 | 01
06
2 | 01
06
1 | 01
06
2 | 01
06
1 | 01
06
2 | 01
06
1 | 01
06
2 | 01
06
1 | 01
06
2 | 01
06
1 | 01
06
2 | 01
06
1 | 01
06
2 | |
| Stomach, Glandular Necrosis | + | + | + | + | + | + | + | A | + | + | + | + | + | + | A | A | + | A | + | + | + | + | + | 38 |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | | | 38 |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | 38 |
| Tongue Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Cardiomyopathy | 2 | 1 | 2 | 2 | 2 | 2 | | 2 | | 2 | | 2 | | 3 | | 1 | 2 | 3 | 2 | 2 | | | | 37 |
| Metaplasia, Osseous Mineralization | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Atrium, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Degeneration, Cystic | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Vacuolization Cytoplasmic | 4 | | | 2 | | | 4 | | 2 | 2 | 4 | 3 | 4 | 2 | 2 | 2 | 3 | | | 2 | 3 | 2 | 2 | 27 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Hyperplasia | | 2 | | | | | | | | | | | | | | | | | | | 3 | 2 | | 11 |
| Necrosis | | | | | | | 3 | | | | | | | | | | | | | | | | | 1 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | 45 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----------|-----|--------|
| | 078 | 077 | 077 | 077 | 077 | 077 | 066 | 066 | 066 | 055 | 066 | 066 | 055 | 077 | 066 | 066 | 044 | 055 | 077 | 066 | | 077 | 066 |
| ANIMAL ID | 010 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 012 | 012 | 012 | 012 | 012 | 012 | 012 | 012 |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Hyperplasia | | | | | | 1 | | | | | | | | | | | | | | | | | 4 2.3 |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Hyperplasia | | | | 2 | | | | | 2 | | | | | 2 | | | | | | 1 | | | 10 1.8 |
| Pituitary Gland | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Pars Distalis, Angiectasis | | | | | | | | | | | | | | | | | 2 | | | | | | 1 2.0 |
| Pars Distalis, Hyperplasia | 3 | | 2 | | | | | 2 | | | | | | | | 2 | | | | | | 4 | 10 2.4 |
| Pars Intermedia, Cyst | 2 | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Pars Nervosa, Rathke's Cleft, Degeneration | | | | | | | | | | | | | | | | | | | | | | 2 | 2 2.5 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | A | + | + | + | + | 42 |
| Cyst | 2 | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| C-cell, Hyperplasia | | 2 | | | 3 | 1 | | | | 1 | 2 | | 1 | 2 | | | 1 | | | | | | 16 1.6 |
| Follicular Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 2 1.5 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | 45 |
| Exfoliated Germ Cell | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Hypospermia | 4 | 4 | 4 | 4 | 4 | 4 | 3 | 4 | 3 | | 2 | | 3 | | | | 4 | 4 | 4 | 4 | 4 | | 29 3.7 |
| Epithelium, Degeneration | 4 | | 3 | 4 | 4 | 2 | 2 | 4 | 3 | | 2 | 3 | | | | | 2 | 4 | 3 | 4 | 3 | | 25 3.3 |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | | | |
|---|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----------|----|-----------------|---------------|
| | 07 | 07 | 07 | 07 | 07 | 07 | 06 | 06 | 06 | 05 | 06 | 06 | 05 | 07 | 06 | 06 | 04 | 05 | 07 | 06 | | | 07 | 06 |
| | 18 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | | |
| | 08 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | | |
| | 00 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | | |
| | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | | |
| | 08 | 09 | 09 | 09 | 09 | 09 | 09 | 09 | 09 | 09 | 09 | 09 | 09 | 09 | 09 | 09 | 09 | 09 | 09 | 09 | 09 | 09 | | |
| | 02 | 01 | 02 | 01 | 02 | 01 | 02 | 01 | 02 | 01 | 02 | 01 | 02 | 01 | 02 | 01 | 02 | 01 | 02 | 01 | 02 | 01 | | |
| | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
| Inflammation, Suppurative | 4 | 1 | 2 | 4 | 3 | 4 | 4 | 2 | | | | 2 | | 4 | 4 | 4 | | | 4 | 2 | 3 | 4 | 3 | 27 3.2 |
| Inflammation, Chronic Active | | | | | | | | | | 3 | | | | 2 | | | | | | | | | | 7 2.1 |
| Acinus, Degeneration | 3 | 2 | 2 | 3 | 3 | 4 | | 3 | 3 | | | 3 | | 4 | 4 | | | | 3 | 3 | | | | 25 3.0 |
| Duct, Ectasia | 3 | | | 4 | | 4 | 4 | | 2 | | | 4 | | 4 | | | | | 2 | 3 | 4 | | | 24 3.4 |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | 47 | |
| Inflammation, Suppurative | | 2 | 2 | | | 2 | | 2 | 4 | 3 | 4 | 3 | 3 | 2 | | | 2 | | | | 3 | | 2 | 24 2.6 |
| Inflammation, Chronic Active | 2 | | | 2 | | | | | | | | | | | | | | | | | 2 | | | 6 2.3 |
| Necrosis | | | | | | | | | | | 4 | | | | | | | | | | | | | 1 4.0 |
| Epithelium, Hyperplasia | | | | | | | | | | | 2 | | | 1 | | | | | 2 | | | | 2 | 7 1.7 |
| Seminal Vesicle | + | + | + | + | + | + | + | A | + | + | + | + | + | + | A | A | + | A | + | A | + | + | + | 38 |
| Atrophy | 4 | | 3 | 4 | 4 | | | | 3 | | 4 | | | | | | | | 3 | | 3 | 4 | | 17 3.7 |
| Lumen, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Interstitial Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 3 2.0 |
| Seminiferous Tubule, Degeneration | 4 | 4 | 4 | 4 | 4 | 4 | 3 | 4 | 2 | | 2 | 2 | | 4 | | | | | 4 | 4 | 4 | 4 | 4 | 35 3.5 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------|
| Bone Marrow | + | + | + | + | + | + | + | A | + | + | + | + | + | + | A | A | + | + | + | + | + | + | + | 40 |
| Atrophy | | | | | 4 | | | | | | | 4 | | | | | | | | | 4 | | | 4 4.0 |
| Hyperplasia | | | 2 | | | | | | | 3 | | | | | | | 3 | | | | | 2 | | 4 2.5 |
| Lymph Node | | | | + | | | + | + | + | | + | | + | | | + | | | | + | + | | | 19 |
| Lumbar, Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | 2 2.5 |
| Mediastinal, Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Mediastinal, Sinus, Dilatation | | | | 2 | | | | | | | | | | | | | | | | 2 | | | | 2 2.0 |
| Pancreatic, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | |
|---|---|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|------------------------------|----------------|----------------|----------------|----------------|----------------|
| | 07
13
8 | 07
37
7 | 07
37
7 | 07
37
7 | 07
37
7 | 07
37
7 | 06
62
2 | 06
63
3 | 06
65
5 | 05
57
2 | 06
64
4 | 06
67
7 | 05
59
2 | 07
73
7 | 06
68
8 | 06
69
9 | 04
46
6 | 05
51
5 | 07
73
7 | 06
64
4 | | 07
71
7 | 06
68
3 | 07
71
7 | 06
61
6 | 07
71
7 |
| ANIMAL ID | 01
00
82 | 01
11
09 | 01
11
90 | 01
11
01 | 01
11
06 | 01
11
66 | 01
11
66 | 01
11
66 | 01
11
77 | 01
11
78 | 01
11
88 | 01
11
99 | 01
11
99 | 01
11
00 | 01
11
06 | 01
11
66 | 01
11
67 | 01
11
67 | 01
11
67 | 01
11
67 | 01
11
67 | 01
11
67 | 01
11
67 | 01
11
67 | 01
11
67 | 01
11
67 |
| Pancreatic, Sinus, Dilatation | 3 | | | | | | | | | | | | | | | | | | | | 1 3.0 | | | | | |
| Renal, Hemorrhage | | | | | | | | | | | | | | | | | | | | | 2 1 2.0 | | | | | |
| Renal, Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | 3 1 3.0 | | | | | |
| Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | 1 4.0 | | | | | |
| Lymph Node, Mandibular Hemorrhage | + | | | | | | | | | | | | | | | | | | | | 45 1 4.0 | | | | | |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | 2 6 2.7 | | | | | |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | 2 3 2 3 3 3 4 3 21 2.7 | | | | | |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | | | | | | | | | | | | | | 1 4.0 | | | | | |
| Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | 2 4 3 2 2 3 10 2.8 | | | | | |
| Lymph Node, Mesenteric Hemorrhage | + | | | | | | | | | | | | | | | | | | | | 46 1 3.0 | | | | | |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | 2 9 2.0 | | | | | |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | 2 3 3 3 4 6 2.8 | | | | | |
| Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | 4 2 3.5 | | | | | |
| Spleen | + | | | | | | | | | | | | | | | | | | | | 47 3 | | | | | |
| Accessory Spleen | | | | | | | | | | | | | | | | | | | | | X 3 | | | | | |
| Congestion | | | | | | | | | | | | | | | | | | | | | 4 3 4.0 | | | | | |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | 3 3 4 3 3 3 10 3.4 | | | | | |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | 4 4 2 3 3 4 2.8 | | | | | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | 4 1 4.0 | | | | | |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | 2 2.5 | | | | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | 4 4 4 3 1 4 4 3 4.0 | | | | | |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | 4 3 3 3 4 4 4 3 1 4 4 17 2.9 | | | | | |
| Thymus Atrophy | + + + + + M M + + + + + M + + + + + + + M | | | | | | | | | | | | | | | | | | | | 38 37 3.8 | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| | 07
18 | 07
13
07 | 07
13
07 | 07
13
07 | 07
13
07 | 07
13
07 | 06
13
02 | 06
13
03 | 06
12
05 | 05
17
02 | 06
18
04 | 06
19
07 | 05
20
02 | 07
03
07 | 06
07
09 | 06
08
00 | 04
06
06 | 05
01
05 | 07
03
07 | 06
04
07 | | 07
01
07 | 06
08
03 |
| ANIMAL ID | 01
00
08
02 | 01
00
09
01 | 01
00
09
02 | 01
01
00
01 | 01
01
00
02 | 01
01
06
01 | 01
01
06
02 | 01
01
06
01 | 01
01
06
02 | 01
01
07
01 | 01
01
06
08 | 01
01
06
02 | 01
01
06
09 | 01
01
07
00 | 01
01
07
06 | 01
02
00
01 | 02
02
06
07 | 02
02
07
01 | 02
02
08
02 | 02
02
08
01 | 02
02
08
02 | 02
02
09
01 | 02
02
09
02 |

Hemorrhage 4 1 4.0

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|-----|-----|
| Mammary Gland | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | M | M | + | + | + | + | + | 42 | | | |
| Galactoceles | | | | 4 | | | | | | | | | | | | | | | | 2 | | | | 4 | 3.3 | |
| Lactation | | | | | | | | | 1 | | | | | | 2 | | | | | | | 4 | | 8 | 2.0 | |
| Alveolus, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 4 | | 1 | 4.0 | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Cyst Epithelial Inclusion | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Hyperkeratosis | | | | | | 3 | | | | | | | | | | | | | | | | | | | 2 | 2.5 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Epithelium, Hyperplasia | | | | | | 2 | | | | | | | | | | | | | | | | | | | 2 | 2.0 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--|---|-----|
| Bone, Femur | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Fibrous Osteodystrophy | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Osteopetrosis | | | | 4 | | | | | | | | | | | | | | | | | | | | | 2 | 4.0 |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|-----|-----|
| Brain, Brain Stem | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Compression | | | | | | | | | 2 | | | 2 | | | | | | | | 4 | | | | 10 | 2.3 | |
| Gliosis | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1.0 |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.5 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | | |
|---|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----------|-----|-----|-----|-----|-----|--------|
| | 078 | 077 | 077 | 077 | 077 | 077 | 062 | 066 | 066 | 065 | 066 | 066 | 057 | 067 | 066 | 046 | 055 | 077 | 066 | 077 | | 066 | 077 | | | | |
| ANIMAL ID | 010 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 012 | 022 | 022 | 022 | 022 | 022 | 022 | 022 | 022 | 022 | 022 | 022 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Brain, Cerebellum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Ventricle, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Brain, Cerebrum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Ventricle, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 2.0 |
| Peripheral Nerve, Sciatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Axon, Degeneration | 1 | | | | 1 | | | | | 1 | | 1 | 1 | | 1 | | 1 | | | | | | | | 2 | 1 | 22 1.1 |
| Spinal Cord, Cervical | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Axon, Degeneration | 1 | | 1 | 1 | 1 | | 1 | | | 1 | 1 | 1 | | | | | | | | | | | | | 1 | 1 | 19 1.0 |
| Spinal Cord, Lumbar | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Axon, Degeneration | | 1 | | | | | | | | | | | 1 | | | | | 1 | | | | | | | | 1 | 7 1.0 |
| Nerve, Degeneration | 1 | 2 | | 2 | 2 | 1 | | | 1 | | 1 | | | 1 | | | | | | 2 | | 2 | 1 | 1 | | | 26 1.3 |
| Nerve, Gliosis | | | | | | | | | | | | | | | | | | | | | | 1 | | | | | 2 1.0 |
| Spinal Cord, Thoracic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Axon, Degeneration | 1 | 1 | 1 | 1 | 1 | 1 | | | | | 1 | | | 1 | | 1 | | | | | | 1 | | 1 | | | 22 1.0 |
| Nerve, Degeneration | | | | | 1 | | | | 1 | 1 | | | | | | | | | | | 1 | 1 | | | | | 8 1.0 |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Infiltration Cellular, Histiocyte | | | | | 3 | | | | | | | | | | | | | | | | | | | | | | 4 2.3 |
| Pigmentation | | | 2 | | | | | | | | | | | | | | | | | | | 2 | | | | | 2 2.0 |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|----|--------|
| | 07 | 07 | 07 | 07 | 07 | 07 | 06 | 06 | 06 | 05 | 06 | 06 | 05 | 07 | 06 | 06 | 04 | 05 | 07 | 06 | | 07 | 06 |
| ANIMAL ID | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 45 |
| Inflammation, Suppurative | | | | 2 | | | | | | | | | | | | | | | | 2 | | 2 | 5 2.2 |
| Inflammation, Chronic Active | | | | | | | | | | 2 | | | | | | | | | | | | | 2 2.0 |
| Goblet Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | 43 |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | A | + | + | + | + | + | + | A | A | + | + | + | A | + | + | 38 |
| Cataract | | | | | | | | | | | | 4 | | | | | | | | | | | 1 4.0 |
| Phthisis Bulbi | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Bilateral, Retina, Degeneration | | | | | | | | | | | 1 | | | | | | | 1 | | | | | 3 1.3 |
| Retina, Degeneration | 4 | 2 | | | | | 3 | | | | | 4 | | | | | | | | | | | 5 2.8 |
| Sclera, Metaplasia, Osseous | | 3 | | 2 | | | | | | | | | 2 | | | | | | | | | 2 | 4 2.3 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | 47 |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | 2 | | | | | | | | | 3 1.3 |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 44 |
| Hydronephrosis | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Nephropathy | 3 | 4 | 4 | 4 | 3 | 2 | 2 | | | 3 | 3 | 4 | 3 | 4 | | 4 | | 2 | 4 | 3 | 4 | 4 | 40 3.4 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | 43 |
| Lumen, Dilatation | | | | | | | | | | | | | | | | | 2 | | 4 | | | | 5 3.4 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Glycidamide

CAS Number: 5694-00-8

Date Report Requested: 12/17/2014

Time Report Requested: 07:40:57

First Dose M/F: 05/30/05 / 05/30/05

Lab: NCTR

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| FISCHER 344 RATS-NCTR RATS MALE | 7 | 5 | 7 | 5 | 7 | 7 | 7 | 6 | 7 | 5 | 4 | 7 | 7 | 7 | 6 | 7 | 5 | 6 | 4 | 6 | 7 | 7 | 6 | 7 | 6 | 7 | 3 | 3 | 7 | 3 | 3 | 7 | 6 | 7 | 6 | | | |
| CONTROL WATER | 3 | 9 | 2 | 2 | 3 | 3 | 3 | 9 | 3 | 0 | 8 | 3 | 0 | 3 | 1 | 3 | 9 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | | | |
| | 7 | 7 | 5 | 3 | 7 | 7 | 7 | 8 | 7 | 9 | 7 | 7 | 9 | 7 | 4 | 3 | 2 | 3 | 3 | 4 | 7 | 7 | 5 | 7 | 3 | 5 | | | | | | | | | | | | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 9 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 9 | 9 | 9 | 9 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 |

males (cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Intestine Large, Cecum | + | A | + | A | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Intestine Large, Colon
Hyperplasia, Lymphoid | + | A | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | 2 | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Intestine Large, Rectum
Edema | + | A | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | 4 | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Intestine Small, Duodenum | + | A | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Ileum | + | A | + | A | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Jejunum | + | A | + | A | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Liver | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Angiectasis | | | | | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basophilic Focus | | | | | | | X | | | | X | | | | | | | | | | | | | X | | | X | | | | | | | | | | | | | | |
| Basophilic Focus, Multiple | | | | | X | X | | | X | | | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | |
| Clear Cell Focus | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Deformity | | | | | | | | | | | | | | X | | | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Degeneration, Cystic | | | | | | | | 2 | | | 2 | 1 | 4 | | | 2 | | | | | | | | 4 | 2 | | | | | | | | | | | | | | | | |
| Eosinophilic Focus | | X | | | | | | | | | | | | | | | | | | | | | | X | X | X | | | | | | | | | | | | | | | |
| Eosinophilic Focus, Multiple | | | | | X | X | | | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Granuloma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | 2 | | | | | | | | | | | | | | | | | | |
| Mixed Cell Focus | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) | | | | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|--------------------|------|------|------|------|
| | 0737 | 0759 | 0772 | 0753 | 0773 | 0777 | 0777 | 0768 | 0777 | 0755 | 0744 | 0777 | 0777 | 0777 | 0766 | 0777 | 0755 | 0766 | 0744 | 0766 | 0777 | 0777 | 0766 | 0777 | | | 0766 | 0777 | 0766 | 0777 |
| | 0027 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | | |
| Necrosis | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Vacuolization Cytoplasmic | 2 | | | | 3 | | 2 | 4 | | | | | 2 | 4 | | | | | | 3 | | | | | | | | | | |
| Bile Duct, Hyperplasia | 3 | 2 | 2 | | 2 | 3 | 1 | 2 | 4 | 4 | | 2 | | 4 | 2 | 1 | 3 | 2 | | 4 | 2 | 4 | 4 | 2 | 1 | | | | | |
| Hepatocyte, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocyte, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Acinus, Degeneration | 2 | | 3 | | | 1 | 4 | 2 | | 2 | | | | 3 | 4 | | 2 | | 2 | | | | 2 | 4 | 3 | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Stomach, Forestomach | + | A | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Edema | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | A | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Edema | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| | | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|---------------------------------|--|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------------------|
| FISCHER 344 RATS-NCTR RATS MALE | | 0737 | 0597 | 0725 | 0523 | 0733 | 0733 | 0778 | 0698 | 0737 | 0509 | 0487 | 0779 | 0779 | 0674 | 0756 | 0533 | 0640 | 0663 | 0733 | 0733 | 0675 | 0733 | 0675 | 0733 | |
| CONTROL WATER | | 0026 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0066 | 0066 | 0066 | 0066 | 0066 | 0066 | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | |
| ANIMAL ID | | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | |

Epithelium, Hyperplasia

4

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Cardiomyopathy | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 2 | | 2 | 3 | 2 | | 3 | 2 | 3 | | 2 | | | 3 | 3 | | 2 | 2 |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thrombosis | | | | | 4 | | 4 | | | | | | | | | | | | | | | | | | |
| Atrium, Dilatation | | | | | | | | | | | | | | | | | | | | | | | 3 | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Hypertrophy | | | | | | | | | | | | | | | | | | | | | | | | | |
| Vacuolization Cytoplasmic | 2 | | 3 | 4 | | 2 | 2 | 3 | | 2 | | | 3 | 2 | 2 | 1 | | 3 | | | | 2 | 3 | | |
| Adrenal Medulla | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hyperplasia | | | 2 | | 3 | | | | | | | | | 2 | | | | | | | 2 | 3 | | 3 | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hyperplasia | | | | | | 2 | | | | | | | | | | | | | | | | | | | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + |
| Pars Distalis, Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pars Distalis, Cyst | | | | | | | | | | | | | 2 | | | | | | | | | | | 3 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|--------------------|------|
| | 0737 | 0597 | 0725 | 0523 | 0733 | 0777 | 0777 | 0688 | 0779 | 0547 | 0777 | 0777 | 0777 | 0667 | 0731 | 0593 | 0663 | 0433 | 0664 | 0667 | 0773 | 0773 | 0675 | 0773 | 0675 | | | 0773 |
| | 0026 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | |
| Pars Distalis, Hyperplasia | | | | 2 | | | 3 | | 2 | 2 | | | | | | | | | | | | | | | | | 1 | |
| Thyroid Gland Cyst | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| C-cell, Hyperplasia | 2 | | 1 | | 1 | 2 | | | | | | | | | 1 | | 1 | | 1 | | | | | | | | | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tissue NOS | | | | | | | | | | | | | | | | | | | | | | | | | | | | + |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hypospermia | 3 | | | | 4 | 4 | 4 | 4 | 4 | | | | | 4 | 4 | 4 | | 2 | 3 | | | | 4 | 4 | 4 | 3 | 4 | |
| Epithelium, Degeneration | 2 | | | | 4 | | | | 3 | 4 | | | | 4 | 4 | 3 | | | 2 | | | | 3 | 4 | 4 | | 2 | |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Inflammation, Suppurative | | | | | 3 | 2 | 4 | | 4 | 4 | | | 4 | 4 | 4 | | | | 4 | | | | 4 | 2 | 4 | | | |
| Inflammation, Chronic Active | | 2 | | | | | 4 | | | | 2 | 1 | | | | 1 | | | | 1 | 3 | | | | | | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | 3 | | | | | | |
| Acinus, Degeneration | 3 | | | | 2 | 3 | 4 | 4 | 3 | | | | | 4 | | | | | 3 | 3 | | | 3 | 4 | 4 | | | |
| Duct, Ectasia | 4 | | | | 4 | | 4 | 2 | | | | | 3 | 4 | | 2 | 4 | 3 | 3 | | | 3 | 4 | 4 | | | | |
| Prostate | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Cyst Multilocular | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Suppurative | | 4 | 3 | 1 | | 3 | | 4 | | | | | 2 | | | 2 | | | | 3 | 4 | | | 2 | | 3 | 2 | |
| Inflammation, Chronic Active | | | | | | | 2 | | 2 | 2 | | | 1 | | | 2 | | | | | | 3 | | | | | | |
| Acinus, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epithelium, Hyperplasia | | | 1 | | | | | | | | | | | | | | | | | | | 2 | | | | | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Glycidamide
CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
Time Report Requested: 07:40:57
First Dose M/F: 05/30/05 / 05/30/05
Lab: NCTR

| FISCHER 344 RATS-NCTR RATS MALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | males
(cont...) | | | | | | | | | | |
|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | | | | | | | | | |
| | 7 | 5 | 7 | 5 | 7 | 7 | 7 | 6 | 7 | 5 | 4 | 7 | 7 | 7 | 6 | 7 | 5 | 6 | 4 | 6 | | 7 | 7 | 6 | 7 | 6 | 7 | 6 | 3 | 3 | 5 |
| | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Seminal Vesicle Atrophy Lumen, Dilatation | + | + | | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| | | | 2 | 4 | | | 2 | 4 | | | | 4 | 4 | | | | 2 | 3 | | | 4 | 2 | 4 | | | | | | | | |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Cyst | | | | | | | | | | | | | | | | | 4 | | | | | | | | | | | | | | |
| Polyarteritis | | | | | | | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| Interstitial Cell, Hyperplasia | | | 2 | | | 3 | | | | | | | | | 1 | | | | | 1 | | | | | | | | | | | |
| Seminiferous Tubule, Degeneration | 4 | | 2 | | 4 | 4 | 4 | 4 | 4 | | | 4 | 4 | 4 | | 2 | 4 | 3 | | | 4 | 4 | 4 | 3 | 4 | | | | | | |
| HEMATOPOIETIC SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone Marrow Hyperplasia | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| | | | | | | | | | | | | | | | | | 3 | | | | | 2 | | | | | | | | | |
| Lymph Node | | | | + | | M | | + | | | | + | | | + | + | | | | + | | + | + | + | + | | | | | | |
| Mediastinal, Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreatic, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | 2 | | | | | | | | |
| Pancreatic, Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | 2 | | | | | | | | |
| Renal, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | 2 | | | | | | | | | | | | | | | |
| Renal, Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Pigmentation | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Sinus, Dilatation | | | | | | | | 4 | | | | | | | | 3 | | | | | | | | | | 3 | 3 | | | | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia, Lymphoid | | | | | 2 | | | | | | | 3 | | | | | | 3 | | | 2 | | | | 2 | | | | | 2 | |
| Infiltration Cellular, Plasma Cell | 2 | 2 | | | 3 | 3 | 4 | | | | | 2 | | | | | 3 | 3 | | 3 | 3 | | 3 | 3 | | 3 | 3 | | | 3 | |
| Sinus, Dilatation | 3 | 2 | | | | | | | | 2 | | | | | | | | | | 4 | | | | | | | | | 2 | 2 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|--------------------|
| | 0737 | 0597 | 0725 | 0523 | 0733 | 0777 | 0777 | 0698 | 0779 | 0547 | 0777 | 0777 | 0677 | 0777 | 0677 | 0575 | 0664 | 0466 | 0777 | 0777 | 0676 | 0777 | 0676 | 0776 | | |
| | 0026 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymph Node, Mesenteric
Hyperplasia, Lymphoid
Infiltration Cellular, Plasma Cell
Sinus, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | 1 | | | | 2 | 3 | 2 | | | | | | | | | 2 | | | 2 | 2 | | 2 | 2 | 1 |
| | | | | 2 | | 2 | | | | | | | | | | | | | | | | | | |
| | | | | | 2 | | | | | | | | | | | | | | | | | | | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Accessory Spleen
Congestion | | | | | | | | | | | | | 4 | | | | | | | | 4 | | 4 | |
| Developmental Malformation
Fibrosis | | | | | | 1 | | | 3 | | | | | | | | | | | | | | | |
| Hematopoietic Cell Proliferation
Hyperplasia, Lymphoid | | | | | | | | | | | | 2 | | | 2 | | | | | | 2 | | | 2 |
| Necrosis
Pigmentation | | | | | | | | | | | | 2 | | | | | | | | | | 3 | | 3 |
| Red Pulp, Hyperplasia | | 1 | 3 | | | | 2 | 4 | | | 2 | | | | | | | 3 | 2 | | 2 | 3 | | 3 |
| Thymus | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + |
| Atrophy | 4 | | 4 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 3 | 4 | | 4 | 4 | 4 | | | 4 | 4 | 3 | 4 | | 4 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | M | M | + | + | + | + | + |
| Galactocele | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Lactation | | 2 | | | | 2 | | | 2 | | | 1 | | 3 | | | | | | | | | | |
| Alveolus, Hyperplasia
Duct, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | 3 | | | | | | | | | | | | | | | | | | | | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cyst Epithelial Inclusion
Fibrosis | X | | | | | | | | | | | | | X | | X | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
Time Report Requested: 07:40:57
First Dose M/F: 05/30/05 / 05/30/05
Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|--------------------|
| | 0737 | 0597 | 0725 | 0523 | 0737 | 0737 | 0737 | 0678 | 0779 | 0547 | 0477 | 0779 | 0674 | 0731 | 0593 | 0663 | 0433 | 0664 | 0667 | 0733 | 0733 | 0675 | 0737 | 0673 | 0735 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 002661 | males
(cont...) |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 002662 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 002663 | |
| | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 9 | 1 | 1 | 002664 | |
| | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 1 | 002665 | |

Hyperkeratosis
 Infiltration Cellular, Plasma Cell
 Inflammation, Chronic Active
 Necrosis
 Ulcer

3

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Vertebra, Fracture | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone, Femur | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain, Brain Stem | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Compression | | 3 | 3 | | | 2 | | | 4 | | | | | | 4 | | | | | | 4 | | | | 3 |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain, Cerebellum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Ventricle, Dilatation | | | | | | | | | 2 | | | | | | | | | | | | | | 3 | | |
| Brain, Cerebrum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Meninges, Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Ventricle, Dilatation | | 2 | | | | | | | 2 | | | | | 2 | | | | | 3 | | | | | | 3 |
| Peripheral Nerve, Sciatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Axon, Degeneration | | 1 | 1 | | 1 | 1 | | 1 | | 1 | | 1 | 1 | 1 | | 1 | | 1 | | | 1 | | 2 | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) | |
|---|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------------------|-----------------------|--------------------|--|
| | 0
7
3
7 | 0
5
9
7 | 0
7
2
5 | 0
5
2
3 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
6
8
8 | 0
7
9
7 | 0
5
0
9 | 0
4
8
7 | 0
7
3
7 | 0
7
7
9 | 0
6
1
4 | 0
7
3
3 | 0
5
9
2 | 0
6
3
3 | 0
4
0
3 | 0
6
3
4 | 0
7
3
7 | 0
7
3
7 | 0
6
7
5 | 0
7
3
7 | 0
6
3
5 | | | |
| Spinal Cord, Cervical
Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | 0
0
2
6
1 | males
(cont...) | |
| Axon, Degeneration | 1 | | 1 | | 1 | 1 | | 1 | | | 1 | | 1 | | 1 | | | | | | | 1 | | 0
0
2
6
1 | males
(cont...) | | |
| Spinal Cord, Lumbar
Gliosis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | 0
0
2
6
1 | males
(cont...) | |
| Axon, Degeneration | | | | | | | | | | | | | | | | | | | | | | 1 | | 0
0
2
6
1 | males
(cont...) | | |
| Nerve, Degeneration | 1 | 1 | 1 | | 1 | | 1 | 1 | | 1 | 2 | 1 | 1 | | 1 | 1 | | | | | 1 | 1 | 1 | 0
0
2
6
1 | males
(cont...) | | |
| Nerve, Gliosis | | | | | | | | | | | | | | | | | | | | | | | | 0
0
2
6
1 | males
(cont...) | | |
| Spinal Cord, Thoracic
Axon, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | 0
0
2
6
1 | males
(cont...) | |
| Nerve, Degeneration | | | 1 | | 1 | 1 | | 1 | 1 | | | 1 | | 1 | 1 | | | | | | 1 | 1 | | 0
0
2
6
1 | males
(cont...) | | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung
Congestion | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 0
0
2
6
1 | males
(cont...) | |
| Hemorrhage | | 4 | | | | | | | | | | | | | | | | | | | | | | 0
0
2
6
1 | males
(cont...) | | |
| Infiltration Cellular, Histiocyte
Pigmentation | | | | | | | 1 | | | | 1 | | | | 1 | | 1 | | | | | | | 0
0
2
6
1 | males
(cont...) | | |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 0
0
2
6
1 | males
(cont...) | | |
| Nose
Inflammation, Suppurative | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 0
0
2
6
1 | males
(cont...) | | |
| Inflammation, Chronic Active | | | | | 2 | | | | | | | | | | | | | | | | | | | 0
0
2
6
1 | males
(cont...) | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 0
0
2
6
1 | males
(cont...) | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | males
(cont...) | |
|--|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|--|
| FISCHER 344 RATS-NCTR RATS
MALE
CONTROL WATER | | 7 | 5 | 7 | 5 | 7 | 7 | 7 | 6 | 7 | 5 | 4 | 7 | 7 | 7 | 6 | 7 | 5 | 6 | 4 | 6 | 7 | 7 | 6 | 7 | 6 | | |
| | ANIMAL ID | 3 | 9 | 2 | 2 | 3 | 3 | 3 | 9 | 3 | 0 | 8 | 3 | 0 | 3 | 1 | 3 | 9 | 3 | 0 | 3 | 3 | 3 | 7 | 3 | 3 | | |
| | | 7 | 7 | 5 | 3 | 7 | 7 | 7 | 8 | 7 | 9 | 7 | 9 | 7 | 7 | 4 | 3 | 2 | 3 | 3 | 4 | 7 | 7 | 5 | 7 | 5 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| | | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 9 | 9 | 1 | | |
| | | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 1 | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Eye | + A + A + + + + + + A + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Cataract | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| Phthisis Bulbi | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bilateral, Cataract | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| Bilateral, Retina, Degeneration | 4 3 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| Retina, Degeneration | 1 2 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| Sclera, Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + A + | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Kidney | + A + + + + + + + + A + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Cyst | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| Hydronephrosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nephropathy | 4 4 4 4 4 4 4 4 2 4 3 4 3 3 2 3 2 2 4 4 4 4 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| Transitional Epithelium, Hyperplasia | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumen, Dilatation | 3 4 4 2 | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically M .. Missing tissue
 X .. Lesion present A .. Autolysis precludes evaluation
 I .. Insufficient tissue BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS MALE CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-------|-------|
| | 068 | 068 | 073 | 073 | 077 | 077 | 077 | 052 | 072 | 073 | 073 | 051 | 072 | 048 | 073 | 056 | 073 | 073 | 048 | 073 | | 073 | 073 |
| ANIMAL ID | 01912 | 01912 | 01913 | 01913 | 01914 | 01914 | 01914 | 01922 | 01922 | 01922 | 01922 | 01922 | 01922 | 01922 | 01922 | 01922 | 01922 | 01922 | 01922 | 01922 | 01922 | 01922 | 01922 |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|--------|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | 48 | |
| Intestine Large, Cecum | + | | | | | | | | | | | | | | | | | | | | 45 | |
| Intestine Large, Colon Hyperplasia, Lymphoid | + | | | | | | | | | | | | | | | | | | | | 46 | 1 2.0 |
| Intestine Large, Rectum Edema | + | | | | | | | | | | | | | | | | | | | | 46 | 1 4.0 |
| Intestine Small, Duodenum | + | | | | | | | | | | | | | | | | | | | | 46 | |
| Intestine Small, Ileum | + | | | | | | | | | | | | | | | | | | | | 45 | |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | 45 | |
| Liver | + | | | | | | | | | | | | | | | | | | | | 47 | |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | | | | 6 |
| Basophilic Focus, Multiple | | | | | | | | | | | | | | | | | | | | | | 10 |
| Clear Cell Focus | | | | | | | | | | | | | | | | | | | | | | 2 |
| Deformity | | | | | | | | | | | | | | | | | | | | | | 3 |
| Degeneration, Cystic | | | | | | | | | | | | | | | | | | | | | | 16 2.7 |
| Eosinophilic Focus | | | | | | | | | | | | | | | | | | | | | | 10 |
| Eosinophilic Focus, Multiple | | | | | | | | | | | | | | | | | | | | | | 7 |
| Granuloma | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | 7 1.7 |
| Mixed Cell Focus | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|--------|
| | 0628 | 0688 | 0737 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | | 0777 |
| ANIMAL ID | 01911 | 01912 | 01913 | 01914 | 01915 | 01916 | 01917 | 01918 | 01919 | 01920 | 01921 | 01922 | 01923 | 01924 | 01925 | 01926 | 01927 | 01928 | 01929 | 01930 | 01931 | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Pigmentation | | | | | | | | | | | | | | | | | | 3 2 | | | 2 | 3 2.3 |
| Thrombosis | | | 3 | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Vacuolization Cytoplasmic | 3 | | | 2 | 4 | 2 | | | | 2 | | 4 | | | | | | | | 2 | | 17 2.8 |
| Bile Duct, Hyperplasia | 4 | 4 | 2 | 4 | 4 | 3 | 4 | | 4 | 2 | 3 | 4 | | 3 | 3 | 3 | 3 | | 4 | | 2 2 | 39 2.9 |
| Hepatocyte, Degeneration | | | | | 4 | | | | | | | | | | | | | | | | | 2 4.0 |
| Hepatocyte, Hyperplasia | | | | | | | | | | | | 4 | | | | | | | | | | 1 4.0 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | 3 |
| Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | 2 3.5 |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | 4 |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 2 1.0 |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | 48 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Acinus, Degeneration | 2 | 2 | 2 | | 3 | | 2 | | 2 | 2 | | 2 | 2 | | | | | | 2 | 4 | 3 | 25 2.5 |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | 48 |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | 46 |
| Edema | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 4 2.5 |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | 46 |
| Edema | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | 2 2.5 |
| Necrosis | 3 | | | | 2 | | | | | | | 3 | | | | | | | | | | 5 2.6 |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|
| | 068 | 068 | 073 | 073 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | |
| ANIMAL ID | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 |

Epithelium, Hyperplasia

3

2 3.5

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|-----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Cardiomyopathy | | | | 3 | 2 | | 2 | 2 | | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 3 | 3 | 2 | 2 | 3 | 1 | 2 | 37 | 2.4 |
| Mineralization | | | | | | | | | | | | | | | 2 | | | | | | | | | 1 | 2.0 |
| Pigmentation | | | | | | | | | | | | | | | 3 | | | | | | | | | 1 | 3.0 |
| Thrombosis | | 4 | 4 | | 4 | | | | 3 | | | | 4 | | | | | 4 | | 4 | 4 | | | 10 | 3.9 |
| Atrium, Dilatation | | | | | | | | | | | | | | | | | 4 | | | | | | | 2 | 3.5 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| Hyperplasia | | | | | | 2 | | | | | | | | | | | | | | 2 | | | 3 | 2.0 |
| Hypertrophy | | 3 | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |
| Vacuolization Cytoplasmic | 2 | 4 | | 2 | 4 | | | 2 | 4 | | | 2 | 4 | | 3 | 2 | 4 | | | | | 2 | 26 | 2.7 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | 46 | |
| Hyperplasia | 2 | | 3 | | 3 | | | | | 2 | | | | | 3 | | 2 | | 2 | | | | 13 | 2.5 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Hyperplasia | | | | 3 | 2 | 2 | | | | | 2 | | | | | | | | | | | | 5 | 2.2 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| Pars Distalis, Angiectasis | | | | | | | | | | | | | | | | | | | 2 | | | | 1 | 2.0 |
| Pars Distalis, Cyst | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.5 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------------|---------------|
| | 0628 | 0688 | 0737 | 0777 | 0777 | 0777 | 0777 | 0572 | 0774 | 0777 | 0777 | 0576 | 0775 | 0477 | 0775 | 0777 | 0477 | 0777 | 0777 | 0777 | | |
| ANIMAL ID | 019112 | 019112 | 019112 | 019112 | 019112 | 019112 | 022212 | 022212 | 022212 | 022212 | 022212 | 022212 | 022212 | 022212 | 022212 | 022212 | 022212 | 022212 | 022212 | 022212 | | |
| Pars Distalis, Hyperplasia | | | 2 | | | | | | 4 | | | | | 2 | | 3 | | | | | 10 2.3 | |
| Thyroid Gland Cyst | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| C-cell, Hyperplasia | | | 1 | | 1 | | 1 | | | | | | | 1 | | | | 3 | | 1 | 1 | 14 1.3 |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | |
| Tissue NOS | | | | | | | + | | | | | | | | | | | | | | 2 | |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | |
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Hypospermia | 4 | 3 | 4 | | 4 | 4 | 4 | | 4 | 4 | 4 | | 4 | 2 | 4 | 4 | 4 | 4 | 2 | 4 | 36 3.7 | |
| Epithelium, Degeneration | 4 | 3 | 3 | | 4 | 3 | 4 | | 4 | 4 | 2 | | 4 | | 2 | 2 | 2 | 3 | 2 | 4 | 31 3.2 | |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | 1 2.0 | |
| Inflammation, Suppurative | 4 | 3 | 4 | | 2 | | | | 4 | 4 | | | | | 3 | | | 4 | | 4 | 21 3.6 | |
| Inflammation, Chronic Active | | | | | | | | | | | 2 | 2 | 1 | 2 | | | 2 | | 2 | | 14 2.1 | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | 1 3.0 | |
| Acinus, Degeneration | 3 | 3 | | | 4 | | 3 | | | | 3 | 3 | 3 | | 3 | | 2 | | 3 | 3 | 24 3.1 | |
| Duct, Ectasia | 4 | 2 | 4 | 4 | 4 | | | | 4 | 4 | | 3 | | | 4 | | 4 | | 4 | 4 | 25 3.6 | |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| Cyst Multilocular | | | | | | | | | | | | | | | | | | | | | 1 3.0 | |
| Inflammation, Suppurative | 2 | | 3 | 2 | | | | | 2 | | 3 | 2 | 2 | | | 1 | 3 | 2 | | 2 | 23 2.5 | |
| Inflammation, Chronic Active | | | | | | | 2 | | | | | | | | 2 | 2 | | | 3 | 3 | 11 2.2 | |
| Acinus, Degeneration | | | 4 | | | | | | | | | | | | | | | | | | 1 4.0 | |
| Epithelium, Hyperplasia | 2 | | | | | | 3 | | | | | | | 2 | | | | 4 | | | 8 2.3 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-----|--------|
| | 068 | 068 | 073 | 073 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | | 077 | |
| ANIMAL ID | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | | |
| Seminal Vesicle Atrophy Lumen, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| | 4 | 2 | 3 | | 4 | 4 | 4 | | 4 | 4 | | | 3 | 2 | | | | 4 | 3 | 4 | 4 | 4 | 27 3.4 |
| | | | | | | | | | | | | | | | | | | | | | | | 2 2.0 |
| Testes Cyst | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Polyarteritis | | | | | | | | | | | | | | | | | | 2 | | | | | 1 4.0 |
| Interstitial Cell, Hyperplasia | 4 | | | | | | | 1 | | | | | | | | | 2 | | | | | | 2 2.0 |
| Seminiferous Tubule, Degeneration | 4 | 4 | 4 | 2 | 4 | 4 | 4 | | 4 | 4 | 4 | | 4 | 3 | 4 | | 4 | 4 | 4 | 4 | 4 | 4 | 7 2.0 |
| | 4 | 4 | 4 | 2 | 4 | 4 | 4 | | 4 | 4 | 4 | | 4 | 3 | 4 | | 4 | 4 | 4 | 4 | 4 | 4 | 38 3.8 |
| HEMATOPOIETIC SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Bone Marrow Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| | | | | | | | | 2 | 2 | | | | | | | | 3 | 2 | | | | | 6 2.3 |
| Lymph Node Mediastinal, Sinus, Dilatation | + | + | + | | + | | | | + | | | | | | + | | | | | + | | | 17 |
| Pancreatic, Hyperplasia, Lymphoid | | | 2 | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Pancreatic, Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Renal, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Renal, Infiltration Cellular, Histiocyte | 4 | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Renal, Pigmentation | | | | | | | | | | | | | | | | | | | | 2 | | | 1 2.0 |
| Renal, Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | 2 | | | 5 3.0 |
| Lymph Node, Mandibular Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | 2 | | | | | 3 | | | 1 2.0 |
| Infiltration Cellular, Plasma Cell | 2 | | 3 | 2 | 3 | 3 | | 3 | | 3 | 3 | | | 2 | | | 3 | 3 | | 2 | 2 | | 7 2.4 |
| Sinus, Dilatation | | | 2 | | | 3 | 2 | 2 | 3 | 4 | | | 2 | | 4 | | | | | | | 3 | 27 2.7 |
| | | | | | | | | | | | | | | | | | | | | | | | 15 2.7 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | | | | | | | | | | | | | | | | |
|--|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-----|----|-----|---|-----|----|-----|-----|-----|-----|-----|-----|---|-----|----|-----|---|-----|--|--|
| | 068 | 068 | 073 | 073 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | | 077 | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | 01912 | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric
Hyperplasia, Lymphoid
Infiltration Cellular, Plasma Cell
Sinus, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 15 | 1.8 | 8 | 2.3 | 3 | 2.7 | | | | | | | | | | | | | |
| Spleen
Accessory Spleen
Congestion
Developmental Malformation
Fibrosis
Hematopoietic Cell Proliferation
Hyperplasia, Lymphoid
Necrosis
Pigmentation
Red Pulp, Hyperplasia | + | + | + | + | X | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | 1 | 3 | 4.0 | 1 | 6 | 2.7 | 4 | 2.3 | 3 | 2.0 | 1 | 3.0 | 19 | 2.4 | 1 | 4.0 | | |
| Thymus
Atrophy | + | M | + | M | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | 43 | 40 | 3.8 | | | | | | | | | | | | | | | | | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland
Galactocele
Lactation
Alveolus, Hyperplasia
Duct, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 45 | | | 4 | 3.8 | 12 | 2.2 | 2 | 3.0 | 1 | 3.0 | | | | | | | | | |
| Skin
Cyst Epithelial Inclusion
Fibrosis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | 3 | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS MALE CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|------|
| | 068 | 068 | 073 | 073 | 077 | 077 | 077 | 077 | 057 | 077 | 077 | 077 | 057 | 074 | 077 | 075 | 077 | 077 | 047 | 077 | | 077 | 077 |
| ANIMAL ID | 0192 | 0192 | 0192 | 0192 | 0192 | 0192 | 0192 | 0222 | 0222 | 0222 | 0222 | 0222 | 0222 | 0222 | 0222 | 0222 | 0222 | 0222 | 0222 | 0222 | 0222 | 0222 | 0222 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|-----|-----|
| Hyperkeratosis | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 | |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | | 3 | 1 | 3.0 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 | 4.0 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 | 4.0 |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 | 4.0 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--|---|
| Bone | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Vertebra, Fracture | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Bone, Femur | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|-----|-----|
| Brain, Brain Stem | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Compression | | 2 | | | 2 | | | 3 | | | 2 | | | 3 | | | 2 | | 4 | 2 | | | | | | 15 | 2.9 | |
| Hemorrhage | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | 1 | 1.0 |
| Brain, Cerebellum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Ventricle, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.5 |
| Brain, Cerebrum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Meninges, Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Ventricle, Dilatation | | | | | | | | | | | | | | 2 | | | | | | | | | | | | | 6 | 2.3 |
| Peripheral Nerve, Sciatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Axon, Degeneration | 1 | | 1 | 1 | | 1 | | | | 1 | 1 | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | 31 | 1.0 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
MALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-----|
| | 068 | 068 | 073 | 073 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | | 077 |
| ANIMAL ID | 01912 | 01112 | 01112 | 01112 | 01112 | 01112 | 01112 | 01112 | 01112 | 01112 | 01112 | 01112 | 01112 | 01112 | 01112 | 01112 | 01112 | 01112 | 01112 | 01112 | 01112 | |
| Spinal Cord, Cervical Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Axon, Degeneration | 1 | | 1 | 1 | | 1 | 1 | | 1 | 1 | | 1 | 1 | 1 | | 1 | 1 | | 1 | 1 | 1 | 25 |
| Spinal Cord, Lumbar Gliosis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Axon, Degeneration | | | | | | | | | | 1 | 1 | | 1 | | | | | | 2 | | | 5 |
| Nerve, Degeneration | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | 2 | 1 | 1 | | 1 | | 1 | | 2 | 1 | | 1 | 3 | 36 |
| Nerve, Gliosis | | | | | | | | | 1 | | | | | | | | | | | | | 2 |
| Spinal Cord, Thoracic Axon, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Nerve, Degeneration | 1 | | | | 1 | | | 1 | 1 | 1 | 1 | | 1 | | 1 | 1 | | 1 | | 1 | 1 | 23 |
| | | | | | | | | | | | | | | | | | | | | | | 5 |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | |
| Lung Congestion | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Hemorrhage | | | | | | 2 | | | | | | | | | | | | | | | | 1 |
| Infiltration Cellular, Histiocyte Pigmentation | | | | 1 | 3 | | | | | | | | 2 | | | 1 | 1 | | | 1 | 1 | 12 |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | 2 | | | | | 2 | | | | | 2 |
| | | | | | | | | | | | | | 1 | | | | | | | | | 1 |
| Nose Inflammation, Suppurative | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Inflammation, Chronic Active | | | | | 2 | | | | | | | | | | 2 | | | | | | | 3 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|--|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| FISCHER 344 RATS-NCTR RATS MALE | | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 5 | 7 | 4 | 7 | 5 | 7 | 7 | 4 | 7 | 7 | |
| | | 2 | 8 | 3 | 3 | 1 | 0 | 0 | 2 | 2 | 3 | 3 | 1 | 2 | 8 | 3 | 6 | 3 | 3 | 8 | 3 | 3 | 3 |
| CONTROL WATER | | 8 | 8 | 7 | 7 | 1 | 2 | 8 | 7 | 4 | 7 | 7 | 6 | 5 | 7 | 7 | 5 | 7 | 7 | 1 | 7 | 7 | 7 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ANIMAL ID | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 5 | 5 | 6 | 6 | 7 | 7 | 8 | 8 |
| | | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 2 |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 45 |
| Cataract | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Phthisis Bulbi | | | | | | | | | | | 4 | | | | | | | | | | | | 1 4.0 |
| Bilateral, Cataract | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Bilateral, Retina, Degeneration | | | 2 | | | | | | | 3 | | | 2 | | 1 | | 1 | | | | | | 8 2.1 |
| Retina, Degeneration | | | | | | | | | | | 4 | | | | | | | | | | | | 4 2.8 |
| Sclera, Metaplasia, Osseous | | | | | | 2 | | | | | | | | | | | 2 | | | | | | 2 2.0 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | 1 | | | | | | 1 1.0 |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | 4 | | | 1 4.0 |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | 4 | | | 1 4.0 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Hydronephrosis | | | | | | | | | | | | | | | | | | | | 1 | | | 1 1.0 |
| Necrosis | | | | | 3 | | | | | | | | | | | | | | | | | | 1 3.0 |
| Nephropathy | 4 | 4 | 4 | 4 | 4 | 4 | 3 | 2 | 4 | 3 | 3 | 4 | 4 | 2 | 4 | 3 | 4 | 4 | 3 | 4 | 4 | 4 | 46 3.5 |
| Transitional Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | 1 | | 1 1.0 |
| Lumen, Dilatation | | | | | | | | | | | | | | 4 | | | | | | | | | 5 3.4 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Glycidamide
CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
Time Report Requested: 07:40:57
First Dose M/F: 05/30/05 / 05/30/05
Lab: NCTR

*** END OF MALE DATA ***

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | | | | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|------------------|
| | 0
6
6
2 | 0
6
2
0 | 0
5
8
5 | 0
5
5
7 | 0
6
4
5 | 0
6
7
4 | 0
3
4
4 | 0
6
6
7 | 0
6
1
2 | 0
6
2
6 | 0
5
0
5 | 0
5
7
3 | 0
7
4
1 | 0
5
1
1 | 0
7
0
9 | 0
6
4
2 | 0
4
9
1 | 0
5
2
1 | 0
4
9
1 | 0
7
2
5 | | | 0
4
5
3 | 0
5
6
3 | 0
6
8
2 | 0
5
7
1 |
| | 0
0
2
1
1 | 0
0
2
1
2 | 0
0
2
2
1 | 0
0
2
2
2 | 0
0
2
3
1 | 0
0
2
2
2 | 0
0
2
4
1 | 0
0
2
2
2 | 0
0
2
5
1 | 0
0
2
5
1 | 0
0
2
1
2 | 0
0
2
9
1 | 0
0
9
9
2 | 0
0
9
9
2 | 0
0
9
9
1 | 0
0
9
9
2 | 0
0
9
9
1 | 0
0
9
9
2 | 0
0
9
9
1 | 0
0
9
9
2 | 0
1
3
6
1 | 0
1
3
6
7 | 0
1
3
7
1 | 0
1
3
7
2 | 0
1
3
8
1 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum
Lumen, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | | |
| Intestine Small, Jejunum
Infiltration Cellular, Lymphocyte | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basophilic Focus, Multiple | X | | X | X | X | X | | | X | X | X | X | X | | X | X | X | X | X | X | X | | X | X | | |
| Deformity | | | | | | X | X | | | | X | | | X | | X | | | | | | | | | | |
| Eosinophilic Focus | | | X | | X | | | | | | | | | | | | | | | | | | | | | |
| Hematopoietic Cell Proliferation | | | | 1 | 1 | | | | | | | | | | | | | | | | | | | | | |
| Hemorrhage | | | | 2 | | | | | | | | | | | | | | | | | | | | | | |
| Hepatodiaphragmatic Nodule | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | | | | 2 | | | | 1 | | | | | | | 1 | | | | | | | | |
| Mixed Cell Focus | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mixed Cell Focus, Multiple | | | | | X | | | | | | | | | | | | | | | | X | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | | | | |
|---|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----------|----------------------|-----|-----|-----|-----|
| | 062 | 062 | 058 | 055 | 064 | 067 | 034 | 066 | 066 | 061 | 062 | 065 | 057 | 054 | 071 | 057 | 066 | 044 | 055 | 044 | | | 077 | 044 | 055 | 066 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Vacuolization Cytoplasmic | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bile Duct, Hyperplasia | 2 | | | | | 2 | | 3 | | | | | 1 | 4 | | | 4 | 3 | | 1 | | | | 2 | 2 | |
| Hepatocyte, Degeneration | | | | | | | | | | | | | | | | | | | | | | | 2 | | | |
| Hepatocyte, Hyperplasia | | | | | | | | | 4 | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Acinus, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Edema | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epithelium, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--|------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|---|
| FISCHER 344 RATS-NCTR RATS FEMALE
0.70 GLYCID | | 6 | 6 | 5 | 5 | 6 | 6 | 3 | 6 | 6 | 6 | 5 | 5 | 7 | 5 | 7 | 6 | 6 | 4 | 5 | 4 | 7 | 4 | 5 | 6 | 5 | |
| | | 6 | 2 | 8 | 5 | 4 | 7 | 4 | 6 | 1 | 2 | 0 | 7 | 4 | 1 | 1 | 0 | 4 | 9 | 2 | 9 | 2 | 5 | 6 | 8 | 7 | |
| | | 2 | 0 | 5 | 7 | 5 | 7 | 4 | 7 | 2 | 6 | 5 | 9 | 3 | 4 | 0 | 9 | 2 | 1 | 1 | 1 | 5 | 3 | 3 | 2 | 1 | |
| | ANIMAL ID | 0021 | 0022 | 0023 | 0024 | 0025 | 0026 | 0027 | 0028 | 0029 | 0030 | 0031 | 0032 | 0033 | 0034 | 0035 | 0036 | 0037 | 0038 | 0039 | 0040 | 0041 | 0042 | 0043 | 0044 | 0045 | |

females
(cont...)

Tongue
Epithelium, Hyperplasia

+

CARDIOVASCULAR SYSTEM

Blood Vessel

+ +

Heart

+ +

Cardiomyopathy
Thrombosis
Ventricle, Dilatation

1 2 1 1 1 2 1 1 1 1 1 2 2 1 1 1 2 1 2 1 2

ENDOCRINE SYSTEM

Adrenal Cortex

+ +

Accessory Adrenal Cortical Nodule
Degeneration, Cystic
Hyperplasia
Vacuolization Cytoplasmic

X
1
2 3 2 2 2 4 1 3 2 2 3 1

Adrenal Medulla
Necrosis

+ +

Islets, Pancreatic

+ +

Parathyroid Gland
Hyperplasia

+ + + + + + + + + M + + + + M + + + + + + + +

Pituitary Gland
Pars Distalis, Angiectasis

+ +

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| DAY ON TEST | FISCHER 344 RATS-NCTR RATS FEMALE | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females (cont...) |
|------------------------------|-----------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----------|-------------------|
| | 062 | 062 | 058 | 055 | 064 | 067 | 034 | 066 | 061 | 062 | 055 | 057 | 074 | 051 | 071 | 060 | 064 | 049 | 054 | 044 | 072 | 045 | 056 | 068 | | |
| 0.70 GLYCID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 002 | |
| Pars Distalis, Cyst | | 2 | | | | | | | | 2 | | | | | | | | 3 | | | | | | | | |
| Pars Distalis, Hyperplasia | | 3 | 2 | 2 | | 3 | | | | 2 | 3 | | | | | | | 2 | 3 | 4 | 2 | | 2 | | | 2 |
| Pars Intermedia, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| C-cell, Hyperplasia | 1 | | 2 | 1 | 1 | | | | | 1 | | 1 | 1 | 1 | | | | | | | 1 | 2 | 1 | 1 | | |
| Follicular Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Hyperkeratosis | | | | | | | | | | | | | | | | | | 4 | | | | | | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Suppurative | 4 | | | | | | | | | 2 | | 4 | | | | | 2 | | | | 4 | | | | 4 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | |
| Acinus, Degeneration | | | | | | | | | | 3 | | | | | | | | 3 | | | | | 3 | | 3 |
| Duct, Ectasia | 4 | 4 | 2 | | | 4 | | | 4 | 3 | | 4 | | 4 | | | 4 | | | | 3 | | 3 | | 4 |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Atrophy | 4 | | 2 | 3 | 3 | 2 | 2 | 3 | 2 | 3 | 3 | 2 | 4 | 2 | 2 | 3 | 3 | 2 | 2 | 2 | 3 | 3 | 4 | | 2 |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Decidual Reaction | | | | | | | | | | | | | | | | | | | | | | | | | 4 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| DAY ON TEST | FISCHER 344 RATS-NCTR RATS FEMALE | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females (cont...) |
|-------------|-----------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|-----------|-------------------|
| | 062 | 062 | 058 | 055 | 064 | 067 | 034 | 066 | 061 | 062 | 065 | 057 | 054 | 071 | 057 | 071 | 066 | 049 | 054 | 047 | 045 | 056 | 068 | 057 | | |
| 0.70 GLYCID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 00211 | | |

Hemorrhage
 Cervix, Fibrosis
 Endometrium, Hyperplasia, Cystic Lumen, Dilatation

2 2 1 2 3 1 1 2 4 2 4 1

Vagina
 Prolapse +
 X

HEMATOPOIETIC SYSTEM

Bone Marrow +
 Atrophy
 Hyperplasia 3 2 3 3 2 3

Lymph Node +
 Lumbar, Hyperplasia, Lymphoid
 Lumbar, Infiltration Cellular, Plasma Cell 3
 Lumbar, Sinus, Dilatation 4
 Mediastinal, Hyperplasia, Lymphoid 1
 Pancreatic, Hyperplasia, Lymphoid
 Pancreatic, Infiltration Cellular, Plasma Cell
 Renal, Hyperplasia, Lymphoid 2
 Renal, Infiltration Cellular, Histiocyte 2
 Renal, Infiltration Cellular, Plasma Cell 2

Lymph Node, Mandibular +
 Hemorrhage 2
 Hyperplasia, Lymphoid 1 1 2
 Infiltration Cellular, Plasma Cell 1 3 3 2 4 2 2 2 2 2
 Sinus, Dilatation 3 2

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically M .. Missing tissue 1-4 .. Lesion qualified as:
 X .. Lesion present A .. Autolysis precludes evaluation 1) Minimal 3) Moderate
 I .. Insufficient tissue BLANK .. Not examined microscopically 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | | | |
|---|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----------|----------------------|-----|-----|-----|
| | 062 | 062 | 058 | 055 | 064 | 067 | 034 | 066 | 061 | 062 | 065 | 057 | 074 | 051 | 071 | 060 | 064 | 049 | 052 | 047 | | | 054 | 056 | 068 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 002 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 002 | |
| | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 | 5 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 | 5 | 6 | 6 | 7 | 7 | 111 | |
| | 1 | 2 | 1 | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 111 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Lymph Node, Mesenteric Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Hyperplasia, Lymphoid Infiltration Cellular, Histiocyte | 2 | | | | 2 | 1 | | | | 2 | 2 | | | | | | | | | | | | | | | |
| Infiltration Cellular, Plasma Cell Sinus, Dilatation | | | | 2 | | | | | | | | | 2 | 2 | | | | | | | | | 2 | | | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Depletion Lymphoid Fibrosis | | | | | | | | | | | | | 4 | | | | | | | | | | | | | |
| Hematopoietic Cell Proliferation | | | | 4 | 4 | | | | | 4 | 3 | | | 4 | 3 | | | 2 | | | | | | | | |
| Necrosis Pigmentation | | | 3 | | 3 | | 1 | | | | | 2 | | | | | | 1 | | | 2 | | | | | |
| Thymus | + | + | + | + | M | + | + | + | + | + | + | + | M | + | M | + | + | + | + | + | + | + | + | | | |
| Atrophy Cyst | 4 | | 3 | 3 | | 4 | 4 | 4 | | 4 | 2 | 3 | | 4 | | 4 | | 3 | 3 | 2 | 4 | 2 | 3 | 4 | 3 | |
| | 3 | | | | | | | | | | | | | | | | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Galactocele | | | | | 4 | | | | | | 4 | | | | | | | | | | | | | |
| Lactation | | | | | | | | | | | | 3 | | | | | | | | | | | | |
| Alveolus, Hyperplasia | | | | | | | | | | | | 3 | | | | | | | | | | | | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Cyst Epithelial Inclusion | | | | X | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Suppurative Ulcer | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) |
|---|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----------|----------------------|
| | 062 | 062 | 058 | 055 | 064 | 067 | 034 | 066 | 061 | 062 | 066 | 055 | 074 | 051 | 071 | 060 | 064 | 049 | 052 | 049 | 072 | 045 | 056 | 068 | 057 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 002 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 002 | | |
| | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 | 5 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 | 5 | 6 | 6 | 7 | 7 | 111 | | |
| | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 111 | | |

Epithelium, Hyperplasia

3

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone, Femur | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain, Brain Stem
Compression | + | + | + | + | + | + | + | + | 2 | + | + | + | 2 | 2 | 3 | 3 | + | + | + | + | + | + | 2 | + |
| Brain, Cerebellum
Gliosis
Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 2 |
| Brain, Cerebrum
Gliosis
Hemorrhage
Necrosis | + | + | + | + | + | + | + | + | + | + | + | + | + | 4 | + | + | + | + | + | + | + | + | + | + |
| Peripheral Nerve, Sciatic
Axon, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Spinal Cord, Cervical
Axon, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Spinal Cord, Lumbar
Gliosis
Axon, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | 1 | 1 | 1 | 1 | | | | | | | | | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | |
|---|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----------|----------------------|-----|
| | 062 | 062 | 058 | 055 | 064 | 067 | 034 | 066 | 061 | 062 | 066 | 055 | 074 | 057 | 071 | 060 | 064 | 049 | 052 | 049 | 072 | 045 | 066 | 058 | | | 067 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 002 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 002 | |
| | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 5 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 | 5 | 6 | 6 | 7 | 7 | 8 | 8 | 111 | |
| | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 111 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|
| Nerve, Degeneration | 1 | | 1 | | 1 | 1 | | 2 | 1 | | 1 | | 1 | | | | 1 | | 1 | | 1 | | 1 | | | |
| Neuron, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Spinal Cord, Thoracic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Axon, Degeneration | 1 | | 1 | | 1 | 1 | 1 | 1 | | | | 1 | 1 | | | | 1 | 1 | | | 1 | | | 1 | | |
| Nerve, Degeneration | | | | | 1 | | | | | | | | | | | 1 | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Congestion | | | | | | | | | | | | | | | | | | | | 2 | | 1 | | | |
| Infiltration Cellular, Histiocyte | | | | | 3 | | | | | | | 2 | | 3 | | 2 | | 1 | | 2 | | | | | |
| Necrosis | | 4 | | | | | | | | | | | | | | | | | | | | | | | |
| Polyarteritis | | 4 | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar Epithelium, Hyperplasia | | | | 2 | 4 | | | | | | | 2 | | 3 | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hyaline Droplet | 2 | | | | | | | | | | | | | 3 | | | | | | | | | | | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | |
| Goblet Cell, Hyperplasia | 3 | | | | | | | | | | | | | 3 | | | | | | | | | | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | |
| Cataract | | | 4 | | | | | | | | | | | | | | | | | | | | | | | |
| Bilateral, Retina, Degeneration | | | | | | | | 2 | | | | | 1 | | | | | | | | | | | | | |
| Retina, Degeneration | | | 4 | | | | | | | | | | | | | | | | | | | 3 | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| | | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|--|-----------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| FISCHER 344 RATS-NCTR RATS
FEMALE
0.70 GLYCID | ANIMAL ID | 6 | 6 | 5 | 5 | 6 | 6 | 3 | 6 | 6 | 6 | 5 | 5 | 7 | 5 | 7 | 6 | 6 | 4 | 5 | 4 | 7 | 4 | 5 | 6 | 5 | |
| | | 2 | 0 | 5 | 7 | 5 | 7 | 4 | 7 | 2 | 6 | 5 | 9 | 3 | 4 | 0 | 9 | 2 | 1 | 1 | 5 | 3 | 3 | 2 | 1 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 3 | 3 | 3 | 3 | 3 | | |
| | | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 | 5 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 | 5 | 6 | 6 | 7 | 7 | | |
| | | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | | |

Harderian Gland
 Infiltration Cellular, Lymphocyte

+ +

Zymbal's Gland

+

URINARY SYSTEM

Kidney
 Hyaline Droplet
 Mineralization
 Nephropathy
 Pigmentation

+
 1 2 1 1 2 2 1 1 2 2 3 1 1 1 2 1 1 2 1 2 1 1
 1 2 1 1 2 1 1 2 2 3 1 1 1 3 1 1 3 1 1
 2

Urinary Bladder
 Infiltration Cellular, Histiocyte
 Lumen, Dilatation

+ + + + M +
 4 2

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | |
| ANIMAL ID | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|-----|-------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Intestine Large, Cecum
Lumen, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | A | + | + | + | 45 | 1 2.0 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | A | + | + | + | 45 | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | A | + | + | + | 45 | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | A | + | + | + | 45 | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | A | + | + | + | 45 | |
| Intestine Small, Jejunum
Infiltration Cellular, Lymphocyte | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | A | + | + | + | 44 | 1 3.0 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Angiectasis | | | | | | | | | | 2 | | | | | | | | | | | | | 1 | 2.0 | |
| Basophilic Focus | | | | | | X | | | | | X | | | | | | | | X | | | | 4 | | |
| Basophilic Focus, Multiple | X | X | X | | X | | X | X | X | | | | X | X | X | | X | | | X | X | | 32 | | |
| Deformity | | X | X | | | | | | | | | | | | | | | | | | | | 7 | | |
| Eosinophilic Focus | | | | | | | | | | | | X | | | X | | | | | | | | 4 | | |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | | 2 | 1.0 | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 | |
| Hepatodiaphragmatic Nodule | | | | | | | | X | | | | | | | | | | | | | | | 1 | | |
| Inflammation, Chronic Active | | | 3 | | 2 | | | | | 1 | | | | | | | | 2 | | | 1 | | 8 | 1.6 | |
| Mixed Cell Focus | | | | | | | | | | | | | X | | | | | | | | X | | 2 | | |
| Mixed Cell Focus, Multiple | | | | | | | | | | | | | | | X | | | | | | | | 3 | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--------|
| | 0
5
0
6 | 0
5
1 | 0
2
6 | 0
0
9 | 0
4
6 | 0
5
7 | 0
6
4 | 0
5
1 | 0
6
3 | 0
5
2 | 0
5
1 | 0
4
2 | 0
7
0 | 0
6
3 | 0
6
2 | 0
7
3 | 0
5
9 | 0
5
0 | 0
4
6 | 0
4
3 | | 0
5
4 | 0
3
7 | 0
7
0 | |
| ANIMAL ID | 0
1
3
8
2 | 0
1
3
9
1 | 0
1
3
9
2 | 0
1
4
0
1 | 0
1
4
0
2 | 0
1
6
1
1 | 0
1
6
1
2 | 0
1
6
2
2 | 0
1
6
3
2 | 0
1
6
3
2 | 0
1
6
3
4 | 0
1
6
6
2 | 0
1
6
6
4 | 0
1
6
6
4 | 0
1
6
6
5 | 0
2
1
5
1 | 0
2
1
0
1 | 0
2
1
1
1 | 0
2
1
1
2 | 0
2
1
1
2 | 0
2
1
2
2 | 0
2
1
3
2 | 0
2
1
3
2 | 0
2
1
3
2 | |
| Necrosis | | | 3 | | | | | | | | | 1 | | | | | | | 2 | | | | | | 3 2.0 |
| Pigmentation | | | | | | | | 2 | | | | | | | | | | | | | | | | | 1 2.0 |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Vacuolization Cytoplasmic | | | | | 2 | | | | | | | | 2 | | | 4 | | | | | | | 4 | | 7 2.9 |
| Bile Duct, Hyperplasia | | | 2 | | | | 1 | | | | | 2 | 2 | | | 4 | | | | | | | | | 15 2.3 |
| Hepatocyte, Degeneration | 3 | | 3 | | | | | | | | | | | | | 4 | | | | | | | | 4 3.0 | |
| Hepatocyte, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 | |
| Mesentery | | | | | | | + | | | | | | | | | | | | | | | | + | 5 | |
| Fat, Necrosis | | | | | | | 3 | | | | | | | | | | | | | | | | 2 | 5 3.2 | |
| Oral Mucosa | | | | | | | | + | | | | + | | | + | | | | | | | + | | 9 | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | 3 | | | | | | | | | | 3 3.7 | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 | |
| Acinus, Degeneration | | | | | | | | 2 | | | | | | | 3 | | 2 | | | | | | | 13 2.1 | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | 46 | |
| Edema | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 4.0 | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | 2 | 2 3.0 | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | 2 | | | | | | | | | 6 2.0 | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | A | + | + | + | 46 | |
| Necrosis | | | | | | | | | | | | | | | | 3 | | | | | | | | 1 3.0 | |
| Epithelium, Degeneration | | | | | | | | | | | | | | | | | | | | | | | 3 | 1 3.0 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
5
0
6 | 0
5
1 | 0
2
6 | 0
0
9 | 0
4
6 | 0
5
7 | 0
6
4 | 0
5
1 | 0
6
3 | 0
5
1 | 0
4
2 | 0
7
5 | 0
6
3 | 0
6
1 | 0
7
7 | 0
5
6 | 0
4
0 | 0
4
6 | 0
4
3 | 0
5
9 | | 0
3
5 |
| ANIMAL ID | 0
1
3
8
2 | 0
1
3
9
1 | 0
1
3
9
2 | 0
1
4
0
1 | 0
1
4
0
2 | 0
1
6
1
1 | 0
1
6
1
2 | 0
1
6
2
2 | 0
1
6
3
2 | 0
1
6
3
2 | 0
1
6
3
4 | 0
1
6
4
2 | 0
1
6
6
5 | 0
1
6
6
5 | 0
2
1
1
2 | 0
2
1
1
0 | 0
2
1
1
1 | 0
2
1
1
2 | 0
2
1
1
2 | 0
2
1
1
2 | 0
2
1
3
1 | 0
2
1
3
2 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|-----|
| Tongue Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 | 3.0 |
|--------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|-----|

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Cardiomyopathy | | | | | 1 | 2 | 1 | | 1 | | | 1 | 1 | | 2 | | 2 | 1 | | 2 | 2 | | 2 | | | 31 |
| Thrombosis | | | | 4 | | | | | | | | | | | | | | | | | | | | | | 1 |
| Ventricle, Dilatation | | | 3 | | | | | | | | | | | | | | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 4.0 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 3.0 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Accessory Adrenal Cortical Nodule | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Degeneration, Cystic | | | | | | | | | | | | 3 | | | | | | | | | | | | | | 1 |
| Hyperplasia | | | | | | | | | | | | | | | | | | 2 | | | | | | | | 2 |
| Vacuolization Cytoplasmic | 2 | | 2 | | | | | 4 | | | | 2 | | 2 | 2 | 3 | | | 3 | | 2 | | 3 | | | 22 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 2.4 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | 2 | | | | 1 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 2.0 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | 47 |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 | |
| Hyperplasia | | | 2 | | | | | | | | | | | | | | | | | | | | | | | 3 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 1.7 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Pars Distalis, Angiectasis | | | | | | | | | | | | | | | | | | | | | | | 1 | | | 1 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 1.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|---|--------|
| | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | | | |
| ANIMAL ID | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | 0182 | | | |
| Pars Distalis, Cyst | | | | 3 | | | | 4 | | | | | | | | | | | | | 5 2.8 | | |
| Pars Distalis, Hyperplasia | | | | | | | 4 | | | 3 | 3 | 4 | | 3 | | | 2 | | 2 | 2 | 20 2.7 | | |
| Pars Intermedia, Hyperplasia | | | | | | | 2 | | | | | | | | | | | | | | 1 2.0 | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | 47 |
| C-cell, Hyperplasia | | 1 | | | 1 | | | | 1 | | 1 | | | | | | 2 | 2 | | | 3 | | 19 1.3 |
| Follicular Cell, Hyperplasia | | | | | | | | | | | | | | | | 2 | | | | | | | 1 2.0 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Hyperkeratosis | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Infiltration Cellular, Lymphocyte | | | 2 | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Inflammation, Suppurative | | 2 | | | | | | | | | | 4 | | | | 3 | 4 | 2 | | | 4 | | 13 3.2 |
| Inflammation, Chronic Active | 1 | | | | 2 | | | | 2 | | 1 | | | | | | | | | | | | 4 1.5 |
| Acinus, Degeneration | 2 | 3 | | | 3 | | 3 | 2 | | | 2 | | | | 3 | | | | | | | | 10 2.7 |
| Duct, Ectasia | 2 | 3 | | | | 3 | | | | | | 4 | | | | | 4 | | | | | 4 | 19 3.5 |
| Epithelium, Hyperplasia | | | 4 | | 2 | 3 | 4 | | | | | | | | | | | | | | | | 4 3.3 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Atrophy | 3 | 3 | 3 | 3 | 2 | 2 | 3 | 3 | 2 | 2 | 3 | 2 | 4 | 2 | 3 | 4 | 3 | 3 | 2 | 2 | 3 | 3 | 47 2.7 |
| Cyst | | | | | | | | | | | | 4 | | | | | | | | | | | 1 4.0 |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Cyst | | | | | | | | | | | 2 | | | | | | 4 | | | | | | 4 3.0 |
| Decidual Reaction | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------|
| | 0
5
0
6 | 0
5
1 | 0
2
6 | 0
0
9 | 0
4
6 | 0
5
7 | 0
6
4 | 0
5
1 | 0
6
3 | 0
5
1 | 0
4
2 | 0
7
5 | 0
6
3 | 0
6
1 | 0
7
7 | 0
5
6 | 0
4
0 | 0
4
6 | 0
4
3 | 0
5
4 | | 0
3
9 | 0
7
5 | |
| ANIMAL ID | 0
1
3
8
2 | 0
1
3
9
1 | 0
1
3
9
2 | 0
1
4
0
1 | 0
1
4
0
2 | 0
1
6
1
1 | 0
1
6
1
2 | 0
1
6
2
1 | 0
1
6
2
2 | 0
1
6
3
1 | 0
1
6
3
2 | 0
1
6
4
1 | 0
1
6
6
2 | 0
1
6
6
1 | 0
2
1
5
2 | 0
2
1
5
1 | 0
2
1
0
1 | 0
2
1
1
2 | 0
2
1
1
2 | 0
2
1
1
2 | 0
2
1
1
2 | 0
2
1
3
1 | 0
2
1
3
2 | |
| Hemorrhage | | | | | | | | | | | | | | | 4 | | | | | | | | | 1 4.0 |
| Cervix, Fibrosis | | | | | | | 3 | | | | | | | | | | | | | | | | | 1 3.0 |
| Endometrium, Hyperplasia, Cystic Lumen, Dilatation | 1 | | 1 | 2 | | 2 | 2 | 2 | 2 | | 2 | | 2 | | 2 | | 1 | 1 | | | 2 | | | 23 1.8 |
| | | | | | | | | | 3 | | | | | | | | | | | | | | | 3 3.0 |
| Vagina Prolapse | | | | | | | | | | | | | | | | | | | | | | | | 1 1 |
| HEMATOPOIETIC SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone Marrow Atrophy | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | 47 1 4.0 | |
| Hyperplasia | | | | | 2 | 2 | | | | | | | | 2 | 2 | | | | | 2 | 2 | 2 | | 14 2.4 |
| Lymph Node | | + | + | + | | + | | | | | + | | + | + | | | | | | | + | | | 18 1 2.0 |
| Lumbar, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | 2 | | | 1 3.0 |
| Lumbar, Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | | 2 3.0 |
| Lumbar, Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | | 2 | | 1 1.0 |
| Mediastinal, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Pancreatic, Hyperplasia, Lymphoid | | | | 2 | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Pancreatic, Infiltration Cellular, Plasma Cell | | | | | | | | 3 | | | | | | | | | | | | | | | | 2 2.0 |
| Renal, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | 2 | | | 1 2.0 |
| Renal, Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Renal, Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | 47 2 2.0 |
| Hemorrhage | | | | | | | | | | | | 2 | | | | | | | | | | | | 9 1.9 |
| Hyperplasia, Lymphoid | | | | | | 2 | | 2 | 3 | | 3 | | | 2 | | | 1 | | | | | | | 16 2.4 |
| Infiltration Cellular, Plasma Cell | | | | | | | 3 | 2 | | 3 | | | 3 | 3 | | | | | | | 2 | | | 6 2.8 |
| Sinus, Dilatation | | | | | | | 4 | | | 4 | | | | 2 | | | | | | | | 2 | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
5
0
6 | 0
5
1 | 0
2
6 | 0
0
9 | 0
4
6 | 0
5
7 | 0
6
4 | 0
5
1 | 0
6
3 | 0
5
1 | 0
5
2 | 0
4
9 | 0
7
2 | 0
6
3 | 0
6
1 | 0
7
7 | 0
5
6 | 0
4
0 | 0
4
6 | 0
4
3 | | 0
5
9 | 0
3
7 | 0
7
0 | 0
5 |
| ANIMAL ID | 0
1
3
8
2 | 0
1
3
9
1 | 0
1
3
9
2 | 0
1
4
0
1 | 0
1
4
0
2 | 0
1
6
1
1 | 0
1
6
1
2 | 0
1
6
1
2 | 0
1
6
2
2 | 0
1
6
3
2 | 0
1
6
3
2 | 0
1
6
3
4 | 0
1
6
6
2 | 0
1
6
6
4 | 0
1
6
5
2 | 0
2
1
5
1 | 0
2
2
0
2 | 0
2
2
1
1 | 0
2
2
1
2 | 0
2
2
1
2 | 0
2
2
1
2 | 0
2
2
1
2 | 0
2
2
3
2 | 0
2
2
3
3 | 0
2
2
3
2 |
| Lymph Node, Mesenteric Hemorrhage | + | + | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Hyperplasia, Lymphoid Infiltration Cellular, Histiocyte | | | 2 | | | | 1 | | 2 | | 2 | | | | | | | 2 | | | | | | | 10 |
| Infiltration Cellular, Plasma Cell Sinus, Dilatation | | | | | | 2 | | 2 | | | | | 3 | | | | | | | | | | 2 | | 6 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Depletion Lymphoid Fibrosis | | | 2 | | | | | | 2 | | 2 | | | | | | | | | | | | 3 | | 1 |
| Hematopoietic Cell Proliferation Necrosis | | | | | | | | | | | 3 | | 3 | | | | | | 4 | 4 | | | | | 11 |
| Pigmentation | | | 3 | | 4 | | 3 | 1 | | 3 | 3 | | | | | 2 | | | | | | 4 | | | 14 |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | | | 44 | |
| Atrophy Cyst | 4 | 3 | 4 | 4 | 3 | 4 | 3 | 3 | 2 | 3 | | 4 | 4 | 4 | 4 | 4 | 2 | 2 | 4 | | 3 | 1 | 4 | | 40 |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Galactocele Lactation | | | | | | | | | | | | 4 | | | | | | | | | 2 | | | | 3 |
| Alveolus, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Cyst Epithelial Inclusion Inflammation, Suppurative Ulcer | | | | | | 4 | | | | | | 2 | | 3 | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
5
0
6 | 0
5
1 | 0
2
6 | 0
0
9 | 0
4
6 | 0
5
7 | 0
6
4 | 0
5
1 | 0
6
3 | 0
5
1 | 0
4
2 | 0
7
5 | 0
6
3 | 0
6
1 | 0
7
7 | 0
5
6 | 0
4
0 | 0
4
6 | 0
4
3 | 0
5
4 | | 0
3
9 | 0
7
5 |
| ANIMAL ID | 0
1
3
8
2 | 0
1
3
9
1 | 0
1
3
9
2 | 0
1
4
0
1 | 0
1
4
0
2 | 0
1
1
1
1 | 0
1
6
1
2 | 0
1
6
1
2 | 0
1
6
2
2 | 0
1
6
2
2 | 0
1
6
3
1 | 0
1
6
3
4 | 0
1
6
6
2 | 0
1
6
6
5 | 0
2
1
1
2 | 0
2
1
1
0 | 0
2
1
1
1 | 0
2
1
1
2 | 0
2
1
1
2 | 0
2
1
2
2 | 0
2
1
2
2 | 0
2
1
3
1 | 0
2
1
3
2 |

Epithelium, Hyperplasia

1 3.0

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone, Femur | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|-----|
| Brain, Brain Stem
Compression | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 11 | 2.3 |
| Brain, Cerebellum
Gliosis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 1 | 2.0 |
| Brain, Cerebellum
Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1.0 |
| Brain, Cerebrum
Gliosis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 3 | 2.7 |
| Brain, Cerebrum
Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Brain, Cerebrum
Necrosis | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Peripheral Nerve, Sciatic
Axon, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 20 | 1.0 |
| Spinal Cord, Cervical
Axon, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 14 | 1.0 |
| Spinal Cord, Lumbar
Gliosis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 1 | 2.0 |
| Spinal Cord, Lumbar
Axon, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | 9 | 1.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|---|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|------|--------|----|
| | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | 0506 | | 0506 | | |
| ANIMAL ID | 01382 | 01382 | 01382 | 01382 | 01382 | 01382 | 01382 | 01382 | 01382 | 01382 | 01382 | 01382 | 01382 | 01382 | 01382 | 01382 | 01382 | 01382 | 01382 | 01382 | 01382 | | | |
| Nerve, Degeneration | | 1 | 1 | | | 1 | 1 | | | | | 1 | 1 | 2 | 2 | 1 | | | | | 1 | 2 | 23 1.2 | |
| Neuron, Degeneration | | | | | | | | | | | | | | 2 | | | | | | | | | 1 2.0 | |
| Spinal Cord, Thoracic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Axon, Degeneration | | | 1 | | | | | | | | | 1 | 1 | | 1 | | | | | | | 1 | 18 1.0 | |
| Nerve, Degeneration | | | | | | | | | | | | | | | | | | | | | | | 2 1.0 | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Congestion | | | | | | | | | | | | | | | | | | | | | | | 2 1.5 | |
| Infiltration Cellular, Histiocyte | | | | | 1 | | | | | | | 2 | | | 2 | | | | | | | | 9 2.0 | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 | |
| Polyarteritis | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 | |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 4 2.8 | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | 47 | |
| Hyaline Droplet | | | | | | | | | | | | | | | | | | | | | | | 2 2.5 | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | 2 | | | | | | | | 1 2.0 | |
| Inflammation, Chronic Active | | | | | | | | | 2 | | | | | | | | | | | | | | 1 2.0 | |
| Goblet Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 2 3.0 | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | A | + | + | + | 45 |
| Cataract | | 2 | | | | | | | | | | | | | | | | | | | | | 2 3.0 | |
| Bilateral, Retina, Degeneration | | | | | | | | | | | | | | | | | | | | | | | 2 1.5 | |
| Retina, Degeneration | | 3 | | | | | | | | | | | | | | | | | | 3 | | | 4 3.3 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.70 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----|
| | 0
5
0
6 | 0
5
1 | 0
2
6 | 0
0
9 | 0
4
6 | 0
5
7 | 0
6
4 | 0
5
1 | 0
6
3 | 0
5
1 | 0
4
2 | 0
7
0 | 0
6
3 | 0
6
1 | 0
7
7 | 0
5
6 | 0
4
0 | 0
4
6 | 0
4
3 | 0
5
9 | | 0
3
5 | 0
7
0 | |
| ANIMAL ID | 0
1
3
8
2 | 0
1
3
9
1 | 0
1
3
9
2 | 0
1
4
0
1 | 0
1
4
0
1 | 0
1
6
1
2 | 0
1
6
1
2 | 0
1
6
2
1 | 0
1
6
2
3 | 0
1
6
3
2 | 0
1
6
3
4 | 0
1
6
4
2 | 0
1
6
4
5 | 0
1
6
5
1 | 0
2
1
0
2 | 0
2
1
0
2 | 0
2
1
1
2 | 0
2
1
1
2 | 0
2
1
1
2 | 0
2
1
1
2 | 0
2
1
2
1 | 0
2
1
3
2 | 0
2
1
3
3 | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | 47 | |
| Infiltration Cellular, Lymphocyte | | | | 1 | 1 | | | 1 | 1 | | | | | | | | 2 | | | | 1 | | 8 | 1.1 |
| Zymbal's Gland | | | | | | | | | | | + | | | | | | | | | | | | 2 | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Hyaline Droplet | | | | | | | | | | | | | | | | | | | | 4 | 3 | | 2 | 3.5 |
| Mineralization | 1 | 2 | 1 | 1 | 2 | | | 2 | 1 | | | 2 | | 1 | 2 | 1 | 1 | | 1 | 1 | 2 | | 30 | 1.4 |
| Nephropathy | | | | | | 2 | | | | | | 1 | 2 | 2 | | 3 | 2 | 1 | | 1 | | 4 | 25 | 1.7 |
| Pigmentation | 2 | | | | | | 2 | | | | | | | | | | | | | | | | 3 | 2.0 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Lumen, Dilatation | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|----------------------|------|
| | 0737 | 0737 | 0764 | 0773 | 0774 | 0777 | 0777 | 0784 | 0786 | 0792 | 0796 | 0796 | 0796 | 0796 | 0796 | 0796 | 0796 | 0796 | 0796 | 0796 | 0796 | 0796 | 0796 | 0796 | | | 0796 |
| Mixed Cell Focus | | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| Mixed Cell Focus, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Vacuolization Cytoplasmic | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bile Duct, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocyte, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocyte, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Acinus, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tongue | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 7 | 7 | 6 | 7 | 4 | 7 | 7 | 4 | 6 | 2 | 6 | 6 | 6 | 6 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 5 | 7 | 7 | 5 | |
| | 3 | 3 | 4 | 3 | 5 | 3 | 3 | 8 | 6 | 9 | 9 | 8 | 7 | 5 | 4 | 4 | 5 | 2 | 3 | 1 | 3 | 2 | 3 | 3 | 4 | |
| | 7 | 7 | 0 | 7 | 6 | 7 | 7 | 1 | 0 | 6 | 6 | 4 | 6 | 1 | 3 | 3 | 0 | 6 | 7 | 8 | 7 | 2 | 7 | 4 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 1 | 1 | 1 | 1 | 1 | |
| | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 9 | 0 | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 | 5 | 1 | 1 | 2 | 2 | 3 | |
| | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | |

Inflammation, Suppurative 4
 Keratin Cyst 4
 Epithelium, Hyperplasia 4

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cardiomyopathy | 3 | 2 | 1 | 2 | | 2 | 3 | 1 | | | | 2 | | 1 | 4 | 1 | 1 | 2 | | 1 | 1 | 2 | 2 | 1 |
| Thrombosis | | | | | | | | | | | 4 | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Accessory Adrenal Cortical Nodule | | | | | | | | | | | | | | | | X | | | | | | | | |
| Angiectasis | | | | | | | | | | | | | | | | | | 3 | | | | | | |
| Degeneration, Cystic | | | 2 | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia | | | | | | | | | 2 | | | | | | | | | | | | | | | 2 |
| Vacuolization Cytoplasmic | | | | | 2 | 2 | | | 3 | | 4 | 2 | | 2 | 3 | | | 2 | | | 2 | | 3 | |
| Adrenal Medulla | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pars Distalis, Cyst | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.35 GLYCID | | DAY ON TEST | | | | | | | | | | | | | | | | | | | | females
(cont...) | | | | |
|---|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|---|---|---|---|
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | |
| | | 7 | 7 | 6 | 7 | 4 | 7 | 7 | 4 | 6 | 2 | 6 | 6 | 6 | 6 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 5 | 7 | 7 | 5 |
| | | 3 | 3 | 4 | 3 | 5 | 3 | 3 | 8 | 6 | 9 | 9 | 8 | 7 | 5 | 4 | 4 | 5 | 2 | 3 | 1 | 3 | 2 | 3 | 3 | 4 |
| | | 7 | 7 | 0 | 7 | 6 | 7 | 7 | 1 | 0 | 6 | 6 | 4 | 6 | 1 | 3 | 3 | 0 | 6 | 7 | 8 | 7 | 2 | 7 | 4 | 4 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 1 | 1 | 1 | 1 | 1 | |
| | | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 9 | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 | 5 | 1 | 1 | 2 | 2 | 3 | |
| | | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Pars Distalis, Hyperplasia | 2 | | | 2 | | | 4 | | | | | | | 4 | | | | | | | | | | 2 | | 2 | |
| Pars Intermedia, Cyst | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pars Intermedia, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pars Intermedia, Rathke's Cleft, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C-cell, Hyperplasia | 1 | | | | | | 1 | | | 2 | | | 1 | | | 1 | | | 1 | | | | | 2 | | | |
| Follicular Cell, Hyperplasia | | | | | | | | | | | | | | 1 | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Acinus, Degeneration | 2 | 3 | 3 | 2 | | | | 3 | | | | | 2 | 3 | 4 | | | 4 | 2 | | | | | 4 | 4 | | 2 |
| Duct, Ectasia | | | | | | | | 2 | | | | | | 4 | 3 | | | 4 | | | 4 | 4 | | | | | 4 |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | 4 | | | | | | | | | | | 2 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Atrophy | 2 | 2 | 2 | 2 | 2 | 4 | 2 | 2 | 2 | 2 | 2 | 4 | 3 | 3 | 4 | 3 | 3 | 4 | 3 | 3 | 2 | 2 | 2 | 2 | 3 | 3 | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Bilateral, Cyst | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
7
3
7 | 0
7
3
7 | 0
6
4
0 | 0
7
3
7 | 0
4
5
6 | 0
7
3
7 | 0
7
3
7 | 0
4
8
1 | 0
6
6
0 | 0
2
9
6 | 0
6
6
6 | 0
6
6
6 | 0
6
6
6 | 0
7
5
4 | 0
7
4
3 | 0
5
5
0 | 0
6
2
6 | 0
7
3
7 | 0
7
1
8 | 0
5
2
2 | 0
7
3
7 | 0
5
2
7 | 0
7
3
7 | 0
5
3
4 | | |
| | 0
0
0
6
1 | 0
0
0
6
2 | 0
0
0
7
1 | 0
0
0
7
2 | 0
0
0
8
1 | 0
0
0
8
2 | 0
0
0
9
1 | 0
0
0
9
2 | 0
0
0
0
1 | 0
0
0
0
2 | 0
0
0
1
1 | 0
0
0
8
1 | 0
0
0
8
2 | 0
0
0
1
2 | 0
0
0
1
2 | 0
0
0
2
2 | 0
0
0
3
1 | 0
0
0
4
2 | 0
0
0
5
1 | 0
0
0
8
2 | 0
0
0
8
1 | 0
0
0
8
2 | 0
0
0
1
2 | 0
0
0
1
2 | 0
0
0
1
2 | 0
0
0
2
3 |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymph Node, Mesenteric Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia, Lymphoid Infiltration Cellular, Mast Cell | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | | | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Accessory Spleen | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Atrophy | | | | | | | | | | | | | | | | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Galactocele | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lactation | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolus, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | 0684 | 0494 | 0737 | 0526 | 0737 | 0777 | 0777 | 0777 | 0336 | 0713 | 0433 | 0773 | 0699 | 0556 | 0666 | 0666 | 0666 | 0777 | 0555 | 0557 | |
| ANIMAL ID | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0222 | 0222 | 0222 | 0222 | 0222 | 0222 | 0222 | 0222 | 0222 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 1 | 1 | 1 | 1 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 3 | 4 | 4 | 5 | 5 | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 0 | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Lumen, Dilatation | | | | | | | 3 | | | | | | | | | | | | | | | | 1 3.0 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 45 |
| Intestine Large, Colon | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 45 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 45 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 45 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 45 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | 44 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Basophilic Focus | | | | | | | | X | | | | | | | | | | | | | | | 2 |
| Basophilic Focus, Multiple | X | | X | | X | X | X | | X | | X | X | | | X | X | X | X | X | X | X | X | 35 |
| Clear Cell Focus | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Deformity | | | | | | | | X | | | | | | | | | | | | | | | 5 |
| Degeneration, Cystic | | | | | | 1 | | | | | | | | | | | | | | | | | 2 2.0 |
| Eosinophilic Focus | | | X | | | | | | | | | | | | | | | | | | | | 4 |
| Eosinophilic Focus, Multiple | | | | | | | | | | | | X | | | X | | | | | | | | 4 |
| Granuloma | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Hematopoietic Cell Proliferation | | 1 | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Hepatodiaphragmatic Nodule | | | | | | | | | | | | | | | | | | | | | X | | 2 |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | 2 | | | | | | | | 2 | | | | 2 2.0 |
| Inflammation, Chronic Active | | | | | | 2 | | | 2 | 1 | | | | | | 1 | | 2 | 3 | | | 2 | 13 1.8 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|--------|
| | 0684 | 0494 | 0737 | 0526 | 0737 | 0777 | 0777 | 0777 | 0336 | 0718 | 0436 | 0737 | 0777 | 0667 | 0556 | 0667 | 0667 | 0667 | 0718 | 0558 | | 0558 | 0737 |
| ANIMAL ID | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0222 | 0222 | 0222 | 0222 | 0222 | 0222 | 0222 | 0222 | 0222 | |
| Mixed Cell Focus | | | | | | | | | | | | | | | | | | | X | | | X | 3 |
| Mixed Cell Focus, Multiple | | | | | | | X | | | | | | | X | | | | | X | | | | 5 |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | 2 3.0 |
| Vacuolization Cytoplasmic | | | | | | | | | | | | | | 3 | 2 | | 4 | | 2 | | | | 12 2.8 |
| Bile Duct, Hyperplasia | | | | | | | | | | | | | | | | | 4 | | 4 | | | | 15 3.1 |
| Hepatocyte, Degeneration | | | | | | | | | | | | | | | | | 4 | | | | | | 3 4.0 |
| Hepatocyte, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | 9 |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | | 7 3.4 |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 3 2.7 |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | 48 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | 2 4.0 |
| Acinus, Degeneration | | | | | | | | | | | | | | | | | | | | | | | 19 1.7 |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | 48 |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | 47 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | 2 4.0 |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 2 2.0 |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | 46 |
| Tongue | | | | | | | | | | | | | | | | | | | | | | | 3 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|
| | 06484 | 044 | 0737 | 0526 | 0737 | 0777 | 0777 | 0777 | 0335 | 0718 | 0436 | 0737 | 0737 | 0677 | 0556 | 0666 | 0666 | 0728 | 0558 | 0557 | |
| ANIMAL ID | 011132 | 01114 | 01114 | 01115 | 01119 | 01119 | 01119 | 01119 | 01119 | 01119 | 01119 | 01119 | 01119 | 01119 | 01119 | 01119 | 01119 | 01119 | 01119 | 01119 | |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|-----|
| Pars Distalis, Hyperplasia | 3 | 3 | 3 | 2 | 3 | | | | | 3 | | | | | | | | | 3 | 2 | 14 | 2.7 | |
| Pars Intermedia, Cyst | | | | | 2 | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Pars Intermedia, Hyperplasia | | | | | | | | | | 1 | | | | | | | | | | | | 1 | 1.0 |
| Pars Intermedia, Rathke's Cleft, Degeneration | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |
| Thyroid Gland | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | 46 | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |
| C-cell, Hyperplasia | 1 | 1 | | 2 | | 1 | | | | 1 | | | | | 2 | | | 2 | | 1 | 1 | 16 | 1.3 |
| Follicular Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 1 | 1.0 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|----|-----|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Fibrosis | | | | | | | | | | | | | | | | | | | | 4 | | 1 | 4.0 | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | 2 | 1 | 2.0 | | |
| Inflammation, Suppurative | | | 4 | 2 | | 1 | | | | 4 | 3 | 4 | | 3 | | 2 | | 4 | | | | 20 | 3.1 | | |
| Acinus, Degeneration | | | | | | | | | | | | 3 | 3 | | | | 3 | | 2 | | 3 | 16 | 2.8 | | |
| Duct, Ectasia | | | | 2 | | | | | | 4 | | 4 | 3 | 4 | | 4 | | 4 | | 3 | | 17 | 3.5 | | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Atrophy | 3 | 2 | 3 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 3 | 2 | 3 | | | 3 | 2 | 4 | 3 | 2 | 2 | 3 | 3 | 46 | 2.6 |
| Cyst | | | | | | | | | | | | | | | 4 | | | | | | | 2 | 3.5 | | |
| Bilateral, Cyst | | | | | | | | | | 2 | | | | | | | | | | | | 1 | 2.0 | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|------------------|
| | 0
6
8
4 | 0
4
9
4 | 0
7
3
7 | 0
5
2
6 | 0
7
3
7 | 0
7
1
6 | 0
7
3
7 | 0
7
3
7 | 0
3
6
5 | 0
7
1
8 | 0
4
3
6 | 0
7
3
7 | 0
7
2
3 | 0
6
9
7 | 0
5
5
6 | 0
6
9
7 | 0
6
5
6 | 0
6
9
1 | 0
6
2
8 | 0
7
1
8 | | 0
5
5
8 | 0
5
8
5 | 0
7
3
7 |
| ANIMAL ID | 0
1
1
3
2 | 0
1
1
4
1 | 0
1
1
4
2 | 0
1
1
5
1 | 0
1
1
5
2 | 0
1
1
6
1 | 0
1
9
6
2 | 0
1
9
6
1 | 0
1
9
7
2 | 0
1
9
7
1 | 0
1
9
8
2 | 0
1
9
8
2 | 0
0
9
9
1 | 0
2
9
9
0 | 0
2
9
8
1 | 0
2
0
0
1 | 0
2
3
3
2 | 0
2
3
3
1 | 0
2
3
3
2 | 0
2
3
3
2 | 0
2
3
3
2 | 0
2
3
4
1 | 0
2
3
4
2 | |

| | | | | | | | |
|--|---|---|-----|---|-----|-----|-----|
| Cyst | 3 | 4 | 3 | 3 | 5 | 3.2 | |
| Cervix, Fibrosis | 4 | 3 | 4.0 | | | | |
| Endometrium, Hyperplasia, Cystic Lumen, Dilatation | 2 | 2 | 3 | 2 | 2 | 14 | 2.4 |
| | 4 | 3 | 3.7 | | | | |
| Vagina Fibrosis | | | 5 | 1 | 3.0 | | |
| Vagina Lumen, Dilatation | | | 3 | 4 | 3.5 | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|-----|-----|---|
| Bone Marrow | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | 1 | 4.0 | | |
| Atrophy | | | | | | | | | | | | | | 4 | | | | | | | | | | | | 8 | 2.1 | |
| Hyperplasia | | | | | | | | | | | 2 | | | | | 2 | 3 | | | | | | | | | | | |
| Lymph Node | | + | | | | | | | | + | | | + | + | | + | | | + | + | | | | | 12 | 1 | 2.0 | |
| Lumbar, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | 2 | | | | | | | | | | 1 | 3.0 | |
| Lumbar, Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | 3 | | | | | | | | | | 1 | 3.0 | |
| Lumbar, Sinus, Dilatation | | | | | | | | | | | | | | | | 3 | | | | | | | | | | 1 | 3.0 | |
| Pancreatic, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | 2 | | | | | | | | 1 | 2.0 | |
| Pancreatic, Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | 4 | | | | | | | | 1 | 4.0 | |
| Renal, Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 | |
| Sinus, Thoracic, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 | |
| Thoracic, Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 | |
| Thoracic, Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | 4 | 2.0 | |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 4 |
| Infiltration Cellular, Plasma Cell | 2 | | | 2 | 3 | 2 | | | | | | 3 | | | 2 | 2 | 3 | 3 | | | 4 | 3 | | | | 20 | 2.6 | |
| Sinus, Dilatation | | | | | | | | | | | 4 | | | | | | | | | | | 3 | | | | 5 | 2.6 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically M .. Missing tissue 1-4 .. Lesion qualified as:
 X .. Lesion present A .. Autolysis precludes evaluation 1) Minimal 3) Moderate
 I .. Insufficient tissue BLANK .. Not examined microscopically 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|--|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| | 0
6
8
4 | 0
4
9
4 | 0
7
3
7 | 0
5
2
6 | 0
7
3
7 | 0
7
1
6 | 0
7
3
7 | 0
7
3
7 | 0
3
6
5 | 0
7
1
8 | 0
4
3
6 | 0
7
3
7 | 0
7
2
3 | 0
6
9
7 | 0
5
5
6 | 0
6
9
6 | 0
6
6
1 | 0
6
6
2 | 0
7
1
8 | 0
5
5
8 | | 0
5
8
5 | 0
7
3
7 |
| ANIMAL ID | 0
1
1
3
2 | 0
1
1
4
1 | 0
1
1
4
2 | 0
1
1
5
1 | 0
1
1
5
2 | 0
1
9
6
1 | 0
1
9
6
2 | 0
1
9
7
1 | 0
1
9
7
2 | 0
1
9
7
1 | 0
1
9
7
2 | 0
1
9
7
1 | 0
2
0
2 | 0
2
0
2 | 0
2
3
1 | 0
2
3
1 | 0
2
3
2 | 0
2
3
2 | 0
2
3
1 | 0
2
3
2 | 0
2
3
1 | 0
2
4
2 | 0
2
3
4 |
| Lymph Node, Mesenteric Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Hyperplasia, Lymphoid Infiltration Cellular, Mast Cell | | | | | 1 | | | | | | | | | | | 2 | | 3 | | | | | 4 2.5 |
| Infiltration Cellular, Plasma Cell | 2 | | | | | | | | | | | | | | | | | 2 | | 3 | | | 4 2.5 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Accessory Spleen | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Fibrosis | | | 3 | | 2 | | | | | | | | | | 3 | | | | | | | | 5 2.4 |
| Hematopoietic Cell Proliferation | | | | | 2 | 4 | 2 | | | | | 1 | | | | 4 | 4 | 3 | 4 | | | | 16 2.8 |
| Hemorrhage | | | | | | | | | | | | | | | 4 | | | | | | | | 2 4.0 |
| Hyperplasia, Lymphoid | 4 | | | | 2 | | | | | | | | | | | | | | | | | | 2 3.0 |
| Necrosis | | | | | | | | | | | | | 4 | | | | | | | | | | 1 4.0 |
| Pigmentation | 3 | 2 | | 4 | 2 | | 3 | 3 | 2 | 2 | | 2 | | | | | | | | | 4 | 2 | 21 2.5 |
| Thymus | + | + | M | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | 45 |
| Atrophy | 3 | 4 | | 4 | 4 | 4 | 4 | 4 | | 3 | | 4 | 4 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 40 3.9 |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Galactocele | 4 | | | | | | 4 | | | | | | 4 | | | | 4 | 4 | | | | | 9 4.0 |
| Lactation | | | | | | | | | | | 3 | | | | | | | | | | | | 2 3.0 |
| Alveolus, Hyperplasia | | | | | | | | | | | | | | | | | | | | 2 | | | 1 2.0 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Inflammation, Suppurative | | | | | | | | | | | | 2 | | | | | | | | | | | 3 2.0 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | 1 | | | | 3 | | | | 2 2.0 |
| Ulcer | | | | | | | | | | | | 2 | | | 3 | | | | 3 | | | | 4 2.8 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
6
8
4 | 0
4
9
4 | 0
7
3
7 | 0
5
2
6 | 0
7
3
7 | 0
7
1
6 | 0
7
3
7 | 0
7
3
7 | 0
3
6
5 | 0
7
1
8 | 0
4
3
6 | 0
7
3
7 | 0
7
2
3 | 0
6
9
7 | 0
5
5
6 | 0
6
6
7 | 0
6
6
6 | 0
6
2
8 | 0
7
1
8 | 0
5
5
8 | | 0
5
8
5 | 0
7
3
7 |
| ANIMAL ID | 0
1
1
3
2 | 0
1
1
4
1 | 0
1
1
4
2 | 0
1
1
5
1 | 0
1
1
6
2 | 0
1
9
6
1 | 0
1
9
6
2 | 0
1
9
7
1 | 0
1
9
7
2 | 0
1
9
7
1 | 0
1
9
8
2 | 0
1
9
8
1 | 0
1
9
9
2 | 0
2
0
0
1 | 0
2
0
0
1 | 0
2
3
3
1 | 0
2
3
3
2 | 0
2
3
3
1 | 0
2
3
3
1 | 0
2
3
3
1 | 0
2
3
4
1 | 0
2
3
4
2 | 0
2
3
4
2 |

Epithelium, Hyperplasia

2 2

2 2.0

MUSCULOSKELETAL SYSTEM

Bone, Femur
Osteopetrosis

+ 48
 4 4 3 4.0

Skeletal Muscle

+ 48

NERVOUS SYSTEM

Brain, Brain Stem
Compression

+ 48
 3 2 2 6 2.5

Brain, Cerebellum
Gliosis
Hemorrhage

+ 48
 2 1 1.5 1.0

Brain, Cerebrum
Cyst
Gliosis
Hemorrhage

+ 48
 4 4 1 2.5 4.0 1.0

Peripheral Nerve, Sciatic
Axon, Degeneration

+ 48
 1 32 1.0

Spinal Cord, Cervical
Gliosis
Axon, Degeneration
Nerve, Degeneration

+ 48
 2 1 2.0 14 1.0 1 1.0

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|----------|
| | 06484 | 04934 | 07377 | 05266 | 07316 | 07737 | 07737 | 03355 | 07188 | 04336 | 07733 | 06927 | 05566 | 06651 | 06688 | 07188 | 05585 | 05585 | 07377 | | |
| ANIMAL ID | 011132 | 01114 | 01115 | 01116 | 01119 | 01121 | 01122 | 01123 | 01124 | 01125 | 01126 | 01127 | 01128 | 01129 | 01130 | 01131 | 01132 | 01133 | 01134 | | |
| Spinal Cord, Lumbar | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Axon, Degeneration | | | | 1 | | | | | | | | | | | | | | | | 6 1.0 | |
| Meninges, Hyperplasia | | | | | | | | | | | | 1 | | | | | | | | 1 1.0 | |
| Nerve, Degeneration | 1 | | 1 | | 1 | 1 | 1 | | 2 | | 1 | 2 | | | 2 | 1 | 1 | 1 | 2 | 30 1.2 | |
| Spinal Cord, Thoracic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Axon, Degeneration | 1 | | 1 | 1 | | | | | | | | 1 | 1 | | | 1 | 1 | | 1 | 17 1.0 | |
| Meninges, Hyperplasia | | | | | | | | | | | | 2 | | | | | | | | 1 2.0 | |
| Meninges, Infiltration Cellular, Histiocyte | | | | | | | | | | | | 2 | | | | | | | | 1 2.0 | |
| Nerve, Degeneration | | | 1 | | | | | | | | | | | | 1 | | 1 | | | 8 1.0 | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Infiltration Cellular, Histiocyte | | | 2 | | 3 | 2 | 1 | 2 | 1 | 2 | | | | | | | 2 | | | 20 1.6 | |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | 1 | 1 2.0 | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Foreign Body | | | | | | X | | | | | | | | | | | | | | 1 | |
| Hyaline Droplet | | | | 2 | | 3 | | | | | 2 | | | | | | 3 | | | 5 2.4 | |
| Inflammation, Suppurative | | | | | 3 | | | | | | | | | 2 | | | | | | 4 2.3 | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | 1 2.0 | |
| Goblet Cell, Hyperplasia | | | | | 3 | 3 | | | | | | | | | | | | | | 3 2.7 | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | 45 | |
| Cataract | | | | | | | | | | | | | | | | | | | | 1 4.0 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.35 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|---------------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
6
8
4 | 0
4
9
4 | 0
7
3
7 | 0
5
2
6 | 0
7
3
7 | 0
7
1
6 | 0
7
3
7 | 0
7
3
7 | 0
3
6
5 | 0
7
1
8 | 0
4
3
6 | 0
7
3
7 | 0
7
2
3 | 0
6
9
7 | 0
5
5
6 | 0
6
9
6 | 0
6
6
1 | 0
6
2
8 | 0
7
1
8 | 0
5
5
8 | | 0
5
8
5 | 0
7
3
7 |
| ANIMAL ID | 0
1
1
3
2 | 0
1
1
4
1 | 0
1
1
4
2 | 0
1
1
5
1 | 0
1
1
1
2 | 0
1
1
5
6 | 0
1
1
6
2 | 0
1
1
6
7 | 0
1
1
7
1 | 0
1
1
7
2 | 0
1
1
7
1 | 0
1
1
7
2 | 0
1
1
9
1 | 0
1
1
9
8 | 0
1
1
9
1 | 0
2
0
0
1 | 0
2
0
0
1 | 0
2
3
1
2 | 0
2
3
3
2 | 0
2
3
3
1 | 0
2
3
3
2 | 0
2
3
4
1 | 0
2
3
4
2 |
| Bilateral, Retina, Degeneration | 2 | | | | | | | | | | | | | | | | | | | | 2 2.0 | | |
| Retina, Degeneration | 1 | | | | | | | | | | | | | | | | | | | | 6 1.8 | | |
| Harderian Gland | + | | | | | | | | | | | | | | | | | | | | 47 | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | 2 1.5 | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | 2 2.0 | | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | 1 3.0 | | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | | | | | | | | | | | | | | | | | | | | 47 | | |
| Cyst | | | | | | | | | | | | | | | | | | | | | 4 1 4.0 | | |
| Hyaline Droplet | | | | | | | | | | | | | | | | | | | | | 1 4.0 | | |
| Infarct | | | | | | | | | | | | | | | | | | | | | 4 1 4.0 | | |
| Mineralization | 2 1 2 1 1 1 1 1 1 2 2 1 2 1 2 1 1 1 1 | | | | | | | | | | | | | | | | | | | | 36 1.3 | | |
| Nephropathy | 2 1 1 2 1 2 2 3 2 3 1 2 2 1 2 2 1 1 2 | | | | | | | | | | | | | | | | | | | | 32 1.9 | | |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | 1 3.0 | | |
| Urinary Bladder | + | | | | | | | | | | | | | | | | | | | | 47 | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | | |
|--|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | | | 0
7
3
7 | 0
7
3
7 |
| | 0
0
3
1
1 | 0
0
3
1
2 | 0
0
3
2
1 | 0
0
3
3
2 | 0
0
3
3
2 | 0
0
3
3
4 | 0
0
3
3
2 | 0
0
3
3
4 | 0
0
3
3
1 | 0
0
3
3
5 | 0
0
3
3
6 | 0
0
3
3
7 | 0
0
3
3
7 | 0
0
3
3
7 | 0
0
3
3
7 | 0
0
3
3
7 | 0
0
3
3
7 | 0
0
3
3
7 | 0
0
3
3
7 | 0
0
3
3
7 | 0
0
3
3
7 | 0
0
3
3
7 | 0
0
3
3
7 | 0
0
3
3
7 |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | A | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | A | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | A | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | A | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | A | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | |
| Basophilic Focus | | | | | | | | | | | | | | X | | | | | | | | | | |
| Basophilic Focus, Multiple | X | X | | | X | | X | X | X | | X | X | X | | X | X | X | X | X | X | X | | X | X |
| Deformity | | | | | | | | | | | | | X | | | | | | | | | | | |
| Degeneration, Cystic | | | | | | | | | 1 | | | | | | | | 2 | | | | | | | |
| Eosinophilic Focus | | | | | | | | X | | | | X | | | | | | | X | | | | | |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | | | |
| Hypertrophy | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | | | | | | 2 | | 2 | | | | | | 2 | 2 | 2 | | | 2 | 2 | 2 |
| Mixed Cell Focus | | | | | | | | | | | | X | | | | | | | X | | | | | |
| Mixed Cell Focus, Multiple | | | | | | | | | | | | | X | | | | X | | | | | | | X |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|--|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|----------------------|
| | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | | |
| ANIMAL ID | 00311 | 00312 | 00313 | 00314 | 00315 | 00316 | 00317 | 00318 | 00319 | 00320 | 00321 | 00322 | 00323 | 00324 | 00325 | 00326 | 00327 | 00328 | 00329 | 00330 | 00331 | 00332 | 00333 | | |
| Vacuolization Cytoplasmic Bile Duct, Hyperplasia | 3 | 2 | 4 | 2 | 4 | 4 | | 2 | | | | | | | | | 2 | | | | 4 | 2 | | | |
| Hepatocyte, Degeneration | 2 | | 2 | 4 | 2 | 4 | | | | | | 2 | 3 | | | | 2 | | | 4 | | 3 | 4 | | |
| Hepatocyte, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | | + | | |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epithelium, Hyperplasia | + | | + | | | | | | | | | | | | | | | | | | | | 2 | | |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | |
| Acinus, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| | 3 | 3 | 2 | 4 | 2 | | | 2 | 2 | | | | | | 2 | | 1 | | | 2 | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | 4 | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | 4 | | |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | 4 | | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 3 | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | A | + | + | + | + | | |
| Tongue | | | | | | | | | | | | | | | | | | | | | | | + | | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | |
|--|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------|-----------------------|------------------|
| | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | | | 0
7
3
7 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0
0
3
1
1 | |

Cardiomyopathy
Thrombosis

2 2 2 2 2 2 3 2 2 2 2 2 2 2 2 2 2 2 1 2 2 3

ENDOCRINE SYSTEM

Adrenal Cortex
 Angiectasis
 Cyst
 Degeneration, Cystic
 Hypertrophy
 Pigmentation
 Vacuolization Cytoplasmic

+
 2
 3 2 3 2 3

Adrenal Medulla
Hyperplasia

+ + + + + + + M + + + + + + + + + + + + + + + + + +
 2 2 1

Islets, Pancreatic

+ +

Parathyroid Gland
Hyperplasia

+ +

Pituitary Gland
 Pars Distalis, Cyst
 Pars Distalis, Hyperplasia

+
 3 4 2 4 3 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4

Thyroid Gland
 C-cell, Hyperplasia
 Follicular Cell, Hyperplasia

+ + + + + + + + + + + + + + + + + A + + + + + + + +
 1 2 3 3 1

GENERAL BODY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| | | DAY ON TEST | | | | | | | | | | | | | | | | | | | | females
(cont...) | |
|--|-----------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | 7 |
| FISCHER 344 RATS-NCTR RATS
FEMALE | | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 7 | 8 | 3 | 4 | 2 | 2 | 4 | 3 | 3 | 6 | 3 | |
| | | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 3 | 1 | 7 | 3 | 5 | 2 | 3 | 7 | 7 | 0 | 7 | 4 |
| 0.175 GLYCID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 0 | 1 | |
| | | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 | 5 | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 9 | 0 | 1 | 1 | |
| | | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | |

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | 1 | | | | | | | | | | | |
| Inflammation, Suppurative | | | | | | 2 | 4 | 4 | | | | | 4 | 4 | | | | | 4 | 2 | | 4 |
| Inflammation, Chronic Active | 2 | | 4 | | | | | | | | | | | | | | | 4 | | | | 4 |
| Acinus, Degeneration | 3 | | | | | | | | | | | | 4 | 4 | | | 4 | 3 | | | | 3 |
| Duct, Ectasia | | | 3 | 4 | 2 | 4 | 4 | | 3 | | | 4 | 4 | 3 | | | 3 | | 4 | 3 | | 2 |
| Epithelium, Hyperplasia | | | 3 | | | | | | | | | | | | | | | | | | | 2 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Atrophy | 2 | 2 | 4 | 3 | 3 | 2 | 1 | 3 | 2 | | | 2 | 3 | 3 | 3 | 4 | 2 | 2 | | 3 | 2 | 1 |
| Cyst | | | | | | | | | | | | | | | 2 | | | | | | | 2 |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | 4 |
| Cyst | | | | | 2 | | | | 4 | | | | | | | | | | | | | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | 4 |
| Endometrium, Hyperplasia, Cystic | | | 2 | | | | | | | | | 2 | | 2 | | 2 | 4 | | | 2 | | 1 |
| Lumen, Dilatation | | | | | 2 | | | | | | | | 3 | | 4 | | | | | | | |
| Vagina | | | | | | | | | | | | | | | | | | | | | | |
| Prolapse | | | | | | | | | | | | | | | | | | | | | | |
| Lumen, Dilatation | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) |
|--|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------|----------------------|
| | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | | |
| Hyperplasia | 3 | | | | | | | | | | | | 2 | | | | | | | | | | | | | |
| Lymph Node | + | | | + | | | + | | | | + | | + | | | | | | | | | | | + | | |
| Lumbar, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinal, Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinal, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinal, Pigmentation | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreatic, Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreatic, Sinus, Dilatation | 2 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | | 3 | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | | 3 | |
| Infiltration Cellular, Plasma Cell | | 2 | 2 | | 3 | | 3 | | 2 | | 3 | 3 | | 2 | | 3 | | 4 | | | | | | | | |
| Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hyperplasia, Lymphoid | 2 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Mast Cell | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Plasma Cell | | | 2 | | | | 2 | | | | | | | | | | | | | | | | | | 2 | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Congestion | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | | | 3 | |
| Hematopoietic Cell Proliferation | | | | | | | 2 | 2 | | | | | | | | | | | | | | | | | 4 | |
| Hemorrhage | 4 | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Hyperplasia, Stromal | | | 4 | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| | | DAY ON TEST | | | | | | | | | | | | | | | | | | | | females
(cont...) | | |
|--|--|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|------|------|
| FISCHER 344 RATS-NCTR RATS
FEMALE | | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | | 07 | 07 |
| 0.175 GLYCID | | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | | 0037 | 0037 |
| ANIMAL ID | | 0031 | 0032 | 0033 | 0034 | 0035 | 0036 | 0037 | 0038 | 0039 | 0040 | 0041 | 0042 | 0043 | 0044 | 0045 | 0046 | 0047 | 0048 | 0049 | 0050 | 0051 | 0052 | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain, Cerebellum | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | |
| Gliosis | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain, Cerebrum | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Gliosis | | 4 | | | | | | | | | | | | | | | | | | | | | | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | |
| Ventricle, Dilatation | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Ventricle, Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | |
| Peripheral Nerve, Sciatic | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Axon, Degeneration | | | 1 | 1 | 1 | 1 | 1 | | 1 | 1 | | | 1 | 1 | | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | |
| Spinal Cord, Cervical | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Axon, Degeneration | | 1 | 1 | 1 | 1 | 1 | | | 1 | | | | 1 | | | | 1 | 1 | 1 | | | | 1 | |
| Nerve, Degeneration | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Spinal Cord, Lumbar | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | |
| Gliosis | | | | | | | | | | 1 | | | | | | | | | | | | | | |
| Axon, Degeneration | | | | | | | | | | | | | 1 | | | | | 1 | | | | | 1 | |
| Meninges, Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | | |
| Nerve, Degeneration | | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | 2 | 2 | 1 | | | 2 | 1 | 1 | | 1 | 1 | |
| Spinal Cord, Thoracic | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | |
| Axon, Degeneration | | 1 | | | 1 | 1 | | | 1 | 1 | | | 1 | | | | 1 | 1 | | | 1 | | 1 | |
| Meninges, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | |
| Nerve, Degeneration | | 1 | | | | | | | 1 | | | | 1 | | | | | | 1 | | 1 | | 2 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | | | |
|--|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------|----------------------|------------------|------------------|----------------------|
| | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | | | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 00311 | females
(cont...) |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 00312 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 00313 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 00314 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 00315 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 00316 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 00317 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 00318 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 00319 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 00320 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 00321 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 00322 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 00323 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 00324 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 00325 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 00326 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 00327 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 00328 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 00329 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 00330 | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Infiltration Cellular, Histiocyte | 2 | 2 | 2 | | 2 | | 2 | 3 | | | | 2 | 2 | | | 1 | | | | | 3 | 2 | 1 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | 3 | | |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyaline Droplet | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Inflammation, Suppurative | | | | | | | | 3 | | | | | | | | | | | | | | | |
| Goblet Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | A | + | + | + | + | + |
| Bilateral, Cataract | | | | | | | | | | | | | | | | | | | | | | | |
| Bilateral, Retina, Degeneration | | 2 | | | | 2 | | | | | | | | | | | | | | | | 3 | |
| Retina, Degeneration | | | | | 4 | | | | | | 1 | | | | | | 3 | | | | 2 | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | | |
| Acinus, Degeneration | | | | | | | | 3 | | | | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyaline Droplet | | | | | | | | 4 | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.175 GLYCID | DAY ON TEST | | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) | | | |
|--|-------------|------|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|------|---|---|
| | 0737 | 0737 | 0737 | 0737 | 0737 | 0737 | 0737 | 0737 | 0737 | 0737 | 0737 | 0737 | 0737 | 0737 | 0737 | 0737 | 0737 | 0737 | 0737 | 0737 | 0737 | 0737 | 0737 | 0737 | 0737 | 0737 | | 0737 | | |
| Mineralization | 1 | 1 | 1 | 2 | 1 | | 1 | | | 1 | 1 | 1 | 1 | 2 | 1 | 1 | | 1 | | 1 | 1 | 1 | | 1 | | 1 | 1 | 1 | | 1 |
| Nephropathy | 1 | 1 | 2 | | 2 | 2 | 1 | 4 | 2 | | | 4 | 1 | | 2 | 4 | 2 | 3 | | 2 | 3 | 2 | 1 | 3 | 4 | | | | | |
| Urinary Bladder
Lumen, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|
| | 0673 | 0683 | 0666 | 0564 | 0674 | 0777 | 0777 | 0777 | 0777 | 0554 | 0551 | 0733 | 0555 | 0777 | 0777 | 0669 | 0669 | 0773 | 0773 | 0773 | |
| ANIMAL ID | 01032 | 01142 | 01142 | 01151 | 01152 | 01152 | 01152 | 01152 | 01152 | 01152 | 01152 | 01152 | 01152 | 01152 | 01152 | 01152 | 01152 | 01152 | 01152 | 01152 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Large, Cecum | A | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | 44 |
| Intestine Large, Colon | A | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | 44 |
| Intestine Large, Rectum | A | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | 45 |
| Intestine Small, Duodenum | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 45 |
| Intestine Small, Ileum | A | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | 44 |
| Intestine Small, Jejunum | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 45 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Angiectasis | | | | | | | 4 | | | | | | | | | | | | | | | | 1 4.0 |
| Basophilic Focus | | | | | | | | | | | X | | | | | | | | | | | | 2 |
| Basophilic Focus, Multiple | | | | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | | X | X | 36 |
| Deformity | | | | X | | | | | | | | | | | X | | | | | | X | | 4 |
| Degeneration, Cystic | | | | | | | | | | | | | 3 | | | | | | | | | | 3 2.0 |
| Eosinophilic Focus | | | | | | | X | | | | | | X | | | | | | | | | | 5 |
| Hematopoietic Cell Proliferation | | | | | | | | | | | 1 | | | | | | | | | | | | 1 1.0 |
| Hypertrophy | 4 | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Inflammation, Chronic Active | | | | | | 2 | | 2 | | 1 | 2 | | | 2 | 2 | | | 2 | | | 3 | | 18 2.1 |
| Mixed Cell Focus | | | | | | | | | | | X | | X | | | | | | | X | | | 6 |
| Mixed Cell Focus, Multiple | | | | | | | | X | | | | | | | | | | X | | | | | 6 |
| Necrosis | | | | | | 4 | | | | | | | | | | | | | | | | | 1 4.0 |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|--|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|------|
| | 0673 | 0683 | 0666 | 0564 | 0678 | 0777 | 0777 | 0777 | 0777 | 0554 | 0554 | 0735 | 0555 | 0777 | 0777 | 0666 | 0666 | 0777 | 0666 | 0777 | | 0777 | 0777 |
| ANIMAL ID | 01032 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | |
| Vacuolization Cytoplasmic
Bile Duct, Hyperplasia | 4 | 4 | 4 | | 3 | | | | | | | | | 3 | | | 3 | | 2 | | 4 | | |
| Hepatocyte, Degeneration | 3 | 4 | | | 3 | | 2 | | 2 | | | 1 | | 2 | 2 | | | | | 1 | 4 | 2 | 2 |
| Hepatocyte, Hyperplasia | 4 | 4 | 4 | | | | | | | | | | | | | | | | | | | | |
| Mesentery
Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Oral Mucosa
Epithelium, Hyperplasia | | | | + | | | | | + | | | | | | | | | | | | | + | 5 |
| Pancreas
Acinus, Degeneration | 2 | | | 2 | 2 | 1 | | | | | 1 | | | | | | | | | | 2 | 3 | 48 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Stomach, Forestomach
Inflammation, Chronic Active
Necrosis
Ulcer
Epithelium, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Stomach, Glandular | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 45 |
| Tongue | | | | | | | | | | | | | | | | | | | | | | | 1 |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | |
|--|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|------|------|----|-----|
| | 0673 | 0683 | 0666 | 0654 | 0664 | 0674 | 0677 | 0677 | 0677 | 0677 | 0659 | 0655 | 0675 | 0655 | 0677 | 0677 | 0666 | 0666 | 0677 | 0666 | | 0677 | 0677 | 0677 | | |
| ANIMAL ID | 010 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 012 | 012 | 012 | 012 | 012 | 012 | 012 | 012 | | |
| Cardiomyopathy | | 2 | | 1 | 2 | | | 2 | 2 | 2 | 1 | 1 | 2 | 1 | 3 | 2 | 2 | | 2 | 2 | 2 | 2 | 3 | 1 | 38 | 1.9 |
| Thrombosis | 2 | | | | | | | | | | | | | | | | | | | | | | | | 2 | 3.0 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|-----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Angiectasis | | | | | | | | | | | | | | | | 4 | 3 | | | | | | | | 2 | 3.5 |
| Cyst | | | | | | | | | | | 2 | | | | | | | | | | | | | | 1 | 2.0 |
| Degeneration, Cystic | | | | | | | | | | | | | | | | | | | | | | 2 | | | 1 | 2.0 |
| Hypertrophy | | | | | | | | | | | | | | | | | | | | | | | | | 4 | 2.0 |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | 2 | | | 1 | 2.0 |
| Vacuolization Cytoplasmic | 2 | 1 | 4 | | | | | | | | | | 2 | | | | | 2 | | 2 | | | | 12 | 2.3 | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 1 | | 4 | 1.5 | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Hyperplasia | | | | | 2 | | | | | | | | | | | | | | | | | 2 | | 2 | 2.0 | |
| Pituitary Gland | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | |
| Pars Distalis, Cyst | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Pars Distalis, Hyperplasia | | | | | 2 | | | 4 | | | | | | 3 | | | 4 | 4 | | | 4 | | | 12 | 3.3 | |
| Thyroid Gland | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 | | |
| C-cell, Hyperplasia | | | | | | 1 | | 1 | 2 | 1 | 1 | 1 | | 1 | 1 | | 1 | | 1 | | | 1 | 1 | 24 | 1.3 | |
| Follicular Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | 1.0 | |

GENERAL BODY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|------|
| | 0673 | 0683 | 0666 | 0564 | 0674 | 0777 | 0777 | 0777 | 0777 | 0554 | 0551 | 0733 | 0553 | 0773 | 0669 | 0669 | 0773 | 0669 | 0773 | 0773 | | 0773 |
| ANIMAL ID | 01032 | 01131 | 01131 | 01131 | 01131 | 01131 | 01131 | 01131 | 01131 | 01131 | 01131 | 01131 | 01131 | 01131 | 01131 | 01131 | 01131 | 01131 | 01131 | 01131 | 01131 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|-----|-----|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | 1 | 1.0 | |
| Inflammation, Suppurative | 2 | | | | | | | 2 | | 3 | | 2 | 3 | 4 | | | | | 2 | | 2 | | 17 | 2.9 | |
| Inflammation, Chronic Active | | | 2 | | | | 3 | | | | | | | | | | 3 | 3 | | | | | 8 | 3.1 | |
| Acinus, Degeneration | | 3 | 2 | | | | 3 | 2 | | 3 | | | | | | | 3 | 2 | | | 2 | | 15 | 3.0 | |
| Duct, Ectasia | 3 | | | 3 | 3 | | | | | 4 | | | 3 | 4 | 4 | | 4 | | 4 | | 3 | 4 | | 25 | 3.4 |
| Epithelium, Hyperplasia | | | | | | | | | 4 | | | | | | | | | | | | | | 2 | 3.5 | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Atrophy | 4 | 3 | 2 | 3 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 2 | 2 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | | 44 | 2.5 |
| Cyst | | | | | | | | | | | | | | | | | 4 | | | | | | 2 | 3.0 | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | |
| Cyst | | | | 3 | | | | | | | | 3 | | 4 | | | | | | | | | 5 | 3.2 | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | |
| Endometrium, Hyperplasia, Cystic | | 3 | | | | | | 2 | | 1 | | | | | | | | 3 | | 2 | 2 | | 14 | 2.2 | |
| Lumen, Dilatation | | | 2 | | | | | | | | | | 4 | 2 | | | | | | | | | 6 | 2.8 | |
| Vagina | | + | + | | | | | | | | | | | | | | | | | | | 4 | | | |
| Prolapse | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Lumen, Dilatation | | 4 | 4 | | | | | | | | | | | | | | | | | | | | 3 | 4.0 | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|
| | 0673 | 0683 | 0666 | 0564 | 0678 | 0777 | 0777 | 0777 | 0777 | 0554 | 0554 | 0753 | 0553 | 0777 | 0666 | 0666 | 0777 | 0666 | 0777 | 0777 | |
| ANIMAL ID | 01032 | 01132 | 01132 | 01132 | 01132 | 01132 | 01132 | 01132 | 01132 | 01132 | 01132 | 01132 | 01132 | 01132 | 01132 | 01132 | 01132 | 01132 | 01132 | 01132 | |
| Hyperplasia | | | | | | 2 | | | | | 2 | | | 3 | | | 2 | | | 2 | 7 2.3 |
| Lymph Node | | + | + | + | | | + | | | | | | | + | | + | | | + | | 15 |
| Lumbar, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | 2 | | | | | | 1 2.0 |
| Lumbar, Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | 2 | | | | | | 1 2.0 |
| Mediastinal, Hemorrhage | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Mediastinal, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | 2 | | | 1 2.0 |
| Mediastinal, Pigmentation | | | 2 | | | | | | | | | | | | | | | | | | 1 2.0 |
| Pancreatic, Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | 3 | | | | | | 1 3.0 |
| Pancreatic, Sinus, Dilatation | | | 2 | | | | | | | | | | | | | | | | | | 2 2.0 |
| Renal, Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | 3 | | | | | | 1 3.0 |
| Renal, Sinus, Dilatation | | | | | | | 2 | | | | | | | | | | | | | | 2 2.5 |
| Lymph Node, Mandibular | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Hemorrhage | | | | | | | | | | | | | | | 3 | | | | | | 1 3.0 |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | 3 | | | | | 1 3 | 7 2.6 |
| Infiltration Cellular, Plasma Cell | | 4 | | | | | 2 | 2 | | | | | | 3 | | 3 | 3 | | 2 | 3 | 18 2.7 |
| Sinus, Dilatation | | | | 2 | | | | | | | | | | | | | | | | 2 | 3 2.0 |
| Lymph Node, Mesenteric | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Hyperplasia, Lymphoid | | | | | | | 1 | | | | | | | | | | | 2 | | | 6 1.8 |
| Infiltration Cellular, Mast Cell | | | | | | | | | | | | | | | | | 2 | | | | 1 2.0 |
| Infiltration Cellular, Plasma Cell | | 3 | | | | | | | | | | | 2 | | | 3 | | | | | 6 2.3 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Congestion | | | | | | | | | | | | | | 4 | | | | | | | 1 4.0 |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | 3 3.0 |
| Hematopoietic Cell Proliferation | | | | | | 3 | | | | | | 4 | 2 | 4 | | 1 | 4 | | 3 | | 9 2.8 |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Hyperplasia, Stromal | | | | | | | | | | | | | | | | | | | | | 1 4.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|--|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|--------|--------|
| | 0673 | 0683 | 0666 | 0564 | 0674 | 0777 | 0777 | 0777 | 0777 | 0554 | 0551 | 0733 | 0553 | 0773 | 0773 | 0669 | 0669 | 0773 | 0669 | 0773 | | 0773 | 0773 |
| ANIMAL ID | 01032 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | 0114 | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Pigmentation | | | | | | | | | 3 | 2 | | | | | 3 | | | 3 | 2 | 3 | | 2 2 | 20 2.7 |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 45 |
| Atrophy | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 3 | 4 | 4 | 3 | 4 | 4 | 4 | 3 | 4 | 4 | 4 | 4 | 4 | 41 3.8 |
| Cyst Multilocular | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Galactoceles | | | | | | 4 | | 4 | 4 | 4 | | | | | 4 | | | 4 | | 4 | | 12 4.0 | |
| Lactation | | | | | 2 | | | | | | | | | | | | | | | | | 2 | 3 2.0 |
| Alveolus, Hyperplasia | | | | | 2 | | | | | | | | | | | | | | | | | | 2 2.0 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Cyst Epithelial Inclusion | | | | | | X | | | | | | | | | | | | | | | | | 2 |
| Ulcer | | | | | | | | | 2 | | | | | | | | | | | | | | 1 2.0 |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Bone, Femur | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Brain, Brain Stem | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Compression | | 2 | | | | | | | | 2 | 4 | | 2 | | | | | | 3 | | 4 | | 12 2.8 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | |
|--|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----------|-----|-----|-----|-----|-----|
| | 063 | 068 | 066 | 056 | 064 | 077 | 077 | 077 | 077 | 055 | 055 | 077 | 055 | 077 | 077 | 066 | 066 | 077 | 066 | 077 | | 077 | 077 | | | |
| ANIMAL ID | 010 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 022 | 022 | 022 | 022 | 022 | 022 | 022 | | | | |
| Hemorrhage | 1 | | | | | | | | | 4 | | | 2 | | | | | | | | | | 3 | 2.3 | | |
| Brain, Cerebellum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | | |
| Gliosis | | | | | | | | | | | | | | | | | | | | | | | 1 | 1.0 | | |
| Hemorrhage | 1 | | | | | | | | | | | | | | | | | | | | | | 1 | 1.0 | | |
| Brain, Cerebrum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Gliosis | | | | | | | | | | 3 | | | 2 | | | | | | | | | | 3 | 3.0 | | |
| Hemorrhage | | | 1 | | 1 | | | | | | | | 2 | | | | | | | | | | 3 | 1.3 | | |
| Ventricle, Dilatation | | | | | | | | | | | | | | | | | | | | 3 | | | 2 | 2.5 | | |
| Ventricle, Hemorrhage | | | | | | | | | | 4 | | | | | | | | | | | | | 1 | 4.0 | | |
| Peripheral Nerve, Sciatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Axon, Degeneration | | 2 | 1 | | | 1 | 1 | 1 | 1 | | | | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 32 | 1.0 | | |
| Spinal Cord, Cervical | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Axon, Degeneration | | 1 | 1 | | 1 | 1 | | | 1 | | | | 1 | | 1 | 1 | 1 | 1 | | | | 1 | 25 | 1.0 | | |
| Nerve, Degeneration | | | | | | | | 1 | | | | | | | | | | | | | | 1 | 3 | 1.0 | | |
| Spinal Cord, Lumbar | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | | |
| Gliosis | | | | | | | | | | | | | | | | | | | | | 2 | | 2 | 1.5 | | |
| Axon, Degeneration | | | | | | | | | | | | | | | 1 | | 1 | | | | | | 5 | 1.0 | | |
| Meninges, Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | 2 | | 1 | 2.0 | | |
| Nerve, Degeneration | | 2 | | | 1 | 1 | 2 | 1 | 1 | 1 | | | 1 | 1 | 2 | 1 | 2 | 1 | | 1 | 1 | 1 | 2 | 1 | 35 | 1.3 |
| Spinal Cord, Thoracic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | | |
| Hemorrhage | | | | | | | | | | | | | 1 | | | | | | | | | | 1 | 1.0 | | |
| Axon, Degeneration | | | | | | | | 1 | | | | | | | 1 | | 1 | | 1 | 1 | | 1 | 1 | 18 | 1.0 | |
| Meninges, Hyperplasia | | | | | | | | | | | | | | 1 | | | | | | | | | | 1 | 1.0 | |
| Nerve, Degeneration | | 1 | | | | | 1 | | | | | | | | | | | | | | | | | 8 | 1.1 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|
| | 0673 | 0683 | 0666 | 0564 | 0674 | 0773 | 0773 | 0773 | 0773 | 0554 | 0554 | 0733 | 0553 | 0733 | 0691 | 0667 | 0676 | 0763 | 0771 | 0773 | |
| ANIMAL ID | 01032 | 01142 | 01142 | 01151 | 01151 | 01151 | 01151 | 01151 | 01151 | 01151 | 01151 | 01151 | 01151 | 01151 | 01151 | 01151 | 01151 | 01151 | 01151 | 01151 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|-----|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Infiltration Cellular, Histiocyte | | | 2 | | | 4 | | 2 | 4 | 1 | 1 | 1 | | 2 | | 2 | 2 | | | | 1 | 2 | | 24 | 2.0 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |
| Alveolar Epithelium, Hyperplasia | | | | | | 4 | | | | 3 | | | | | | 3 | | | | | | | | 3 | 3.3 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Hyaline Droplet | | | | | | | 3 | | | | | | | | | | | | | | | | | 2 | 2.5 |
| Inflammation, Suppurative | | | | | | 3 | | | | | | | | | | | | | | | | | | 2 | 3.0 |
| Goblet Cell, Hyperplasia | | | | | | 3 | | | | | | | | | | | | | | | 2 | | | 2 | 2.5 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|-----|
| Eye | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 45 | | |
| Bilateral, Cataract | | | | | | | | | | | | 4 | | | | | | | | | | | | 1 | 4.0 |
| Bilateral, Retina, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | 3 | 2.3 |
| Retina, Degeneration | | | | 1 | | | | | | | | 4 | | | | | | | | | | | | 6 | 2.5 |
| Harderian Gland | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | 1 | | | | | | 1 | 1.0 |
| Pigmentation | | | | | | | | | | | | | | | | | | | | 2 | | | | 1 | 2.0 |
| Acinus, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|-----|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Hyaline Droplet | | | | 3 | | | | | | | | | | | | | | | | | | | | 2 | 3.5 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.175 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | |
|--|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----------|-----|-----|------------|-----------|
| | 063 | 067 | 066 | 056 | 064 | 074 | 077 | 077 | 077 | 077 | 055 | 055 | 073 | 055 | 073 | 077 | 066 | 066 | 077 | 067 | | 077 | 077 | 077 | 077 |
| ANIMAL ID | 010 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 022 | 022 | 022 | 022 | 022 | 022 | 022 | 022 | 022 |
| Mineralization | 1 | | 1 | | | | 1 | 1 | | 1 | | | | | 1 | | | | 2 | | 1 | 1 | 2 | 1 | 29 |
| Nephropathy | | 1 | | | | 2 | 1 | 2 | 2 | 2 | 1 | 2 | 1 | 1 | 2 | 1 | 1 | | 3 | 2 | 3 | 1 | 2 | 38 | |
| Urinary Bladder
Lumen, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| | | | | | | | | | | | | | | | | | | | | | | | | 3.0 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| DAY ON TEST | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | | | | | | | |
|--|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|------|------|------|------|------|------|------|
| | 0596 | 0737 | 0611 | 0495 | 0488 | 0778 | 0778 | 0571 | 0732 | 0777 | 0775 | 0484 | 0774 | 0774 | 0663 | 0744 | 0668 | 0773 | 0773 | 0773 | | | 0673 | 0753 | 0773 | 0773 | 0673 | 0737 |
| FISCHER 344 RATS-NCTR RATS FEMALE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.0875 GLYCID | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0046 | 0047 | 0041 | 0044 | 0044 | 0044 | 0044 | 0044 | 0055 | 0055 | 0066 | 0066 | 0066 | 0066 | 0066 | 0066 | 0066 | 0077 | 0077 | 0077 | 0122 | 0122 | 0122 | 0166 | 0177 | 0188 | 0188 | |
| females (cont...) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum Lumen, Dilatation | + 3 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Duodenum | + | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basophilic Focus, Multiple | X | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Congestion | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Deformity | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Degeneration, Cystic | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eosinophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eosinophilic Focus, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Granuloma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | 2 2 1 2 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mitotic Alteration | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mixed Cell Focus | X | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) |
|---|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|--|-----------|----------------------|
| | 0
5
9
6 | 0
7
3
7 | 0
6
1
1 | 0
4
8
5 | 0
4
8
8 | 0
7
3
7 | 0
7
3
8 | 0
5
7
1 | 0
7
3
2 | 0
7
3
7 | 0
4
8
5 | 0
7
4
3 | 0
7
4
3 | 0
6
3
0 | 0
7
4
3 | 0
6
8
0 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
6
3
3 | 0
7
5
3 | 0
7
3
7 | 0
7
3
7 | | | |
| Mixed Cell Focus, Multiple Necrosis | X | | | | | | | | X | | | | | | | | X | | X | | | X | | | | |
| Pigmentation | | | | | | | | | | | 4 | | | | | | 2 | | 1 | | | | | | | |
| Vacuolization Cytoplasmic | | | | | | | | | | | | 3 | | | | | | | | | | 4 | | | | |
| Bile Duct, Hyperplasia | | | | | 1 | | | | 2 | 2 | | | | 2 | 4 | | 3 | | 2 | 2 | | 4 | | | | |
| Hepatocyte, Degeneration | | | | | | | | | | | 4 | | | | | | | | | | | 4 | | | | |
| Hepatocyte, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Acinus, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tongue | | | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | | |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------------------|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | |
| | 5 | 7 | 6 | 4 | 4 | 7 | 7 | 5 | 7 | 7 | 7 | 4 | 7 | 7 | 6 | 7 | 6 | 7 | 7 | 7 | | | 7 | 6 |
| | 9 | 3 | 1 | 9 | 8 | 3 | 3 | 7 | 3 | 3 | 0 | 8 | 4 | 4 | 3 | 4 | 8 | 3 | 3 | 3 | 3 | 5 | 3 | 3 |
| | 6 | 7 | 1 | 5 | 8 | 8 | 7 | 1 | 2 | 7 | 5 | 4 | 3 | 3 | 0 | 3 | 0 | 7 | 7 | 7 | 7 | 3 | 7 | 7 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 2 | 2 | 2 | 2 |
| | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 9 | 0 | 0 | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 9 | 0 | 0 | 6 | 6 | 7 | 7 |
| | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 |

Follicular Cell, Hyperplasia

2

GENERAL BODY SYSTEM

Tissue NOS

+

GENITAL SYSTEM

Clitoral Gland

+ +

Inflammation, Suppurative

4

3

2

4

Inflammation, Chronic

Inflammation, Chronic Active

2

Necrosis

4

Acinus, Degeneration

3

2

3

4

3

2

2

3

2

3

2

Duct, Ectasia

3

2

3

2

3

4

2

3

4

2

2

3

4

2

2

Epithelium, Hyperplasia

3

Ovary

+ +

Atrophy

2

2

2

2

2

2

4

3

4

2

2

3

4

2

2

2

2

2

2

2

2

2

2

2

2

3

2

2

Cyst

2

Uterus

+ +

Cyst

1

2

Cervix, Fibrosis

3

Endometrium, Hyperplasia, Cystic

1

2

1

2

2

1

Lumen, Dilatation

2

4

Vagina

Inflammation, Suppurative

Lumen, Dilatation

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| DAY ON TEST | FISCHER 344 RATS-NCTR RATS FEMALE | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | | | |
|---------------|-----------------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|----------------------|--------|--------|---|
| | 0596 | 0737 | 0611 | 0495 | 0488 | 0733 | 0733 | 0571 | 0572 | 0733 | 0733 | 0484 | 0744 | 0733 | 0630 | 0744 | 0683 | 0733 | 0733 | 0733 | 0673 | 0733 | 0653 | 0733 | | | 0733 | | |
| 0.0875 GLYCID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 004661 | 1 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 004661 | 1 | |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 2 | 2 | 2 | 2 | 2 | 044671 | 1 | |
| | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 9 | 0 | 0 | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 9 | 0 | 0 | 0 | 0 | 6 | 6 | 7 | 7 | 8 | 066771 | 1 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone Marrow
Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 3 | 2 | 2 | | | |
| Lymph Node
Lumbar, Hyperplasia, Lymphoid
Mediastinal, Fibrosis
Mediastinal, Hemorrhage
Mediastinal, Pigmentation
Mediastinal, Sinus, Dilatation | | | + | | | | | | | | | | | + | | | | | | | | | | | | | + | 3 | | 4 | |
| Lymph Node, Mandibular
Hemorrhage
Hyperplasia, Lymphoid
Infiltration Cellular, Plasma Cell
Sinus, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | 2 | 2 | 2 | |
| Lymph Node, Mesenteric
Erythrophagocytosis
Hemorrhage
Hyperplasia, Lymphoid
Infiltration Cellular, Plasma Cell
Sinus, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | 2 | 2 | |
| Spleen
Accessory Spleen
Fibrosis
Hematopoietic Cell Proliferation
Hyperplasia, Lymphoid | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | 3 | |
| | | | | | | | | | 3 | 2 | | 3 | 3 | 2 | | 1 | 4 | | | | 2 | | | | | 2 | | 3 | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically M .. Missing tissue
 X .. Lesion present A .. Autolysis precludes evaluation
 I .. Insufficient tissue BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|----------------------|
| | 0596 | 0737 | 0611 | 0495 | 0488 | 0778 | 0778 | 0571 | 0772 | 0773 | 0775 | 0484 | 0744 | 0744 | 0633 | 0744 | 0683 | 0733 | 0733 | 0733 | 0733 | 0653 | 0733 | 0773 | | |
| Pigmentation | 2 | 3 | | 2 | 2 | 3 | 2 | | 3 | 2 | 3 | | 2 | 2 | | 2 | | 2 | 2 | 3 | 2 | | 2 | 4 | | |
| Thymus Atrophy | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | | |
| | 3 | 4 | 2 | 2 | 3 | 4 | 4 | 2 | 4 | 4 | 4 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | 4 | 4 | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Mammary Gland Abscess | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Galactoceles | | | | | | | 4 | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lactation | 2 | | 2 | | | | 2 | | | | 2 | | | | | | | | | | | | 3 | | |
| Alveolus, Hyperplasia | 3 | | | | | | 2 | | | | | | 2 | | | | | | | | | | | | |
| Skin Abscess | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | | 4 | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | 3 | | |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 2 | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone, Femur Fibrous Osteodystrophy | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| | | | | | | | | | | | | | | | | | | | | | | | 3 | | |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | | | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
5
9
6 | 0
7
3
7 | 0
6
1
1 | 0
4
9
5 | 0
4
8
8 | 0
7
3
7 | 0
7
3
8 | 0
5
7
1 | 0
7
3
2 | 0
7
3
7 | 0
4
8
4 | 0
7
4
3 | 0
7
4
3 | 0
6
3
0 | 0
7
4
3 | 0
6
8
0 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
6
5
3 | | | 0
7
3
7 | 0
6
3
7 | 0
7
3
7 |
| | 0
0
4
6
1 | 0
0
4
6
2 | 0
0
4
7
1 | 0
0
4
7
2 | 0
0
4
8
1 | 0
0
4
9
2 | 0
0
4
8
1 | 0
0
5
9
2 | 0
0
5
0
1 | 0
0
6
6
2 | 0
0
6
7
1 | 0
0
6
7
2 | 0
0
6
8
1 | 0
0
6
8
2 | 0
0
6
9
1 | 0
0
7
9
2 | 0
0
7
9
2 | 0
0
7
9
2 | 0
0
7
9
2 | 0
1
2
6
1 | 0
1
2
6
2 | 0
1
2
6
1 | 0
1
2
6
2 | 0
1
2
6
1 | 0
1
2
6
1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain, Brain Stem
Compression
Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | 4 | | | | | | 3 | 3 | | | | | | | | | | | | | | | | | |
| Brain, Cerebellum
Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Brain, Cerebrum
Hemorrhage
Ventricle, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| Peripheral Nerve, Sciatic
Axon, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | 1 | 1 | | 1 | 1 | | 1 | 1 | | 1 | | 1 | | 1 | | 1 | | 1 | 1 | | | 1 | 1 |
| Spinal Cord, Cervical
Axon, Degeneration
Nerve, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | 1 | 1 | | | 1 | | | 1 | 1 | | | 1 | | 1 | | | 1 | | 1 | | 1 | 1 | | 1 |
| Spinal Cord, Lumbar
Axon, Degeneration
Nerve, Degeneration
Nerve, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | 1 | | | 1 | | 2 | 1 | 2 | | | 2 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 |
| Spinal Cord, Thoracic
Mineralization
Axon, Degeneration
Nerve, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | 1 | 1 | | | 1 | 1 | | 1 | 1 | | | 1 | | 1 | | 1 | 1 | 1 | | | | | 1 | 1 | |
| | | | 1 | | | | | | | | | | 1 | | | | | | | 1 | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | | |
|---|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|----------------------|------------------|------------------|
| | 0
5
9
6 | 0
7
3
7 | 0
6
1
1 | 0
4
9
5 | 0
4
8
8 | 0
7
3
7 | 0
7
3
8 | 0
5
7
1 | 0
7
3
2 | 0
7
3
7 | 0
4
8
4 | 0
7
4
3 | 0
7
4
3 | 0
6
3
0 | 0
7
4
3 | 0
6
8
0 | 0
7
3
7 | 0
7
3
7 | 0
6
3
7 | 0
7
3
7 | | | 0
6
5
3 | 0
7
3
7 |
| | 0
0
4
6 | 0
0
4
2 | 0
0
4
1 | 0
0
4
2 | 0
0
4
1 | 0
0
4
2 | 0
0
4
1 | 0
0
4
2 | 0
0
5
1 | 0
0
5
2 | 0
0
6
1 | 0
0
6
2 | 0
0
6
1 | 0
0
6
2 | 0
0
6
1 | 0
0
6
2 | 0
0
7
1 | 0
0
7
2 | 0
0
6
1 | 0
0
6
2 | 0
1
2
1 | 0
1
2
1 | 0
1
2
1 | 0
1
2
1 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Histiocyte
Pigmentation
Alveolar Epithelium, Hyperplasia | | 1 | 1 | | | 2 | | | | 2 | 1 | | 1 | 1 | 4 | 1 | 4 | 2 | | 1 | 2 | 2 | | 3 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyaline Droplet
Inflammation, Suppurative
Goblet Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Bilateral, Retina, Degeneration
Retina, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland
Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyaline Droplet
Mineralization
Nephropathy | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|---------------------------------------|
| FISCHER 344 RATS-NCTR RATS
 FEMALE
 0.0875 GLYCID | DAY ON TEST | 0596 | 0737 | 0611 | 0495 | 0488 | 0778 | 0771 | 0572 | 0772 | 0775 | 0484 | 0774 | 0773 | 0630 | 0764 | 0773 | 0773 | 0773 | 0633 | 0753 | 0773 | 0773 | females
 (cont...) |
| | ANIMAL ID | 0461 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0045 | 0045 | 0046 | 0046 | 0046 | 0046 | 0046 | 0046 | 0047 | 0047 | 0047 | 0047 | 0046 | 0047 | 0047 | |
| | | 12 | 11 | 12 | 11 | 12 | 11 | 12 | 11 | 12 | 11 | 12 | 11 | 12 | 11 | 12 | 11 | 12 | 11 | 12 | 11 | 12 | 11 | |

Urinary Bladder

+ +

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|------|
| | 0730 | 0733 | 0737 | 0738 | 0763 | 0772 | 0776 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | | 0777 |
| ANIMAL ID | 01282 | 01191 | 01112 | 01101 | 01111 | 01111 | 01111 | 01111 | 01111 | 01111 | 01111 | 01111 | 01111 | 01111 | 01111 | 01111 | 01111 | 01111 | 01111 | 01111 | 01111 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 48 |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|-------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Intestine Large, Cecum
Lumen, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 1 3.0 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | X | | | 2 | |
| Basophilic Focus, Multiple | X | X | X | X | | X | X | X | | X | X | | X | X | X | X | | X | | X | X | 38 | |
| Congestion | | | | | | | | | | | | | | | | | | | | | | 1 4.0 | |
| Deformity | | | | | | | | | | | | | X | | | | | | X | | | 4 | |
| Degeneration, Cystic | | | | | | | | | | | | | | | | | | | | | | 2 2.0 | |
| Eosinophilic Focus | | | X | | | | | X | X | | X | X | | | | | | | | | | 8 | |
| Eosinophilic Focus, Multiple | | | | X | | | | | | | | | | | | | | | | | | 3 | |
| Granuloma | | | | | | | | | | | | | | | 3 | | | | | | | 3 3.7 | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | 2 | | | | | | | 1 2.0 | |
| Inflammation, Chronic Active | 2 | | | | | | | 1 | | | | | | 1 | | 2 | | 1 | | 2 | 1 | 14 1.6 | |
| Mitotic Alteration | | | | | 3 | | | | | | | | | | | | | | | | | 1 3.0 | |
| Mixed Cell Focus | | | | | | | | | | | X | X | | | X | | | | X | | | 7 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--------|
| | 0
7
3
0 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
6
8
3 | 0
7
2
5 | 0
6
9
0 | 0
7
3
7 | 0
7
3
7 | 0
6
3
5 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
6
3
5 | 0
6
3
7 | 0
5
7
0 | 0
7
3
1 | 0
6
7
1 | 0
7
3
7 | 0
5
2
3 | | 0
7
0
7 | |
| ANIMAL ID | 0
1
2
8
2 | 0
1
2
9
1 | 0
1
2
9
2 | 0
1
3
0
1 | 0
1
3
0
2 | 0
1
5
6
1 | 0
1
5
6
2 | 0
1
5
7
1 | 0
1
5
7
2 | 0
1
5
7
1 | 0
1
5
7
2 | 0
1
5
8
1 | 0
1
5
8
2 | 0
1
6
8
1 | 0
1
6
9
2 | 0
2
2
2
2 | 0
2
2
3
2 | 0
2
2
4
1 | 0
2
2
4
2 | 0
2
2
4
1 | 0
2
2
5
1 | 0
2
2
5
2 | |
| Mixed Cell Focus, Multiple Necrosis | | X | | | | | | | | | | | | X | | | | | | | | | 8 |
| Pigmentation | 2 | | | | 4 | | | 4 | | | | | | | 3 | 4 | | | | | | | 8 3.0 |
| Vacuolization Cytoplasmic | 2 | | | | 4 | | | | | | | | | | 4 | 2 | | | | | | | 4 3.0 |
| Bile Duct, Hyperplasia | 1 | | 1 | 4 | | | | 4 | 2 | 4 | | | | | 3 | | 3 | | 4 | | 3 | | 11 3.2 |
| Hepatocyte, Degeneration | | | | 2 | 3 | | | 2 | 4 | | 2 | | 4 | | | | | 1 | 3 | 1 | | | 19 2.4 |
| Hepatocyte, Hyperplasia | | | | | 4 | | | | | 4 | | | 4 | | | | 3 | | | | | | 6 3.8 |
| | | | | | | | | 4 | | | | | | | | | | | | | | | 1 4.0 |
| Mesentery Fat, Necrosis | | | | | | | | | | | | | | | | + | | | | | + | | 4 |
| | | | | | | | | | | | | | | | | 3 | | | | | 3 | | 4 3.5 |
| Oral Mucosa Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | + | | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Pancreas Acinus, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| | | 1 | | 2 | 2 | 3 | | 1 | | | | | | | 1 | | | | | 3 | 1 | | 18 1.7 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Stomach, Forestomach Inflammation, Chronic Active Ulcer Epithelium, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| | | | | | | | | | | | | | | | | | | | | | 3 | 3 | 3 3.0 |
| | | | | | | | | | | | | | | | | | | | | | 2 | 2 | 2 3.0 |
| | | | | | | | | | | 3 | | | | | | | | | | | 2 | 2 | 3 2.3 |
| Stomach, Glandular Necrosis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| | | | | | | | | | | | | | 3 | | | | | | | | | | 1 3.0 |
| Tongue | | | | | | | | | | | | | | | | | | | | | + | | 1 |

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|---|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-------|------|--------|
| | 0730 | 0737 | 0737 | 0737 | 0673 | 0765 | 0760 | 0777 | 0777 | 0675 | 0777 | 0777 | 0777 | 0777 | 0777 | 0666 | 0570 | 0737 | 0671 | 0737 | | 0570 | 0737 | |
| ANIMAL ID | 01282 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | | |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Cardiomyopathy | 2 | 2 | 2 | 1 | | 1 | 1 | 2 | 2 | | 1 | 2 | | 2 | 1 | 2 | 2 | 1 | 1 | | 2 | 1 | 2 | 39 1.8 |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | | 3 3.7 |
| Endocardium, Hyperplasia | | | | | 2 | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Ventricle, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Angiectasis | 2 | | | | | | | | | | | | | | | | | | | | | | | 3 3.0 |
| Degeneration, Cystic | | | | | | | | | | | | 3 | | | | | | | | | | | | 1 3.0 |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | 2 | | | 1 2.0 |
| Vacuolization Cytoplasmic | | | 3 | | 3 | | 1 | 2 | | | | | 3 | | 2 | 2 | | | | | | 2 | | 13 2.3 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | 45 | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Pars Distalis, Cyst | | | | | | | | | | | | | | | | | | | | | 1 | 4 | | 3 3.0 |
| Pars Distalis, Hyperplasia | | | | | | | 2 | | | | | | 3 | | | | | | | | | 3 | | 7 2.9 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| C-cell, Hyperplasia | 1 | 2 | 2 | 2 | 2 | | 1 | 1 | 1 | | 1 | 1 | 1 | | 2 | | 1 | | | | 2 | 1 | | 27 1.4 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|----|----|
| | 07 | 07 | 07 | 07 | 06 | 07 | 06 | 07 | 07 | 06 | 07 | 07 | 07 | 07 | 07 | 06 | 06 | 05 | 07 | 06 | | 07 | 05 |
| ANIMAL ID | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 |
| | 28 | 29 | 29 | 00 | 00 | 06 | 06 | 07 | 07 | 08 | 08 | 09 | 09 | 00 | 02 | 02 | 03 | 03 | 04 | 04 | 04 | 05 | 05 |
| | 22 | 21 | 22 | 21 | 22 | 21 | 22 | 21 | 22 | 21 | 22 | 21 | 22 | 21 | 22 | 21 | 22 | 21 | 22 | 21 | 22 | 21 | 22 |

Follicular Cell, Hyperplasia

1 2.0

GENERAL BODY SYSTEM

Tissue NOS

1

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|-----|-----|---|-----|
| Clitoral Gland | + | | | | | | | | | | | | | | | | | | | | | | 48 | | | | | |
| Inflammation, Suppurative | 4 | 3 | 3 | 4 | | | | | | | | | | | | | | | | | | | 13 | 3.2 | | | | |
| Inflammation, Chronic | | | | | 3 | | | | | | | | | | | | | | | | | | 1 | 3.0 | | | | |
| Inflammation, Chronic Active | | | | | | 4 | | | | 2 | | | | | | | | 4 | | 3 | | | 5 | 3.0 | | | | |
| Necrosis | | | | | | | | | | | | | | | | | | 4 | | | | | 2 | 4.0 | | | | |
| Acinus, Degeneration | 4 | 3 | | | 4 | 4 | | | 4 | 2 | | | | | | | | 3 | 4 | 4 | | | 21 | 3.0 | | | | |
| Duct, Ectasia | 3 | 2 | 3 | 4 | | | | | | | | | 4 | 4 | 3 | 4 | | 4 | 4 | 3 | | 2 | 21 | 3.1 | | | | |
| Epithelium, Hyperplasia | | | | | | | | | | 3 | | | | | | | | | | | | | 2 | 3.0 | | | | |
| Ovary | + | | | | | | | | | | | | | | | | | | | | | | 48 | | | | | |
| Atrophy | 3 | 1 | 2 | 2 | 3 | 2 | 3 | 3 | 3 | 4 | 2 | 2 | 4 | 2 | | 2 | 3 | 3 | 3 | 2 | 4 | 2 | 2 | 46 | 2.5 | | | |
| Cyst | | | | | 3 | | | | | | | | | | | | | | | | | | 2 | 2.5 | | | | |
| Uterus | + | | | | | | | | | | | | | | | | | | | | | | 48 | | | | | |
| Cyst | | | | 3 | | | | | | | | | | | | | | | | 3 | | | 4 | 2.3 | | | | |
| Cervix, Fibrosis | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 | | | | |
| Endometrium, Hyperplasia, Cystic | | 1 | | | 1 | | 2 | 2 | 2 | | 1 | | 1 | | 1 | 2 | 2 | | | | | | 17 | 1.5 | | | | |
| Lumen, Dilatation | | | | | | | | | | | 2 | | | | | | | | | | | | 3 | 2.7 | | | | |
| Vagina | | | | | | | | | | | | | | | | | | | | | | | 3 | | | | | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | 3 | 1 | 3.0 | | |
| Lumen, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | 4 | 3 | 4 | 3 | 3.7 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-------|
| | 07030 | 07037 | 07073 | 07077 | 07083 | 07085 | 07090 | 07093 | 07097 | 07103 | 07107 | 07113 | 07117 | 07123 | 07127 | 07133 | 07137 | 07143 | 07147 | 07153 | | 07157 |
| ANIMAL ID | 01282 | 01121 | 01111 | 01101 | 01091 | 01081 | 01071 | 01061 | 01051 | 01041 | 01031 | 01021 | 01011 | 01001 | 00991 | 00981 | 00971 | 00961 | 00951 | 00941 | 00931 | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|-----|-----|
| Bone Marrow
Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 6 | 2.3 | |
| Lymph Node
Lumbar, Hyperplasia, Lymphoid
Mediastinal, Fibrosis
Mediastinal, Hemorrhage
Mediastinal, Pigmentation
Mediastinal, Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | 9 | 1 | 3.0 |
| Lymph Node, Mandibular
Hemorrhage
Hyperplasia, Lymphoid
Infiltration Cellular, Plasma Cell
Sinus, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 1 | 2.0 |
| Lymph Node, Mesenteric
Erythrophagocytosis
Hemorrhage
Hyperplasia, Lymphoid
Infiltration Cellular, Plasma Cell
Sinus, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 1 | 3.0 |
| Spleen
Accessory Spleen
Fibrosis
Hematopoietic Cell Proliferation
Hyperplasia, Lymphoid | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 1 | 3.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | |
|---|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|------|---|----|-----|
| | 0730 | 0733 | 0737 | 0738 | 0763 | 0772 | 0776 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | | 0777 | | | |
| ANIMAL ID | 01282 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | 01122 | | | | |
| Pigmentation | 4 | 2 | 3 | | 3 | 3 | 4 | 2 | | | | 2 | | 3 | 3 | 3 | 3 | | 3 | | 2 | 2 | 1 | 34 | 2.5 |
| Thymus Atrophy | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| | 4 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | | 4 | 3 | 4 | 4 | 4 | 4 | 3 | 4 | | 4 | 3 | 4 | 44 | 3.7 |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Abscess | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Galactocele | 4 | 4 | | | | | | | | | | | | | | | | | | | | | | 8 | 4.0 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Lactation | | | | | | | | | | | | | | | | | | | | | | | | 10 | 2.2 |
| Alveolus, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 6 | 2.2 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Abscess | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | 3 | 2.7 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.5 |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.0 |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Bone, Femur | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Fibrous Osteodystrophy | | | | | | | | | | | | | | | | | | | | | | | | 3 | 3.7 |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|---|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-------|------|-----|
| | 0730 | 0737 | 0733 | 0737 | 0673 | 0765 | 0670 | 0777 | 0777 | 0675 | 0777 | 0777 | 0777 | 0777 | 0777 | 0673 | 0667 | 0570 | 0731 | 0677 | | 0572 | 0737 | |
| ANIMAL ID | 01282 | 01199 | 01192 | 01101 | 01111 | 01111 | 01111 | 01111 | 01111 | 01111 | 01111 | 01111 | 01111 | 01111 | 01111 | 01111 | 01111 | 01111 | 01111 | 01111 | 01111 | 01111 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 48 | |
| | 7 | 7 | 7 | 7 | 6 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 6 | 5 | 7 | 6 | 7 | 5 | 7 | 10 |
| | 3 | 3 | 3 | 3 | 8 | 2 | 9 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 7 | 0 | 3 | 1 | 3 | 2 | 3 | 2.9 |
| | 0 | 7 | 7 | 7 | 3 | 5 | 0 | 7 | 7 | 5 | 7 | 7 | 2 | 7 | 7 | 3 | 0 | 9 | 7 | 1 | 7 | 0 | 7 | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|-----|
| Brain, Brain Stem
Compression
Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 10 | 2.9 |
| | 4 | | | | | | 2 | | | 2 | | 2 | | | | | 3 | 2 | | | | 4 | 1 | 2.0 | |
| Brain, Cerebellum
Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 1 | 2.0 |
| | | | | | | | | | | | | | | | | | 2 | | | | | | 1 | 2.0 | |
| Brain, Cerebrum
Hemorrhage
Ventricle, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 1 | 2.0 |
| | | | | | | | | | | | | | | | | | 2 | | | | | | 2 | 1.5 | |
| Peripheral Nerve, Sciatic
Axon, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 24 | 1.0 |
| | | 1 | | | | 1 | 1 | 1 | 1 | | 1 | 1 | | | 1 | 1 | | | | | 1 | 1 | 3 | 1.0 | |
| Spinal Cord, Cervical
Axon, Degeneration
Nerve, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 19 | 1.0 |
| | | | | 1 | 1 | | 1 | 1 | 1 | | 1 | 1 | | | | | | | | | 1 | | 3 | 1.0 | |
| Spinal Cord, Lumbar
Axon, Degeneration
Nerve, Degeneration
Nerve, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 6 | 1.0 |
| | | | | 1 | 1 | | | | | | | | | | | | | | | 1 | | | 35 | 1.3 | |
| | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 2 | 1 | | | 1 | 2 | 2 | 1 | 1 | 1 | | 1 | 1 | | 2 | 1 | 2.0 | |
| Spinal Cord, Thoracic
Mineralization
Axon, Degeneration
Nerve, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 1 | 2.0 |
| | | | | | 1 | | 1 | 1 | 1 | | | 1 | 1 | 1 | 1 | 1 | | | | 1 | 1 | | 26 | 1.0 | |
| | | | | | 1 | | | | 1 | | | | | | | 1 | | | 1 | | | | 7 | 1.0 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.0875 GLYCID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | 07
30 | 07
37 | 07
37 | 07
37 | 06
83 | 07
25 | 06
90 | 07
37 | 07
37 | 06
35 | 07
37 | 07
37 | 07
37 | 07
37 | 07
37 | 06
39 | 06
70 | 05
73 | 06
73 | 05
27 | | 07
37 |
| ANIMAL ID | 01
28
2 | 01
19
2 | 01
19
2 | 01
19
2 | 01
19
2 | 01
19
2 | 01
19
2 | 01
19
2 | 01
19
2 | 01
19
2 | 01
19
2 | 01
19
2 | 01
19
2 | 01
19
2 | 01
19
2 | 01
19
2 | 01
19
2 | 01
19
2 | 01
19
2 | 01
19
2 | 01
19
2 | 01
19
2 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--|--------|-------|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Infiltration Cellular, Histiocyte | 1 | 1 | 2 | | | 2 | 2 | | 1 | 2 | | | | 3 | | | | 1 | | | | 2 | | | 25 1.8 | |
| Pigmentation | | | | | | | | | | | | | | | | 2 | | | | | | | | | 1 2.0 | |
| Alveolar Epithelium, Hyperplasia | | | | | | 2 | | | | | | | | | | | | | | | | | | | 1 2.0 | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Hyaline Droplet | | | | | | 2 | | | 2 | | | 2 | | | | | | 2 | | | | | | | 6 2.0 | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | |
| Goblet Cell, Hyperplasia | | | | | | | | | | | 2 | | | | | | | | | | | | | | 1 2.0 | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--|-------|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | 47 | | |
| Bilateral, Retina, Degeneration | | | | | | | | | 4 | 4 | 1 | | | | | | | | | | | | | | 4 2.8 |
| Retina, Degeneration | 1 | | | | | 2 | | | | | | | 3 | 2 | 4 | | | | | | | | | | 7 2.4 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Infiltration Cellular, Lymphocyte | | | | 1 | | | | | | | | | | | | 1 | | | | | 1 | | | | 5 1.0 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--|--------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Hyaline Droplet | | | | | | | | | | | | | | | | | | | | | | | | | 2 3.0 |
| Mineralization | 1 | 1 | | 1 | 2 | 1 | | | | 1 | 1 | 1 | 2 | 1 | | 1 | 1 | 1 | | 1 | 1 | 1 | | | 33 1.1 |
| Nephropathy | 2 | 1 | 3 | 2 | | 2 | 2 | 3 | 3 | | 1 | 3 | | 2 | | 2 | 2 | 3 | 1 | 2 | 2 | 2 | | | 39 2.2 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
0.0875 GLYCID | DAY ON TEST | | ANIMAL ID | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-------------|------|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|------|
| | 0730 | 0737 | 0737 | 0737 | 0738 | 0735 | 0762 | 0760 | 0767 | 0773 | 0773 | 0773 | 0773 | 0773 | 0773 | 0773 | 0773 | 0773 | 0773 | 0773 | 0773 | 0773 | | 0773 | 0773 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| FISCHER 344 RATS-NCTR RATS
FEMALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | 3 | 3 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 3 | 3 | 3 | 2 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | | |
| | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 9 | 6 | 6 | 7 | 8 | 8 | 9 | 9 | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 9 | 9 | | | |
| | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 1 | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum
Ulcer | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | | | | 4 | | | | | | | | | | |
| Intestine Large, Colon
Goblet Cell, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum
Infiltration Cellular, Lymphocyte
Pigmentation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver
Basophilic Focus, Multiple | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Clear Cell Focus | | | | | | | | | | | | | | | | | | | | | | | | |
| Congestion | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Deformity | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Degeneration, Cystic | | | | | | | | | | | | | | | | | | | | | | | | |
| Eosinophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Eosinophilic Focus, Multiple | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Granuloma | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | |
|---|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|--|-----------|----------------------|--|
| | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
6
1
3 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
6
7
2 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
5
7
9 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | | | | |
| Hepatodiaphragmatic Nodule
Inflammation, Chronic Active
Mixed Cell Focus | | | | | X | | | | | | | | | | | | | | X | | | | | | | | |
| Mixed Cell Focus, Multiple
Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Vacuolization Cytoplasmic
Bile Duct, Hyperplasia
Hepatocyte, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery
Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas
Acinus, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands
Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach
Fibrosis
Inflammation, Chronic Active
Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular
Necrosis
Pigmentation | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Glycidamide
CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
Time Report Requested: 07:40:57
First Dose M/F: 05/30/05 / 05/30/05
Lab: NCTR

| DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | | | | | | | | | | | | | | | | | | | | |
|---------------|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | FISCHER 344 RATS-NCTR RATS FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONTROL WATER | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | 3 | 3 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 2 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 9 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 7 | | |
| | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 9 | 6 | 6 | 7 | 8 | 8 | 9 | 9 | 6 | 6 | 7 | 8 | 8 | 9 | 9 | 6 | 6 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 1 | 1 | 1 | 1 | |
| | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 1 | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cardiomyopathy | 2 | 3 | 2 | 3 | | 1 | 2 | 2 | 3 | 2 | 1 | 3 | 2 | 1 | | 2 | 1 | 2 | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | | |
| Angiectasis | | | | | | | | | | | | | | | | | | | 3 | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Congestion | | | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Degeneration, Cystic | | | 4 | | | | | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hypertrophy | | | | | | | | | | | | | 3 | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Vacuolization Cytoplasmic | | | | 2 | | | | 2 | | 2 | | 3 | | | | | | | | 2 | | | | 2 | | | | | | | | | | | | | | | | | | | 2 | | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | |
| Hyperplasia | | | | | | | | 2 | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Pars Distalis, Cyst | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pars Distalis, Hyperplasia | | | | 2 | | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 3 | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
CONTROL WATER | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ANIMAL ID | females
(cont...) | | |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------------------|---|---|
| | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | | | 7 | 7 |
| | | 3 | 3 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 7 | 9 | 7 | 3 | 3 | 3 | 3 |
| | | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 7 | 3 | 3 | 3 | 2 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 9 | 7 | 7 | 7 | 7 | 7 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 7 |
| | | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 9 | 6 | 6 | 7 | 8 | 8 | 9 | 9 | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 9 | 9 | 9 | 1 | 1 |
| | | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Infiltration Cellular, Polymorphonuclear | | | | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| C-cell, Hyperplasia | 1 | 2 | 1 | 1 | 1 | | 2 | 2 | 3 | 2 | | 1 | 1 | | 3 | 1 | 1 | 2 | | 1 | 2 | | | | | 1 | | |
| Follicular Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 2 | | | | | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Suppurative | | | | 3 | | | | | | | | 2 | 2 | 3 | | | 3 | | | | | | | | 4 | | | |
| Inflammation, Chronic Active | | | | | | | | 2 | | | | | | | | | | | 2 | | | | | | | | | |
| Acinus, Degeneration | | | 4 | | 3 | | 3 | 2 | | | 2 | 3 | | | | | | 3 | | | | | | | 2 | | | |
| Duct, Ectasia | | 4 | 4 | 4 | 3 | 4 | 2 | | | | | 3 | | | | | 4 | 4 | 3 | 3 | | | 4 | 4 | | 4 | 4 | |
| Epithelium, Hyperplasia | | | | 3 | | | | | | | | | | 3 | | | | | | | | | | | | | | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Atrophy | 2 | 2 | 4 | 2 | 3 | 2 | 1 | 2 | 2 | 4 | 2 | 3 | 2 | 3 | 3 | 2 | | | 2 | 2 | 2 | 2 | 1 | 3 | 2 | | | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Cyst | | | | | | | | | | 2 | 2 | | | | | | | | | | | | | | | | | |
| Hemorrhage | | | | | | | | | | | | | 4 | | | | | | | | | | | | | | | |
| Endometrium, Hyperplasia, Cystic | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lumen, Dilatation | | | | | 4 | 3 | | | | | | | 4 | | | | | | | | 4 | | | 4 | | | | |

Vagina

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically M .. Missing tissue 1-4 .. Lesion qualified as:
 X .. Lesion present A .. Autolysis precludes evaluation 1) Minimal 3) Moderate
 I .. Insufficient tissue BLANK .. Not examined microscopically 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) |
|---|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------------------|----------------------|
| | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
6
1
3 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
6
7
2 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
5
7
9 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0
0
1
6
1 | |

Lumen, Dilatation
 Mucocyte, Hyperplasia

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone Marrow
Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | | | | | | | | | | | | | |
| Lymph Node
Pancreatic, Hyperplasia, Lymphoid
Renal, Hemorrhage
Renal, Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | + | 3 | | | | | | | | | | | | | | |
| Lymph Node, Mandibular
Hyperplasia, Lymphoid
Infiltration Cellular, Plasma Cell
Sinus, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 2 | 3 | 3 | 3 | 1 | 2 | 3 | 2 | 3 | 3 | 4 | 2 | 2 | 2 | 2 | |
| Lymph Node, Mesenteric
Hemorrhage
Hyperplasia, Lymphoid
Infiltration Cellular, Plasma Cell
Sinus, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 3 | 2 | | | 2 | | | | 2 | 2 | | | 2 | | | |
| Spleen
Fibrosis
Hematopoietic Cell Proliferation
Hemorrhage
Hyperplasia, Lymphoid
Necrosis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 4 | | 3 | | 2 | 2 | 2 | | | 3 | 3 | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) |
|---|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---|-----------|----------------------|
| | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
6
1
3 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
6
7
2 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
5
7
9 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | | | |
| Pigmentation | 2 | | 2 | 2 | 3 | | 3 | 2 | 3 | 4 | 2 | | 2 | | 3 | 3 | 2 | 3 | | 2 | 2 | 2 | 4 | 2 | | |
| Thymus Atrophy | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| | 4 | 4 | 4 | 4 | 3 | | 4 | 4 | 4 | 2 | 4 | 4 | 3 | 2 | 4 | 3 | 4 | 4 | 4 | 4 | 3 | 4 | 4 | 4 | | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland Galactocoele | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lactation | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolus, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Skin Cyst Epithelial Inclusion | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Inflammation, Suppurative Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone, Femur | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain, Brain Stem Compression Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain, Cerebellum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | |
|--|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---|-----------|----------------------|--|
| | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
6
1
3 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
4
4
3 | 0
7
4
3 | 0
7
4
3 | 0
6
7
2 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
5
7
9 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
5
7
9 | | | | |
| Hemorrhage
Ventricle, Dilatation | | | | | 2 | | | | | | | | | | | | | | | | | | | | | | |
| Brain, Cerebrum
Hemorrhage
Ventricle, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Peripheral Nerve, Sciatic
Axon, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Spinal Cord, Cervical
Hemorrhage
Inflammation, Chronic Active
Axon, Degeneration
Nerve, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Spinal Cord, Lumbar
Axon, Degeneration
Nerve, Degeneration
Nerve, Gliosis | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Spinal Cord, Thoracic
Axon, Degeneration
Nerve, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung
Hemorrhage
Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
6
1
3 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
6
7
2 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
5
7
9 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | | |
| | 0
0
1
6
1 | 0
0
1
6
2 | 0
0
1
7
1 | 0
0
1
7
2 | 0
0
1
8
1 | 0
0
1
8
2 | 0
0
1
9
1 | 0
0
1
9
2 | 0
0
5
6
1 | 0
0
5
6
2 | 0
0
5
7
1 | 0
0
5
7
2 | 0
0
5
8
1 | 0
0
5
8
2 | 0
0
1
9
1 | 0
0
1
9
2 | 0
0
1
4
1 | 0
0
1
4
2 | 0
0
1
4
1 | 0
0
1
4
1 | 0
0
1
4
1 | 0
0
1
4
1 | 0
0
1
4
1 | 0
0
1
4
1 | 0
0
1
4
1 | 0
0
1
4
1 |

Alveolar Epithelium, Hyperplasia

2

Nose

+ +

Hyaline Droplet

2 3 2 2

Inflammation, Suppurative

Inflammation, Chronic Active

2

Goblet Cell, Hyperplasia

Trachea

+ +

Inflammation, Suppurative

4

Necrosis

4

Ulcer

4

SPECIAL SENSES SYSTEM

Eye

+ +

Inflammation, Suppurative

Bilateral, Retina, Degeneration

2 2

Retina, Degeneration

2 1 1 3

Harderian Gland

+ +

Infiltration Cellular, Lymphocyte

1

1

1

1

1

Inflammation, Chronic

Zymbal's Gland

URINARY SYSTEM

Kidney

+ +

Hyaline Droplet

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|-----------|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | | | |
| | 3 | 3 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | | | |
| | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 7 | 3 | 3 | 2 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 9 | 7 | 7 | 7 | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | | | |
| | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 9 | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 9 | 6 | 6 | 7 | 7 | 8 | 8 | 9 | | | | |
| | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | | | | |
| Mineralization | 1 | 1 | | 1 | 2 | 1 | | | 1 | 1 | 1 | | | | | | 1 | | 1 | 1 | 1 | | 1 | | | | |
| Nephropathy | 3 | 2 | 4 | 4 | | 1 | 3 | 4 | 1 | 4 | 3 | 2 | 2 | | 1 | 1 | 3 | 2 | 2 | 3 | | 3 | 3 | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| DAY ON TEST | FISCHER 344 RATS-NCTR RATS FEMALE CONTROL WATER | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|-------------|---|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----------|----|--|
| | ANIMAL ID | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | | 20 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| 3 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 7 | 7 | 8 | 8 | 9 | 9 | 0 | |
| 7 | 2 | 2 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 2 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----------------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Intestine Large, Cecum
Ulcer | + | + | + | + | + | + | + | + | A | + | + | + | + | A | + | + | + | + | + | + | + | + | 46 | 1 4.0 |
| Intestine Large, Colon
Goblet Cell, Hyperplasia | + | + | + | + | + | + | + | + | A | + | + | + | + | A | + | + | + | + | + | + | + | + | 46 | 1 3.0 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | A | + | + | + | + | A | + | + | + | + | + | + | + | + | 46 | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | A | + | + | + | + | A | + | + | + | + | + | + | + | + | 46 | |
| Intestine Small, Ileum
Infiltration Cellular, Lymphocyte
Pigmentation | + | + | + | + | + | + | + | + | A | + | + | + | + | A | + | + | + | + | + | + | + | + | 46 | 1 2.0
1 2.0 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | A | + | + | + | + | A | + | + | + | + | + | + | + | + | 46 | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Basophilic Focus, Multiple | X | X | X | X | X | X | | X | | | X | X | | X | X | X | X | X | | X | X | X | 41 | |
| Clear Cell Focus | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Congestion | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |
| Deformity | X | | | | | | | X | | | | | | | | | | | | | X | | 7 | |
| Degeneration, Cystic | | 2 | | | | | | | | | | | | | | | | | | | | | 3 | 1.7 |
| Eosinophilic Focus | | | | | | | | | | | | X | | | | | | X | | X | | | 5 | |
| Eosinophilic Focus, Multiple | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Granuloma | | | | | | | | | | | | 3 | | | | | | | | | | | 3 | 3.0 |
| Hematopoietic Cell Proliferation | | | | | 1 | | | | | | | | | | | | | | | | | | 1 | 1.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | |
|--|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|---|----|
| | 07
37 | 06
87 | 07
15 | 07
37 | 07
37 | 07
37 | 07
37 | 07
37 | 06
28 | 05
73 | 07
37 | 06
43 | 04
22 | 06
72 | 07
73 | 07
37 | 07
37 | 05
50 | 05
44 | 07
37 | | 07
37 | 07
37 | | |
| ANIMAL ID | 01
71
12 | 01
71
12 | 01
71
12 | 01
71
12 | 01
71
12 | 01
71
12 | 01
71
12 | 02
00
11 | 02
22
21 | 02
22
21 | 02
22
21 | 02
22
21 | 02
22
21 | 02
22
21 | 02
22
21 | 02
22
21 | 02
22
21 | 02
22
21 | 02
22
21 | 02
22
21 | 02
22
21 | 02
22
21 | 02
22
21 | | |
| Hepatodiaphragmatic Nodule Inflammation, Chronic Active Mixed Cell Focus | 2 | | | 2 | 3 | | | 2 | | | 2 | | | | | | 2 | 2 | 2 | | | 2 | | | |
| Mixed Cell Focus, Multiple Necrosis | | X | X | | | X | | | | | | | | X | X | X | X | | | | | X | | | |
| Pigmentation | | 3 | 3 | | | | | | | | | | | | | | | | | | | | | | |
| Vacuolization Cytoplasmic | | 4 | 3 | | 2 | | 4 | | 4 | 4 | | 2 | 3 | | | | | 3 | | 4 | | | | | |
| Bile Duct, Hyperplasia | 2 | 4 | 2 | | | | 4 | 3 | 4 | | | | | | | 1 | | | | | | 1 | | | |
| Hepatocyte, Degeneration | | | | | | | 4 | | 4 | 4 | | | | | | | | | | | | | | | |
| Mesentery Fat, Necrosis | | | | | | | + | 4 | | | | | | | | | + | | | | | | | 4 | |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreas Acinus, Degeneration | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| | 4 | 1 | | | | | | 2 | | | | 2 | | | | | | 2 | | | | 2 | | | 21 |
| Salivary Glands Infiltration Cellular, Lymphocyte | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Stomach, Forestomach Fibrosis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Inflammation, Chronic Active Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | 4 | | | | 4 | | | 1 |
| | | | | | | | | | 2 | | | | | | | | | | | | | | | | 3 |
| Stomach, Glandular Necrosis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | | | | 4 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | | | |
|---|-----------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| | 0
7
3
7 | 0
6
8
7 | 0
7
1
5 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
6
2
8 | 0
5
7
3 | 0
7
3
7 | 0
6
4
2 | 0
6
2
0 | 0
7
2
2 | 0
7
3
7 | 0
7
3
7 | 0
5
5
0 | 0
5
4
4 | 0
7
3
7 | | | 0
7
3
7 | 0
7
3
7 |
| | 0
1
7
1
2 | 0
1
7
2 | 0
1
7
2 | 0
1
7
1 | 0
1
7
3 | 0
1
7
4 | 0
1
7
1 | 0
1
7
4 | 0
2
0
1 | 0
2
0
2 | 0
2
0
2 | 0
2
0
3 | 0
2
0
4 | 0
2
0
4 | 0
2
4
7 | 0
2
4
7 | 0
2
4
8 | 0
2
4
9 | 0
2
4
9 | 0
2
4
2 | 0
2
5
1 | 0
2
5
2 | 0
2
5
2 | |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|-----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Cardiomyopathy | | | 2 | 3 | 2 | 2 | | 2 | 2 | 1 | 1 | 2 | | 2 | 1 | 2 | 2 | 2 | 1 | | 2 | 2 | | | 40 | 1.9 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--|----|-----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 3.0 |
| Congestion | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Degeneration, Cystic | | | | | 2 | | | | | | | | | | | | | | | | | | | | 3 | 3.0 |
| Hemorrhage | | | | | | | | | | | | | | | 3 | | | | | | | | | | 1 | 3.0 |
| Hyperplasia | | | | 2 | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Hypertrophy | | | | | | | | | | 1 | | | | | | | | | | | | | | | 4 | 1.8 |
| Vacuolization Cytoplasmic | 2 | | | 2 | | 2 | | 4 | 2 | | | | | 1 | | | | | | | | | | | 12 | 2.2 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | | |
| Hyperplasia | | | | | | | 3 | | | | | | | | | | | | | | | | | | 3 | 2.0 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Hyperplasia | | | | 2 | | | | | | | | | | | | | | | | | | | | | 2 | 2.0 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | 47 | | | |
| Pars Distalis, Cyst | | | | | | | | | 4 | | 3 | | | | | | | 2 | | | | | | | 3 | 3.0 |
| Pars Distalis, Hyperplasia | | | | | | | | | | 1 | 3 | 3 | | | | 3 | | 2 | 4 | | | 3 | | | 11 | 2.6 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-----------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|--------|---|
| | 0
7
3
7 | 0
6
8
7 | 0
7
1
5 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
6
2
8 | 0
5
7
3 | 0
7
3
7 | 0
6
4
2 | 0
6
2
0 | 0
7
2
2 | 0
7
3
7 | 0
7
3
7 | 0
5
5
0 | 0
5
4
4 | 0
7
3
7 | 0
7
3
7 | | | |
| ANIMAL ID | 0
1
7
1
2 | 0
1
7
2 | 0
1
7
2 | 0
1
7
1 | 0
1
7
3 | 0
1
7
4 | 0
1
7
1 | 0
2
0
1 | 0
2
0
2 | 0
2
0
1 | 0
2
0
2 | 0
2
0
3 | 0
2
0
4 | 0
2
0
7 | 0
2
4
1 | 0
2
4
7 | 0
2
4
8 | 0
2
4
9 | 0
2
4
9 | 0
2
5
2 | 0
2
5
1 | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | |
| C-cell, Hyperplasia | 2 | | 2 | 2 | 2 | 1 | | | | 1 | 1 | | | 2 | 1 | 1 | | | | 1 | 1 | 1 | |
| Follicular Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | | |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | 2 | | | | 1 2.0 | |
| Inflammation, Suppurative | 2 | 4 | | | 4 | 3 | | | 4 | 3 | | | | | | | 2 | | | 4 | 2 | 4 | |
| Inflammation, Chronic Active | | | 2 | 3 | | | | | | | | 2 | | | | | | | | | | 5 2.2 | |
| Acinus, Degeneration | | 2 | | | | 2 | 3 | | | | | 2 | 3 | 3 | | | 3 | 3 | | | | 16 2.7 | |
| Duct, Ectasia | 3 | | | 4 | | 4 | 2 | 3 | 4 | 2 | | | 3 | | | | 3 | | | 4 | 4 | 25 3.4 | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | 4 | | | | | 4 3.5 | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Atrophy | 4 | 2 | | | 3 | 3 | 3 | 3 | 4 | 3 | 2 | 2 | 2 | 3 | 3 | 3 | 2 | 3 | 2 | | 3 | 2 | 4 |
| Cyst | | | | 4 | 4 | | | | | | | 3 | | | | | | | | | | 3 3.7 | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | 2 2.0 | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | 1 4.0 | |
| Endometrium, Hyperplasia, Cystic | | 2 | | 3 | | | 2 | 1 | | 2 | | 2 | 1 | | | 1 | | | 1 | | | 11 1.6 | |
| Lumen, Dilatation | | | | | | | | | | | | | | | | | 4 | | | | | 6 3.8 | |
| Vagina | | + | | | | | + | | | | | + | | | | | | | | | | 3 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|-----------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| | 0
7
3
7 | 0
6
8
7 | 0
7
1
5 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
6
2
8 | 0
5
7
3 | 0
7
3
7 | 0
6
4
2 | 0
6
3
2 | 0
7
2
2 | 0
7
3
7 | 0
7
3
7 | 0
5
5
0 | 0
5
4
4 | 0
7
3
7 | 0
7
3
7 | |
| ANIMAL ID | 0
1
7
1
2 | 0
1
7
2 | 0
1
7
2 | 0
1
7
3 | 0
1
7
3 | 0
1
7
4 | 0
1
7
4 | 0
2
0
1 | 0
2
0
2 | 0
2
0
1 | 0
2
0
2 | 0
2
0
3 | 0
2
0
4 | 0
2
0
7 | 0
2
4
7 | 0
2
4
8 | 0
2
4
8 | 0
2
4
9 | 0
2
4
9 | 0
2
5
0 | 0
2
5
1 |

| | | | | |
|-----------------------|---|---|---|-----|
| Lumen, Dilatation | 4 | 2 | 4 | 3.3 |
| Mucocyte, Hyperplasia | 4 | 4 | 4 | 4.0 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|-----|
| Bone Marrow
Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 2 | 2.0 |
| Lymph Node
Pancreatic, Hyperplasia, Lymphoid | | | | | | | | + | + | | | | | | | | | | | | | | 5 | 1 | 3.0 |
| Renal, Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | 2 | 1 | 2.0 |
| Renal, Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | | | 2 | 1 | 2.0 |
| Lymph Node, Mandibular
Hyperplasia, Lymphoid | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 6 | 1.8 |
| Infiltration Cellular, Plasma Cell | 1 | | | | | | | | | 2 | | | | | 1 | | | | | | | | 22 | 2.5 | |
| Sinus, Dilatation | 2 | 3 | | 2 | 3 | 3 | | 2 | | | | | | | | | | | | | | 3 | 2 | 3.0 | |
| Lymph Node, Mesenteric
Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | 47 | 1 | 3.0 |
| Hyperplasia, Lymphoid | | | | | 2 | 2 | | | | 2 | 2 | 2 | | | | | | | | | | | 10 | 2.0 | |
| Infiltration Cellular, Plasma Cell | | | 2 | | | | | 2 | | | | | | | | | | | | | | | 2 | 2.0 | |
| Sinus, Dilatation | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.5 | |
| Spleen
Fibrosis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 1 | 2.0 |
| Hematopoietic Cell Proliferation | | | 2 | 3 | | | | | | | | | | | 2 | | 4 | | 2 | | 2 | | 14 | 2.6 | |
| Hemorrhage | | | | | | | | | | | | | 4 | | | | | | | | | | 1 | 4.0 | |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | |
| Necrosis | | | | | | | | | | 4 | | | | | | | | | | | | | 1 | 4.0 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|---|-----------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---|------------------|-----|
| | 0
7
3
7 | 0
6
8
7 | 0
7
1
5 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
6
2
8 | 0
5
7
3 | 0
7
3
7 | 0
6
4
2 | 0
6
2
0 | 0
7
2
2 | 0
7
3
7 | 0
7
3
7 | 0
5
5
0 | 0
5
4
4 | 0
7
3
7 | | | 0
7
3
7 | |
| ANIMAL ID | 0
1
7
1
2 | 0
1
7
2 | 0
1
7
2 | 0
1
7
3 | 0
1
7
3 | 0
1
7
4 | 0
1
7
4 | 0
2
0
1 | 0
2
0
1 | 0
2
0
2 | 0
2
0
2 | 0
2
0
3 | 0
2
0
3 | 0
2
0
4 | 0
2
4
7 | 0
2
4
7 | 0
2
4
8 | 0
2
4
8 | 0
2
4
9 | 0
2
5
9 | 0
2
5
0 | | | |
| Pigmentation | 1 | 2 | 2 | 2 | 2 | 4 | | | | | | 3 | 2 | 4 | 3 | 3 | 2 | 3 | 2 | 3 | 4 | 3 | 36 | 2.6 |
| Thymus Atrophy | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | M | + | + | 45 | |
| | 4 | 4 | 3 | 4 | 4 | 3 | 4 | 4 | | | | 4 | 4 | 4 | 4 | 4 | 4 | 3 | 2 | | 4 | 3 | 43 | 3.7 |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland Galactocoele | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Lactation | | | 4 | | 2 | | | 2 | 3 | 2 | | | | | | | | | | | | 2 | 11 | 2.2 |
| Alveolus, Hyperplasia | | 4 | | | | | | 3 | | | | 2 | | | | | 3 | | 2 | | | | 10 | 2.6 |
| Skin Cyst Epithelial Inclusion | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 1 |
| Inflammation, Suppurative | | | 2 | | 3 | | | | | | | | | | | | | | | | | | 3 | 2.3 |
| Ulcer Epithelium, Hyperplasia | | | 3 | | 2 | | | | | | | | | | | | | | | | | | 3 | 2.3 |
| | | | 2 | | 2 | | | | | | | | | | | | | | | | | | 3 | 2.0 |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone, Femur | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain, Brain Stem Compression | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Hemorrhage | | 2 | 2 | | 2 | 2 | | | | | | | 3 | | | | | | | 1 | | | 10 | 2.3 |
| | | 2 | | | | | | | | | | | | | | | | | | | | | 2 | 2.0 |
| Brain, Cerebellum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--|---|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---|
| | 0
7
3
7 | 0
6
8
7 | 0
7
1
5 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
6
2
8 | 0
5
7
3 | 0
7
3
7 | 0
6
4
2 | 0
6
2
0 | 0
7
2
2 | 0
7
3
7 | 0
7
3
7 | 0
5
5
0 | 0
5
4
4 | 0
7
3
7 | 0
7
3
7 | |
| ANIMAL ID | 0
1
7
1
2 | 0
1
7
2 | 0
1
7
2 | 0
1
7
3 | 0
1
7
3 | 0
1
7
4 | 0
1
7
4 | 0
2
0
1 | 0
2
0
2 | 0
2
0
1 | 0
2
0
2 | 0
2
0
3 | 0
2
0
4 | 0
2
4
7 | 0
2
4
8 | 0
2
4
9 | 0
2
4
9 | 0
2
4
9 | 0
2
4
9 | 0
2
5
1 | |
| Hemorrhage Ventricle, Dilatation | 3 | | | | | | | | | | | | | | | | | | | | 1 3.0
1 2.0 |
| Brain, Cerebrum Hemorrhage Ventricle, Dilatation | + | | | | | | | | | | | | | | | | | | | | 48
1 1.0
4 1.8 |
| Peripheral Nerve, Sciatic Axon, Degeneration | + | | | | | | | | | | | | | | | | | | | | 48
27 1.1 |
| Spinal Cord, Cervical Hemorrhage Inflammation, Chronic Active Axon, Degeneration Nerve, Degeneration | + | | | | | | | | | | | | | | | | | | | | 48
1 1.0
1 1.0
32 1.0
2 1.0 |
| Spinal Cord, Lumbar Axon, Degeneration Nerve, Degeneration Nerve, Gliosis | + | | | | | | | | | | | | | | | | | | | | 48
5 1.0
35 1.1
1 1.0 |
| Spinal Cord, Thoracic Axon, Degeneration Nerve, Degeneration | + | | | | | | | | | | | | | | | | | | | | 48
29 1.0
8 1.0 |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | |
| Lung Hemorrhage Infiltration Cellular, Histiocyte | + | | | | | | | | | | | | | | | | | | | | 48
1 3.0
24 1.7 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
7
3
7 | 0
6
8
7 | 0
7
1
5 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
7
3
7 | 0
6
2
8 | 0
5
7
3 | 0
7
3
7 | 0
6
4
2 | 0
6
2
0 | 0
7
2
2 | 0
7
3
7 | 0
7
3
7 | 0
5
5
0 | 0
5
4
4 | 0
7
3
7 | 0
7
3
7 | |
| ANIMAL ID | 0
1
7
1
2 | 0
1
7
2
1 | 0
1
7
2
1 | 0
1
7
3
2 | 0
1
7
3
4 | 0
1
7
4
1 | 0
1
7
4
2 | 0
2
0
1
2 | 0
2
0
1
2 | 0
2
0
2
2 | 0
2
0
3
2 | 0
2
0
3
2 | 0
2
0
4
1 | 0
2
0
4
2 | 0
2
4
7
1 | 0
2
4
7
2 | 0
2
4
8
1 | 0
2
4
8
2 | 0
2
4
9
2 | 0
2
5
9
2 | 0
2
5
0
1 |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | 4 | 4 | | | 3 3.3 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Hyaline Droplet | | | | | | | | 2 | | | | | | | | | | | | | 5 2.2 |
| Inflammation, Suppurative | | | | | | | | | | | | | | | 2 | | | | | | 1 2.0 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | 3 | 2 2.5 |
| Goblet Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | 4 | 1 4.0 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Ulcer | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | A | + | + | + | + | A | + | + | + | + | + | + | 46 |
| Inflammation, Suppurative | | 2 | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Bilateral, Retina, Degeneration | | | 2 | | | | | | | | | | | 1 | 4 | | | | | | 5 2.2 |
| Retina, Degeneration | | 2 | | | | | | | | | | | | | 4 | | | | 4 | | 7 2.4 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Infiltration Cellular, Lymphocyte | 2 | | | | 2 | | | | | | | | | | | | 1 | | | | 8 1.3 |
| Inflammation, Chronic | | | 4 | | | | | | | | | | | | | | | | | | 1 4.0 |
| Zymbal's Gland | | + | | | | | | | | | | | | | | | | | | | 1 |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Hyaline Droplet | | | | | | | | | | 3 | | | | | | | | | | | 1 3.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 20314 - 03
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344/NCTR

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Glycidamide
 CAS Number: 5694-00-8

Date Report Requested: 12/17/2014
 Time Report Requested: 07:40:57
 First Dose M/F: 05/30/05 / 05/30/05
 Lab: NCTR

| FISCHER 344 RATS-NCTR RATS
FEMALE
CONTROL WATER | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | |
|---|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|----|----|----|-----------|------------|
| | 07 | 06 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 06 | 05 | 07 | 06 | 04 | 06 | 07 | 07 | 07 | 07 | 05 | | | 05 | 07 | 07 | 07 |
| ANIMAL ID | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | | |
| Mineralization | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 34 | 1.1 |
| Nephropathy | 2 | 1 | 4 | 2 | 3 | 1 | 1 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 4 | 2 | 1 | 3 | 1 | 4 | 2 | 1 | 1 | 1 | 43 | 2.3 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |

*** END OF REPORT ***

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked