Experiment Number: A60084

NTP Study Number:

G04: In Vivo Micronucleus Summary Data

CAS Number: AZTDDICOMB

Test Compound: 3'-Azido-3'-deoxythymidine and 2',3'-Dideoxyinosine (AIDS initiative)

Time Report Requested: 21:46:01

Date Report Requested: 09/20/2018

Route: Gavage

Species/Strain: Mouse/CD-1

Test Type: Genetic Toxicology - Micronucleus

A60084

8 Days

Study Duration:

Study Methodology: Slide Scoring

Male Study Result: Positive

G04: In Vivo Micronucleus Summary Data

Test Compound: 3'-Azido-3'-deoxythymidine and 2',3'-Dideoxyinosine (AIDS initiative)

Date Report Requested: 09/20/2018

Time Report Requested: 21:46:01

CAS Number: **AZTDDICOMB**

Species/Strain: Mouse/CD-1

Route: Gavage

Experiment Number: A60084

Test Type: Genetic Toxicology - Micronucleus

Tissue: Blood; Sex: Male; Number of Treatments: 0; Time interval between final treatment and cell sampling: 24 h

		MN PCE/1000		% PCE
Dose (mg/kg)	N	Mean ± SEM	p-Value	Mean ± SEM
Vehicle Control ¹	5	8.80 ± 1.94		30.90 ± 1.68
1.0	5	206.80 ± 17.10	< 0.001 *	17.10 ± 1.44
2.0	5	182.40 ± 24.63	< 0.001 *	20.70 ± 2.40
3.0	4	186.75 ± 30.34	< 0.001 *	14.25 ± 2.38
Trend p-Value		< 0.001 *		

Trial Summary: Positive

G04: In Vivo Micronucleus Summary Data

Test Compound: 3'-Azido-3'-deoxythymidine and 2',3'-Dideoxyinosine (AIDS initiative)

Date Report Requested: 09/20/2018

Time Report Requested: 21:46:01

Route: Gavage CAS Number: AZTDDICOMB

Species/Strain: Mouse/CD-1

Experiment Number: A60084

LEGEND

Test Type: Genetic Toxicology - Micronucleus

MN = micronucleated, PCE = polychromatic erythrocyte, NCE = normochromatic erythrocyte

CAS Number = Chemical Abstracts Service registry number

N = Number of subjects

Values given as Mean or Mean ± Standard Error Mean

Results were tabulated as the mean of the pooled results from all animals within a treatment group, plus or minus the standard error of the mean

Pairwise comparison to the concurrent control, dosed groups significant at p = 0.025/number of treatment groups; positive control value is significant at p = 0.05

Cochran-Armitage trend test, significant at p = 0.025

* Statistically significant pairwise or trend test

1: Vehicle Control: Maalox

** END OF REPORT **