Test Type: CHRONIC
Route: DOSED FEED
Species/Strain: RATS/HSD

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Perfluorooctanoic Acid CAS Number: 335-67-1

Date Report Requested: 07/24/2018 Time Report Requested: 12:59:13 First Dose M/F: 07/27/09 / NA

Lab: BAT

Final 1_Core Only

NTP Study Number: C20614B

Lock Date: 01/10/2012

Cage Range: ALL

Date Range: ALL

Reasons For Removal: 25021 TSAC 25020 NATD 25019 MSAC

Removal Date Range: ALL

Treatment Groups: Include ALL

Study Gender: Male

TDMSE Version: 3.0.2.3_002

PWG Approval Date: 07/24/2018

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a) Perfluorooctanoic Acid

CAS Number: 335-67-1

Test Type: CHRONIC Route: DOSED FEED Species/Strain: RATS/HSD

Experiment Number: 20614 - 02

Date Report Requested: 07/24/2018 Time Report Requested: 12:59:13 First Dose M/F: 07/27/09 / NA

Harlan Sprague Dawley RATS MALE	0/0 ppm	300/0 ppm	0/20 ppm	300/20 ppm	0/40 ppm	300/40 ppm
Disposition Summary						
Animals Initially In Study	60	60	60	60	60	60
Early Deaths						
Moribund Sacrifice	7	9	6	8	8	6
Natural Death	7	6	2	4	7	6
Survivors						
Natural Death		1			1	
Terminal Sacrifice	36	34	42	38	34	38
Animals Examined Microscopically	50	50	50	50	50	50
ALIMENTARY SYSTEM						
Esophagus	(50)	(50)	(50)	(50)	(50)	(50)
Intestine Large, Cecum	(49)	(50)	(50)	(50)	(50)	(50)
Erosion	,	1 (2%)	,	, ,	,	, ,
Inflammation		1 (2%)				1 (2%)
Intestine Large, Colon	(49)	(50)	(50)	(50)	(50)	(50)
Parasite Metazoan	7 (14%)	8 (16%)	10 (20%)	5 (10%)	12 (24%)	10 (20%)
Intestine Large, Rectum	(50)	(50)	(50)	(50)	(50)	(50)
Intestine Small, Duodenum	(50)	(50)	(50)	(50)	(50)	(50)
Epithelium, Muscularis, Inflammation, Chronic Active						
Intestine Small, Ileum	(49)	(50)	(50)	(50)	(50)	(50)
Inflammation			1 (2%)			
Ulcer			1 (2%)			
Intestine Small, Jejunum	(49)	(50)	(50)	(50)	(50)	(50)
Liver	(50)	(50)	(50)	(50)	(50)	(50)
Amyloid Deposition						1 (2%)
Angiectasis			1 (2%)			
Basophilic Focus	1 (2%)			1 (2%)	2 (4%)	1 (2%)
Cholangiofibrosis			1 (2%)	1 (2%)		
Clear Cell Focus	35 (70%)	35 (70%)	37 (74%)	38 (76%)	33 (66%)	33 (66%)
Cytoplasmic Alteration						
Degeneration, Cystic	2 (4%)		5 (10%)	3 (6%)	7 (14%)	3 (6%)
Eosinophilic Focus	3 (6%)	2 (4%)	6 (12%)	5 (10%)	5 (10%)	1 (2%)

a - Number of animals examined microscopically at site and number of animals with lesion

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Test Type: CHRONIC
Route: DOSED FEED
Species/Strain: RATS/HSD

Experiment Number: 20614 - 02

Perfluorooctanoic Acid **CAS Number:** 335-67-1

Date Report Requested: 07/24/2018 Time Report Requested: 12:59:13 First Dose M/F: 07/27/09 / NA

arlan Sprague Dawley RATS MALE	0/0 ppm	300/0 ppm	0/20 ppm	300/20 ppm	0/40 ppm	300/40 pp
Extramedullary Hematopoiesis	1 (2%)	2 (4%)	2 (4%)		4 (8%)	
Fatty Change			1 (2%)	1 (2%)	2 (4%)	
Fatty Change, Focal					3 (6%)	1 (2%)
Fatty Change, Diffuse					1 (2%)	
Hepatodiaphragmatic Nodule	1 (2%)			1 (2%)		
Inflammation, Focal	15 (30%)	13 (26%)	19 (38%)	11 (22%)	18 (36%)	19 (38%
Inflammation, Chronic Active	1 (2%)					
Mixed Cell Focus			4 (8%)	4 (8%)	9 (18%)	4 (8%)
Necrosis	2 (4%)	1 (2%)	17 (34%)	11 (22%)	23 (46%)	14 (28%
Pigment			7 (14%)	4 (8%)	15 (30%)	11 (22%
Arteriole, Necrosis					1 (2%)	
Bile Duct, Cyst		1 (2%)				
Bile Duct, Dilation				1 (2%)		
Bile Duct, Hyperplasia	24 (48%)	25 (50%)	3 (6%)	8 (16%)	3 (6%)	2 (4%)
Endothelial Cell, Hypertrophy, Diffuse		1 (2%)				
Hepatocyte, Cytoplasmic Alteration			12 (24%)	4 (8%)	34 (68%)	29 (58%
Hepatocyte, Hyperplasia, Nodular						•
Hepatocyte, Hypertrophy		1 (2%)	13 (26%)	4 (8%)	34 (68%)	29 (58%
Hepatocyte, Single Cell Death	1 (2%)	1 (2%)	1 (2%)	3 (6%)	11 (22%)	5 (10%)
Kupffer Cell, Hyperplasia				1 (2%)		
Mesentery	(0)	(0)	(1)	(2)	(0)	(0)
Fat, Necrosis				1 (50%)		
Pancreas	(50)	(50)	(50)	(50)	(50)	(50)
Basophilic Focus		, ,	, ,	, ,	1 (2%)	
Hemorrhage		1 (2%)				
Inflammation		1 (2%)				1 (2%)
Inflammation, Chronic Active		1 (2%)	4 (8%)		2 (4%)	5 (10%)
Acinus, Atrophy	13 (26%)	9 (18%)	10 (20%)	13 (26%)	12 (24%)	14 (28%
Acinus, Hyperplasia	18 (36%)	23 (46%)	32 (64%)	27 (54%)	37 (74%)	38 (76%
Duct, Degeneration, Mucoid	, ,	, ,	, ,	` ,	, ,	1 (2%)
Duct, Inflammation, Chronic Active						,
Salivary Glands	(49)	(50)	(50)	(50)	(50)	(50)
Atrophy	2 (4%)	, ,	, ,	, ,	,	` '
Stomach, Forestomach	(50)	(50)	(50)	(50)	(50)	(50)
Inflammation	3 (6%)	4 (8%)	4 (8%)	4 (8%)	1 (2%)	3 (6%)
Mineral	, ,	, ,	, ,	, ,	, ,	()

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC
Route: DOSED FEED
Species/Strain: RATS/HSD

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Perfluorooctanoic Acid **CAS Number:** 335-67-1

Date Report Requested: 07/24/2018 Time Report Requested: 12:59:13 First Dose M/F: 07/27/09 / NA

Harlan Sprague Dawley RATS MALE	0/0 ppm	300/0 ppm	0/20 ppm	300/20 ppm	0/40 ppm	300/40 ppm
Perforation						1 (2%)
Ulcer	1 (2%)		1 (2%)	2 (4%)		1 (2%)
Epithelium, Erosion		2 (4%)		1 (2%)		
Epithelium, Hyperplasia, Basal Cell						1 (2%)
Epithelium, Hyperplasia, Squamous	5 (10%)	6 (12%)	3 (6%)	2 (4%)	2 (4%)	2 (4%)
Stomach, Glandular	(50)	(50)	(50)	(50)	(50)	(50)
Erosion						
Inflammation						
Metaplasia, Atypical			1 (2%)			
Mineral	1 (2%)			2 (4%)		1 (2%)
Epithelium, Metaplasia, Squamous						
Glands, Hyperplasia, Atypical, Focal				1 (2%)		
Glands, Necrosis			1 (2%)			
CARDIOVASCULAR SYSTEM						
Blood Vessel	(50)	(50)	(50)	(50)	(50)	(50)
Inflammation	5 (10%)	5 (10%)	2 (4%)	5 (10%)	2 (4%)	2 (4%)
Inflammation, Chronic	4 (8%)	9 (18%)	5 (10%)	6 (12%)	4 (8%)	5 (10%)
Mineral	1 (2%)	1 (2%)	2 (4%)	1 (2%)	4 (8%)	2 (4%)
Adventitia, Aorta, Hemorrhage						1 (2%)
Aorta, Mineral	1 (2%)		1 (2%)	3 (6%)	1 (2%)	
Aorta, Pulmonary Artery, Mineral			1 (2%)		1 (2%)	1 (2%)
Aorta, Pulmonary Vein, Mineral			, ,		, ,	1 (2%)
Pulmonary Artery, Mineral			2 (4%)		1 (2%)	1 (2%)
Pulmonary Vein, Mineral			1 (2%)			
Pulmonary Vein, Thrombus						
Heart	(50)	(50)	(50)	(50)	(50)	(50)
Cardiomyopathy	29 (58%)	33 (66%)	32 (64%)	32 (64%)	28 (56%)	24 (48%)
Metaplasia, Osseous	,	, ,	, ,	1 (2%)	, ,	, ,
Mineral		1 (2%)		1 (2%)	2 (4%)	
Necrosis		,		, ,	1 (2%)	
Atrium, Fibrosis		1 (2%)			,	
Coronary Artery, Mineral		,				
Endocardium, Hyperplasia		1 (2%)				

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC
Route: DOSED FEED
Species/Strain: RATS/HSD

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Perfluorooctanoic Acid CAS Number: 335-67-1

Date Report Requested: 07/24/2018 Time Report Requested: 12:59:13 First Dose M/F: 07/27/09 / NA

Harlan Sprague Dawley RATS MALE	0/0 ppm	300/0 ppm	0/20 ppm	300/20 ppm	0/40 ppm	300/40 ppm
Endocardium, Ventricle, Inflammation						
Myocardium, Hemorrhage		1 (2%)		1 (2%)		
Myocardium, Inflammation	1 (2%)					
Schwann Cell, Hyperplasia	1 (2%)					
Valve, Degeneration			1 (2%)			
Valve, Thrombus						
ENDOCRINE SYSTEM						
Adrenal Cortex	(50)	(50)	(50)	(50)	(50)	(50)
Cyst		1 (2%)				
Degeneration, Cystic	5 (10%)	12 (24%)	2 (4%)	5 (10%)	4 (8%)	3 (6%)
Hyperplasia, Focal						1 (2%)
Hypertrophy	18 (36%)	23 (46%)	24 (48%)	24 (48%)	15 (30%)	20 (40%)
Necrosis		1 (2%)				
Thrombus						1 (2%)
Zona Fasciculata, Hyperplasia	2 (4%)	6 (12%)	5 (10%)	2 (4%)	2 (4%)	4 (8%)
Adrenal Medulla	(50)	(50)	(50)	(50)	(50)	(50)
Hyperplasia	13 (26%)	6 (12%)	5 (10%)	3 (6%)	5 (10%)	5 (10%)
Islets, Pancreatic	(50)	(50)	(50)	(50)	(50)	(50)
Hyperplasia	3 (6%)	2 (4%)	6 (12%)	2 (4%)	6 (12%)	8 (16%)
Metaplasia, Hepatocyte				1 (2%)	1 (2%)	1 (2%)
Parathyroid Gland	(41)	(46)	(44)	(39)	(38)	(40)
Hyperplasia	2 (5%)	3 (7%)	1 (2%)		1 (3%)	1 (3%)
Hyperplasia, Focal						1 (3%)
Pituitary Gland	(50)	(50)	(50)	(50)	(50)	(50)
Cyst				1 (2%)		
Hemorrhage						1 (2%)
Pars Distalis, Hyperplasia	23 (46%)	16 (32%)	19 (38%)	14 (28%)	24 (48%)	17 (34%)
Pars Distalis, Pars Intermedia, Hyperplasia						
Pars Intermedia, Hypertrophy	1 (2%)					
Rathke's Cleft, Hyperplasia		1 (2%)			1 (2%)	
Thyroid Gland	(49)	(50)	(50)	(50)	(50)	(50)
C-cell, Hyperplasia	11 (22%)	11 (22%)	12 (24%)	12 (24%)	8 (16%)	10 (20%)
Follicular Cell, Hyperplasia					1 (2%)	2 (4%)

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC
Route: DOSED FEED
Species/Strain: RATS/HSD

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Perfluorooctanoic Acid CAS Number: 335-67-1

Date Report Requested: 07/24/2018 Time Report Requested: 12:59:13 First Dose M/F: 07/27/09 / NA

Harlan Sprague Dawley RATS MALE	0/0 ppm	300/0 ppm	0/20 ppm	300/20 ppm	0/40 ppm	300/40 ppm
Follicular Cell, Hypertrophy	8 (16%)	12 (24%)	12 (24%)	7 (14%)	7 (14%)	9 (18%)
GENERAL BODY SYSTEM						
None						
GENITAL SYSTEM						
Epididymis	(50)	(50)	(50)	(50)	(50)	(49)
Preputial Gland	(50)	(50)	(50)	(50)	(50)	(49)
Inflammation	1 (2%)				1 (2%)	1 (2%)
Duct, Hyperplasia				1 (2%)		
Prostate	(50)	(50)	(50)	(50)	(50)	(50)
Inflammation					2 (4%)	
Dorsal, Inflammation, Chronic Active			1 (2%)		1 (2%)	
Dorsal, Lateral, Inflammation, Chronic Active						
Epithelium, Ventral, Hyperplasia	5 (10%)	2 (4%)	2 (4%)	3 (6%)	2 (4%)	5 (10%)
Lateral, Inflammation, Chronic Active				2 (4%)		1 (2%)
Ventral, Inflammation, Chronic						
Ventral, Inflammation, Chronic Active	4 (8%)	6 (12%)	3 (6%)	3 (6%)	8 (16%)	10 (20%)
Seminal Vesicle	(50)	(50)	(50)	(50)	(50)	(50)
Hyperplasia		1 (2%)				
Inflammation		3 (6%)		1 (2%)		
Testes	(50)	(50)	(50)	(50)	(50)	(49)
Edema	2 (4%)		1 (2%)			
Bilateral, Germinal Epithelium, Degeneration	6 (12%)	9 (18%)	3 (6%)	4 (8%)	4 (8%)	4 (8%)
Germinal Epithelium, Degeneration	8 (16%)	4 (8%)	3 (6%)	5 (10%)	7 (14%)	6 (12%)
Interstitial Cell, Hyperplasia	1 (2%)	2 (4%)	1 (2%)			
HEMATOPOIETIC SYSTEM						
Bone Marrow	(50)	(50)	(50)	(50)	(50)	(50)
Hyperplasia	4 (8%)	6 (12%)	9 (18%)	9 (18%)	4 (8%)	8 (16%)
Myelofibrosis	. ,	. ,	. ,	• •	1 (2%)	, ,

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC
Route: DOSED FEED
Species/Strain: RATS/HSD

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Perfluorooctanoic Acid **CAS Number:** 335-67-1

Date Report Requested: 07/24/2018 Time Report Requested: 12:59:13 First Dose M/F: 07/27/09 / NA

Harlan Sprague Dawley RATS MALE	0/0 ppm	300/0 ppm	0/20 ppm	300/20 ppm	0/40 ppm	300/40 ppn
Lymph Node	(3)	(3)	(3)	(3)	(3)	(3)
Deep Cervical, Inflammation, Granulomatous	1 (33%)					
Mediastinal, Hemorrhage		1 (33%)		1 (33%)		
Mediastinal, Hyperplasia, Lymphoid	1 (33%)				1 (33%)	
Mediastinal, Infiltration Cellular, Histiocyte			1 (33%)			
Mediastinal, Infiltration Cellular, Plasma Cell					1 (33%)	
Mediastinal, Pigment						1 (33%)
Pancreatic, Ectasia			1 (33%)			
Pancreatic, Pigment						1 (33%)
Lymph Node, Mandibular	(49)	(50)	(50)	(50)	(50)	(50)
Atrophy	. ,	3 (6%)	. ,	. ,	1 (2%)	2 (4%)
Ectasia	3 (6%)				1 (2%)	
Hemorrhage	, ,	1 (2%)			, ,	
Hyperplasia, Lymphoid	2 (4%)	2 (4%)	2 (4%)			1 (2%)
Infiltration Cellular, Plasma Cell	2 (4%)	3 (6%)	2 (4%)	1 (2%)		2 (4%)
Lymph Node, Mesenteric	(49)	(50)	(50)	(50)	(50)	(50)
Atrophy		1 (2%)			1 (2%)	1 (2%)
Hyperplasia, Lymphoid	1 (2%)					1 (2%)
Spleen	(50)	(50)	(50)	(50)	(50)	(50)
Extramedullary Hematopoiesis	37 (74%)	40 (80%)	45 (90%)	40 (80%)	38 (76%)	40 (80%)
Hemorrhage				1 (2%)		
Infarct					1 (2%)	
Pigment	30 (60%)	34 (68%)	42 (84%)	33 (66%)	31 (62%)	39 (78%)
Capsule, Cyst					1 (2%)	
Lymphoid Follicle, Atrophy	3 (6%)	6 (12%)	2 (4%)	2 (4%)	4 (8%)	8 (16%)
Lymphoid Follicle, Hyperplasia		1 (2%)	1 (2%)	1 (2%)	1 (2%)	•
Thymus	(48)	(48)	(46)	(49)	(48)	(47)
Atrophy	45 (94%)	45 (94%)	45 (98%)	48 (98%)	47 (98%)	46 (98%)
Hyperplasia, Lymphoid		1 (2%)		1 (2%)		
Epithelial Cell, Hyperplasia, Tubular		2 (4%)				
NTEGUMENTARY SYSTEM						
Mammary Gland	(50)	(50)	(49)	(50)	(50)	(50)
Skin	(50)	(50)	(50)	(50)	(50)	(50)

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC
Route: DOSED FEED
Species/Strain: RATS/HSD

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Perfluorooctanoic Acid **CAS Number:** 335-67-1

Date Report Requested: 07/24/2018 Time Report Requested: 12:59:13 First Dose M/F: 07/27/09 / NA

Harlan Sprague Dawley RATS MALE	0/0 ppm	300/0 ppm	0/20 ppm	300/20 ppm	0/40 ppm	300/40 ppm
Cyst Epithelial Inclusion	1 (2%)			2 (4%)		
Foreign Body	2 (4%)					
Hyperkeratosis						
Inflammation	4 (8%)			3 (6%)	1 (2%)	1 (2%)
Inflammation, Suppurative						1 (2%)
Ulcer	1 (2%)			1 (2%)		
Epidermis, Hyperplasia	1 (2%)		1 (2%)			1 (2%)
Hair Follicle, Hyperplasia		1 (2%)				
MUSCULOSKELETAL SYSTEM						
Bone	(50)	(50)	(50)	(50)	(50)	(50)
Hyperostosis	1 (2%)					
Osteopetrosis			1 (2%)		1 (2%)	
Joint, Arthrosis		1 (2%)		1 (2%)		
Skeletal Muscle	(2)	(1)	(1)	(1)	(1)	(0)
NERVOUS SYSTEM						
Brain	(50)	(50)	(50)	(50)	(50)	(50)
Compression	1 (2%)	, ,	, ,	, ,	, ,	
Gliosis, Focal	1 (2%)					
Inflammation	` '					
Necrosis	2 (4%)	2 (4%)		1 (2%)	2 (4%)	1 (2%)
Cerebrum, Edema	, ,	,		,	, ,	` ,
Peripheral Nerve	(0)	(0)	(0)	(1)	(1)	(0)
Axon, Degeneration	• •	. ,	. ,	1 (100%)	1 (100%)	. ,
Spinal Cord	(0)	(0)	(0)	(1)	(1)	(0)
Nerve, Degeneration	` '	` '	` '	1 (100%)	1 (100%)	` '
, ,						
RESPIRATORY SYSTEM						
Larynx	(1)	(0)	(0)	(0)	(0)	(0)
Lung	(50)	(50)	(50)	(50)	(50)	(50)

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC
Route: DOSED FEED
Species/Strain: RATS/HSD

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Perfluorooctanoic Acid **CAS Number:** 335-67-1

Date Report Requested: 07/24/2018 Time Report Requested: 12:59:13 First Dose M/F: 07/27/09 / NA

Harlan Sprague Dawley RATS MALE	0/0 ppm	300/0 ppm	0/20 ppm	300/20 ppm	0/40 ppm	300/40 ppn
Foreign Body	1 (2%)	2 (4%)			2 (4%)	
Infiltration Cellular, Histiocyte	23 (46%)	17 (34%)	28 (56%)	21 (42%)	25 (50%)	25 (50%)
Infiltration Cellular, Lymphocyte			1 (2%)			
Inflammation, Granulomatous, Multifocal	7 (14%)	5 (10%)	5 (10%)	11 (22%)	2 (4%)	3 (6%)
Inflammation, Acute		1 (2%)	1 (2%)		3 (6%)	
Inflammation, Chronic Active	5 (10%)	4 (8%)	4 (8%)	2 (4%)	5 (10%)	5 (10%)
Alveolar Epithelium, Hyperplasia	1 (2%)	1 (2%)	2 (4%)	4 (8%)	2 (4%)	2 (4%)
Alveolar Epithelium, Hypertrophy	1 (2%)		1 (2%)		1 (2%)	
Serosa, Fibrosis, Multifocal	, ,	1 (2%)	, ,		` ,	
Nose	(50)	(50)	(50)	(50)	(50)	(50)
Glands, Olfactory Epithelium, Inflammation	• •	1 (2%)	, ,	, ,	1 (2%)	, ,
Glands, Respiratory Epithelium, Hyperplasia		1 (2%)			, ,	
Glands, Respiratory Epithelium, Inflammation		2 (4%)	3 (6%)		2 (4%)	8 (16%)
Nasolacrimal Duct, Inflammation		, ,	,		1 (2%)	,
Olfactory Epithelium, Accumulation, Hyaline Droplet	40 (80%)	45 (90%)	44 (88%)	49 (98%)	42 (84%)	44 (88%)
Olfactory Epithelium, Inflammation	1 (2%)			1 (2%)		
Olfactory Epithelium, Metaplasia				1 (2%)		
Olfactory Epithelium, Necrosis						1 (2%)
Olfactory Epithelium, Respiratory Epithelium, Inflammation	1 (2%)				2 (4%)	1 (2%)
Respiratory Epithelium, Inflammation	4 (8%)	3 (6%)	3 (6%)	6 (12%)	1 (2%)	4 (8%)
Respiratory Epithelium, Metaplasia		2 (4%)				
Respiratory Epithelium, Metaplasia, Mucous					1 (2%)	
Trachea	(50)	(50)	(50)	(50)	(50)	(50)
SPECIAL SENSES SYSTEM						
Eye	(50)	(50)	(50)	(50)	(50)	(50)
Phthisis Bulbi			1 (2%)			
Anterior Chamber, Cornea, Inflammation						
Anterior Chamber, Cornea, Iris, Inflammation		1 (2%)				
Cornea, Inflammation		1 (2%)	3 (6%)	3 (6%)	1 (2%)	2 (4%)
Retina, Degeneration	3 (6%)	4 (8%)	3 (6%)		2 (4%)	4 (8%)
Retina, Gliosis, Focal					1 (2%)	
Retina, Inflammation	1 (2%)					

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC
Route: DOSED FEED
Species/Strain: RATS/HSD

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Perfluorooctanoic Acid **CAS Number:** 335-67-1

Date Report Requested: 07/24/2018 Time Report Requested: 12:59:13 First Dose M/F: 07/27/09 / NA

Harlan Sprague Dawley RATS MALE	0/0 ppm	300/0 ppm	0/20 ppm	300/20 ppm	0/40 ppm	300/40 ppm
Harderian Gland	(50)	(50)	(50)	(50)	(50)	(50)
Hyperplasia	2 (4%)	1 (2%)	, ,	` ,	` ,	, ,
Metaplasia					1 (2%)	
Necrosis						
Lacrimal Gland	(1)	(0)	(0)	(0)	(0)	(0)
Zymbal's Gland	(0)	(0)	(0)	(1)	(0)	(0)
JRINARY SYSTEM						
Kidney	(50)	(50)	(50)	(50)	(50)	(50)
Accumulation, Hyaline Droplet			2 (4%)	1 (2%)		
Infarct	1 (2%)	2 (4%)	5 (10%)	2 (4%)	3 (6%)	4 (8%)
Mineral	1 (2%)			1 (2%)	3 (6%)	
Nephropathy, Chronic Progressive	48 (96%)	48 (96%)	49 (98%)	49 (98%)	47 (94%)	48 (96%)
Cortex, Cyst	1 (2%)	3 (6%)	1 (2%)	1 (2%)	2 (4%)	1 (2%)
Cortex, Inflammation						
Papilla, Necrosis					1 (2%)	
Papilla, Urothelium, Hyperplasia	2 (4%)	3 (6%)	3 (6%)	2 (4%)	1 (2%)	1 (2%)
Pelvis, Dilation		1 (2%)				
Pelvis, Inflammation		1 (2%)			1 (2%)	
Renal Tubule, Necrosis		1 (2%)		1 (2%)	1 (2%)	1 (2%)
Urinary Bladder	(49)	(50)	(50)	(50)	(50)	(50)
Hemorrhage					1 (2%)	
Infiltration Cellular, Mast Cell				1 (2%)		
Inflammation					1 (2%)	

Test Type: CHRONIC
Route: DOSED FEED
Species/Strain: RATS/HSD

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Perfluorooctanoic Acid CAS Number: 335-67-1

Date Report Requested: 07/24/2018 Time Report Requested: 12:59:13 First Dose M/F: 07/27/09 / NA

Disposition Summary		
Animals Initially In Study	60	60
Early Deaths		
Moribund Sacrifice	3	4
Natural Death	10	7
Survivors		
Natural Death	1	
Terminal Sacrifice	36	39
Animals Examined Microscopically	50	50
ALIMENTARY SYSTEM		
Esophagus	(50)	(50)
Intestine Large, Cecum	(50)	(50)
Erosion		
Inflammation		
Intestine Large, Colon	(50)	(50)
Parasite Metazoan	9 (18%)	7 (14%)
Intestine Large, Rectum	(50)	(50)
Intestine Small, Duodenum	(50)	(50)
Epithelium, Muscularis, Inflammation, Chronic Active	1 (2%)	` ,
Intestine Small, Ileum	(50)	(50)
Inflammation	()	(00)
Ulcer		
Intestine Small, Jejunum	(50)	(50)
Liver	(50)	(50)
Amyloid Deposition	()	(00)
Angiectasis		
Basophilic Focus	2 (4%)	2 (4%)
Cholangiofibrosis	- (. /0)	_ (170)
Clear Cell Focus	31 (62%)	38 (76%)
Cytoplasmic Alteration	1 (2%)	00 (1070)
Degeneration, Cystic	8 (16%)	11 (22%)
	0 (10/0)	11 (44/0)

a - Number of animals examined microscopically at site and number of animals with lesion

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Test Type: CHRONIC
Route: DOSED FEED
Species/Strain: RATS/HSD

Experiment Number: 20614 - 02

Perfluorooctanoic Acid **CAS Number:** 335-67-1

Date Report Requested: 07/24/2018 Time Report Requested: 12:59:13 First Dose M/F: 07/27/09 / NA

Harlan Sprague Dawley RATS MALE	0/80 ppm	300/80 ppm
Extramedullary Hematopoiesis		1 (2%)
Fatty Change		1 (270)
Fatty Change, Focal		
Fatty Change, Diffuse		
Hepatodiaphragmatic Nodule		
Inflammation, Focal	24 (48%)	24 (48%)
Inflammation, Chronic Active	24 (4070)	24 (40 /0)
Mixed Cell Focus	6 (12%)	9 (18%)
Necrosis	20 (40%)	21 (42%)
Pigment	30 (60%)	26 (52%)
Arteriole, Necrosis		
Bile Duct, Cyst		
Bile Duct, Dilation	. (221)	= ((==()
Bile Duct, Hyperplasia	1 (2%)	5 (10%)
Endothelial Cell, Hypertrophy, Diffuse		
Hepatocyte, Cytoplasmic Alteration	46 (92%)	41 (82%)
Hepatocyte, Hyperplasia, Nodular	1 (2%)	
Hepatocyte, Hypertrophy	43 (86%)	42 (84%)
Hepatocyte, Single Cell Death	24 (48%)	29 (58%)
Kupffer Cell, Hyperplasia		
Mesentery	(1)	(1)
Fat, Necrosis	1 (100%)	1 (100%)
Pancreas	(50)	(50)
Basophilic Focus	• •	, ,
Hemorrhage		
Inflammation		
Inflammation, Chronic Active	4 (8%)	5 (10%)
Acinus, Atrophy	7 (14%)	14 (28%)
Acinus, Hyperplasia	31 (62%)	33 (66%)
Duct, Degeneration, Mucoid	01 (0270)	00 (0070)
Duct, Degeneration, Mucold Duct, Inflammation, Chronic Active		1 (2%)
Salivary Glands	(49)	(50)
Atrophy	1 (2%)	(30)
Stomach, Forestomach	(50)	(50)
		(50)
Inflammation	1 (2%)	4 (8%)
Mineral	1 (2%)	

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC
Route: DOSED FEED
Species/Strain: RATS/HSD

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Perfluorooctanoic Acid CAS Number: 335-67-1

Date Report Requested: 07/24/2018 Time Report Requested: 12:59:13 First Dose M/F: 07/27/09 / NA

Harlan Sprague Dawley RATS MALE	0/80 ppm	300/80 ppm
Perforation		
Ulcer		
Epithelium, Erosion		
Epithelium, Hyperplasia, Basal Cell		
Epithelium, Hyperplasia, Squamous	4 (8%)	6 (12%)
Stomach, Glandular	(50)	(50)
Erosion	(00)	1 (2%)
Inflammation	1 (2%)	1 (2%)
Metaplasia, Atypical	1 (270)	1 (270)
Mineral		
Epithelium, Metaplasia, Squamous	1 (2%)	
Glands, Hyperplasia, Atypical, Focal	1 (270)	
Glands, Necrosis		
C.aas,		
CARDIOVASCULAR SYSTEM		
Blood Vessel	(50)	(50)
Inflammation	1 (2%)	1 (2%)
Inflammation, Chronic	2 (4%)	3 (6%)
Mineral	4 (8%)	4 (8%)
Adventitia, Aorta, Hemorrhage	, ,	, ,
Aorta, Mineral	1 (2%)	4 (8%)
Aorta, Pulmonary Artery, Mineral	1 (2%)	1 (2%)
Aorta, Pulmonary Vein, Mineral	,	,
Pulmonary Artery, Mineral		1 (2%)
Pulmonary Vein, Mineral		()
Pulmonary Vein, Thrombus	1 (2%)	
Heart	(50)	(50)
Cardiomyopathy	25 (50%)	24 (48%)
Metaplasia, Osseous	_== (0070)	(.0 /0)
Mineral		
Necrosis		
Atrium, Fibrosis		
Coronary Artery, Mineral		1 (2%)
Endocardium, Hyperplasia	1 (2%)	. (= /0)
=aooai.aiaiii, i i, porpiaoia	. (270)	

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC
Route: DOSED FEED
Species/Strain: RATS/HSD

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Perfluorooctanoic Acid CAS Number: 335-67-1

Date Report Requested: 07/24/2018 Time Report Requested: 12:59:13 First Dose M/F: 07/27/09 / NA

Harlan Sprague Dawley RATS MALE	0/80 ppm	300/80 ppm
Endocardium, Ventricle, Inflammation		1 (2%)
Myocardium, Hemorrhage	1 (2%)	1 (270)
Myocardium, Inflammation	1 (2%)	
Schwann Cell, Hyperplasia	(270)	
Valve, Degeneration	3 (6%)	
Valve, Degeneration Valve, Thrombus	1 (2%)	
vaive, infollibus	1 (2/0)	
ENDOCRINE SYSTEM		
Adrenal Cortex	(50)	(50)
Cyst		
Degeneration, Cystic		6 (12%)
Hyperplasia, Focal		
Hypertrophy	16 (32%)	17 (34%)
Necrosis	1 (2%)	1 (2%)
Thrombus		
Zona Fasciculata, Hyperplasia	1 (2%)	5 (10%)
Adrenal Medulla	(50)	(50)
Hyperplasia	2 (4%)	2 (4%)
Islets, Pancreatic	(50)	(50)
Hyperplasia	3 (6%)	9 (18%)
Metaplasia, Hepatocyte		
Parathyroid Gland	(41)	(42)
Hyperplasia	1 (2%)	1 (2%)
Hyperplasia, Focal	, ,	, ,
Pituitary Gland	(50)	(50)
Cyst	(/	(/
Hemorrhage		
Pars Distalis, Hyperplasia	18 (36%)	17 (34%)
Pars Distalis, Pars Intermedia, Hyperplasia	10 (0070)	1 (2%)
Pars Intermedia, Hypertrophy		1 (2/0)
Rathke's Cleft, Hyperplasia		
Thyroid Gland	(49)	(50)
	7 (14%)	8 (16%)
C-cell, Hyperplasia	7 (14%)	0 (10%)
Follicular Cell, Hyperplasia		

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC
Route: DOSED FEED
Species/Strain: RATS/HSD

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Perfluorooctanoic Acid CAS Number: 335-67-1

Date Report Requested: 07/24/2018 Time Report Requested: 12:59:13 First Dose M/F: 07/27/09 / NA

Harlan Sprague Dawley RATS MALE	0/80 ppm	300/80 ppm
Follicular Cell, Hypertrophy	11 (22%)	19 (38%)
GENERAL BODY SYSTEM		,
None		
GENITAL SYSTEM		
Epididymis	(50)	(50)
Preputial Gland	(50)	(50)
Inflammation	1 (2%)	,
Duct, Hyperplasia		
Prostate	(50)	(50)
Inflammation		
Dorsal, Inflammation, Chronic Active	2 (4%)	1 (2%)
Dorsal, Lateral, Inflammation, Chronic Active	1 (2%)	
Epithelium, Ventral, Hyperplasia	3 (6%)	3 (6%)
Lateral, Inflammation, Chronic Active	1 (2%)	1 (2%)
Ventral, Inflammation, Chronic		1 (2%)
Ventral, Inflammation, Chronic Active	9 (18%)	8 (16%)
Seminal Vesicle	(50)	(50)
Hyperplasia		
Inflammation		
Testes	(50)	(50)
Edema	1 (2%)	2 (4%)
Bilateral, Germinal Epithelium, Degeneration	3 (6%)	6 (12%)
Germinal Epithelium, Degeneration Interstitial Cell, Hyperplasia	4 (8%)	4 (8%)
HEMATOPOIETIC SYSTEM		
Bone Marrow	(50)	(50)
Hyperplasia	5 (10%)	9 (18%)
Myelofibrosis	3 (1070)	5 (1070)

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC
Route: DOSED FEED
Species/Strain: RATS/HSD

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Perfluorooctanoic Acid CAS Number: 335-67-1

Date Report Requested: 07/24/2018 Time Report Requested: 12:59:13 First Dose M/F: 07/27/09 / NA

Harley Construe Davidey DATO MALE	0/00	200/20
Harlan Sprague Dawley RATS MALE	0/80 ppm	300/80 ppm
Lymph Node	(0)	(1)
Deep Cervical, Inflammation, Granulomatous	()	()
Mediastinal, Hemorrhage		
Mediastinal, Hyperplasia, Lymphoid		
Mediastinal, Infiltration Cellular, Histiocyte		
Mediastinal, Infiltration Cellular, Plasma Cell		
Mediastinal, Pigment		
Pancreatic, Ectasia		
Pancreatic, Pigment		
Lymph Node, Mandibular	(49)	(50)
Atrophy	2 (4%)	3 (6%)
Ectasia		
Hemorrhage		
Hyperplasia, Lymphoid	1 (2%)	3 (6%)
Infiltration Cellular, Plasma Cell	4 (8%)	
Lymph Node, Mesenteric	(50)	(50)
Atrophy		1 (2%)
Hyperplasia, Lymphoid	2 (4%)	
Spleen	(50)	(50)
Extramedullary Hematopoiesis	37 (74%)	36 (72%)
Hemorrhage	1 (2%)	
Infarct		
Pigment	27 (54%)	28 (56%)
Capsule, Cyst		
Lymphoid Follicle, Atrophy	7 (14%)	2 (4%)
Lymphoid Follicle, Hyperplasia		
Thymus	(49)	(45)
Atrophy	47 (96%)	43 (96%)
Hyperplasia, Lymphoid		1 (2%)
Epithelial Cell, Hyperplasia, Tubular		
INTEGUMENTARY SYSTEM		
	(= -)	<i></i> -
Mammary Gland	(50)	(50)
Skin	(50)	(50)

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC
Route: DOSED FEED
Species/Strain: RATS/HSD

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Perfluorooctanoic Acid CAS Number: 335-67-1

Date Report Requested: 07/24/2018 Time Report Requested: 12:59:13 First Dose M/F: 07/27/09 / NA

Harlan Sprague Dawley RATS MALE	0/80 ppm	300/80 ppm
Cyst Epithelial Inclusion		1 (2%)
Foreign Body	1 (2%)	. (270)
Hyperkeratosis	1 (2%)	
Inflammation	2 (4%)	4 (8%)
Inflammation, Suppurative	_ (. / 3)	. (670)
Ulcer	1 (2%)	2 (4%)
Epidermis, Hyperplasia	. (=/3)	_ (. / \(\) /
Hair Follicle, Hyperplasia		
MUSCULOSKELETAL SYSTEM		
Bone	(50)	(50)
Hyperostosis	(30)	(30)
Osteopetrosis		
Joint, Arthrosis		
Skeletal Muscle	(0)	(2)
Oreletal Muscle	(0)	(2)
NERVOUS SYSTEM		
Brain	(50)	(50)
Compression	(/	(/
Gliosis, Focal		
Inflammation	1 (2%)	1 (2%)
Necrosis	3 (6%)	, ,
Cerebrum, Edema	,	1 (2%)
Peripheral Nerve	(0)	(0)
Axon, Degeneration	()	` '
Spinal Cord	(0)	(0)
Nerve, Degeneration	()	` '
RESPIRATORY SYSTEM		
Larynx	(0)	(0)
Lung	(50)	(50)
•	` '	` /

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC
Route: DOSED FEED
Species/Strain: RATS/HSD

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Perfluorooctanoic Acid CAS Number: 335-67-1

Date Report Requested: 07/24/2018 Time Report Requested: 12:59:13 First Dose M/F: 07/27/09 / NA

Harlan Sprague Dawley RATS MALE	0/80 ppm	300/80 ppm
Foreign Body		
Infiltration Cellular, Histiocyte	22 (44%)	23 (46%)
Infiltration Cellular, Lymphocyte	,	1 (2%)
Inflammation, Granulomatous, Multifocal	4 (8%)	6 (12%)
Inflammation, Acute		
Inflammation, Chronic Active	5 (10%)	6 (12%)
Alveolar Epithelium, Hyperplasia	2 (4%)	2 (4%)
Alveolar Epithelium, Hypertrophy		
Serosa, Fibrosis, Multifocal		
Nose	(50)	(50)
Glands, Olfactory Epithelium, Inflammation		
Glands, Respiratory Epithelium, Hyperplasia		
Glands, Respiratory Epithelium, Inflammation		1 (2%)
Nasolacrimal Duct, Inflammation		1 (2%)
Olfactory Epithelium, Accumulation, Hyaline Droplet	37 (74%)	42 (84%)
Olfactory Epithelium, Inflammation		
Olfactory Epithelium, Metaplasia		
Olfactory Epithelium, Necrosis		
Olfactory Epithelium, Respiratory Epithelium, Inflammation		
Respiratory Epithelium, Inflammation	1 (2%)	7 (14%)
Respiratory Epithelium, Metaplasia		
Respiratory Epithelium, Metaplasia, Mucous		
Trachea	(50)	(50)
SPECIAL SENSES SYSTEM		
Eye	(50)	(50)
Phthisis Bulbi	(00)	(00)
Anterior Chamber, Cornea, Inflammation		1 (2%)
Anterior Chamber, Cornea, Iris, Inflammation		· (= /0)
Cornea, Inflammation	1 (2%)	3 (6%)
Retina, Degeneration	5 (10%)	6 (12%)
	0 (1070)	0 (1270)
Retina, Gliosis, Focal Retina, Inflammation		

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: CHRONIC
Route: DOSED FEED
Species/Strain: RATS/HSD

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Perfluorooctanoic Acid CAS Number: 335-67-1

Date Report Requested: 07/24/2018 Time Report Requested: 12:59:13 First Dose M/F: 07/27/09 / NA

Lab: BAT

Harlan Sprague Dawley RATS MALE	0/80 ppm	300/80 ppm
Harderian Gland	(49)	(50)
Hyperplasia	1 (2%)	()
Metaplasia	(
Necrosis		1 (2%)
Lacrimal Gland	(0)	(0)
Zymbal's Gland	(0)	(1)
URINARY SYSTEM		
Kidney	(50)	(50)
Accumulation, Hyaline Droplet	,	,
Infarct	7 (14%)	2 (4%)
Mineral		
Nephropathy, Chronic Progressive	47 (94%)	44 (88%)
Cortex, Cyst	1 (2%)	
Cortex, Inflammation	1 (2%)	
Papilla, Necrosis		
Papilla, Urothelium, Hyperplasia		1 (2%)
Pelvis, Dilation		
Pelvis, Inflammation	1 (2%)	
Renal Tubule, Necrosis		
Urinary Bladder	(50)	(50)
Hemorrhage		
Infiltration Cellular, Mast Cell		
Inflammation	1 (2%)	

*** END OF REPORT ***