

Study Number: R16011C

Test Type: Teratology - Range Finding

Route: Oral Gavage

Species/Strain: Rabbit/New Zealand White

C Number:

Study Gender:

PWG Approval Date

I06: Mean Feed Consumption

Test Compound: 2-((1-(4-Phenoxyphenoxy)propan-2-yl)oxy)pyridine

CAS Number: 95737-68-1

R16011C

Female

See web page for date of PWG Approval

Date Report Requested: 05/24/2019

Time Report Requested: 10:48:47

Lab: Southern Research

Study Number: R16011C

Test Type: Teratology - Range Finding

Route: Oral Gavage

Species/Strain: Rabbit/New Zealand White

I06: Mean Feed Consumption

Test Compound: 2-((1-(4-Phenoxyphenoxy)propan-2-yl)oxy)pyridine

CAS Number: 95737-68-1

Date Report Requested: 05/24/2019

Time Report Requested: 10:48:47

Lab: Southern Research

F0 Females

Treatment Groups (mg/kg/day)

Phase	Litter ID	Days	0			300			400		
			Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Gestation	A	7 - 9	139.4 ± 10.2 **	44.2 ± 3.1 **	8	122.6 ± 12.1	39.5 ± 4.0	7	98.9 ± 17.6 *	31.7 ± 5.7 *	8
		9 - 12	133.1 ± 10.8	41.7 ± 3.2	8	102.2 ± 22.4	32.6 ± 7.1	7	101.1 ± 22.4	32.2 ± 7.1	8
		12 - 15	112.0 ± 16.1	34.0 ± 4.9	8	97.0 ± 8.5	30.2 ± 2.1	6	99.9 ± 17.2	31.1 ± 5.4	6
		15 - 18	119.2 ± 12.4	35.7 ± 3.7	8	107.9 ± 18.4	33.3 ± 5.5	6	76.0 ± 25.8	23.4 ± 7.9	6
		18 - 21	120.5 ± 13.5	36.1 ± 4.2	8	120.9 ± 24.2	37.0 ± 7.5	6	94.0 ± 29.2	28.6 ± 8.9	6
		21 - 24	112.0 ± 9.0	33.0 ± 2.5	8	130.7 ± 8.3	39.3 ± 2.7	5	123.5 ± 12.5	37.3 ± 3.5	4
		24 - 27	88.4 ± 13.3	25.7 ± 3.8	8	104.6 ± 19.1	31.1 ± 5.8	5	NR	NR	
		27 - 29	113.5 ± 11.5	32.8 ± 3.4	8	137.8 ± 4.3	40.4 ± 1.8	5	NR	NR	
	7 - 29	116.4 ± 8.4	35.0 ± 2.5	8	124.1 ± 4.7	38.1 ± 1.5	5	NR	NR		

Study Number: R16011C

Test Type: Teratology - Range Finding

Route: Oral Gavage

Species/Strain: Rabbit/New Zealand White

I06: Mean Feed Consumption

Test Compound: 2-((1-(4-Phenoxyphenoxy)propan-2-yl)oxy)pyridine

CAS Number: 95737-68-1

Date Report Requested: 05/24/2019

Time Report Requested: 10:48:47

Lab: Southern Research

F0 Females

Phase	Litter ID	Days	Treatment Groups (mg/kg/day)		N
			500		
			Wt (g/animal/day)	Wt (g/kg/day)	
Gestation	A	7 - 9	73.0 ± 18.2 **	23.7 ± 6.0 *	8
		9 - 12	NR	NR	
		12 - 15	NR	NR	
		15 - 18	NR	NR	
		18 - 21	NR	NR	
		21 - 24	NR	NR	
		24 - 27	NR	NR	
		27 - 29	NR	NR	
		7 - 29	NR	NR	

Study Number: R16011C

Test Type: Teratology - Range Finding

Route: Oral Gavage

Species/Strain: Rabbit/New Zealand White

I06: Mean Feed Consumption

Test Compound: 2-((1-(4-Phenoxyphenoxy)propan-2-yl)oxy)pyridine

CAS Number: 95737-68-1

Date Report Requested: 05/24/2019

Time Report Requested: 10:48:47

Lab: Southern Research

LEGEND

Reported as the mean \pm SEM. N is the number of animals, number of cages for group housed adult animals or number of litters.

Feed consumption values were excluded when excessive spillage was recorded.

In multiple breeding/littering studies Litter A is the default designation for the first litter; subsequent litters would be B, C etc.

Statistical analysis performed by Jonckheere (trend) and Shirley or Dunn (pairwise) tests.

Statistical significance for the control group indicates a significant trend test

Statistical significance for a treatment group indicates a significant pairwise test compared to the vehicle control group

* Statistically significant at $P \leq 0.05$

** Statistically significant at $P \leq 0.01$

Consumption is not reported for the non-pregnant animals during gestation and lactation phases

NR not recorded

**** END OF REPORT ****