

Study Number: MOG08002B

Test Type: MOG

Route: Dosing in Feed

Species/Strain: Rat/Sprague-Dawley

Summary of Litter Data

Test Compound: Bisphenol AF

CAS Number: 1478-61-1

Date Report Requested: 07/17/2020

Time Report Requested: 10:59:25

Lab: RTI

F1 Pups from F0 Females

	Treatment Groups (ppm)			
	0	338	1125	3750
No. F0 Dams				
PND 0	25	28	29	25
Total No. Pups				
PND 0	329	370	388	330
Total Pups per Litter				
PND 0	13.2 ± 0.7 (25)	13.2 ± 0.6 (28)	13.4 ± 0.3 (29)	13.2 ± 0.4 (25)
Total No. Live				
PND 0	316	333	361	301
Live per Litter				
PND 0	13.2 ± 0.4 (24)	11.9 ± 0.6 (28)	12.9 ± 0.4 (28)	12.5 ± 0.5 (24)
PND 1	13.0 ± 0.4 (24)	11.4 ± 0.7 (28)	12.6 ± 0.4 (28)	11.4 ± 0.7 (23)
PND 4	13.1 ± 0.4 (23) *	11.6 ± 0.6 (27)	12.4 ± 0.4 (28)	10.6 ± 0.8 (23) **
PND 4 post-cull	9.8 ± 0.2 (23)	9.6 ± 0.3 (27)	10.0 ± 0.1 (28)	9.0 ± 0.5 (23)
PND 7	9.8 ± 0.2 (23) *	9.4 ± 0.3 (24)	9.7 ± 0.1 (25)	8.8 ± 0.5 (23) *
PND 10	9.7 ± 0.2 (23) *	9.3 ± 0.4 (24)	9.5 ± 0.2 (25)	8.7 ± 0.5 (23)
PND 13	9.7 ± 0.2 (23) *	9.2 ± 0.4 (24)	9.3 ± 0.3 (25)	8.5 ± 0.5 (23)
PND 16	9.7 ± 0.2 (23)	9.1 ± 0.4 (24)	9.3 ± 0.3 (25)	8.3 ± 0.5 (23)
PND 19	9.7 ± 0.2 (23) *	9.1 ± 0.4 (24)	9.3 ± 0.3 (25)	8.3 ± 0.5 (23)
PND 21	9.7 ± 0.2 (23) *	9.1 ± 0.4 (24)	9.3 ± 0.3 (25)	8.3 ± 0.5 (23)
PND 25	9.7 ± 0.2 (23) *	9.1 ± 0.4 (24)	9.3 ± 0.3 (25)	8.3 ± 0.5 (23)
PND 28	9.8 ± 0.1 (22) *	9.0 ± 0.4 (24)	9.4 ± 0.3 (22)	8.3 ± 0.5 (23) *
Dead per Litter				
PND 0	0.52 ± 0.12 (25)	1.32 ± 0.58 (28)	0.93 ± 0.36 (29)	1.16 ± 0.48 (25)
PND 1 - 4	0.63 ± 0.50 (24) *	0.71 ± 0.29 (28)	0.46 ± 0.17 (28)	2.42 ± 0.88 (24) *
PND 5 - 28	0.13 ± 0.07 (23) *	0.38 ± 0.29 (24)	0.64 ± 0.26 (25)	0.65 ± 0.22 (23)
Number of Dead				
PND 0	13 (12)	37 (10)	27 (12)	29 (14)

Study Number: MOG08002B

Test Type: MOG

Route: Dosing in Feed

Species/Strain: Rat/Sprague-Dawley

Summary of Litter Data

Test Compound: Bisphenol AF

CAS Number: 1478-61-1

Date Report Requested: 07/17/2020

Time Report Requested: 10:59:25

Lab: RTI

F1 Pups from F0 Females

	Treatment Groups (ppm)			
	0	338	1125	3750
PND 1 - 4	15 (3)	20 (9)	13 (8)	58 (12)
PND 5 - 28	3 (3)	9 (3)	16 (7)	15 (8)
% Live Male Pups per Litter				
PND 0	43.01 ± 2.58 (24)	50.64 ± 3.01 (28)	49.27 ± 2.78 (28)	50.58 ± 3.20 (24)
Survival Ratio				
PND 0	0.92 ± 0.04 (25)	0.92 ± 0.03 (28)	0.92 ± 0.04 (29)	0.91 ± 0.04 (25)
PND 1 - 4	0.95 ± 0.04 (24) *	0.92 ± 0.04 (28)	0.96 ± 0.01 (28)	0.82 ± 0.06 (24) *
PND 5 - 28	0.99 ± 0.01 (23) *	0.96 ± 0.03 (24)	0.94 ± 0.03 (25)	0.93 ± 0.03 (23)

Study Number: MOG08002B

Test Type: MOG

Route: Dosing in Feed

Species/Strain: Rat/Sprague-Dawley

Summary of Litter Data

Test Compound: Bisphenol AF

CAS Number: 1478-61-1

Date Report Requested: 07/17/2020

Time Report Requested: 10:59:25

Lab: RTI

LEGEND

Total No. of Pups and Total Pups per Litter is inclusive of nonviable pups.

For the endpoints of Total Pups per Litter, Live per Litter, Dead per Litter, % Live Male Pups per Litter, and Survival Ratio for the F1 and F2 pups, data are displayed as the mean of litter values \pm SEM of litter values (number of litters produced by F0 dams).

F1 Total Pups per Litter, Live per Litter, Dead per Litter, % Live Male Pups per Litter, and Survival Ratio endpoints were analyzed using Jonckheere's test for trend and Shirley's or Dunn's methods for pairwise comparison of controls to dose groups.

For Number of Dead, N is displayed as the number of pups (number of litters contributing dead pups).

All calculations are based on the last litter observation of the day

Survival ratio on PND 0 is live pup count at the last PND 0 litter observation relative to the total number of pups upon completion of parturition.

Litters were culled to 10 pups (5 males and 5 females when possible).

Statistical significance for the control group indicates a significant trend test

Statistical significance for a treatment group indicates a significant pairwise test compared to the vehicle control group

* Statistically significant at $P \leq 0.05$

** Statistically significant at $P \leq 0.01$

** END OF REPORT **