

Study Number: MOG08002B
Test Type: MOG
Route: Dosing in Feed
Species/Strain: Rat/Sprague-Dawley

I04: Mean Body Weight Summary

Test Compound: Bisphenol AF
CAS Number: 1478-61-1

Date Report Requested: 01/29/2021
Time Report Requested: 11:15:05
Lab: RTI

Study Number: MOG08002B
Study Gender: Both
PWG Approval Date: See web page for date of PWG Approval
Version: v1.1.7

Study Number: MOG08002B
 Test Type: MOG
 Route: Dosing in Feed
 Species/Strain: Rat/Sprague-Dawley

I04: Mean Body Weight Summary
 Test Compound: Bisphenol AF
 CAS Number: 1478-61-1

Date Report Requested: 01/29/2021
 Time Report Requested: 11:15:05
 Lab: RTI

F0 Females

Treatment Groups (ppm)

Phase Day	0		338			1125			3750		
	Wt (g)	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
GD3	224.7 ± 2.3	30	224.3 ± 2.7	99.8	32	221.5 ± 2.4	98.6	33	223.9 ± 2.5	99.6	29
GD4	229.9 ± 1.9	30	229.8 ± 2.5	100.0	32	228.2 ± 2.2	99.3	33	229.4 ± 2.2	99.8	29
GD5	234.9 ± 2.0	30	235.4 ± 2.5	100.2	32	232.9 ± 2.1	99.1	33	234.1 ± 2.3	99.7	29
GD6	238.2 ± 1.9	30	239.3 ± 2.5	100.5	32	237.1 ± 2.1	99.5	33	237.6 ± 2.1	99.8	29
GD7	241.9 ± 2.0 **	30	242.3 ± 2.5	100.2	32	236.2 ± 1.9	97.7	33	231.2 ± 2.0 **	95.6	29
GD8	246.2 ± 2.1 **	30	246.8 ± 2.7	100.2	32	237.5 ± 2.1 **	96.5	33	232.7 ± 2.3 **	94.5	29
GD9	250.8 ± 2.2 **	30	250.2 ± 2.6	99.7	32	240.4 ± 2.0 **	95.9	33	233.8 ± 2.2 **	93.2	29
GD10	255.6 ± 2.2 **	30	256.2 ± 2.8	100.2	32	244.5 ± 2.0 **	95.7	33	237.2 ± 1.9 **	92.8	29
GD11	260.1 ± 2.3 **	30	260.6 ± 2.9	100.2	32	248.6 ± 2.0 **	95.6	33	240.0 ± 2.4 **	92.3	29
GD12	264.8 ± 2.5 **	30	265.0 ± 2.9	100.1	32	250.6 ± 2.2 **	94.6	33	240.9 ± 2.4 **	91.0	29
GD13	270.9 ± 2.6 **	30	270.1 ± 3.0	99.7	32	255.8 ± 2.1 **	94.4	33	248.9 ± 2.2 **	91.9	29
GD14	275.3 ± 2.9 **	30	275.4 ± 3.3	100.0	32	259.1 ± 2.1 **	94.1	33	246.9 ± 2.4 **	89.7	29
GD15	283.0 ± 3.2 **	30	282.9 ± 3.3	100.0	32	266.7 ± 2.4 **	94.2	33	251.8 ± 2.8 **	89.0	29
GD16	292.8 ± 3.7 **	30	293.8 ± 3.6	100.4	32	278.4 ± 2.4 **	95.1	33	262.7 ± 2.7 **	89.7	29
GD17	305.5 ± 4.3 **	30	307.7 ± 4.0	100.7	32	290.3 ± 2.7 **	95.0	33	273.7 ± 2.9 **	89.6	29
GD18	318.6 ± 5.1 **	30	320.6 ± 4.4	100.6	32	303.4 ± 2.9 **	95.2	33	284.3 ± 3.5 **	89.2	29
GD19	332.5 ± 6.3 **	27	336.9 ± 5.6	101.3	29	316.6 ± 3.4 *	95.2	30	298.0 ± 4.1 **	89.6	26
GD20	346.9 ± 7.2 **	27	351.1 ± 5.8	101.2	29	328.6 ± 3.7 *	94.7	30	307.6 ± 4.5 **	88.7	26
GD21	356.8 ± 7.6 **	27	359.7 ± 5.9	100.8	29	333.2 ± 3.8 **	93.4	30	309.9 ± 4.4 **	86.8	26
LD1	258.2 ± 3.1 **	24	257.8 ± 3.8	99.9	28	225.5 ± 2.9 **	87.4	28	213.9 ± 3.0 **	82.8	24
LD4	278.6 ± 2.6 **	24	275.0 ± 2.9	98.7	28	244.6 ± 3.2 **	87.8	28	233.0 ± 2.1 **	83.6	23
LD7	280.6 ± 4.2 **	23	281.0 ± 3.6	100.2	24	260.6 ± 3.8 **	92.9	25	242.9 ± 2.5 **	86.6	23
LD10	298.0 ± 2.8 **	23	294.0 ± 4.0	98.7	24	272.3 ± 3.4 **	91.4	25	253.6 ± 3.0 **	85.1	23
LD13	306.5 ± 2.3 **	23	304.1 ± 3.7	99.2	24	275.6 ± 3.4 **	89.9	25	255.3 ± 2.5 **	83.3	22
LD16	306.5 ± 2.5 **	23	303.1 ± 3.7	98.9	24	282.8 ± 3.0 **	92.3	25	267.7 ± 2.8 **	87.4	22
LD19	303.5 ± 2.7 **	23	296.9 ± 3.2	97.8	24	283.3 ± 4.0 **	93.3	25	268.8 ± 2.3 **	88.5	22
LD21	302.4 ± 2.8 **	23	293.6 ± 3.5	97.1	24	282.0 ± 3.6 **	93.2	25	273.6 ± 2.6 **	90.5	22
LD25	275.5 ± 4.2	23	273.1 ± 4.6	99.1	24	271.3 ± 3.8	98.5	25	272.3 ± 2.7	98.9	22
LD28	279.9 ± 3.3	23	273.7 ± 3.1	97.8	24	270.3 ± 3.0	96.6	25	274.4 ± 3.0	98.0	22

Study Number: MOG08002B
 Test Type: MOG
 Route: Dosing in Feed
 Species/Strain: Rat/Sprague-Dawley

I04: Mean Body Weight Summary
 Test Compound: Bisphenol AF
 CAS Number: 1478-61-1

Date Report Requested: 01/29/2021
 Time Report Requested: 11:15:05
 Lab: RTI

F1 Males: All F1 Males

Treatment Groups (ppm)

Phase Day	0		338			1125			3750		
	Wt (g)	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
PND28	76.3 ± 1.4 **	54 (22)	75.5 ± 1.5	99.0	55 (24)	67.6 ± 1.4 **	88.5	53 (22)	53.6 ± 1.6 **	70.3	50 (20)
PND35	122.6 ± 1.8 **	54 (22)	119.0 ± 1.9	97.0	55 (24)	105.7 ± 1.9 **	86.2	53 (22)	85.8 ± 2.0 **	70.0	50 (20)
PND42	174.0 ± 2.3 **	54 (22)	166.1 ± 2.2 *	95.5	55 (24)	145.0 ± 2.3 **	83.3	53 (22)	115.2 ± 2.3 **	66.2	50 (20)
PND49	223.6 ± 2.8 **	54 (22)	210.4 ± 2.9 **	94.1	55 (24)	185.7 ± 2.9 **	83.0	53 (22)	140.3 ± 2.5 **	62.7	50 (20)
PND56	269.1 ± 2.9 **	54 (22)	253.5 ± 3.1 **	94.2	55 (24)	223.6 ± 3.2 **	83.1	53 (22)	160.2 ± 2.7 **	59.5	50 (20)
PND63	301.4 ± 3.3 **	54 (22)	286.8 ± 3.3 **	95.2	55 (24)	255.5 ± 3.6 **	84.8	53 (22)	180.3 ± 3.1 **	59.8	50 (20)
PND70	327.6 ± 3.2 **	54 (22)	311.8 ± 3.7 **	95.2	55 (24)	278.4 ± 3.8 **	85.0	53 (22)	197.0 ± 3.6 **	60.1	50 (20)
PND77	346.1 ± 3.7 **	54 (22)	333.6 ± 4.3	96.4	55 (24)	296.6 ± 4.4 **	85.7	52 (22)	211.9 ± 3.9 **	61.2	50 (20)
PND84	364.2 ± 3.7 **	54 (22)	350.2 ± 4.4	96.1	55 (24)	312.5 ± 4.4 **	85.8	53 (22)	223.2 ± 4.1 **	61.3	50 (20)
PND91	376.0 ± 3.9 **	54 (22)	362.4 ± 4.8	96.4	54 (24)	325.4 ± 4.8 **	86.5	53 (22)	231.2 ± 4.4 **	61.5	50 (20)
PND98	386.3 ± 4.4 **	54 (22)	373.7 ± 5.2	96.7	54 (24)	334.4 ± 5.0 **	86.6	53 (22)	238.3 ± 4.6 **	61.7	50 (20)
PND105	397.0 ± 4.0 **	54 (22)	383.0 ± 5.3	96.5	54 (24)	344.0 ± 5.0 **	86.6	53 (22)	245.0 ± 4.4 **	61.7	50 (20)
PND112	407.5 ± 4.1 **	54 (22)	391.9 ± 5.5	96.2	54 (24)	352.9 ± 5.1 **	86.6	53 (22)	252.8 ± 4.6 **	62.0	50 (20)
PND119	416.1 ± 4.7 **	47 (22)	400.6 ± 5.3	96.3	47 (24)	361.8 ± 5.0 **	86.9	46 (22)	256.8 ± 5.8 **	61.7	41 (20)
PND126	428.6 ± 6.5 **	22	404.7 ± 7.2 **	94.4	23	372.4 ± 4.9 **	86.9	21	261.1 ± 6.8 **	60.9	20
PND133	437.0 ± 6.4 **	22	411.1 ± 8.0 **	94.1	23	377.8 ± 5.5 **	86.5	21	264.1 ± 6.5 **	60.4	20
PND140	442.9 ± 6.8 **	22	417.2 ± 7.7 **	94.2	23	383.0 ± 5.9 **	86.5	21	268.0 ± 6.7 **	60.5	20
PND147	447.5 ± 6.6 **	22	423.1 ± 8.0 *	94.5	23	387.5 ± 5.9 **	86.6	21	270.3 ± 6.6 **	60.4	20
PND154	459.0 ± 7.9 **	9	442.1 ± 20.1	96.3	5	381.4 ± 27.6 **	83.1	3	328.1	71.5	1

Study Number: MOG08002B
Test Type: MOG
Route: Dosing in Feed
Species/Strain: Rat/Sprague-Dawley

I04: Mean Body Weight Summary
Test Compound: Bisphenol AF
CAS Number: 1478-61-1

Date Report Requested: 01/29/2021
Time Report Requested: 11:15:05
Lab: RTI

F1 Females: All F1 Females

Treatment Groups (ppm)

Phase Day	0			338			1125			3750		
	Wt (g)	N		Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
PND28	69.5 ± 1.4 **	66 (22)		69.3 ± 1.3	99.7	66 (24)	63.5 ± 1.6 **	91.4	58 (22)	51.5 ± 1.4 **	74.1	58 (22)
PND35	105.5 ± 1.8 **	61 (22)		100.9 ± 1.5	95.6	60 (24)	94.5 ± 2.0 **	89.6	53 (22)	79.7 ± 1.5 **	75.5	49 (22)
PND42	137.0 ± 1.8 **	54 (22)		130.9 ± 1.7 *	95.5	55 (24)	119.3 ± 1.9 **	87.1	53 (22)	103.6 ± 1.7 **	75.6	49 (22)
PND49	159.3 ± 1.7 **	54 (22)		151.7 ± 1.9 *	95.2	55 (24)	138.9 ± 2.0 **	87.2	53 (22)	121.4 ± 1.6 **	76.2	49 (22)
PND56	180.7 ± 2.1 **	54 (22)		170.6 ± 2.5 **	94.4	55 (24)	153.7 ± 2.3 **	85.1	53 (22)	133.9 ± 1.6 **	74.1	49 (22)
PND63	196.6 ± 2.7 **	54 (22)		185.3 ± 2.8 **	94.2	55 (24)	169.0 ± 2.4 **	85.9	53 (22)	143.8 ± 1.6 **	73.1	48 (22)
PND70	207.8 ± 3.0 **	53 (22)		197.5 ± 2.9 *	95.1	55 (24)	178.9 ± 2.5 **	86.1	53 (22)	151.5 ± 1.8 **	72.9	48 (22)
PND77	219.1 ± 2.9 **	53 (22)		207.8 ± 3.3 **	94.9	55 (24)	186.9 ± 2.3 **	85.3	53 (22)	157.1 ± 2.0 **	71.7	48 (22)
PND84	230.1 ± 2.8 **	53 (22)		217.4 ± 3.4 **	94.5	55 (24)	195.2 ± 2.6 **	84.8	53 (22)	165.3 ± 2.1 **	71.8	48 (22)
PND91	238.3 ± 3.3 **	53 (22)		223.8 ± 3.6 **	93.9	55 (24)	202.2 ± 2.3 **	84.8	53 (22)	169.9 ± 2.2 **	71.3	48 (22)
PND98	242.9 ± 3.4 **	53 (22)		227.2 ± 3.7 **	93.6	55 (24)	206.0 ± 2.3 **	84.8	53 (22)	172.6 ± 2.3 **	71.1	48 (22)

Study Number: MOG08002B
 Test Type: MOG
 Route: Dosing in Feed
 Species/Strain: Rat/Sprague-Dawley

I04: Mean Body Weight Summary
 Test Compound: Bisphenol AF
 CAS Number: 1478-61-1

Date Report Requested: 01/29/2021
 Time Report Requested: 11:15:05
 Lab: RTI

F1 Females: Prenatal Females

Phase Day	Treatment Groups (ppm)								
	0		338			1125			
	Wt (g)	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N	
GD0	246.7 ± 3.7 **	16	229.4 ± 4.1 **	93.0	20	203.9 ± 4.8 **	82.6	15	
GD1	252.7 ± 3.8 **	16	235.8 ± 4.4 **	93.3	20	208.3 ± 4.6 **	82.4	15	
GD2	258.6 ± 3.0 **	16	239.3 ± 4.2 **	92.5	20	213.1 ± 4.8 **	82.4	15	
GD3	263.1 ± 2.8 **	16	242.8 ± 4.2 **	92.3	20	217.3 ± 4.8 **	82.6	15	
GD4	267.6 ± 3.4 **	16	247.1 ± 4.5 **	92.3	20	218.4 ± 4.8 **	81.6	15	
GD5	271.1 ± 2.8 **	16	249.3 ± 4.4 **	92.0	20	221.4 ± 4.4 **	81.7	15	
GD6	275.3 ± 2.8 **	16	251.8 ± 4.2 **	91.4	20	224.5 ± 4.4 **	81.5	15	
GD7	277.6 ± 3.2 **	16	254.2 ± 4.5 **	91.6	20	226.1 ± 4.8 **	81.5	15	
GD8	281.9 ± 3.5 **	16	256.8 ± 4.7 **	91.1	20	227.8 ± 4.6 **	80.8	15	
GD9	286.4 ± 3.2 **	16	260.9 ± 4.7 **	91.1	20	231.3 ± 4.3 **	80.8	15	
GD10	292.0 ± 3.3 **	16	266.2 ± 4.7 **	91.2	20	234.6 ± 4.5 **	80.3	15	
GD11	297.1 ± 3.1 **	16	270.7 ± 4.8 **	91.1	20	237.9 ± 4.7 **	80.1	15	
GD12	299.9 ± 3.0 **	16	273.1 ± 4.7 **	91.1	20	238.2 ± 4.6 **	79.4	15	
GD13	306.8 ± 3.2 **	16	277.5 ± 4.7 **	90.5	20	243.0 ± 4.8 **	79.2	15	
GD14	313.8 ± 3.2 **	16	283.1 ± 5.0 **	90.2	20	245.2 ± 5.0 **	78.1	15	
GD15	320.7 ± 3.4 **	16	289.6 ± 5.2 **	90.3	20	248.9 ± 4.8 **	77.6	15	
GD16	333.1 ± 3.6 **	16	300.3 ± 5.3 **	90.2	20	254.8 ± 5.3 **	76.5	15	
GD17	348.8 ± 3.4 **	16	313.9 ± 5.6 **	90.0	20	260.8 ± 5.9 **	74.8	15	
GD18	366.5 ± 4.3 **	16	330.6 ± 6.2 **	90.2	20	268.3 ± 6.8 **	73.2	15	
GD19	384.9 ± 4.3 **	16	347.0 ± 6.0 **	90.2	20	278.1 ± 7.7 **	72.2	15	
GD20	399.9 ± 4.1 **	16	360.4 ± 6.5 **	90.1	20	287.7 ± 8.3 **	72.0	15	
GD21	415.9 ± 4.9 **	16	373.3 ± 6.6 **	89.7	20	294.4 ± 9.2 **	70.8	15	

Study Number: MOG08002B

Test Type: MOG

Route: Dosing in Feed

Species/Strain: Rat/Sprague-Dawley

I04: Mean Body Weight Summary

Test Compound: Bisphenol AF

CAS Number: 1478-61-1

Date Report Requested: 01/29/2021

Time Report Requested: 11:15:05

Lab: RTI

F1 Females: Fertility Females

Phase Day	Treatment Groups (ppm)							
	0		338			1125		
	Wt (g)	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
GD0	249.0 ± 4.5 **	16	239.2 ± 5.1	96.1	19	210.7 ± 4.9 **	84.6	9
GD1	256.2 ± 4.6 **	16	243.8 ± 5.0	95.1	19	215.4 ± 4.7 **	84.1	9
GD2	264.2 ± 4.5 **	16	249.2 ± 5.1 *	94.3	19	218.5 ± 4.6 **	82.7	9
GD3	267.9 ± 4.2 **	16	253.6 ± 4.9 *	94.7	19	222.5 ± 4.6 **	83.1	9
GD4	271.8 ± 4.1 **	16	255.9 ± 5.1 *	94.1	19	225.1 ± 4.7 **	82.8	9
GD5	275.6 ± 3.9 **	16	260.1 ± 5.3 *	94.4	19	227.2 ± 4.7 **	82.4	9
GD6	279.6 ± 4.4 **	16	262.8 ± 5.3 *	94.0	19	228.8 ± 4.6 **	81.9	9
GD7	282.0 ± 4.3 **	16	266.4 ± 5.0 *	94.5	19	232.8 ± 5.1 **	82.5	9
GD8	284.5 ± 4.4 **	16	268.9 ± 5.2 *	94.5	19	235.3 ± 4.6 **	82.7	9
GD9	289.3 ± 4.3 **	16	272.3 ± 5.6 *	94.1	19	235.8 ± 4.6 **	81.5	9
GD10	293.4 ± 4.3 **	16	276.3 ± 5.1 *	94.2	19	238.2 ± 4.4 **	81.2	9
GD11	298.2 ± 4.5 **	16	278.6 ± 5.1 **	93.4	19	239.5 ± 4.6 **	80.3	9
GD12	300.8 ± 4.5 **	16	281.7 ± 5.3 **	93.6	19	242.7 ± 5.0 **	80.7	9
GD13	308.1 ± 4.8 **	16	287.1 ± 5.4 **	93.2	19	245.4 ± 5.3 **	79.7	9
GD14	312.8 ± 4.6 **	16	291.3 ± 5.5 **	93.1	19	249.6 ± 5.4 **	79.8	9
GD15	320.6 ± 4.6 **	16	298.7 ± 5.7 **	93.1	19	253.6 ± 6.4 **	79.1	9
GD16	330.8 ± 5.1 **	16	307.7 ± 5.9 **	93.0	19	260.8 ± 7.4 **	78.9	9
GD17	345.3 ± 5.5 **	16	319.9 ± 6.0 **	92.6	19	268.7 ± 9.2 **	77.8	9
GD18	361.1 ± 5.7 **	16	333.7 ± 6.0 **	92.4	19	278.0 ± 11.0 **	77.0	9
GD19	377.9 ± 6.0 **	16	347.6 ± 6.3 **	92.0	19	287.5 ± 11.4 **	76.1	9
GD20	393.1 ± 6.9 **	16	361.1 ± 7.1 **	91.9	19	297.9 ± 12.5 **	75.8	9
GD21	407.0 ± 7.5 **	16	372.0 ± 7.6 **	91.4	19	305.9 ± 13.3 **	75.2	9

Study Number: MOG08002B
Test Type: MOG
Route: Dosing in Feed
Species/Strain: Rat/Sprague-Dawley

I04: Mean Body Weight Summary
Test Compound: Bisphenol AF
CAS Number: 1478-61-1

Date Report Requested: 01/29/2021
Time Report Requested: 11:15:05
Lab: RTI

F1 Females: Fertility Females

Phase Day	Treatment Groups (ppm)							
	0		338			1125		
	Wt (g)	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
LD1	307.6 ± 5.0 **	18	276.6 ± 5.6 **	89.9	19	243.0 ± 7.7 **	79.0	9
LD4	313.9 ± 4.4 **	18	288.8 ± 5.0 **	92.0	19	248.5 ± 6.2 **	79.2	9
LD7	312.9 ± 5.1 **	18	289.6 ± 4.4 **	92.5	19	255.8 ± 7.3 **	81.8	9
LD10	322.9 ± 4.4 **	18	297.3 ± 4.6 **	92.1	19	265.2 ± 5.1 **	82.1	9
LD13	326.7 ± 4.6 **	18	299.6 ± 4.8 **	91.7	19	269.8 ± 5.6 **	82.6	9
LD16	328.4 ± 4.8 **	18	303.6 ± 4.2 **	92.5	19	274.7 ± 5.2 **	83.7	9
LD19	323.8 ± 4.7 **	18	299.7 ± 4.4 **	92.6	19	273.9 ± 5.7 **	84.6	9
LD21	318.8 ± 4.8 **	18	293.8 ± 4.2 **	92.2	19	272.8 ± 6.5 **	85.6	9
LD25	308.8 ± 3.8 **	18	285.7 ± 4.2 **	92.5	19	268.3 ± 6.1 **	86.9	9
LD28	305.4 ± 3.7 **	18	281.1 ± 3.8 **	92.0	19	264.6 ± 6.9 **	86.6	9

Study Number: MOG08002B
Test Type: MOG
Route: Dosing in Feed
Species/Strain: Rat/Sprague-Dawley

I04: Mean Body Weight Summary
Test Compound: Bisphenol AF
CAS Number: 1478-61-1

Date Report Requested: 01/29/2021
Time Report Requested: 11:15:05
Lab: RTI

F2 Males

Treatment Groups (ppm)

Phase Day	0		338			1125		
	Wt (g)	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
PND28	87.5 ± 2.5 *	52 (17)	85.8 ± 1.6	98.1	70 (19)	78.6 ± 4.1	89.8	27 (7)
PND35	134.6 ± 3.6 **	52 (17)	129.5 ± 2.0	96.2	70 (19)	116.6 ± 4.5 **	86.6	27 (7)
PND42	185.2 ± 4.1 **	52 (17)	177.3 ± 2.5	95.8	70 (19)	156.5 ± 5.2 **	84.5	27 (7)
PND49	232.4 ± 4.6 **	52 (17)	223.9 ± 3.1	96.4	70 (19)	197.4 ± 6.1 **	84.9	27 (7)
PND56	275.3 ± 6.5 **	52 (17)	266.6 ± 3.4	96.9	70 (19)	241.5 ± 6.8 **	87.7	27 (7)
PND63	311.8 ± 5.8 **	52 (17)	300.0 ± 3.7	96.2	70 (19)	277.9 ± 8.1 **	89.1	27 (7)
PND70	335.9 ± 6.4 *	52 (17)	324.6 ± 4.1	96.6	70 (19)	307.4 ± 9.0 *	91.5	27 (7)
PND77	358.7 ± 6.7 *	52 (17)	345.5 ± 4.8	96.3	70 (19)	330.8 ± 9.4	92.2	27 (7)
PND84	375.5 ± 6.7 *	52 (17)	359.3 ± 5.5	95.7	70 (19)	348.1 ± 10.0	92.7	27 (7)
PND91	387.9 ± 6.7 *	52 (17)	372.4 ± 5.3	96.0	70 (19)	360.2 ± 9.8	92.8	27 (7)

Study Number: MOG08002B
Test Type: MOG
Route: Dosing in Feed
Species/Strain: Rat/Sprague-Dawley

I04: Mean Body Weight Summary
Test Compound: Bisphenol AF
CAS Number: 1478-61-1

Date Report Requested: 01/29/2021
Time Report Requested: 11:15:05
Lab: RTI

F2 Females

Treatment Groups (ppm)

Phase Day	0		338			1125		
	Wt (g)	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
PND28	81.1 ± 1.7 **	78 (18)	76.8 ± 1.2	94.8	77 (19)	73.9 ± 1.9 *	91.2	20 (7)
PND35	117.5 ± 1.8 **	78 (18)	109.3 ± 1.7 **	93.0	77 (19)	104.8 ± 1.9 **	89.2	20 (7)
PND42	146.0 ± 2.1 **	78 (18)	136.1 ± 1.7 **	93.2	77 (19)	129.0 ± 2.7 **	88.3	20 (7)
PND49	165.7 ± 2.7 **	78 (18)	152.8 ± 2.3 **	92.2	77 (19)	144.4 ± 4.2 **	87.2	20 (7)
PND56	183.8 ± 3.3 **	78 (18)	168.6 ± 2.9 **	91.7	77 (19)	157.2 ± 4.6 **	85.5	20 (7)
PND63	199.7 ± 3.4 **	78 (18)	182.6 ± 3.5 **	91.5	76 (19)	168.3 ± 5.7 **	84.3	20 (7)
PND70	212.6 ± 3.8 **	78 (18)	193.0 ± 3.6 **	90.8	77 (19)	178.8 ± 5.5 **	84.1	20 (7)
PND77	222.6 ± 4.0 **	78 (18)	201.5 ± 3.8 **	90.5	77 (19)	185.9 ± 6.5 **	83.5	20 (7)
PND84	234.5 ± 4.1 **	78 (18)	211.9 ± 3.7 **	90.4	77 (19)	195.2 ± 5.3 **	83.3	20 (7)
PND91	240.3 ± 4.2 **	78 (18)	217.6 ± 4.0 **	90.6	77 (19)	203.9 ± 5.9 **	84.9	20 (7)

Study Number: MOG08002B
Test Type: MOG
Route: Dosing in Feed
Species/Strain: Rat/Sprague-Dawley

I04: Mean Body Weight Summary
Test Compound: Bisphenol AF
CAS Number: 1478-61-1

Date Report Requested: 01/29/2021
Time Report Requested: 11:15:05
Lab: RTI

LEGEND

Weight data for the F0 females, All F1 Males after PND 119, F1 Prenatal females, and F1 Fertility female cohorts displayed as mean \pm SEM. N is the number of animals.

Weight data for All F1 Males through PND 119, All F1 Females, and F2 male and female cohorts displayed as mean of litter means \pm SEM of litter means. N is displayed as number of animals (number of litters).

SD – Study Day; GD – Gestation Day; LD – Lactation Day; PND – Postnatal Day, adults post-weaning

In multigenerational studies, body weights reported for all animals until mating; pregnant animals only during gestation and lactation; all animals post-weaning.

Statistical analysis of weight data for F0 females, All F1 Males after PND 119, F1 Prenatal females, and F1 Fertility female cohorts performed by Jonckheere (trend) and Williams or Dunnett (pairwise) tests.

Statistical analysis of weight data with litter-mates for All F1 Males through PND 119, All F1 Females, and F2 male and female cohorts was performed by linear mixed models, with dam ID as random effect for both trend and pairwise analysis, and using Dunnett-Hsu adjustment for pairwise comparisons.

Statistical significance for the control group indicates a significant trend test

Statistical significance for a treatment group indicates a significant pairwise test compared to the vehicle control group

* Statistically significant at $P \leq 0.05$

** Statistically significant at $P \leq 0.01$

All F1 Females include all animals until mating or sacrifice except those removed on day of vaginal opening (pnd 26-39) for Mammary Gland Whole Mounts.

All F1 Males includes all animals until PND 119. From PND 126-147 only the F1 Fertility Cohort is included. PND 154 represents the unsacrificed F1 Fertility Cohort. The F1 Subchronic Cohort was sacrificed on PND 115-119. The F1 Prenatal Cohort was sacrificed on PND 119-121.

The F1 3750 ppm animals were unable to produce a F2 generation, hence this group was not evaluated.

All lactation body weight data for one F1 Fertility Female from the 338 ppm group were excluded from analysis because the dam had no live pups after LD1.

**** END OF REPORT ****