

Study Number: MOG08002B
Test Type: MOG
Route: Dosing in Feed
Species/Strain: Rat/Sprague-Dawley

I06: Mean Feed Consumption
Test Compound: Bisphenol AF
CAS Number: 1478-61-1

Date Report Requested: 10/16/2020
Time Report Requested: 09:30:04
Lab: RTI

Study Number: MOG08002B
Study Gender: Both
PWG Approval Date: See web page for date of PWG Approval
Version: v1.0.7

Study Number: MOG08002B
Test Type: MOG
Route: Dosing in Feed
Species/Strain: Rat/Sprague-Dawley

I06: Mean Feed Consumption
Test Compound: Bisphenol AF
CAS Number: 1478-61-1

Date Report Requested: 10/16/2020
Time Report Requested: 09:30:04
Lab: RTI

F0 Females

Treatment Groups (ppm)

Phase	Days	0			338			1125		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Gestation	3 - 6	17.7 ± 0.2	76.4 ± 1.0	30	18.2 ± 0.3	78.3 ± 1.2	32	18.2 ± 0.3	78.6 ± 1.1	33
	6 - 9	18.1 ± 0.3 *	74.0 ± 0.9	30	18.1 ± 0.3	73.9 ± 1.1	31	15.2 ± 0.7 **	63.9 ± 2.7 *	27
	9 - 12	18.8 ± 0.3 **	73.2 ± 1.0 **	29	18.8 ± 0.3	72.8 ± 1.0	32	16.4 ± 0.7 **	66.5 ± 2.6 **	32
	12 - 15	19.5 ± 0.3	71.2 ± 0.8 **	30	19.9 ± 0.5	72.7 ± 1.5	32	23.9 ± 1.6	92.5 ± 6.3 **	29
	15 - 18	22.4 ± 0.6 **	74.2 ± 1.3 *	30	23.1 ± 0.4	76.5 ± 0.9	32	20.6 ± 0.5 **	72.2 ± 1.6	33
	18 - 21	22.0 ± 0.5	65.0 ± 1.1	27	22.1 ± 0.5	65.3 ± 1.9	29	19.1 ± 0.6 **	59.8 ± 2.0	30
	6 - 21	20.0 ± 0.3 *	70.8 ± 0.7	27	20.5 ± 0.4	71.9 ± 0.9	29	19.5 ± 0.7	71.9 ± 2.3	30
Lactation	1 - 4	33.0 ± 0.8 **	123.4 ± 3.2 **	24	32.0 ± 1.1	120.4 ± 4.3	28	38.3 ± 2.8	163.8 ± 12.0 *	22
	4 - 7	43.1 ± 0.8 **	154.3 ± 2.4	23	42.3 ± 1.0	152.1 ± 3.5	24	41.9 ± 1.2	165.4 ± 4.3	24
	7 - 10	56.4 ± 1.1 *	195.6 ± 4.3 **	23	54.7 ± 1.3	190.5 ± 4.6	24	56.2 ± 1.8	211.1 ± 6.5	25
	10 - 13	62.8 ± 1.0	207.9 ± 3.3 **	23	61.8 ± 1.3	206.5 ± 4.3	23	62.9 ± 1.7	230.0 ± 6.9 *	23
	1 - 13	49.0 ± 0.7	172.5 ± 2.6 **	23	47.6 ± 1.1	168.7 ± 3.8	24	50.7 ± 1.4	198.3 ± 5.3 **	25

Study Number: MOG08002B
Test Type: MOG
Route: Dosing in Feed
Species/Strain: Rat/Sprague-Dawley

I06: Mean Feed Consumption
Test Compound: Bisphenol AF
CAS Number: 1478-61-1

Date Report Requested: 10/16/2020
Time Report Requested: 09:30:04
Lab: RTI

F0 Females

Phase	Days	Treatment Groups (ppm)		
		3750		
		Wt (g/animal/day)	Wt (g/kg/day)	N
Gestation	3 - 6	17.7 ± 0.3	76.2 ± 1.3	29
	6 - 9	20.6 ± 2.9	88.1 ± 11.7	7
	9 - 12	15.5 ± 1.1 **	65.4 ± 5.1 **	29
	12 - 15	26.8 ± 5.3	105.9 ± 19.3 *	3
	15 - 18	18.6 ± 0.6 **	69.2 ± 2.2	26
	18 - 21	23.5 ± 1.1	77.2 ± 3.5 *	18
	6 - 21	19.2 ± 0.5	74.3 ± 2.1	26
Lactation	1 - 4	45.4 ± 2.5 **	205.2 ± 12.4 **	13
	4 - 7	38.1 ± 1.4 **	160.2 ± 6.0	23
	7 - 10	68.3 ± 3.4 **	275.8 ± 14.4 **	17
	10 - 13	69.3 ± 3.4	269.1 ± 13.3 **	14
	1 - 13	54.4 ± 2.3	227.3 ± 9.2 **	22

Study Number: MOG08002B
Test Type: MOG
Route: Dosing in Feed
Species/Strain: Rat/Sprague-Dawley

I06: Mean Feed Consumption
Test Compound: Bisphenol AF
CAS Number: 1478-61-1

Date Report Requested: 10/16/2020
Time Report Requested: 09:30:04
Lab: RTI

F1 Males: All F1 Males

Phase	Days	Treatment Groups (ppm)								
		0			338			1125		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Postnatal	28 - 35	13.0 ± 0.2 **	130.6 ± 1.4 **	25	12.6 ± 0.2 *	128.2 ± 1.4	26	11.2 ± 0.2 **	130.1 ± 1.9	24
	35 - 42	18.4 ± 0.2 **	123.3 ± 1.0 **	25	17.6 ± 0.3 **	122.3 ± 1.5	26	15.3 ± 0.4 **	122.5 ± 2.9	24
	42 - 49	21.8 ± 0.2 **	109.3 ± 1.0 **	25	20.1 ± 0.3 **	105.8 ± 1.0	26	18.8 ± 0.4 **	114.7 ± 3.2	23
	49 - 56	22.7 ± 0.2 **	91.8 ± 0.8 **	25	21.6 ± 0.4 **	92.5 ± 1.0	26	20.4 ± 0.3 **	100.6 ± 2.2 **	24
	56 - 63	23.5 ± 0.3 **	82.1 ± 0.8 **	25	23.1 ± 0.5	85.0 ± 1.2	25	21.4 ± 0.3 **	90.0 ± 1.7 **	24
	63 - 70	24.1 ± 0.3 **	76.3 ± 0.9 **	25	23.4 ± 0.4	77.8 ± 0.9	26	21.5 ± 0.3 **	80.7 ± 1.0 **	23
	70 - 77	24.2 ± 0.4 **	71.6 ± 0.9 **	25	24.5 ± 0.6	75.5 ± 1.3 **	24	22.2 ± 0.9 *	78.3 ± 3.2 **	24
	77 - 84	23.9 ± 0.3	67.0 ± 0.9 **	25	24.6 ± 0.7	71.3 ± 1.5 *	22	23.8 ± 0.6	78.4 ± 2.0 **	18
	84 - 91	23.1 ± 0.3 **	62.2 ± 0.7 **	25	23.4 ± 0.6	65.1 ± 1.3 *	26	22.3 ± 0.4	70.0 ± 1.3 **	20
	91 - 98	22.9 ± 0.4 **	59.7 ± 0.8 **	25	23.2 ± 0.7	62.6 ± 1.4	26	22.5 ± 0.7	68.7 ± 2.1 **	24
28 - 98	21.8 ± 0.2 **	80.3 ± 0.5 **	25	21.3 ± 0.4	81.9 ± 0.9	26	19.8 ± 0.3 **	86.7 ± 1.4 **	24	

Study Number: MOG08002B
Test Type: MOG
Route: Dosing in Feed
Species/Strain: Rat/Sprague-Dawley

I06: Mean Feed Consumption
Test Compound: Bisphenol AF
CAS Number: 1478-61-1

Date Report Requested: 10/16/2020
Time Report Requested: 09:30:04
Lab: RTI

F1 Males: All F1 Males

Phase	Days	Treatment Groups (ppm)		
		3750		
		Wt (g/animal/day)	Wt (g/kg/day)	N
Postnatal	28 - 35	11.9 ± 0.4 **	168.8 ± 7.7 **	23
	35 - 42	14.9 ± 0.3 **	146.6 ± 4.9 **	24
	42 - 49	20.3 ± 0.5 **	159.1 ± 4.8 **	19
	49 - 56	21.5 ± 0.9 **	143.0 ± 6.8 **	12
	56 - 63	22.8 ± 0.9 **	134.3 ± 6.5 **	10
	63 - 70	22.2 ± 1.0 **	116.9 ± 4.4 **	19
	70 - 77	20.7 ± 0.5 **	98.7 ± 2.9 **	16
	77 - 84	22.6 ± 1.3	104.5 ± 5.8 **	13
	84 - 91	18.6 ± 0.6 **	80.7 ± 2.1 **	24
	91 - 98	17.7 ± 0.4 **	74.6 ± 1.5 **	25
28 - 98	18.5 ± 0.3 **	109.5 ± 2.2 **	25	

Study Number: MOG08002B
Test Type: MOG
Route: Dosing in Feed
Species/Strain: Rat/Sprague-Dawley

I06: Mean Feed Consumption
Test Compound: Bisphenol AF
CAS Number: 1478-61-1

Date Report Requested: 10/16/2020
Time Report Requested: 09:30:04
Lab: RTI

F1 Females: All F1 Females

Treatment Groups (ppm)

Phase	Days	0			338			1125		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Postnatal	28 - 35	11.6 ± 0.1 **	134.8 ± 3.2 *	29	10.9 ± 0.2 **	128.2 ± 1.4	29	10.1 ± 0.2 **	129.4 ± 2.1	23
	35 - 42	14.4 ± 0.1 **	118.6 ± 1.3 **	25	15.1 ± 0.9	128.6 ± 7.7	26	12.8 ± 0.3 **	120.4 ± 2.0	24
	42 - 49	15.9 ± 0.3	107.3 ± 2.1 **	25	15.8 ± 0.4	110.6 ± 2.5	26	15.1 ± 0.4	117.4 ± 3.0 **	24
	49 - 56	16.0 ± 0.2	94.0 ± 1.2 **	25	16.7 ± 0.4	103.0 ± 2.8 **	26	15.9 ± 0.6	109.2 ± 3.5 **	24
	56 - 63	16.0 ± 0.3	85.1 ± 1.0 **	25	16.6 ± 0.4	92.7 ± 2.4 **	26	16.4 ± 0.6	102.7 ± 3.3 **	23
	63 - 70	15.9 ± 0.2	78.7 ± 1.1 **	25	16.6 ± 0.4	86.8 ± 1.9 **	23	16.5 ± 0.6	95.5 ± 3.5 **	22
	70 - 77	16.6 ± 0.4	77.4 ± 1.7 **	24	18.0 ± 0.9	87.3 ± 3.1 *	19	18.4 ± 0.8	99.9 ± 3.9 **	18
	77 - 84	17.2 ± 0.5	76.7 ± 2.5 **	25	18.7 ± 0.8	86.1 ± 2.9 **	20	19.8 ± 1.3	105.2 ± 6.4 **	10
	84 - 91	16.7 ± 0.6 **	71.6 ± 3.1 **	25	18.6 ± 0.6	84.0 ± 2.9 **	23	17.4 ± 0.5	87.9 ± 2.1 **	21
	91 - 98	15.7 ± 0.3 **	65.4 ± 1.0 **	25	17.2 ± 0.6	74.8 ± 2.1 **	24	16.3 ± 0.5	80.5 ± 2.3 **	18
	28 - 98	15.6 ± 0.2 **	86.7 ± 1.1 **	25	16.3 ± 0.4	94.4 ± 1.7 **	26	15.6 ± 0.4	100.5 ± 2.1 **	24

Study Number: MOG08002B
Test Type: MOG
Route: Dosing in Feed
Species/Strain: Rat/Sprague-Dawley

I06: Mean Feed Consumption
Test Compound: Bisphenol AF
CAS Number: 1478-61-1

Date Report Requested: 10/16/2020
Time Report Requested: 09:30:04
Lab: RTI

F1 Females: All F1 Females

Phase	Days	Treatment Groups (ppm)		
		3750		
		Wt (g/animal/day)	Wt (g/kg/day)	N
Postnatal	28 - 35	9.8 ± 0.4 **	151.7 ± 6.5 *	22
	35 - 42	12.3 ± 0.3 **	133.4 ± 3.5 **	23
	42 - 49	16.7 ± 0.7	147.3 ± 5.9 **	22
	49 - 56	17.0 ± 0.7	132.5 ± 5.3 **	23
	56 - 63	16.9 ± 0.8	120.4 ± 5.3 **	17
	63 - 70	15.8 ± 0.6	106.3 ± 3.0 **	23
	70 - 77	14.3 ± 0.7	91.8 ± 3.9 **	19
	77 - 84	16.7 ± 0.8	101.1 ± 3.8 **	18
	84 - 91	13.4 ± 0.3 **	79.4 ± 1.0 **	23
	91 - 98	13.1 ± 0.3 **	76.3 ± 0.8 **	23
	28 - 98	14.5 ± 0.4 *	109.5 ± 1.9 **	24

Study Number: MOG08002B
Test Type: MOG
Route: Dosing in Feed
Species/Strain: Rat/Sprague-Dawley

I06: Mean Feed Consumption
Test Compound: Bisphenol AF
CAS Number: 1478-61-1

Date Report Requested: 10/16/2020
Time Report Requested: 09:30:04
Lab: RTI

F1 Males: Subchronic Male

Treatment Groups (ppm)

Phase	Days	0			338			1125		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Postnatal	98 - 105	23.2 ± 1.0 **	60.3 ± 1.7 *	5	23.6 ± 2.1	60.1 ± 3.2	5	20.2 ± 1.0	61.7 ± 4.3	4
	105 - 112	25.0 ± 1.4 **	63.5 ± 4.0	5	23.8 ± 2.1	59.4 ± 3.7	5	22.4 ± 2.0	67.0 ± 7.9	4
	28 - 112	21.9 ± 0.7 **	76.6 ± 0.7 **	5	22.5 ± 1.5	78.4 ± 3.1	5	19.3 ± 1.0	81.7 ± 6.7	4

Study Number: MOG08002B
Test Type: MOG
Route: Dosing in Feed
Species/Strain: Rat/Sprague-Dawley

I06: Mean Feed Consumption
Test Compound: Bisphenol AF
CAS Number: 1478-61-1

Date Report Requested: 10/16/2020
Time Report Requested: 09:30:04
Lab: RTI

F1 Males: Subchronic Male

Phase	Days	Treatment Groups (ppm)		
		3750		
		Wt (g/animal/day)	Wt (g/kg/day)	N
Postnatal	98 - 105	17.7 ± 0.7 **	70.5 ± 1.8	5
	105 - 112	18.0 ± 0.5 **	70.3 ± 1.6	5
	28 - 112	18.5 ± 0.6 **	98.7 ± 3.4 **	5

Study Number: MOG08002B
Test Type: MOG
Route: Dosing in Feed
Species/Strain: Rat/Sprague-Dawley

I06: Mean Feed Consumption
Test Compound: Bisphenol AF
CAS Number: 1478-61-1

Date Report Requested: 10/16/2020
Time Report Requested: 09:30:04
Lab: RTI

F1 Females: Subchronic Females

Treatment Groups (ppm)

Phase	Days	0			338			1125		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Postnatal	98 - 105	17.0 ± 1.0 *	69.0 ± 2.3	5	18.5 ± 1.6	80.9 ± 7.2	5	17.7 ± 1.3	85.8 ± 5.6 *	4
	105 - 112	16.6 ± 0.9 *	66.2 ± 3.1	5	18.1 ± 1.9	75.9 ± 5.2	5	18.7 ± 2.5	88.8 ± 10.4 *	3
	28 - 112	15.9 ± 0.3	83.1 ± 0.9 **	5	17.4 ± 1.4	95.9 ± 6.4 *	5	15.2 ± 0.5	94.8 ± 2.7 *	4

Study Number: MOG08002B
Test Type: MOG
Route: Dosing in Feed
Species/Strain: Rat/Sprague-Dawley

I06: Mean Feed Consumption
Test Compound: Bisphenol AF
CAS Number: 1478-61-1

Date Report Requested: 10/16/2020
Time Report Requested: 09:30:04
Lab: RTI

F1 Females: Subchronic Females

Phase	Days	Treatment Groups (ppm)		
		3750		
		Wt (g/animal/day)	Wt (g/kg/day)	N
Postnatal	98 - 105	12.9 ± 0.6	71.8 ± 1.2	5
	105 - 112	13.1 ± 0.6	72.5 ± 0.7	5
	28 - 112	14.1 ± 1.2	99.0 ± 2.9 **	5

Study Number: MOG08002B
Test Type: MOG
Route: Dosing in Feed
Species/Strain: Rat/Sprague-Dawley

I06: Mean Feed Consumption
Test Compound: Bisphenol AF
CAS Number: 1478-61-1

Date Report Requested: 10/16/2020
Time Report Requested: 09:30:04
Lab: RTI

F1 Females: Prenatal Females

Phase	Days	Treatment Groups (ppm)								
		0			338			1125		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Gestation	0 - 3	19.7 ± 0.3	77.4 ± 1.6 **	16	20.3 ± 0.9	86.1 ± 4.1	15	22.4 ± 1.4	106.1 ± 7.2 **	10
	3 - 6	20.8 ± 0.4 **	77.2 ± 1.5	16	18.4 ± 0.5 **	74.3 ± 1.5	20	16.4 ± 0.5 **	75.2 ± 2.6	14
	6 - 9	21.2 ± 0.3	75.8 ± 1.1	16	21.9 ± 1.1	84.9 ± 4.1	17	21.5 ± 1.8	94.9 ± 9.1	10
	9 - 12	20.8 ± 0.4 **	70.9 ± 1.1	16	19.0 ± 0.4 **	71.1 ± 1.2	19	16.0 ± 0.6 **	68.0 ± 2.1	15
	12 - 15	23.2 ± 0.5	74.9 ± 1.3 **	16	22.8 ± 1.1	81.7 ± 4.0	19	24.6 ± 1.2	102.5 ± 5.8 **	13
	15 - 18	25.8 ± 0.5 **	75.5 ± 1.3	16	23.3 ± 0.6 **	75.4 ± 1.4	20	18.7 ± 0.7 **	72.2 ± 1.9	15
	18 - 21	27.0 ± 0.6 **	69.0 ± 1.3	16	24.4 ± 0.8 **	69.4 ± 2.3	20	22.8 ± 1.0 **	76.6 ± 4.6	9
	0 - 21	22.7 ± 0.3 **	73.8 ± 0.8 *	16	21.6 ± 0.5	77.3 ± 1.7	20	19.7 ± 0.5 **	82.4 ± 2.9 *	15

Study Number: MOG08002B
 Test Type: MOG
 Route: Dosing in Feed
 Species/Strain: Rat/Sprague-Dawley

I06: Mean Feed Consumption
 Test Compound: Bisphenol AF
 CAS Number: 1478-61-1

Date Report Requested: 10/16/2020
 Time Report Requested: 09:30:04
 Lab: RTI

F1 Females: Fertility Females

Treatment Groups (ppm)

Phase	Days	0			338			1125		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Gestation	0 - 3	21.9 ± 0.6	84.7 ± 2.5	16	21.4 ± 1.0	87.1 ± 3.5	18	20.7 ± 2.0	94.9 ± 7.4	7
	3 - 6	21.7 ± 0.4 **	79.9 ± 1.9	15	20.4 ± 0.7	79.0 ± 2.1	19	17.2 ± 0.4 **	75.9 ± 1.5	8
	6 - 9	22.3 ± 0.4	78.8 ± 1.3	16	22.8 ± 1.3	85.4 ± 4.1	17	22.5 ± 1.7	96.7 ± 8.0	8
	9 - 12	21.3 ± 0.4 **	72.3 ± 1.2	16	20.1 ± 0.6	72.3 ± 1.4	18	16.0 ± 0.4 **	67.1 ± 1.7	9
	12 - 15	24.0 ± 0.6	77.2 ± 1.6	16	22.8 ± 0.8	78.6 ± 2.1	19	25.2 ± 2.8	101.0 ± 10.7 *	8
	15 - 18	25.2 ± 0.5 **	74.4 ± 1.0	16	23.6 ± 0.5 *	75.4 ± 1.2	18	19.0 ± 0.9 **	71.6 ± 2.6	9
	18 - 21	27.7 ± 0.6 **	72.6 ± 1.3	15	24.7 ± 0.9 **	70.1 ± 2.4	19	21.9 ± 0.9 **	76.2 ± 4.4	7
	0 - 21	23.5 ± 0.4 **	76.4 ± 1.2	16	22.3 ± 0.7	77.6 ± 1.7	19	20.1 ± 1.0 **	81.4 ± 3.3	9
Lactation	1 - 4	33.9 ± 1.2 *	109.5 ± 4.4	18	34.5 ± 1.3	122.8 ± 5.1	18	26.5 ± 3.1 *	106.5 ± 12.2	8
	4 - 7	38.6 ± 1.5	123.3 ± 4.8	18	39.5 ± 1.2	137.0 ± 4.1	19	32.0 ± 3.3	123.5 ± 10.3	7
	7 - 10	52.8 ± 0.8 **	166.8 ± 4.4	16	51.7 ± 1.3	176.5 ± 4.6	19	36.7 ± 4.3 **	143.4 ± 17.6	8
	10 - 13	57.1 ± 2.3	176.1 ± 7.2	18	57.4 ± 1.1	192.7 ± 4.1	19	45.3 ± 5.6	168.3 ± 19.7	9
	1 - 13	44.9 ± 1.6	142.2 ± 5.4	18	45.8 ± 0.9	158.1 ± 3.4	19	37.0 ± 4.0	144.3 ± 16.0	9

Study Number: MOG08002B
Test Type: MOG
Route: Dosing in Feed
Species/Strain: Rat/Sprague-Dawley

I06: Mean Feed Consumption
Test Compound: Bisphenol AF
CAS Number: 1478-61-1

Date Report Requested: 10/16/2020
Time Report Requested: 09:30:04
Lab: RTI

F2 Males

Treatment Groups (ppm)

Phase	Days	0			338			1125		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Postnatal	28 - 35	14.4 ± 0.3 **	135.3 ± 2.8 **	24	13.8 ± 0.2	129.0 ± 2.2 *	34	12.1 ± 0.2 **	121.1 ± 2.9 **	13
	35 - 42	18.6 ± 0.3 **	120.7 ± 2.3	24	18.7 ± 0.5	122.0 ± 3.5	34	16.4 ± 0.4 **	117.7 ± 2.6	12
	42 - 49	21.3 ± 0.3 **	105.0 ± 1.5	24	20.8 ± 0.2	103.7 ± 0.9	34	19.4 ± 0.6 **	107.8 ± 2.2	12
	49 - 56	23.0 ± 0.4 *	92.6 ± 1.2	24	22.7 ± 0.3	92.6 ± 1.0	34	21.5 ± 0.5 *	95.9 ± 1.9	13
	56 - 63	24.4 ± 0.3 *	85.2 ± 2.1	24	24.2 ± 0.3	85.4 ± 1.1	34	23.1 ± 0.6	87.4 ± 2.6	13
	63 - 70	24.1 ± 0.3	76.0 ± 1.4	24	23.8 ± 0.3	76.2 ± 0.9	34	24.2 ± 0.9	80.9 ± 2.8	13
	70 - 77	24.8 ± 0.5 *	72.8 ± 1.7	24	23.3 ± 0.3 *	69.5 ± 0.7	34	23.5 ± 0.4	71.8 ± 1.1	13
	77 - 84	24.0 ± 0.4	66.6 ± 1.3	24	23.0 ± 0.5	65.3 ± 1.5	34	23.0 ± 0.4	66.3 ± 0.8	13
	84 - 91	23.5 ± 0.4	62.8 ± 1.3	24	23.1 ± 0.3	63.0 ± 1.1	34	22.2 ± 0.3	61.5 ± 1.1	13
	28 - 91	22.0 ± 0.2 **	83.9 ± 1.2	24	21.5 ± 0.2	83.1 ± 0.7	34	20.7 ± 0.4 **	83.8 ± 1.3	13

Study Number: MOG08002B
Test Type: MOG
Route: Dosing in Feed
Species/Strain: Rat/Sprague-Dawley

I06: Mean Feed Consumption
Test Compound: Bisphenol AF
CAS Number: 1478-61-1

Date Report Requested: 10/16/2020
Time Report Requested: 09:30:04
Lab: RTI

F2 Females

Treatment Groups (ppm)

Phase	Days	0			338			1125		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Postnatal	28 - 35	12.6 ± 0.2 **	127.3 ± 1.6	37	12.0 ± 0.3 **	129.1 ± 3.0	37	11.0 ± 0.3 **	123.7 ± 2.4	10
	35 - 42	15.5 ± 0.2 **	117.8 ± 1.5	37	13.8 ± 0.4 **	113.1 ± 3.0	36	13.7 ± 0.7 **	117.7 ± 4.4	10
	42 - 49	16.3 ± 0.3 **	104.1 ± 1.3	37	15.1 ± 0.3	105.1 ± 1.6	37	15.4 ± 0.9	113.3 ± 4.9	10
	49 - 56	16.3 ± 0.2	93.2 ± 0.8 *	37	16.0 ± 0.4	100.3 ± 2.1 *	35	15.1 ± 0.8	101.2 ± 4.7	10
	56 - 63	16.7 ± 0.3 *	87.3 ± 1.0 *	37	16.2 ± 0.4	92.9 ± 1.8	37	15.2 ± 0.9	94.9 ± 4.4	8
	63 - 70	16.8 ± 0.3 *	81.4 ± 0.8 **	37	16.3 ± 0.3	87.9 ± 1.8 *	37	15.0 ± 0.9	88.5 ± 3.5 *	8
	70 - 77	16.4 ± 0.2	75.3 ± 0.7 **	37	16.6 ± 0.4	85.3 ± 2.3 **	36	16.1 ± 0.9	89.0 ± 4.3 **	10
	77 - 84	16.8 ± 0.2	73.8 ± 0.9 **	37	17.1 ± 0.4	83.7 ± 1.8 **	36	15.7 ± 0.8	82.8 ± 3.2 **	9
	84 - 91	16.5 ± 0.3 **	69.5 ± 1.3 *	37	15.5 ± 0.3 **	72.9 ± 1.2	37	15.4 ± 0.9 *	77.0 ± 3.4	10
	28 - 91	16.0 ± 0.2 *	88.7 ± 0.7 **	37	15.4 ± 0.3	94.1 ± 1.4 **	37	14.8 ± 0.6	96.4 ± 2.9 *	10

Study Number: MOG08002B
Test Type: MOG
Route: Dosing in Feed
Species/Strain: Rat/Sprague-Dawley

I06: Mean Feed Consumption
Test Compound: Bisphenol AF
CAS Number: 1478-61-1

Date Report Requested: 10/16/2020
Time Report Requested: 09:30:04
Lab: RTI

LEGEND

Reported as the mean \pm SEM. N is the number of animals, number of cages for group housed adult animals or number of litters.

Feed consumption values were excluded when excessive spillage was recorded.

Statistical analysis for the F0 animals, F1 Fertility Females, F1 Prenatal Females, F1 Subchronic Females and F1 Subchronic Males was performed by Jonckheere (trend) and Williams or Dunnett (pairwise) tests.

Statistical analysis for All F1 Females, All F1 Males, and F2 animals was performed by Jonckheere (trend) and Williams or Dunnett (pairwise) tests on cage mean feed weights.

Statistical significance for the control group indicates a significant trend test

Statistical significance for a treatment group indicates a significant pairwise test compared to the vehicle control group

* Statistically significant at $P \leq 0.05$

** Statistically significant at $P \leq 0.01$

Consumption is not reported for the non-pregnant animals during gestation and lactation phases

Consumption is not reported for animals during mating

Implausible feed weights that were excluded as outliers included - for one F0 female GD12-15 in the 1125 ppm group, one F0 female LD10-13 in the 338 ppm group, one F1 Fertility Female GD3-6 in the 1125 ppm group, two F1 Fertility Female LD7-10 in the control group, one F1 Fertility Female LD1-4 in the 338 ppm group, and one F1 Prenatal Female GD9-12 in the 338 ppm group.

All F1 Males includes all animals until PND 98. The F1 Subchronic Cohort was sacrificed on PND 115-119. The F1 Prenatal Cohort was sacrificed on PND 119-121.

All F1 Females include all animals until PND 98 except those removed on day of vaginal opening (PND 26-39) for Mammary Gland Whole Mounts.

The F1 3750 ppm animals were unable to produce a F2 generation, hence this group was not evaluated.

**** END OF REPORT ****