

Study Number: MOG08002B
Test Type: MOG
Route: Dosing in Feed
Species/Strain: Rat/Sprague-Dawley

R14: Developmental Markers Summary

Test Compound: Bisphenol AF

CAS Number: 1478-61-1

Date Report Requested: 07/17/2020

Time Report Requested: 11:02:49

Lab: RTI

Study Number:

MOG08002B

Study Gender:

Both

PWG Approval Date

See web page for date of PWG Approval

Study Number: MOG08002B
Test Type: MOG
Route: Dosing in Feed
Species/Strain: Rat/Sprague-Dawley

R14: Developmental Markers Summary
Test Compound: Bisphenol AF
CAS Number: 1478-61-1

Date Report Requested: 07/17/2020
Time Report Requested: 11:02:49
Lab: RTI

		F1 Male			
		Treatment Groups (ppm)			
Generation	Cohort	0	338	1125	3750
F1	PND 13				
	No. Examined (litters)	102 (23)	115 (24)	111 (25)	104 (22)
	No. of areolae/nipples per litter	0.00 ± 0.00	0.00 ± 0.00	0.01 ± 0.01	0.00 ± 0.00
	No. pups with areolae/nipples (%)	0 (0.00)	0 (0.00)	1 (0.90)	0 (0.00)
	No. litters with areolae/nipples (%)	0 (0.00)	0 (0.00)	1 (4.00)	0 (0.00)
	Testicular Descent				
	No. Examined (litters)	102 (23)	113 (24)	111 (25)	102 (22)
	No. Removed (litters)	0 (0)	0 (0)	0 (0)	1 (1)
	No. Not Attaining Testes Descent (litters)	0 (0)	0 (0)	1 (1)	11 (7)
	Day of Testes Descent				
	Mean Analysis				
	Litter Mean ± SE	18.0 ± 0.2	17.9 ± 0.2	17.7 ± 0.3	18.1 ± 0.5
	Proportional Hazards Analysis				
	Litter-based Model	p<0.001	p=0.999	p=0.999	p=0.005

Study Number: MOG08002B
Test Type: MOG
Route: Dosing in Feed
Species/Strain: Rat/Sprague-Dawley

R14: Developmental Markers Summary
Test Compound: Bisphenol AF
CAS Number: 1478-61-1

Date Report Requested: 07/17/2020
Time Report Requested: 11:02:49
Lab: RTI

		F2 Male		
Generation	Cohort	Treatment Groups (ppm)		
		0	338	1125
F2	PND 13			
	No. Examined (litters)	52 (17)	70 (19)	27 (7)
	No. of areolae/nipples per litter	0.00 ± 0.00	0.00 ± 0.00	0.00 ± 0.00
	No. pups with areolae/nipples (%)	0 (0.00)	0 (0.00)	0 (0.00)
	No. litters with areolae/nipples (%)	0 (0.00)	0 (0.00)	0 (0.00)
	Testicular Descent			
	No. Examined (litters)	52 (17)	70 (19)	27 (7)
	No. Removed (litters)	0 (0)	0 (0)	0 (0)
	No. Not Attaining Testes Descent (litters)	1 (1)	0 (0)	0 (0)
	Day of Testes Descent			
	Mean Analysis			
	Litter Mean ± SE	15.8 ± 0.4 **	16.4 ± 0.3	17.7 ± 0.3 *
	Proportional Hazards Analysis			
	Litter-based Model	p=0.006	p=0.476	p=0.059

Study Number: MOG08002B
Test Type: MOG
Route: Dosing in Feed
Species/Strain: Rat/Sprague-Dawley

R14: Developmental Markers Summary
Test Compound: Bisphenol AF
CAS Number: 1478-61-1

Date Report Requested: 07/17/2020
Time Report Requested: 11:02:49
Lab: RTI

LEGEND

No. Examined (litters) = the number of animals or pups examined (number of litters)

The number of areolae/nipples per litter are shown as mean \pm SEM

No. of pups with areolae/ nipples reported as number of affected pups (%)

No. of litters with areolae/ nipples reported as number of affected litters (%)

If measured, the No. of areolae/nipples at terminal sacrifice are shown as mean \pm SEM

Statistical analysis for No. of areolae/nipples per litter endpoint for the F1 generation performed by Jonckheere (trend) and Shirley or Dunn (pairwise) tests. Statistical analysis for the same endpoint for the F2 generation performed using a bootstrapped Jonckheere trend test; pairwise comparisons were done using the Datta-Satten modified Wilcoxon tests with Hommel adjustment for multiple comparisons.

Statistical analysis of the No. pups with areolae/nipples (%) and No. litters with areolae/nipples (%) endpoints for the F1 generation was performed using Cochran-Armitage (trend) and Fisher Exact (pairwise) tests. Statistical analysis for the same endpoints for the F2 generation was performed using a Rao-Scott Cochran-Armitage test for both trend and pairwise tests.

No. Removed (litters) is the number of animals (number of litters contributing) that died or were removed prior to the end of the observation period and did not attain. These animals were excluded from all analyses.

No. Not Attaining Testes Descent (litters) is the number of animals (number of litters contributing) that survived to the end of the observation period without attaining.

Summary statistics and mixed model results are presented for animals that attained during the observation period for Day of Testes Descent Mean Analysis endpoint.

Means of litter means presented for Day of Testes Descent Litter Mean \pm SE. Trend and pairwise tests were based on mixed models for day of attainment with dose as a covariate and a random effect for litter. The Dunnett-Hsu adjustment was used for multiple comparisons.

Animals that did not attain by the end of the observation period were included in the proportional hazards analysis.

P-values for trend and pairwise comparisons for the Litter-based Model of the Proportional Hazards Analysis were calculated from a Cox proportional hazards model with random effect for litter and a Hommel adjustment for multiple comparisons.

Statistical significance for the control group indicates a significant trend test

Statistical significance for a treatment group indicates a significant pairwise test compared to the vehicle control group

* Statistically significant at $P \leq 0.05$

** Statistically significant at $P \leq 0.01$

The F1 3750 ppm animals were unable to produce a F2 generation, hence this group was not evaluated.

**** END OF REPORT ****