

Experiment Number: 50050 - 02
Test Type: 14-WEEK
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

E03: TDMS CAMERA-READY GROWTH CURVE
Ionic Liquid: 1-Butyl-3-methylimidazolium Chloride
CAS Number: 79917-90-1

Date Report Requested: 01/09/2020
Time Report Requested: 09:19:24
First Dose M/F: 04/24/13 / 04/23/13
Lab: BAT

NTP Study Number: C50050
Lock Date: 01/08/2020
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
Study Gender: Both
TDMSE Version: 3.0.2.3_002
PWG Approval Date: NONE

Experiment Number: 50050 - 02

Test Type: 14-WEEK

Route: DOSED WATER

Species/Strain: MICE/B6C3F1


E03: TDMS CAMERA-READY GROWTH CURVE
Ionic Liquid: 1-Butyl-3-methylimidazolium Chloride
CAS Number: 79917-90-1

Date Report Requested: 01/09/2020

Time Report Requested: 09:19:24

First Dose M/F: 04/24/13 / 04/23/13

Lab: BAT



Experiment Number: 50050 - 02

Test Type: 14-WEEK

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

E03: TDMS CAMERA-READY GROWTH CURVE
Ionic Liquid: 1-Butyl-3-methylimidazolium Chloride
CAS Number: 79917-90-1

Date Report Requested: 01/09/2020

Time Report Requested: 09:19:24

First Dose M/F: 04/24/13 / 04/23/13

Lab: BAT

