

Experiment Number: 03039 - 02
Test Type: CHRONIC
Route: Dermal
Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Triclosan
CAS Number: 3380-34-5

Date Report Requested: 12/04/2020
Time Report Requested: 13:42:33
First Dose M/F: 09/11/13 / 09/11/13
Lab: NCTR

NTP Study Number: C03039B
Lock Date: 12/18/2017
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
Study Gender: Both
TDMSE Version: 3.0.2.3_002
PWG Approval Date: 10/13/2017

B6C3F1 MICE MALE	DAY ON TEST	0727	0728	0729	0730	0731	0732	0733	0734	0735	0736	0737	0738	0739	0740	0741	0742	0743	0744	0745	0746	0747	0748	0749	0750	males (cont...)
	ANIMAL ID	00491	00501	00511	00521	00531	00541	00551	00561	00571	00581	00591	00601	00611	00621	00631	00641	00651	00661	00671	00681	00691	00701	00711	00721	

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Gallbladder	+	+	+	+	+	+	+	+	+	+	+	+	+	A	+	+	+	M	+	+	+	+	+	+
Intestine Large, Cecum Lymphoid Tissue, Hyperplasia	+	+	+	+	+	+	+	+	+	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+
Intestine Large, Colon Inflammation, Chronic Active	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+
Intestine Small, Ileum Infiltration Cellular, Histiocyte	+	+	+	+	+	+	+	+	+	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+
Intestine Small, Jejunum Cyst Diverticulum	+	+	+	+	+	+	+	+	+	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Basophilic Focus			X			X												X					X	
Clear Cell Focus	X					X					X									X				
Deformity																								
Eosinophilic Focus															X									
Fatty Change			2																					
Fibrosis																								
Hepatodiaphragmatic Nodule																								

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

B6C3F1 MICE MALE	DAY ON TEST																						males (cont...)	
	07 27	07 28	07 29	07 30	07 31	07 01	07 02	07 03	07 04	07 05	07 06	07 07	07 08	07 09	07 10	07 11	07 12	07 13	07 14	07 15	07 16	07 17		
Veh ctrlMale	ANIMAL ID																							
	00 49	00 50	00 51	00 52	00 53	00 54	00 55	00 56	00 57	00 58	00 59	00 60	00 61	00 62	00 63	00 64	00 65	00 66	00 67	00 68	00 69	00 70		00 71
	00 11	00 12	00 13	00 14	00 15	00 16	00 17	00 18	00 19	00 20	00 21	00 22	00 23	00 24	00 25	00 26	00 27	00 28	00 29	00 30	00 31	00 32		00 33
	00 34	00 35	00 36	00 37	00 38	00 39	00 40	00 41	00 42	00 43	00 44	00 45	00 46	00 47	00 48	00 49	00 50	00 51	00 52	00 53	00 54	00 55		00 56
Infiltration Cellular, Lymphocyte																								
Infiltration Cellular, Polymorphonuclear																								
Inflammation, Granulomatous																								
Inflammation, Chronic Active																								
Pigmentation																								
Vacuolization Cytoplasmic																								2
Bile Duct, Hyperplasia																								
Hepatocyte, Hyperplasia																								
Hepatocyte, Necrosis																								4
Mesentery																								+
Pancreas	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Infiltration Cellular, Lymphocyte					1	1															1	1	1	
Acinus, Degeneration																							1	
Duct, Cyst																							X	
Salivary Glands	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Infiltration Cellular, Lymphocyte	1	1	1	2	1	1				1	1	1	2	1	1	1	2	2	1	1	2	2	3	
Stomach, Forestomach	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Infiltration Cellular, Lymphocyte																							3	
Inflammation, Suppurative																							2	
Epithelium, Hyperplasia																							3	
Stomach, Glandular	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Cyst																							X	
Mineralization																							X	
Epithelium, Hyperplasia																							4	

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically M .. Missing tissue
 X .. Lesion present A .. Autolysis precludes evaluation
 I .. Insufficient tissue BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

B6C3F1 MICE MALE	DAY ON TEST	0727	0728	0729	0730	0731	0732	0733	0734	0735	0736	0737	0738	0739	0740	0741	0742	0743	0744	0745	0746	0747	0748	0749	0750	males (cont...)
	ANIMAL ID	00491	00492	00493	00494	00495	00496	00497	00498	00499	00500	00501	00502	00503	00504	00505	00506	00507	00508	00509	00510	00511	00512	00513	00514	

CARDIOVASCULAR SYSTEM

Blood Vessel	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Heart	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Bacterium																									
Cardiomyopathy																									
Inflammation, Chronic Active																									

ENDOCRINE SYSTEM

Adrenal Cortex	+	+	+	+	+	+	+	+	M	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Accessory Adrenal Cortical Nodule																									
Amyloid Deposition																									
Hypertrophy																									
Subcapsular, Hyperplasia	1	2		1	3	2	1	2		3	3	1	1	1	2	2	2	1	2	1	1		2	1	1
Adrenal Medulla	+	+	+	+	+	+	+	+	M	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Islets, Pancreatic	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Hyperplasia																									
Parathyroid Gland																									
Cyst																									
Pituitary Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Pars Distalis, Cyst																									
Thyroid Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
C-cell, Hyperplasia																									

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

B6C3F1 MICE MALE	DAY ON TEST																				ANIMAL ID	males (cont...)					
	0727	0728	0729	0730	0731	0732	0733	0734	0735	0736	0737	0738	0739	0740	0741	0742	0743	0744	0745	0746			0747	0748	0749	0750	0751
Veh ctrlMale	0049	0051	0055	0059	0063	0067	0071	0075	0079	0083	0087	0091	0095	0099	0103	0107	0111	0115	0119	0123	0127	0131	0135	0139	0143	0147	0151

Follicle, Cyst

X

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Epididymis	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Exfoliated Germ Cell														1													
Fibrosis																											
Granuloma Sperm																											X
Hypospermia																											2
Infiltration Cellular, Lymphocyte Epithelium, Hyperplasia																											
Preputial Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Abscess		4																									
Infiltration Cellular, Lymphocyte	1		1	3	1	1		1	1			2	1	1	1	3	1			1	1	1	1	1			
Infiltration Cellular, Plasma Cell																											
Inflammation, Suppurative																											
Duct, Dilatation	4		3	4	4	4	3	3	4	4	4	4	4	4	4	4	4	4			3	4	4	4	4	4	
Prostate	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Infiltration Cellular, Lymphocyte	1	1				1						1		1		3					2	1	1			1	
Seminal Vesicle	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Lumen, Dilatation	3				3	4																				4	
Testes	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Seminiferous Tubule, Degeneration															2											3	

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

B6C3F1 MICE MALE	DAY ON TEST																				males (cont...)	
	0727	0728	0729	0730	0731	0732	0733	0734	0735	0736	0737	0738	0739	0740	0741	0742	0743	0744	0745	0746		0747
Veh ctrlMale	00491	00501	00511	00521	00531	00541	00551	00561	00571	00581	00591	00601	00611	00621	00631	00641	00651	00661	00671	00681	00691	00701

HEMATOPOIETIC SYSTEM

Bone Marrow Myeloid Cell, Hyperplasia	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
			3																			3	
Lymph Node																							+
Lymph Node, Mandibular Hyperplasia, Lymphoid	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
					1	1									1					1			
Lymph Node, Mesenteric Angiectasis Degeneration, Cystic Hematopoietic Cell Proliferation Hemorrhage Hyperplasia, Lymphoid Infiltration Cellular, Histiocyte Infiltration Cellular, Plasma Cell	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
													3										
						4					2											3	
	4				2	3	4	2		4	2	3	2		2	3			4	2	2		4
																			3				4
														3									
Spleen Angiectasis Hematopoietic Cell Proliferation Hyperplasia, Lymphoid	+	+	+	+	+	+	+	+	+	+	+	+	+	A	+	+	+	+	+	+	+	+	+
																					3		
			3				3					3					3			4			3
	4	3	4	4	3	4	3	4	3	4	2	3	3		4	3			3		3	4	3
Thymus Atrophy Cyst	+	+	+	+	+	+	M	+	+	+	+	+	+	M	+	+	+	+	+	+	+	+	+
	4	3	4	4	4	4		3	4	4	4	4	4		3	3	4	4	4	4	4	4	3
																						X	

INTEGUMENTARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

B6C3F1 MICE MALE	DAY ON TEST																						males (cont...)
	0727	0728	0729	0730	0731	0732	0733	0734	0735	0736	0737	0738	0739	0740	0741	0742	0743	0744	0745	0746	0747	0748	
Veh ctrlMale	ANIMAL ID																						
	00491	00051	00052	00053	00054	00055	00056	00057	00058	00059	00060	00061	00062	00063	00064	00065	00066	00067	00068	00069	00070	00071	
	00492	00051	00052	00053	00054	00055	00056	00057	00058	00059	00060	00061	00062	00063	00064	00065	00066	00067	00068	00069	00070	00071	
	00493	00051	00052	00053	00054	00055	00056	00057	00058	00059	00060	00061	00062	00063	00064	00065	00066	00067	00068	00069	00070	00071	

Mammary Gland M

Skin +
Dermis, Inflammation, Chronic Active
Epidermis, Hyperplasia
Epidermis, Inflammation, Suppurative
Epidermis, Ulcer

Skin, Control +
Dermis, Inflammation, Chronic Active
Epidermis, Hyperplasia
Epidermis, Inflammation, Suppurative
Epidermis, Ulcer

Skin, Site Of Application +
Epidermis, Hyperplasia

MUSCULOSKELETAL SYSTEM

Bone, Femur +

NERVOUS SYSTEM

Brain, Brain Stem +
Hemorrhage

Brain, Cerebellum +
Hemorrhage

Brain, Cerebrum +
Hemorrhage

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Date Report Requested: 12/04/2020

Test Type: CHRONIC

Triclosan

Time Report Requested: 13:42:33

Route: Dermal

CAS Number: 3380-34-5

First Dose M/F: 09/11/13 / 09/11/13

Species/Strain: MICE/B6C3F1

Lab: NCTR

B6C3F1 MICE MALE	DAY ON TEST																				males (cont...)						
	0 7 2 7	0 7 2 8	0 7 2 9	0 7 3 0	0 7 2 7	0 7 2 8	0 5 4 0	0 7 2 9	0 7 3 0	0 7 2 2	0 7 3 8	0 7 1 0	0 6 2 7	0 7 2 6	0 7 2 7	0 5 6 8	0 7 2 9	0 7 2 6	0 7 2 7	0 7 2 8		0 7 2 9	0 7 2 0	0 7 0 2	0 7 0 6		
Veh ctrlMale	ANIMAL ID																										
	0 0 4 9 1	0 0 5 0 1	0 0 5 1 1	0 0 5 2 1	0 0 5 3 1	0 0 5 4 1	0 0 5 5 1	0 0 5 6 1	0 0 5 7 1	0 0 5 8 1	0 0 5 9 1	0 0 6 0 1	0 0 6 1 1	0 0 6 2 1	0 0 6 3 1	0 0 6 4 1	0 0 6 5 1	0 0 6 6 1	0 0 6 7 1	0 0 6 8 1	0 0 6 9 1	0 0 7 0 1	0 0 7 1 1	0 0 7 2 1	0 0 7 3 1		
Mineralization	1	2			2	2								1	1	1	1	1	1			1		1	1	1	

RESPIRATORY SYSTEM

Lung	+																										
Hemorrhage			1																								
Infiltration Cellular, Histiocyte								4														4					
Alveolar Epithelium, Hyperplasia	3																										
Nose	+																										
Eosinophilic Material	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Hemorrhage																											
Posterior To Upper Incisor, Malformation	X																										
Respiratory Epithelium, Accumulation, Hyaline Droplet				1				1			2	1										1					
Trachea	+																										

SPECIAL SENSES SYSTEM

Eye	+																										
Cataract			1																				1		1		
Cornea, Edema																							4				
Harderian Gland	+																										
Infiltration Cellular, Lymphocyte		1	1										1														1

URINARY SYSTEM

Kidney	+																				
Bacterium	+																				

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

B6C3F1 MICE MALE	DAY ON TEST																								males (cont...)
	077	077	077	077	077	075	077	077	077	077	077	077	076	077	077	075	077	077	077	077	077	077	077		
Veh ctrlMale	00491	00451	00451	00451	00451	00451	00451	00451	00451	00451	00451	00451	00451	00451	00451	00451	00451	00451	00451	00451	00451	00451	00451		
Infarct						X										X									
Infiltration Cellular, Lymphocyte																									
Metaplasia, Osseous																						3			
Mineralization												1													
Nephropathy	1	2	2	2	1	2	2	2	1	1	2	2	3	2	1	2	4	1	1	2	2	1	2	1	
Cortex, Cyst												X													
Renal Tubule, Cyst		X											X			X		X							
Urinary Bladder	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Calculus Micro Observation Only																									
Infiltration Cellular, Lymphocyte																									
Transitional Epithelium, Hyperplasia							1											1		1					

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

B6C3F1 MICE MALE	DAY ON TEST	07	07	07	07	07	07	07	05	06	06	06	07	07	07	07	07	04	00	07	07	07	04	07		
		27	28	29	22	22	28	21	66	71	04	54	22	28	27	29	88	41	66	77	22	88	29	28	27	
Veh ctrlMale	ANIMAL ID	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00		
		74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	
		11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	* TOTALS

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	48	
Gallbladder	+	+	+	+	+	+	M	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	45	
Intestine Large, Cecum Lymphoid Tissue, Hyperplasia	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	3	+	47	1 3.0
Intestine Large, Colon Inflammation, Chronic Active	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	4	+	48	1 4.0
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	47	
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	47	
Intestine Small, Ileum Infiltration Cellular, Histiocyte	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	47	1 3.0
Intestine Small, Jejunum Cyst Diverticulum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	47	1 1
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	48	
Basophilic Focus					X					X	X		X						X		X			10	
Clear Cell Focus											X													5	
Deformity							X																	1	
Eosinophilic Focus												X							X					3	
Fatty Change							3																	2	2.5
Fibrosis					3																			1	3.0
Hepatodiaphragmatic Nodule								X																1	

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

B6C3F1 MICE MALE	DAY ON TEST																				* TOTALS		
	0727	0728	0729	0728	0727	0727	0727	0727	0727	0727	0727	0727	0727	0727	0727	0727	0727	0727	0727	0727		0727	
Veh ctrlMale	ANIMAL ID																						
	00741	00741	00741	00741	00741	00741	00741	00741	00741	00741	00741	00741	00741	00741	00741	00741	00741	00741	00741	00741	00741		
Infiltration Cellular, Lymphocyte																						2	1 2.0
Infiltration Cellular, Polymorphonuclear																						1	1 1.0
Inflammation, Granulomatous																						3	1 3.0
Inflammation, Chronic Active																						2 2	2 2.0
Pigmentation																						2 2	2 2.0
Vacuolization Cytoplasmic																						2	2 2.0
Bile Duct, Hyperplasia																						2	1 2.0
Hepatocyte, Hyperplasia																						4	1 4.0
Hepatocyte, Necrosis																						3 3 2 4	5 3.2
Mesentery																						+	2
Pancreas																						+ +	48
Infiltration Cellular, Lymphocyte																						1 1 1	14 1.0
Acinus, Degeneration																							1 1.0
Duct, Cyst																							1
Salivary Glands																						+ +	48
Infiltration Cellular, Lymphocyte																						3 2 1 2 1 2 1 2 1 2 2 2 2 1 2 2 1 1 2	42 1.5
Stomach, Forestomach																						+ +	48
Infiltration Cellular, Lymphocyte																							1 3.0
Inflammation, Suppurative																							1 2.0
Epithelium, Hyperplasia																							2 3.0
Stomach, Glandular																						+ +	48
Cyst																							4
Mineralization																							1 1.0
Epithelium, Hyperplasia																							1 4.0

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

B6C3F1 MICE MALE	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		7	7	7	7	7	7	7	5	6	6	6	7	7	7	7	4	0	7	7	7	4	7	7
Veh ctrlMale	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		7	7	7	7	7	7	8	8	8	8	8	8	8	8	8	9	9	9	9	9	9	9	9
		4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
																							* TOTALS	

CARDIOVASCULAR SYSTEM

Blood Vessel	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	48
Heart	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	48
Bacterium								X																1
Cardiomyopathy								2																2 1.5
Inflammation, Chronic Active																						2		1 2.0

ENDOCRINE SYSTEM

Adrenal Cortex	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	47
Accessory Adrenal Cortical Nodule		X																						2
Amyloid Deposition					1				1			1												4 1.0
Hypertrophy						2																3		2 2.5
Subcapsular, Hyperplasia	1	1	2	1	1	3	2	1	2	1	1		2	1	2	1		2	1	1	2	1	1	43 1.5
Adrenal Medulla	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	47
Islets, Pancreatic	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	48
Hyperplasia							2		3		3										3			6 2.7
Parathyroid Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	M	+	+	+	+	+	+	M	41
Cyst						X										X								2
Pituitary Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	48
Pars Distalis, Cyst																								1
Thyroid Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	48
C-cell, Hyperplasia																								2 1.0

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02
 Test Type: CHRONIC
 Route: Dermal
 Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan
 CAS Number: 3380-34-5

Date Report Requested: 12/04/2020
 Time Report Requested: 13:42:33
 First Dose M/F: 09/11/13 / 09/11/13
 Lab: NCTR

B6C3F1 MICE MALE	DAY ON TEST																				* TOTALS				
	07 27	07 28	07 29	07 29	07 28	07 27	07 7	07 6	07 5	07 6	07 6	07 6	07 7	07 7	07 7	07 7	07 7	07 4	07 0	07 7		07 7	07 4	07 8	07 2
Veh ctrlMale	00 74 1	00 75 1	00 76 1	00 77 1	00 78 1	00 79 1	00 00 1	00 00 1	00 00 1	00 00 1	00 00 1	00 00 1	00 00 1	00 00 1	00 00 1	00 00 1	00 00 1	00 00 1	00 00 1	00 00 1	00 00 1	00 00 1	00 00 1	00 00 1	00 00 1
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
																							Follicle, Cyst	1	

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Epididymis	+																							48		
Exfoliated Germ Cell	3																							1	3	1.7
Fibrosis																		2							1	2.0
Granuloma Sperm																									1	
Hypospermia	3																								2	2.5
Infiltration Cellular, Lymphocyte	1	1									1							1	3				2	2	6	1.5
Epithelium, Hyperplasia																				2					1	2.0
Preputial Gland	+																							48		
Abscess																			4						2	4.0
Infiltration Cellular, Lymphocyte	1	2			1		1	1	1		1	1		1	1				2	2			1	32	1.3	
Infiltration Cellular, Plasma Cell				3		4																		2	3.5	
Inflammation, Suppurative				3		4																		2	3.5	
Duct, Dilatation	4	2	4	4	4	4	4	4	3	3	4	4	4	4	4	4	4	4	4	3	3	4	3	44	3.8	
Prostate	+																							48		
Infiltration Cellular, Lymphocyte	1	1		1		1						1	1	1	1	1		1	1	1				22	1.1	
Seminal Vesicle	+																							48		
Lumen, Dilatation	4								2											4				7	3.4	
Testes	+																							48		
Seminiferous Tubule, Degeneration	4		1																					4	2.5	

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

B6C3F1 MICE MALE	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		7	7	7	7	7	7	7	5	6	6	6	7	7	7	7	4	0	7	7	7	4	7
Veh ctrl Male	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		7	7	7	7	7	7	8	8	8	8	8	8	8	8	8	9	9	9	9	9	9	9
		4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
* TOTALS																							

HEMATOPOIETIC SYSTEM

Bone Marrow	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	48
Myeloid Cell, Hyperplasia			4		3		4		4									4					7 3.6
Lymph Node			+																				2
Lymph Node, Mandibular	M	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	47
Hyperplasia, Lymphoid									1						1					1			7 1.0
Lymph Node, Mesenteric	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	48
Angiectasis														3				3					2 3.0
Degeneration, Cystic																		3					1 3.0
Hematopoietic Cell Proliferation																							1 3.0
Hemorrhage																		3		2			6 2.7
Hyperplasia, Lymphoid	3			4	3	3		2		2	2		1	4	3		3	3		3	2		30 2.8
Infiltration Cellular, Histiocyte									3			2			3	2				3	2		8 2.8
Infiltration Cellular, Plasma Cell	4				4	4																	4 3.8
Spleen	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	47
Angiectasis																							1 3.0
Hematopoietic Cell Proliferation	2	4			2	3	4	4	2	4	3			3	2	4				4		4	22 3.2
Hyperplasia, Lymphoid	3	3		4	3	3	3	2	2			4	4	3	3		2	4	3	2	2		39 3.1
Thymus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	46
Atrophy	4	4	4	4	4	4	4	3	4	3	4	4	4	4	4	4		4	4	4	4	3	4
Cyst																							45 3.8
																							1

INTEGUMENTARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

B6C3F1 MICE MALE	DAY ON TEST																				* TOTALS	
	0727	0728	0729	0729	0728	0727	0727	0727	0725	0726	0726	0726	0727	0727	0727	0727	0724	0720	0727	0727		0727
Veh ctrlMale	ANIMAL ID																					
	00741	00745	00746	00747	00748	00749	00749	00749	00749	00749	00749	00749	00749	00749	00749	00749	00749	00749	00749	00749	00749	00749

Mammary Gland	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	1
Skin	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	48
Dermis, Inflammation, Chronic Active																								1 3.0
Epidermis, Hyperplasia																								1 3.0
Epidermis, Inflammation, Suppurative																								1 3.0
Epidermis, Ulcer																								1 4.0
Skin, Control	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	48
Dermis, Inflammation, Chronic Active																								1 3.0
Epidermis, Hyperplasia																								1 3.0
Epidermis, Inflammation, Suppurative																								1 3.0
Epidermis, Ulcer																								1 4.0
Skin, Site Of Application	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	48
Epidermis, Hyperplasia																								1 1.0

MUSCULOSKELETAL SYSTEM

Bone, Femur	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	48
-------------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	----

NERVOUS SYSTEM

Brain, Brain Stem Hemorrhage	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	48
																								1 2.0
Brain, Cerebellum Hemorrhage	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	48
																								1 1.0
Brain, Cerebrum Hemorrhage	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	48
																								1 2.0

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

B6C3F1 MICE MALE	DAY ON TEST																					
	0727	0728	0729	0729	0728	0727	0727	0727	0727	0727	0727	0727	0727	0727	0727	0727	0727	0727	0727	0727		
Veh ctrlMale	ANIMAL ID																					
	0041	0045	0046	0047	0048	0049	0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	0060	0061	0062	0063		
* TOTALS																						
Mineralization	2	1	1		1	1	1	1	1	1	1	1	1	2				1		1	1	27 1.2

RESPIRATORY SYSTEM

Lung	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	48	
Hemorrhage														2		4							3 2.3
Infiltration Cellular, Histiocyte																					2		3 3.3
Alveolar Epithelium, Hyperplasia								3			3				4								4 3.3
Nose	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	48	
Eosinophilic Material	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X					X	X	X	47
Hemorrhage																					3		1 3.0
Posterior To Upper Incisor, Malformation	X												X										3
Respiratory Epithelium, Accumulation, Hyaline Droplet		1														1		1				1	9 1.1
Trachea	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	48	

SPECIAL SENSES SYSTEM

Eye	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	47	
Cataract																							3 1.0
Cornea, Edema																							1 4.0
Harderian Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	48	
Infiltration Cellular, Lymphocyte	1	1	1	1	1	1	1	1	1				1	1			1		1	1		1	24 1.0

URINARY SYSTEM

Kidney	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	48	
Bacterium																							1

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

B6C3F1 MICE MALE	DAY ON TEST																				ANIMAL ID			
	07	07	07	07	07	07	07	05	06	06	06	07	07	07	07	04	00	07	07	07			04	07
Veh ctrlMale	07	07	07	07	07	07	07	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	07	
	2	2	2	2	2	2	1	6	7	0	5	2	2	2	2	7	4	2	2	2	2	2	7	
	7	8	9	9	8	7	6	0	1	4	4	6	7	8	9	8	1	6	7	8	9	2	7	
	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	7	
	7	7	7	7	7	7	8	8	8	8	8	8	8	8	8	8	9	9	9	9	9	9	7	
	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	7	
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	7	
																						* TOTALS		
Infarct																	5							
Infiltration Cellular, Lymphocyte																	2 2.5							
Metaplasia, Osseous																	1 1.0							
Mineralization																	3 1.0							
Nephropathy	2	2	1	1	1	2	3	4	2	2	1	2	2	3	2	4	1	3	2	2	2		45 1.9	
Cortex, Cyst																						1		
Renal Tubule, Cyst																						7		
Urinary Bladder	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		48	
Calculus Micro Observation Only																						1		
Infiltration Cellular, Lymphocyte																						6 1.0		
Transitional Epithelium, Hyperplasia																						1 1.0		

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

B6C3F1 MICE MALE	DAY ON TEST	0 7	0 7	0 6	0 7	0 4	0 7	0 3	0 7	0 4	0 7	0 7	0 5	0 6	0 7	0 7	0 7	0 6	0 7	0 7	0 6	0 7	0 7	0 7		
		2 7	2 8	6 8	2 9	5 1	3 0	9 3	2 7	5 1	2 8	2 9	3 0	1 3	8 9	2 8	2 7	0 2	1 8	2 9	2 8	2 7	2 6	7 9	6 7	7 6
Tri 1.25Male	ANIMAL ID	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	
		4 5 1	4 6 1	4 7 1	4 8 1	4 9 1	5 0 1	5 1 1	5 2 1	5 3 1	5 4 1	5 5 1	5 6 1	5 7 1	5 8 1	6 9 1	6 0 1	6 1 1	6 2 1	6 3 1	6 4 1	6 5 1	6 6 1	6 7 1	6 8 1	6 9 1

males (cont...)

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Gallbladder	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	M	M	+	+	+		
Intestine Large, Cecum Epithelium, Hyperplasia	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	4
Intestine Large, Colon	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Duodenum Inflammation, Chronic Active	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Ileum Lymphoid Tissue, Hyperplasia	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Jejunum Lymphoid Tissue, Hyperplasia	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Basophilic Focus		X											X												X	
Clear Cell Focus																				X		X		X		
Eosinophilic Focus																			X							
Fatty Change													2													
Fibrosis																										
Hematopoietic Cell Proliferation																										1
Hemorrhage																										
Infiltration Cellular, Lymphocyte								4																		

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

B6C3F1 MICE MALE Tri 1.25Male	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	males (cont...)
	ANIMAL ID	7	7	6	7	4	7	3	7	4	7	7	7	5	6	7	7	7	6	7	7	6	7	6	
		2	2	6	2	5	3	9	2	5	2	2	3	1	8	2	2	0	1	2	2	2	8	2	
		7	8	8	9	1	0	3	7	1	8	9	0	3	9	8	7	2	8	9	8	7	6	9	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		4	4	4	4	4	5	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	6	6	
		5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Inflammation, Chronic									4				2	1				1			2				
Inflammation, Chronic Active																									
Mixed Cell Focus					X																				
Tension Lipidosis													2												
Vacuolization Cytoplasmic						2																			
Hepatocyte, Necrosis							4		4				2	2					1			4			
Mesentery								+																	
Necrosis							4																		
Pancreas		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Infiltration Cellular, Lymphocyte							1												2	1					
Acinus, Degeneration											1														
Artery, Degeneration																					4				
Artery, Inflammation, Chronic Active																					3				
Fat, Necrosis																									
Salivary Glands		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Infiltration Cellular, Lymphocyte		1	1	2	1	1	2		1	2	1		1	1	1	1	2	1	1	1	2	1	2	1	
Stomach, Forestomach		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Epithelium, Hyperplasia																									
Stomach, Glandular		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Cyst																									
Mineralization																									
Epithelium, Hyperplasia																									

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

B6C3F1 MICE MALE	DAY ON TEST																				males (cont...)	
	07	07	06	07	04	07	03	07	04	07	07	07	05	06	07	07	07	06	07	06		07
Tri 1.25Male	2	2	6	2	5	3	9	2	5	2	2	3	1	8	2	2	0	1	2	2	2	2
	7	8	8	9	1	0	3	7	1	8	9	0	3	9	8	7	2	8	9	8	7	6
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	4	4	4	4	4	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	6	6
	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Blood Vessel	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Heart	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Cardiomyopathy			1																			
Inflammation, Chronic Active				1																		

ENDOCRINE SYSTEM

Adrenal Cortex	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Amyloid Deposition																						
Hypertrophy										2												
Subcapsular, Hyperplasia	2	2	2	2		1	1	1	1	1	2	1	1	2	1	3	2	1	2	1	2	2
Adrenal Medulla	+	+	+	+	+	+	+	+	M	+	+	+	+	+	+	+	+	+	+	+	+	+
Islets, Pancreatic	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Hyperplasia																		2		3	2	
Parathyroid Gland	+	+	+	+	+	M	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Cyst				X					X													X
Pituitary Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	M	+	+	+
Pars Distalis, Cyst	X											X										
Thyroid Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
C-cell, Hyperplasia		1																				
Follicle, Cyst																X						X

GENERAL BODY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

B6C3F1 MICE MALE	DAY ON TEST	0 7	0 7	0 6	0 7	0 4	0 7	0 3	0 7	0 4	0 7	0 7	0 5	0 6	0 7	0 7	0 7	0 6	0 7	0 7	0 6	0 7	0 7	0 7	males (cont...)
	ANIMAL ID	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	

NONE

GENITAL SYSTEM

Epididymis	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Infiltration Cellular, Lymphocyte													2					1					
Spermatocoele																				X			
Preputial Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Abscess		4																					
Fibrosis																							
Infiltration Cellular, Lymphocyte	1					1		1	1		1			1	3						2		3
Infiltration Cellular, Plasma Cell																							
Inflammation, Suppurative													4										3
Duct, Dilatation	4		4	4	4	4		4	2	4	3	4	3	4	4	2	4	4	4	3	2	2	4
Epithelium, Hyperplasia									2														2
Prostate	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Infiltration Cellular, Lymphocyte	1		1						1	2			1	1		1	1				1	1	1
Seminal Vesicle	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Lumen, Dilatation					2								3			2				4			
Testes	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Seminiferous Tubule, Degeneration																							

HEMATOPOIETIC SYSTEM

Bone Marrow	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Erythroid Cell, Hyperplasia			3																				

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02
 Test Type: CHRONIC
 Route: Dermal
 Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Triclosan
 CAS Number: 3380-34-5

Date Report Requested: 12/04/2020
 Time Report Requested: 13:42:33
 First Dose M/F: 09/11/13 / 09/11/13
 Lab: NCTR

B6C3F1 MICE MALE	DAY ON TEST																				males (cont...)		
	0 7	0 7	0 6	0 7	0 4	0 7	0 3	0 7	0 4	0 7	0 7	0 5	0 6	0 7	0 7	0 7	0 6	0 7	0 7	0 6		0 7	0 7
Tri 1.25Male	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	0 1	
	4 5 1	4 6 1	4 7 1	4 8 1	4 9 1	5 0 1	5 1 1	5 2 1	5 3 1	5 4 1	5 5 1	5 6 1	5 7 1	5 8 1	5 9 1	6 0 1	6 1 1	6 2 1	6 3 1	6 4 1	6 5 1	6 6 1	

Myeloid Cell, Hyperplasia

4

4

Lymph Node

+

Axillary, Infiltration Cellular, Plasma Cell
 Pancreatic, Hyperplasia, Lymphoid
 Renal, Hyperplasia, Lymphoid

4

4

Lymph Node, Mandibular

+ + + + + + + + + M + + + + + + + + + + + + +

Hyperplasia, Lymphoid
 Infiltration Cellular, Plasma Cell

1 2 1

Lymph Node, Mesenteric

+ +

Hemorrhage
 Hyperplasia, Lymphoid
 Infiltration Cellular, Histiocyte
 Infiltration Cellular, Plasma Cell
 Infiltration Cellular, Polymorphonuclear

2 2 2 2 2 2 2 2 2 3 3 2 2 3 3 3 2 3 2 3 4
 2 2 4 2 1 2 4 2 3 3 2 2 3 3 3 2 3 2 3 2
 2 2
 2

Spleen

+ +

Hematopoietic Cell Proliferation
 Hyperplasia, Lymphoid

2 3 3 2 3 3 3 4 4 3 4 2 3 2 3 2 4 3 3 4 2 4 3

Thymus

M + M + +

Atrophy

3 4 4 4 4 4 4 4 3 4 3 3 4 4 4 4 4 4 4 4 4 4

INTEGUMENTARY SYSTEM

Mammary Gland

M + M M M M M M + M M M M M M M M M M M M M M M M

Skin

+ +

Necrosis

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | | |
|------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--------------------|-----------------------|--|
| | 0
7
2
7 | 0
7
2
8 | 0
6
6
8 | 0
7
2
9 | 0
4
5
1 | 0
7
3
0 | 0
3
9
3 | 0
7
2
7 | 0
4
5
1 | 0
7
2
8 | 0
7
2
9 | 0
7
3
0 | 0
5
1
3 | 0
6
8
9 | 0
7
2
8 | 0
7
0
7 | 0
6
1
8 | 0
7
2
8 | 0
7
2
7 | 0
6
2
6 | 0
7
2
7 | 0
6
8
9 | 0
7
2
7 | 0
6
7
6 | | | |
| Tri 1.25Male | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | | |
| | 0
1
4
5
1 | 0
1
4
6
1 | 0
1
4
7
1 | 0
1
4
8
1 | 0
1
4
9
1 | 0
1
5
0
1 | 0
1
5
1
1 | 0
1
5
2
1 | 0
1
5
3
1 | 0
1
5
4
1 | 0
1
5
5
1 | 0
1
5
6
1 | 0
1
5
7
1 | 0
1
5
8
1 | 0
1
6
9
1 | 0
1
6
0
1 | 0
1
6
1
1 | 0
1
6
2
1 | 0
1
6
3
1 | 0
1
6
4
1 | 0
1
6
5
1 | 0
1
6
6
1 | 0
1
6
7
1 | 0
1
6
8
1 | | 0
1
6
9
1 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Dermis, Inflammation, Chronic Active
 Epidermis, Hyperplasia
 Epidermis, Inflammation, Suppurative
 Epidermis, Ulcer
 Subcutaneous Tissue, Inflammation, Chronic Active

1

Skin, Control
 Dermis, Inflammation, Chronic Active
 Epidermis, Hyperplasia
 Epidermis, Inflammation, Suppurative
 Epidermis, Ulcer

+ +

Skin, Site Of Application
 Dermis, Inflammation, Chronic Active
 Epidermis, Hyperplasia
 Epidermis, Inflammation, Suppurative
 Epidermis, Necrosis
 Epidermis, Ulcer

+ +

2

1

MUSCULOSKELETAL SYSTEM

Bone

+

Bone, Femur
 Fibro-Osseous Lesion

+ +

Skeletal Muscle

+

+

NERVOUS SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------|-----------------------|
| B6C3F1 MICE MALE | DAY ON TEST | 0
7
2
7 | 0
7
2
8 | 0
6
6
8 | 0
7
2
9 | 0
4
5
1 | 0
7
3
0 | 0
7
9
3 | 0
4
5
7 | 0
7
2
1 | 0
7
2
8 | 0
7
3
9 | 0
5
1
3 | 0
6
8
9 | 0
7
2
7 | 0
7
0
2 | 0
6
1
8 | 0
7
2
9 | 0
7
2
8 | 0
7
2
7 | 0
6
8
6 | 0
7
2
7 | 0
7
2
6 | males
(cont...) | |
| | ANIMAL ID | 0
1
4
5
1 | 0
1
4
6
1 | 0
1
4
7
1 | 0
1
4
8
1 | 0
1
4
9
1 | 0
1
5
0
1 | 0
1
5
1
1 | 0
1
5
2
1 | 0
1
5
3
1 | 0
1
5
4
1 | 0
1
5
5
1 | 0
1
5
6
1 | 0
1
5
7
1 | 0
1
5
8
1 | 0
1
6
9
1 | 0
1
6
0
1 | 0
1
6
1
1 | 0
1
6
2
1 | 0
1
6
3
1 | 0
1
6
4
1 | 0
1
6
5
1 | 0
1
6
6
1 | | 0
1
6
7
1 |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain, Brain Stem | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Brain, Cerebellum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Brain, Cerebrum
Mineralization | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | 1 | 1 | 1 | 1 | 2 | | 1 | 1 | 1 | | 1 | | 1 | 1 | 1 | | 1 | 2 | 1 | | 2 | 1 | |
| Nerve Trigeminal | | | | | | | | | | | | | | + | | | | | | | | | | |
| Peripheral Nerve, Sciatic
Axon, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Spinal Cord, Cervical | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Spinal Cord, Lumbar | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Spinal Cord, Thoracic | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Histiocyte | 1 | 4 | | | | | | | | | | | | | | | | | | | | | | |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | | |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Eosinophilic Material | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Posterior To Upper Incisor, Malformation | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---|--------------------|
| | 0
7
2
7 | 0
7
2
8 | 0
6
6
8 | 0
7
2
9 | 0
4
5
1 | 0
7
3
0 | 0
3
9
3 | 0
7
2
7 | 0
4
5
1 | 0
7
2
8 | 0
7
2
9 | 0
7
3
0 | 0
5
1
3 | 0
6
8
9 | 0
7
2
8 | 0
7
2
7 | 0
6
1
8 | 0
7
2
9 | 0
7
2
8 | 0
7
2
7 | 0
6
2
6 | 0
7
8
9 | 0
7
2
7 | | |
| Tri 1.25Male | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |

Respiratory Epithelium, Accumulation, Hyaline Droplet

1 2 1 2 1

Trachea

+ +

SPECIAL SENSES SYSTEM

Eye
Cataract

+
1

Harderian Gland
Infiltration Cellular, Lymphocyte

+
1 1

URINARY SYSTEM

Kidney
Casts
Infarct
Infiltration Cellular, Lymphocyte
Metaplasia, Osseous
Mineralization
Nephropathy
Cortex, Cyst
Renal Tubule, Cyst

+
X X X
1 4
1 3 1 2 2 1 3 1 2 2 1 1 2 2 2 2 1 1 2 2 2 1 2
X X
1 1

Urinary Bladder
Infiltration Cellular, Lymphocyte
Lumen, Dilatation

+
1 1

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

| | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 3 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 5 | 6 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 5 | 7 |
| Tri 1.25Male | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 |
| | | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------------------------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Gallbladder | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | 44 |
| Intestine Large, Cecum
Epithelium, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
1 4.0 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Small, Duodenum
Inflammation, Chronic Active | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
1 4.0 |
| Intestine Small, Ileum
Lymphoid Tissue, Hyperplasia | + | + | + | + | + | + | + | + | + | + | 2 | + | + | + | + | + | + | + | + | + | + | + | 48
1 2.0 |
| Intestine Small, Jejunum
Lymphoid Tissue, Hyperplasia | + | + | + | + | + | + | + | + | + | + | 2 | + | + | + | + | + | + | + | + | + | + | + | 48
1 2.0 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Basophilic Focus | | | | X | | | | X | X | X | | | X | X | | | | X | X | | | | 11 |
| Clear Cell Focus | | | | | | | | X | X | | | | | X | | | | | | | | | 6 |
| Eosinophilic Focus | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Fatty Change | | | | | | | | | | 2 | | | | | | | | | | | | | 2 2.0 |
| Fibrosis | | | | | | | | | | | | | | | | | | 2 | | | | | 1 2.0 |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | 1 | | 1 1.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|--------------------------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|----|--------|
| | 03 | 07 | 07 | 07 | 07 | 06 | 07 | 07 | 07 | 07 | 06 | 05 | 06 | 06 | 07 | 07 | 07 | 06 | 07 | 05 | | 07 | 04 |
| Tri 1.25Male | 05 | 07 | 08 | 09 | 06 | 07 | 08 | 08 | 09 | 02 | 02 | 09 | 06 | 08 | 06 | 07 | 08 | 05 | 09 | 07 | 09 | 08 | |
| | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | |
| | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | |
| | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 08 | 08 | 08 | 08 | 08 | 08 | 08 | 08 | 08 | 08 | 08 | 09 | 09 | |
| | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 00 | 01 | |
| | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic | | | | | | | | | | | | | | 4 | | | | 2 | | | | | 2 3.0 |
| Inflammation, Chronic Active | | | | | | | | | | | 1 | | | | | | | | | | | | 6 1.8 |
| Mixed Cell Focus | X | | | | | | | | | | | | | X | | | | | | | | | 3 |
| Tension Lipidosis | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Vacuolization Cytoplasmic | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Hepatocyte, Necrosis | | | | 4 | | 4 | | | | | 1 | 4 | 4 | | | | | | | | | | 11 3.1 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | 1 | | 4 1.3 |
| Acinus, Degeneration | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Artery, Degeneration | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Artery, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Fat, Necrosis | | | | 4 | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Infiltration Cellular, Lymphocyte | | 1 | 1 | 2 | 2 | 1 | 2 | 1 | 1 | 2 | | 1 | 2 | 1 | 1 | | 1 | 3 | 2 | 1 | 1 | 3 | 41 1.4 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Epithelium, Hyperplasia | | | | 1 | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Cyst | | | | | | | | | | | | | | | | | | | | X | | | 1 |
| Mineralization | | | | | 1 | | | | | | | | | | | | | | | | | | 1 1.0 |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | 3 | | | | | | | | | 1 3.0 |

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02
 Test Type: CHRONIC
 Route: Dermal
 Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Triclosan
 CAS Number: 3380-34-5

Date Report Requested: 12/04/2020
 Time Report Requested: 13:42:33
 First Dose M/F: 09/11/13 / 09/11/13
 Lab: NCTR

| B6C3F1 MICE MALE
Tri 1.25Male | DAY ON TEST | 0
3
5
0 | 0
7
2
7 | 0
7
2
8 | 0
7
2
9 | 0
7
2
6 | 0
7
2
8 | 0
7
2
7 | 0
7
2
8 | 0
7
2
6 | 0
7
2
7 | 0
7
2
9 | 0
7
2
8 | 0
7
2
6 | 0
7
2
7 | 0
7
2
8 | 0
7
2
5 | 0
7
2
6 | 0
7
2
7 | 0
7
2
9 | 0
7
2
8 | 0
7
2
6 | 0
7
2
8 | | |
|----------------------------------|-----------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------|
| | ANIMAL ID | 0
1
7
0
1 | 0
1
7
1
1 | 0
1
7
2
1 | 0
1
7
3
1 | 0
1
7
4
1 | 0
1
7
5
1 | 0
1
7
6
1 | 0
1
7
7
1 | 0
1
7
8
1 | 0
1
7
9
1 | 0
1
7
0
1 | 0
1
7
1
1 | 0
1
7
2
1 | 0
1
7
3
1 | 0
1
7
4
1 | 0
1
7
5
1 | 0
1
7
6
1 | 0
1
7
7
1 | 0
1
7
8
1 | 0
1
7
9
1 | 0
1
7
0
1 | 0
1
7
1
1 | 0
1
7
2
1 | |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Heart | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Cardiomyopathy | | | | | | | | | | | | 1 | | | | | | | | | | | | | 2 1.0 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Amyloid Deposition | | | | | | | | | | | | | | | | | | | | | | | | | 2 1.0 |
| Hypertrophy | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Subcapsular, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 41 1.6 |
| Adrenal Medulla | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Islets, Pancreatic | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 5 2.8 |
| Parathyroid Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Pituitary Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Pars Distalis, Cyst | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Thyroid Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| C-cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Follicle, Cyst | | | | | | | | | | | | | | | | | | | | | | | | | 3 |

GENERAL BODY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|----|----|
| | 03 | 07 | 07 | 07 | 07 | 06 | 07 | 07 | 07 | 07 | 06 | 05 | 06 | 06 | 07 | 07 | 07 | 06 | 07 | 05 | | 07 | 04 |
| Tri 1.25Male | 05 | 07 | 08 | 09 | 06 | 08 | 07 | 08 | 02 | 02 | 09 | 06 | 08 | 08 | 06 | 07 | 08 | 05 | 09 | 07 | 09 | 08 | 48 |
| | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 00 | 01 | 6 |
| | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 1 |

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Infiltration Cellular, Lymphocyte | | | | | | | | | 1 | | | | | | | | | 1 | 2 | | | 2 | 6 |
| Spermatocoele | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Abscess | | | | | | | | | | | | | | | | | | | | | 4 | | 2 |
| Fibrosis | | | | | | | | | | | 4 | | | | | | | | | | | | 4.0 |
| Infiltration Cellular, Lymphocyte | 1 | 1 | 2 | 3 | | 4 | 2 | 1 | 3 | 4 | 2 | 1 | 1 | | 1 | | 1 | | 1 | | | 2 | 25 |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | 3 | | | | | | 1 |
| Inflammation, Suppurative | | | | 4 | | 4 | | | 2 | 4 | 3 | | | | | 4 | | | | | | | 8 |
| Duct, Dilatation | 4 | 4 | 4 | | 4 | 4 | 4 | 4 | 4 | 4 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 2 | | 2 | 4 | 4 | 44 |
| Epithelium, Hyperplasia | | | | | | | | | 3 | | | | | | | | | | | | | | 2 |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Infiltration Cellular, Lymphocyte | | | | | | | | | 1 | | 1 | 1 | | | 1 | | 1 | 1 | | | | 1 | 18 |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Lumen, Dilatation | | | | | | 3 | | | | | | | | | 3 | | | | | | | | 6 |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Seminiferous Tubule, Degeneration | | | | | 1 | | | | | | | | | | | | | | | 1 | | | 2 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Erythroid Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE
Tri 1.25Male | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | | | |
|--|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-------|-------|-------|-------|-------|--------|-------|
| | 0350 | 0727 | 0777 | 0777 | 0777 | 0767 | 0777 | 0777 | 0777 | 0777 | 0767 | 0756 | 0766 | 0766 | 0777 | 0777 | 0727 | 0727 | 0727 | 0757 | | 0777 | 0757 | 0777 | 0747 | 0768 | | |
| ANIMAL ID | 01701 | 01701 | 01701 | 01701 | 01701 | 01701 | 01701 | 01701 | 01701 | 01701 | 01701 | 01701 | 01701 | 01701 | 01701 | 01701 | 01701 | 01701 | 01701 | 01701 | 01701 | 01701 | 01701 | 01701 | 01701 | | | |
| Myeloid Cell, Hyperplasia | | | 4 | | | 4 | | | | 4 | | | 4 | | | | | | | | | | | | 3 | 7 3.9 | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | | 3 | | |
| Axillary, Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 | |
| Pancreatic, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 | |
| Renal, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 | |
| Lymph Node, Mandibular | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 | | |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | | | | 12 1.6 | |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 3.0 | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | | | 5 2.4 | |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | | | | 35 2.5 | |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | | | | | 7 2.6 | |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | | | | | 5 3.2 | |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | | | | | | 26 3.3 | |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | | | | 41 3.0 | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 44 | | |
| Atrophy | | | | | | | | | | | | | | | | | | | | | | | | | | | 43 3.9 | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 2 | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|----|
| | 03 | 07 | 07 | 07 | 07 | 06 | 07 | 07 | 07 | 07 | 06 | 05 | 06 | 06 | 07 | 07 | 07 | 06 | 07 | 05 | | 07 |
| Tri 1.25Male | 05 | 07 | 08 | 09 | 06 | 08 | 07 | 08 | 02 | 02 | 09 | 06 | 08 | 06 | 07 | 02 | 02 | 05 | 09 | 07 | 09 | 08 |
| | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |
| | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 |
| | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 08 | 08 | 08 | 08 | 08 | 08 | 08 | 08 | 08 | 08 | 08 | 09 | 09 |
| | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 00 | 01 |
| | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|-----|
| Dermis, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 | 4.0 |
| Epidermis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 3 | 3 | 2.7 |
| Epidermis, Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 | 4.0 |
| Epidermis, Ulcer | | | | | | | | | | | | | | | | | | | | | | | 4 | 2 | 4.0 |
| Subcutaneous Tissue, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 | 4.0 |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|-----|
| Skin, Control | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Dermis, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | 2 | 1 | 2.0 |
| Epidermis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 3 | 1 | 3.0 |
| Epidermis, Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 | 4.0 |
| Epidermis, Ulcer | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 | 4.0 |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|-----|
| Skin, Site Of Application | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Dermis, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 | 4.0 |
| Epidermis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 3 | 2 | 3.0 |
| Epidermis, Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | 4 | 3 | 2.7 |
| Epidermis, Necrosis | | | | | | | | | | | | | | | | | | | | | | | 3 | 1 | 3.0 |
| Epidermis, Ulcer | | | | | | | | | | | | | | | | | | | | | | | 4 | 2 | 3.0 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|-----|
| Bone | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Bone, Femur | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Fibro-Osseous Lesion | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 | 4.0 |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | 2 | | |

NERVOUS SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE
Tri 1.25Male | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|--------------|
| | 0350 | 0727 | 0777 | 0777 | 0777 | 0677 | 0777 | 0777 | 0777 | 0777 | 0677 | 0566 | 0666 | 0666 | 0777 | 0777 | 0777 | 0666 | 0777 | 0577 | | | 0774 |
| ANIMAL ID | 01701 | 0117 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | |
| Brain, Brain Stem | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Brain, Cerebellum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Brain, Cerebrum
Mineralization | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
28 1.2 |
| Nerve Trigeminal | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Peripheral Nerve, Sciatic
Axon, Degeneration | | | | | | | | | | | | | | | | | | | | | | | 1
1 2.0 |
| Spinal Cord, Cervical | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spinal Cord, Lumbar | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spinal Cord, Thoracic | | | | | | | | | | | | | | | | | | | | | | | 1 |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | 5 2.8 |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 3 3.3 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Eosinophilic Material | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 48 |
| Posterior To Upper Incisor, Malformation | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|------|--------|
| | 0350 | 0372 | 0377 | 0377 | 0377 | 0367 | 0377 | 0377 | 0377 | 0377 | 0366 | 0356 | 0366 | 0366 | 0377 | 0377 | 0377 | 0366 | 0377 | 0357 | | 0377 | 0346 | 0374 |
| Tri 1.25Male | ANIMAL ID | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
| | 0170 | 0177 | 0117 | 0117 | 0117 | 0117 | 0100 | 0100 | 0100 | 0100 | 0100 | 0100 | 0100 | 0100 | 0100 | 0100 | 0100 | 0100 | 0100 | 0100 | | 0100 | 0100 | 0100 |
| Respiratory Epithelium, Accumulation, Hyaline Droplet | | | | 1 | | | 1 | | | | | | | | | | | | | | 2 | | | 8 1.4 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Cataract | | | | | | | | | 1 | | | | | | | | | | | | | | | 2 1.0 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Infiltration Cellular, Lymphocyte | | 1 | 1 | 1 | | 2 | 1 | | | | | | 2 | | | | | | | | 1 | 1 | | 15 1.1 |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Casts | | | | | 3 | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Infarct | | | | | X | X | | | | | | | | | | | | X | | | | X | | 7 |
| Infiltration Cellular, Lymphocyte | 1 | | | 2 | 3 | | | | | | | | | | | | | | | | | | | 4 1.8 |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Mineralization | | | 1 | | | | | | | | | | | | | | | | | | | | | 2 1.0 |
| Nephropathy | | 1 | 2 | | 1 | 2 | 3 | 2 | 1 | 2 | 1 | 4 | 2 | 2 | 2 | 1 | 2 | 1 | 2 | 3 | 4 | 2 | 2 | 45 1.8 |
| Cortex, Cyst | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Renal Tubule, Cyst | | X | | X | | | | | | | X | X | X | | X | X | | | | | | X | | 10 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | 1 | | | | | | | 1 | | 1 | | 5 1.0 |
| Lumen, Dilatation | | | | | | | | | | | 4 | | | | | | | | | | | | | 1 4.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|------|------|------|
| B6C3F1 MICE MALE | DAY ON TEST | 0727 | 0728 | 0729 | 0573 | 0770 | 0671 | 0571 | 0776 | 0778 | 0677 | 0479 | 0776 | 0777 | 0778 | 0679 | 0675 | 0678 | 0774 | 0572 | 0772 | 0673 | 0778 | 0779 | 0776 | 0772 | 0779 | 0776 | 0772 | 0779 |
| | ANIMAL ID | 0241 | 0241 | 0243 | 0244 | 0245 | 0246 | 0247 | 0248 | 0249 | 0250 | 0251 | 0252 | 0253 | 0254 | 0255 | 0256 | 0257 | 0258 | 0259 | 0260 | 0261 | 0262 | 0263 | 0264 | 0265 | 0266 | 0267 | 0268 | 0269 |
| Tri 2.7 Male | | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoid Tissue, Hyperplasia | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basophilic Focus | | | | | X | | | | | | | | | | | | | | | X | | X | X | | | | | | | |
| Clear Cell Focus | | X | X | | | | | | | | | | | | | | | | | | | X | | | | | X | X | | |
| Deformity | | | | | | | | | | | | | | | X | | | | | | | | | | | | | | | |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatodiaphragmatic Nodule | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Lymphocyte | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | | | | | | | | | 2 | | | | | | | | | | | | | | | | | | |
| Mixed Cell Focus | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tension Lipidosis | | | | | | | 2 | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | males
(cont...) | | | | | | | | | |
|------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--|
| | 0
7
2
7 | 0
7
2
8 | 0
7
2
9 | 0
5
0
3 | 0
7
1
0 | 0
6
7
1 | 0
5
7
6 | 0
7
1
7 | 0
7
2
8 | 0
6
7
6 | 0
4
2
7 | 0
7
2
9 | 0
7
2
6 | 0
7
2
8 | 0
7
2
9 | 0
6
5
0 | 0
6
8
5 | 0
7
2
6 | 0
5
4
0 | 0
7
2
7 | | 0
6
9
3 | 0
7
2
8 | 0
7
2
9 | 0
7
2
6 | | | | | |
| Tri 2.7 Male | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0
2
4
1
1 | 0
2
4
2
1 | 0
2
4
3
1 | 0
2
4
4
1 | 0
2
4
5
1 | 0
2
4
6
1 | 0
2
4
7
1 | 0
2
4
8
1 | 0
2
4
9
1 | 0
2
5
0
1 | 0
2
5
1
1 | 0
2
5
2
1 | 0
2
5
3
1 | 0
2
5
4
1 | 0
2
5
5
1 | 0
2
5
6
1 | 0
2
5
7
1 | 0
2
5
8
1 | 0
2
5
9
1 | 0
2
6
0
1 | 0
2
6
1
1 | 0
2
6
2
1 | 0
2
6
3
1 | 0
2
6
4
1 | 0
2
6
5
1 | 0
2
6
6
1 | 0
2
6
7
1 | 0
2
6
8
1 | 0
2
6
9
1 | |

Vacuolization Cytoplasmic
Bile Duct, Cyst
Hepatocyte, Necrosis

2 2 1 2 1 X

Mesentery
Hemorrhage
Necrosis

+
3

Pancreas
Infiltration Cellular, Lymphocyte
Inflammation, Chronic Active
Acinus, Degeneration
Duct, Cyst

+
1 1 1 1 1 1 2 2 1 1 2 1 2 1 2 1 2 1 1 1 1 1
X

Salivary Glands
Infiltration Cellular, Lymphocyte

+
1 1 1 2 1 1 2 2 1 1 2 1 2 2 1 2 1 2 1 1 1 1

Stomach, Forestomach
Inflammation, Chronic Active
Ulcer
Epithelium, Hyperplasia

+
1 1 2
2 2

Stomach, Glandular
Cyst
Epithelium, Hyperplasia

+ + + + + A + + + + + + + + + + + + + + + +
X 2

CARDIOVASCULAR SYSTEM

Blood Vessel

+ + + + + + + + + + + + + + + + + M + + + + + +

Heart

+ +

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | males
(cont...) | | | |
|-----------------------------------|-----------------------|-----------------------|-----------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|--------------------|----------------------------|----------------------------|----------------------------|
| B6C3F1 MICE MALE | 0
7
2
7 | 0
7
2
8 | 0
7
2
9 | 0
5
0
3 | 0
7
3
0 | 0
6
1
7 | 0
5
7
1 | 0
7
1
6 | 0
7
2
8 | 0
6
7
6 | 0
4
2
7 | 0
7
2
6 | 0
7
2
7 | 0
7
2
8 | 0
7
2
9 | 0
6
5
0 | 0
6
8
5 | 0
7
4
6 | 0
5
2
7 | 0
6
9
3 | | 0
7
2
8 | 0
7
2
9 | 0
7
2
6 |
| Tri 2.7 Male | 0
2
4
1
1 | 0
2
4
2
1 | 0
2
4
3
1 | 0
2
4
4
5
1 | 0
2
4
4
6
1 | 0
2
4
7
7
1 | 0
2
4
8
7
1 | 0
2
4
9
8
1 | 0
2
5
0
1
1 | 0
2
5
1
2
1 | 0
2
5
2
3
1 | 0
2
5
3
4
1 | 0
2
5
4
5
1 | 0
2
5
5
6
1 | 0
2
5
6
7
1 | 0
2
5
7
8
1 | 0
2
5
8
9
1 | 0
2
6
9
0
1 | 0
2
6
0
1
1 | 0
2
6
1
2
1 | | 0
2
6
2
3
1 | 0
2
6
3
4
1 | 0
2
6
4
5
1 |
| Arteritis | | | | | | | | | | | | 2 | | | | | | | | | | | | |
| Cardiomyopathy | | | | | | | | | | | | 3 | | | | | | | | | | | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | 1 | | | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|--|--|--|--|--|--|--|--|--|--|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | | | | | | | | | | | | |
| Accessory Adrenal Cortical Nodule | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Amyloid Deposition | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | | | | | | | | | | | | |
| Hypertrophy | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcapsular, Hyperplasia | 2 | 1 | 2 | 1 | 1 | 1 | 2 | 1 | 1 | 2 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | | 2 | 1 | 1 | 2 | 2 | | | | | | | | | | | | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | | | | | | | | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | | | | | | | | | |
| Hyperplasia | | | | 3 | | | | | | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | | | | | | | | | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | | | | | | | | | | | | | |
| Pars Distalis, Cyst | | | | | | | | | | | | X | | | | | | | | | | | | | X | | | | | | | | | | | | | |
| Pars Distalis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | | | | |
| Pars Distalis, Hypertrophy | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | | | | | | | | | |
| C-cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Follicle, Cyst | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

- * .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
- + .. Tissue examined microscopically
- X .. Lesion present
- I .. Insufficient tissue
- M .. Missing tissue
- A .. Autolysis precludes evaluation
- BLANK .. Not examined microscopically
- 1-4 .. Lesion qualified as:
 - 1) Minimal 3) Moderate
 - 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| B6C3F1 MICE MALE | DAY ON TEST | 0727 | 0728 | 0729 | 0503 | 0701 | 0607 | 0501 | 0706 | 0708 | 0606 | 0407 | 0707 | 0707 | 0707 | 0606 | 0606 | 0707 | 0504 | 0702 | 0609 | 0708 | 0702 | 0702 | 0702 | 0706 |
| | ANIMAL ID | 0241 | 0242 | 0243 | 0244 | 0245 | 0246 | 0247 | 0248 | 0249 | 0250 | 0251 | 0252 | 0253 | 0254 | 0255 | 0256 | 0257 | 0258 | 0259 | 0260 | 0261 | 0262 | 0263 | 0264 | 0265 |

males (cont...)

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Exfoliated Germ Cell | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hypospermia | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Lymphocyte | | | | | | | 1 | | 1 | | | | | | | | | | 1 | | | | | | | | |
| Spermatocele | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Abscess | | | | | | | | | | | 4 | | | | | | | | | | | | | | | | |
| Atrophy | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Lymphocyte | | | | 1 | 1 | | 1 | 1 | 1 | | | 3 | | 1 | | 1 | | | 1 | | | 1 | | | 1 | | |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Duct, Dilatation | 4 | 4 | 4 | 4 | 2 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 3 | 2 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 2 |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Infiltration Cellular, Lymphocyte | | | 1 | 1 | 1 | | | | 1 | | | 1 | | | | | | | | 1 | | 1 | 1 | | | | |
| Seminal Vesicle | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumen, Dilatation | | | | | | | | | | | | | | | | | 3 | | 4 | | | | | | | | |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Spermatocele | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Seminiferous Tubule, Degeneration | | | | | | | | | | | | | | | 2 | | | | | | | | | | | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | males
(cont...) | | | | |
|------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
7
2
7 | 0
7
2
8 | 0
7
2
9 | 0
5
0
3 | 0
7
3
0 | 0
6
1
7 | 0
5
7
1 | 0
7
1
6 | 0
7
2
8 | 0
7
7
6 | 0
6
4
7 | 0
7
2
8 | 0
7
2
9 | 0
7
2
6 | 0
7
2
7 | 0
6
5
8 | 0
6
8
5 | 0
7
2
6 | 0
5
4
0 | 0
7
2
7 | | 0
6
9
3 | 0
7
2
8 | 0
7
2
9 | 0
7
2
6 |
| Tri 2.7 Male | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0
2
4
1
1 | 0
2
4
2
1 | 0
2
4
3
1 | 0
2
4
4
4 | 0
2
4
5
1 | 0
2
4
6
1 | 0
2
4
7
1 | 0
2
4
8
1 | 0
2
4
9
1 | 0
2
5
0
1 | 0
2
5
1
1 | 0
2
5
2
1 | 0
2
5
3
1 | 0
2
5
4
1 | 0
2
5
5
1 | 0
2
5
6
1 | 0
2
5
7
1 | 0
2
5
8
1 | 0
2
6
9
1 | 0
2
6
0
1 | 0
2
6
1
1 | 0
2
6
2
1 | 0
2
6
3
1 | 0
2
6
4
1 | 0
2
6
5
1 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | | |
| Erythroid Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | 3 | | | | | | |
| Myeloid Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | 3 | | | | | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Axillary, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | + | | | | | | |
| Inguinal, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | 4 | | | | | | |
| Lymph Node, Mandibular | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia, Lymphoid | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | 1 | | | 2 | | | 1 | | 1 | | | 1 | 1 | 3 | | | | | 1 | | | | | | |
| Lymph Node, Mesenteric | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | |
| Hyperplasia, Lymphoid | 2 | 2 | | | 3 | 2 | 1 | 4 | 2 | 2 | | 2 | 1 | 2 | 2 | 3 | 3 | | | 2 | | | | | 2 | |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | 4 | | | | | | |
| Spleen | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hematopoietic Cell Proliferation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hyperplasia, Lymphoid | 3 | 4 | 3 | 3 | 4 | | 3 | 3 | 2 | | 4 | 4 | 4 | 3 | 4 | 4 | 3 | | 4 | 2 | 4 | | 4 | 3 | 2 | |
| Inflammation, Granulomatous | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Atrophy | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | M | + | | |
| Hemorrhage | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | 4 | 4 | 4 | 3 | 4 | 4 | 4 | 2 | 4 | 4 | 4 | 4 | 3 | | |

INTEGUMENTARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------|
| B6C3F1 MICE MALE | DAY ON TEST | 0
7
2
7 | 0
7
2
8 | 0
7
2
9 | 0
5
0
3 | 0
7
1
7 | 0
6
5
1 | 0
7
7
6 | 0
5
1
7 | 0
7
2
8 | 0
7
6
6 | 0
4
7
7 | 0
7
2
2 | 0
7
2
2 | 0
7
2
2 | 0
7
2
2 | 0
6
5
5 | 0
6
8
8 | 0
7
4
0 | 0
5
2
7 | 0
6
9
3 | 0
7
2
8 | 0
7
2
9 | 0
7
2
6 | males
(cont...) |
| | ANIMAL ID | 0
2
4
1
1 | 0
2
4
2
1 | 0
2
4
3
1 | 0
2
4
4
1 | 0
2
4
5
1 | 0
2
4
6
1 | 0
2
4
7
1 | 0
2
4
8
1 | 0
2
4
9
1 | 0
2
5
0
1 | 0
2
5
1
1 | 0
2
5
2
1 | 0
2
5
3
1 | 0
2
5
4
1 | 0
2
5
5
1 | 0
2
5
6
1 | 0
2
5
7
1 | 0
2
5
8
1 | 0
2
6
9
1 | 0
2
6
0
1 | 0
2
6
1
1 | 0
2
6
2
1 | 0
2
6
3
1 | |

Mammary Gland

M M

Skin

+ +

Skin, Control

+ +

Infiltration Cellular, Mast Cell

Epidermis, Hyperplasia

Epidermis, Inflammation, Suppurative

Epidermis, Ulcer

Skin, Site Of Application

+ +

Dermis, Inflammation, Chronic Active

Epidermis, Hyperplasia

Epidermis, Inflammation, Suppurative

Epidermis, Ulcer

2
1 1 1 1 1 1 1 1
3 3 3

MUSCULOSKELETAL SYSTEM

Bone

Cranium, Hyperostosis

+

2

Bone, Femur

Fibro-Osseous Lesion

+ + + + + + + + + + + + 3 + + + + + + 1

Skeletal Muscle

+

NERVOUS SYSTEM

Brain, Brain Stem

+ +

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE
Tri 2.7 Male | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|--|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--------------------|
| | 0
7
2
7 | 0
7
2
8 | 0
7
2
9 | 0
5
0
3 | 0
7
1
7 | 0
6
5
1 | 0
7
1
6 | 0
5
7
1 | 0
7
2
6 | 0
7
1
8 | 0
6
2
7 | 0
7
2
8 | 0
7
2
9 | 0
6
2
0 | 0
7
2
5 | 0
6
8
8 | 0
7
4
0 | 0
5
2
7 | 0
6
9
3 | 0
7
2
8 | 0
7
2
9 | 0
7
2
6 | | | |
| ANIMAL ID | 0
2
4
1
1 | 0
2
4
2
1 | 0
2
4
3
1 | 0
2
4
4
1 | 0
2
4
5
1 | 0
2
4
6
1 | 0
2
4
7
1 | 0
2
4
8
1 | 0
2
4
9
1 | 0
2
5
0
1 | 0
2
5
1
1 | 0
2
5
2
1 | 0
2
5
3
1 | 0
2
5
4
1 | 0
2
5
5
1 | 0
2
5
6
1 | 0
2
5
7
1 | 0
2
5
8
1 | 0
2
5
9
1 | 0
2
6
0
1 | 0
2
6
1
1 | 0
2
6
2
1 | 0
2
6
3
1 | 0
2
6
4
1 | |
| Brain, Cerebellum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain, Cerebrum
Infiltration Cellular, Lymphocyte
Mineralization | + | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Nerve Trigeminal | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peripheral Nerve, Sciatic | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Spinal Cord, Cervical | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Spinal Cord, Lumbar | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Spinal Cord, Thoracic
Demyelination | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung
Hemorrhage | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Histiocyte
Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose
Eosinophilic Material | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Posterior To Upper Incisor, Malformation
Respiratory Epithelium, Accumulation, Hyaline
Droplet | X | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

| B6C3F1 MICE MALE
Tri 2.7 Male | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ANIMAL ID | males
(cont...) | |
|-----------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|--------------------|--|
| | | 7 | 7 | 7 | 5 | 7 | 6 | 5 | 7 | 7 | 6 | 4 | 7 | 7 | 7 | 7 | 7 | 6 | 6 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 7 | | | |
| | | 2 | 2 | 2 | 0 | 3 | 1 | 7 | 1 | 2 | 7 | 0 | 2 | 2 | 2 | 2 | 2 | 5 | 8 | 2 | 4 | 2 | 9 | 2 | 2 | 2 | 2 | | | |
| | | 7 | 8 | 9 | 3 | 0 | 7 | 1 | 6 | 8 | 6 | 7 | 9 | 6 | 7 | 8 | 9 | 0 | 5 | 8 | 4 | 0 | 7 | 3 | 8 | 9 | 6 | | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | | |
| | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | | | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 1 | | | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | |
| Trachea | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | | + | + | + | + | M | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Cataract | | | | | | | | | | | | | | | 1 | | | | | | | | | | | | | 2 | | |
| Harderian Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Infiltration Cellular, Lymphocyte | | 1 | | 1 | 1 | | | | 2 | 1 | | | | | 1 | 1 | 1 | | | | | | | 1 | 1 | 1 | | | | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Infarct | | | | | | | X | | X | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | 2 | | | 2 | | | | | | | | | | | | | |
| Metaplasia, Osseous | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | |
| Mineralization | | | | | | | | | | | | | 2 | | | | | | | | | | | | | | | | | |
| Nephropathy | | 2 | 1 | 2 | 1 | 1 | 2 | 2 | 1 | 2 | 1 | 1 | 2 | 1 | 2 | 3 | | 4 | 2 | 1 | 4 | 2 | 3 | 3 | 1 | 1 | | | | |
| Cortex, Cyst | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal Tubule, Cyst | | | X | | | | | | | | | | | | | | | X | | X | X | | | | | | X | | | |
| Urinary Bladder | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | 1 | | | | | | | | | | 1 | 1 | | 1 | | | | | | | | | |
| Lumen, Dilatation | | | | | | | 4 | | | | | | | | | 4 | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------------|
| B6C3F1 MICE MALE | 0726 | 0728 | 0729 | 0726 | 0727 | 0728 | 0729 | 0723 | 0726 | 0722 | 0727 | 0726 | 0727 | 0728 | 0725 | 0722 | 0727 | 0728 | 0729 | 0726 | 0727 | 0728 | 0729 | 0726 | 0727 | 0728 | 0729 | | |
| Tri 2.7 Male | 0266 | 0267 | 0268 | 0269 | 0270 | 0271 | 0272 | 0273 | 0274 | 0275 | 0276 | 0277 | 0278 | 0279 | 0280 | 0281 | 0282 | 0283 | 0284 | 0285 | 0286 | 0287 | 0288 | 0289 | 0290 | 0291 | 0292 | 0293 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | * TOTALS |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|--|--|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | M | + | M | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | 43 | | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 | | | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 | | | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 | | | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 | | | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 | | | |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 | | | |
| Lymphoid Tissue, Hyperplasia | | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 | | |
| Basophilic Focus | X | | | | X | | X | | | | | | | | X | | | | | | | | | | | | | | | 8 | | | |
| Clear Cell Focus | | | | | | | | | | | X | X | | | | | | X | | | | | | | | | | | | 8 | | | |
| Deformity | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | 2 | | | |
| Fibrosis | | | | | | | | | | | | 3 | | | | | | | | | | | | | | | | | | 1 | 3.0 | | |
| Hepatodiaphragmatic Nodule | | | | | | | | | | | | | | | | | | | X | | | | | | | | | | | 2 | | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | 2 | 1.0 | | |
| Inflammation, Chronic | | | | | | | | | | | | | 4 | | | | | | | | | | | | | | | | | 1 | 4.0 | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | 3 | | | | | 2 | 2.5 | | |
| Mixed Cell Focus | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | | 1 | | | |
| Tension Lipidosis | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|
| | 0726 | 0728 | 0729 | 0726 | 0727 | 0727 | 0727 | 0725 | 0727 | 0726 | 0727 | 0727 | 0727 | 0727 | 0726 | 0727 | 0727 | 0727 | 0727 | 0727 | | 0727 |
| Tri 2.7 Male | 0266 | 0267 | 0268 | 0269 | 0270 | 0271 | 0272 | 0272 | 0272 | 0273 | 0274 | 0274 | 0274 | 0274 | 0275 | 0276 | 0276 | 0276 | 0276 | 0276 | 0276 | |
| | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|--|--|--|--|--|--|--|--|--|---|--|--|--|--|--|--|--|--|--|--|--|---|-----|-----|
| Vacuolization Cytoplasmic | | | | | | | | | | | | | | | | | | | | | | 5 | 1.8 | |
| Bile Duct, Cyst | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hepatocyte, Necrosis | | | | | | | | | | 3 | | | | | | | | | | | | 3 | 4 | 2.3 |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|-----|
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | 3 | | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | 3 | 3.7 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|----|-----|
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | 48 | | |
| Infiltration Cellular, Lymphocyte | 1 | | | | | | | | | | | | | | | | | | | | | | | | 12 | 1.1 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1.0 |
| Acinus, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1.0 |
| Duct, Cyst | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|----|-----|
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | 48 | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | | | 45 | 1.4 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|---|-----|
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | 48 | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1.5 |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 2.3 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|---|-----|
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | | 46 | | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|----|--|
| Blood Vessel | | | | | | | | | | | | | | | | | | | | | | | | | | 47 | | |
| Heart | | | | | | | | | | | | | | | | | | | | | | | | | | | 48 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 8 | 2 | 7 | 2 | 2 | 2 | 2 | 5 | 2 | 2 | 2 | 2 | 2 | 1 | 2 |
| | | 6 | 8 | 9 | 6 | 7 | 8 | 3 | 6 | 2 | 7 | 6 | 7 | 8 | 7 | 9 | 6 | 7 | 8 | 9 | 6 | 9 |
| Tri 2.7 Male | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------------|--------------|
| Arteritis | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | |
| Cardiomyopathy | | | | | | | | | | | | | | | | | | | | | | | 3 1.7 |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Accessory Adrenal Cortical Nodule | | | | X | | | | | | | | | | | | | | | | | | 2 |
| Amyloid Deposition | | | | | | | | | | | | | | | | | | | | | | 2 1.0 |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Hypertrophy | | | | | | | | | | | | | | | | | | | | | | 3 1.7 |
| Subcapsular, Hyperplasia | 1 | 2 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | | | | | | | | | | | | 46 1.4 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 3 2.3 |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | M | 46 |
| Pituitary Gland | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Pars Distalis, Cyst | | | | | | | | | | | | | | | | | | | | | | 2 |
| Pars Distalis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Pars Distalis, Hypertrophy | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| C-cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 2 1.0 |
| Follicle, Cyst | X | | | | | | | | | X | | | | | | | | | | | | 2 |

GENERAL BODY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02
 Test Type: CHRONIC
 Route: Dermal
 Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Triclosan
 CAS Number: 3380-34-5

Date Report Requested: 12/04/2020
 Time Report Requested: 13:42:33
 First Dose M/F: 09/11/13 / 09/11/13
 Lab: NCTR

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|--|
| | 0726 | 0728 | 0729 | 0726 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | | 0727 | |
| Tri 2.7 Male | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | |
| | 0266 | 0267 | 0268 | 0269 | 0270 | 0271 | 0272 | 0273 | 0274 | 0275 | 0276 | 0277 | 0278 | 0279 | 0280 | 0281 | 0282 | 0283 | 0284 | 0285 | 0286 | 0287 | |
| | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | |

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|----|-----|-----|
| Epididymis | + | | | | | | | | | | | | | | | | | | | | 48 | | |
| Exfoliated Germ Cell | | | | | | | | | | | | | | | | | | | | 2 | 2 | 2.0 | |
| Hypospermia | | | | | | | | | | | | | | | | | | | | 4 | 3 | 3.5 | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | 3 | 1.0 |
| Spermatocoele | | | | | | | | | | | | | | | | | | | | X | | 1 | |
| Preputial Gland | + | | | | | | | | | | | | | | | | | | | | 48 | | |
| Abscess | | | | | | | | | | | | | | | | | | | | 4 | 4 | 4.0 | |
| Atrophy | | | | | | | | | | | | | | | | | | | | 4 | | 4.0 | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | 2 | 2 | 1.6 | |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | 4 | | 4.0 | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | 4 | 3.3 | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | 2 | 2.0 | |
| Duct, Dilatation | | | | | | | | | | | | | | | | | | | | 4 | 3 | 3.6 | |
| Prostate | + | | | | | | | | | | | | | | | | | | | | 48 | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | 1 | 1.0 | |
| Seminal Vesicle | + | | | | | | | | | | | | | | | | | | | | 46 | | |
| Fibrosis | | | | | | | | | | | | | | | | | | | | 2 | | 2.0 | |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | 2 | | 2.0 | |
| Lumen, Dilatation | | | | | | | | | | | | | | | | | | | | 4 | 4 | 3.8 | |
| Testes | + | | | | | | | | | | | | | | | | | | | | 47 | | |
| Spermatocoele | | | | | | | | | | | | | | | | | | | | | X | 1 | |
| Seminiferous Tubule, Degeneration | | | | | | | | | | | | | | | | | | | | 2 | 3 | 2.2 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| B6C3F1 MICE MALE
Tri 2.7 Male | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ANIMAL ID | | |
|----------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|--|-----------------|
| | | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | | | 7 |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | | 6 | 8 | 9 | 6 | 7 | 8 | 3 | 6 | 2 | 7 | 6 | 7 | 8 | 7 | 9 | 6 | 7 | 8 | 9 | 6 | 8 | 9 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | * TOTALS |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|---------------|---------------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | 48 | | |
| Erythroid Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 | |
| Myeloid Cell, Hyperplasia | | | | 4 | 4 | | | | | | 4 | | | | | | | | | | | | | | 4 3.8 | |
| Lymph Node | | | | | + | | | | | | | | | | | | | | | + | | | | 4 | | |
| Axillary, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 | |
| Inguinal, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | 48 | | |
| Hyperplasia, Lymphoid | | | | | | | | | | 1 | | | | | | | | | | | 1 | 1 | | | 11 1.3 | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | 47 | | |
| Hemorrhage | | | 2 | | | | | | | | 2 | 2 | | | | | | | | | | 2 | | | 7 2.0 | |
| Hyperplasia, Lymphoid | 1 | 3 | 2 | 2 | | 1 | 2 | 2 | 2 | 2 | 3 | | 2 | 1 | 2 | 4 | 3 | 2 | 1 | 1 | | 2 | 3 | | | 35 2.1 |
| Infiltration Cellular, Histiocyte | | | | 2 | | | 2 | | | | 3 | | | | | | | | | 3 | | 2 | | | 5 2.4 | |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | 4 | | | | | | | | | | 2 4.0 | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | 48 | | |
| Hematopoietic Cell Proliferation | 3 | | | | | | | | | 4 | 3 | | 3 | | 3 | 3 | 2 | 2 | 4 | | | | | | 21 3.2 | |
| Hyperplasia, Lymphoid | 2 | 2 | 2 | 3 | | 4 | 2 | 3 | 3 | 2 | 2 | | 3 | 4 | | 3 | 2 | 3 | 2 | 3 | | 2 | | | 38 3.0 | |
| Inflammation, Granulomatous | | | | | 2 | | | | | | | | | | | | | | | | | | | | 1 2.0 | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | 4 | | | | 1 4.0 | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | 46 | | |
| Atrophy | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | | 46 3.9 | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 | |

INTEGUMENTARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--------------------------------------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------|--------|
| | 0726 | 0728 | 0729 | 0726 | 0727 | 0727 | 0727 | 0725 | 0727 | 0726 | 0727 | 0727 | 0727 | 0727 | 0726 | 0727 | 0727 | 0727 | 0727 | 0727 | | 0727 |
| Tri 2.7 Male | ANIMAL ID | | | | | | | | | | | | | | | | | | | | * TOTALS | |
| | 026661 | 026671 | 026681 | 026691 | 026701 | 026711 | 026721 | 026731 | 026741 | 026751 | 026761 | 026771 | 026781 | 026791 | 026801 | 026811 | 026821 | 026831 | 026841 | 026851 | | 026861 |
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Skin, Control | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Infiltration Cellular, Mast Cell | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Epidermis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 2 1.5 |
| Epidermis, Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | 2 1.5 |
| Epidermis, Ulcer | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Skin, Site Of Application | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Dermis, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Epidermis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 20 1.2 |
| Epidermis, Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | 2 2.0 |
| Epidermis, Ulcer | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | |
| Bone | | | | | | | | | | | | | | | | | | | | | | 1 |
| Cranium, Hyperostosis | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Bone, Femur | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Fibro-Osseous Lesion | | | | | | | | | | | | | | | | | | | | | | 3 2.0 |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | 1 |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | |
| Brain, Brain Stem | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE
Tri 2.7 Male | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---|-------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|--------|
| | 07
26 | 07
28 | 07
29 | 07
26 | 07
27 | 07
28 | 07
29 | 07
30 | 07
31 | 07
01 | 07
02 | 07
03 | 07
04 | 07
05 | 07
06 | 07
07 | 07
08 | 07
09 | 07
10 | 07
11 | | |
| ANIMAL ID | 00666789 | 00666789 | 00666789 | 00666789 | 00666789 | 00666789 | 00666789 | 00666789 | 00666789 | 00666789 | 00666789 | 00666789 | 00666789 | 00666789 | 00666789 | 00666789 | 00666789 | 00666789 | 00666789 | 00666789 | 00666789 | |
| Brain, Cerebellum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Brain, Cerebrum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Mineralization | 1 | 1 | 2 | 1 | 1 | | 2 | | 2 | 1 | | | | 1 | 1 | | | 2 | 1 | 1 | 1 | 32 1.2 |
| Nerve Trigeminal | | | | | | | | | | | | | | | | | | | | | | 1 |
| Peripheral Nerve, Sciatic | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spinal Cord, Cervical | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spinal Cord, Lumbar | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spinal Cord, Thoracic | | | | | | | | | | | | | | | | | | | | | | 1 |
| Demyelination | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | 2 2.0 |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | 3 3.0 |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 3 2.0 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Eosinophilic Material | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 48 |
| Posterior To Upper Incisor, Malformation | | | | | X | | | | | | | | X | | | | | | | | | 3 |
| Respiratory Epithelium, Accumulation, Hyaline Droplet | | | | | | 1 | 1 | | | | 1 | 1 | 2 | | | 1 | 1 | | 1 | 1 | | 16 1.2 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| B6C3F1 MICE MALE
Tri 2.7 Male | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
|-----------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| Trachea | | 2 | 2 | 2 | 2 | 2 | 2 | 8 | 2 | 7 | 2 | 2 | 2 | 2 | 5 | 2 | 2 | 2 | 2 | 2 | 1 | 2 | 48 |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 44 |
| Cataract | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 2 1.5 |
| Harderian Gland | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 48 |
| Infiltration Cellular, Lymphocyte | | 1 | | 1 | 1 | | 2 | | | 1 | | 1 | 1 | | | | | | 1 | 1 | | 2 | 21 1.1 |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | | | | | | | | | | | | | | | | | | | | | | | 48 |
| Infarct | | | | | | | | | | | | | | X | | | X | X | | X | | | 6 |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | 2 | | | | | | | | | 3 2.0 |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Mineralization | | | | | | 1 | | | | | | | | | | | | | | | 1 | | 3 1.3 |
| Nephropathy | | 3 | 1 | 1 | 2 | 2 | 2 | 2 | 1 | 2 | 3 | 2 | 2 | 1 | 4 | 2 | 1 | 1 | 2 | 2 | 2 | 2 | 47 1.9 |
| Cortex, Cyst | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Renal Tubule, Cyst | | | X | | | X | | | | | | X | X | | | | X | X | | | | | 11 |
| Urinary Bladder | | | | | | | | | | | | | | | | | | | | | | | 48 |
| Infiltration Cellular, Lymphocyte | | | | | | 1 | 2 | | 1 | | | | 1 | | 1 | | 1 | | | | | | 11 1.1 |
| Lumen, Dilatation | | | | | | | | | | | | | | | | | | | | 4 | | | 3 4.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------------------------|
| B6C3F1 MICE MALE | DAY ON TEST | 0727 | 0625 | 0778 | 0772 | 0533 | 0731 | 0722 | 0513 | 0778 | 0772 | 0777 | 0772 | 0778 | 0622 | 0668 | 0728 | 0533 | 0691 | 0672 | 0722 | 0778 | 0771 | males
(cont...) |
| | ANIMAL ID | 03371 | 03381 | 03391 | 03301 | 03331 | 03341 | 03351 | 03361 | 03371 | 03381 | 03391 | 03301 | 03311 | 03321 | 03331 | 03341 | 03351 | 03361 | 03371 | 03381 | 03391 | 03301 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder
Infiltration Cellular, Lymphocyte | + | + | + | + | A | + | A | M | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum
Lymphoid Tissue, Hyperplasia | + | + | + | + | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon
Fibrosis
Inflammation, Chronic Active | + | + | + | + | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Basophilic Focus | | | | | X | | | | | | | | | | | | | | | | | | X |
| Clear Cell Focus | X | | X | | | | | | | | | X | | X | X | | | | | | | | |
| Eosinophilic Focus | | | X | | | | | | | | | | | | | | | | | | | | |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | 1 | | | | | | | | | | |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | 4 | | | | | | | | | | |
| | | | | | | | | | | | | | 2 | 1 | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Date Report Requested: 12/04/2020

Test Type: CHRONIC

Triclosan

Time Report Requested: 13:42:33

Route: Dermal

CAS Number: 3380-34-5

First Dose M/F: 09/11/13 / 09/11/13

Species/Strain: MICE/B6C3F1

Lab: NCTR

| B6C3F1 MICE MALE | | DAY ON TEST | | | | | | | | | | | | | | | | | | | | males
(cont...) | | | | |
|--|--|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------------|----|----|----|----|
| Untreat Male | | 07 | 06 | 07 | 07 | 05 | 07 | 04 | 07 | 05 | 07 | 07 | 07 | 07 | 07 | 07 | 06 | 06 | 07 | 05 | 06 | | 06 | 07 | 07 | 07 |
| ANIMAL ID | | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | |
| Mixed Cell Focus | | | | | | | | | | X | | | | | | | | | X | | | X | | | | |
| Thrombosis | | X | | | | | | | | | | | | | | | | X | | X | | | | | | |
| Vacuolization Cytoplasmic Hepatocyte, Necrosis | | 4 | | | | | | | | 2 | | | | | | 3 | 2 | | | | 1 | | 4 | | | |
| Mesentery Necrosis | | | | + | | | | | | | | | | | | | | | | | | | | | 3 | |
| Pancreas Infiltration Cellular, Lymphocyte Artery, Degeneration Artery, Inflammation, Chronic Active | | + | + | + | + | A | + | + | + | 1 | 1 | + | + | + | + | + | + | + | + | + | + | + | + | 1 | | |
| Salivary Glands Infiltration Cellular, Lymphocyte | | + | + | + | + | + | + | + | + | 2 | 2 | 1 | 2 | 1 | 1 | 3 | 2 | 1 | | 1 | 1 | 1 | 2 | 2 | 1 | 2 |
| Stomach, Forestomach Epithelium, Hyperplasia | | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 2 | | | |
| Stomach, Glandular Cyst Mineralization Epithelium, Hyperplasia | | + | + | + | + | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 3 | |
| Tongue | | | | | | | | | | | | | | | | | | | | | | | | | + | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically M .. Missing tissue 1-4 .. Lesion qualified as:
X .. Lesion present A .. Autolysis precludes evaluation 1) Minimal 3) Moderate
I .. Insufficient tissue BLANK .. Not examined microscopically 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE
Untreat Male | DAY ON TEST | 0727 | 0622 | 0728 | 0722 | 0533 | 0731 | 0722 | 0512 | 0711 | 0712 | 0713 | 0714 | 0715 | 0716 | 0622 | 0628 | 0723 | 0534 | 0661 | 0722 | 0728 | 0711 | 0717 | 0718 | 0719 | males
(cont...) |
|----------------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------------|
| | ANIMAL ID | 03371 | 03381 | 03391 | 03301 | 03331 | 03341 | 03351 | 03361 | 03371 | 03381 | 03391 | 03301 | 03311 | 03321 | 03331 | 03341 | 03351 | 03361 | 03371 | 03381 | 03391 | 03301 | 03311 | 03321 | 03331 | |

Cardiomyopathy

1

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Accessory Adrenal Cortical Nodule | | | | | | | | X | X | | | | | | | | | | | | | | | | | |
| Amyloid Deposition | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hypertrophy | | | | | | | | | | | 2 | | | 2 | 2 | | | | | | | | | | | |
| Subcapsular, Hyperplasia | 1 | 2 | 1 | 1 | | | 1 | 2 | | 2 | 3 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 2 | 1 | 2 | |
| Adrenal Medulla | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | | | | | | | | | | | | | | | | 4 | | | | | | | | | | |
| Islets, Pancreatic | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | | | | | | | | | | 2 | | | | | | | | | | | | | 2 | | | 3 |
| Parathyroid Gland | + | + | + | + | + | + | M | M | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | M | + | + |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | X | | | |
| Ectopic Thymus | | | | | | | | | | | | X | | | | | | | | | | | | | | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + |
| Pars Distalis, Cyst | | | | | X | | | | | | | | | | | | | | | | | | | | | |
| Pars Distalis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Thyroid Gland | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| C-cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Follicle, Cyst | | X | | X | | | | | | | | | | | | | | | | | | | | | | 1 |

GENERAL BODY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------|
| B6C3F1 MICE MALE | DAY ON TEST | 0
7 | 0
6 | 0
7 | 0
7 | 0
5 | 0
7 | 0
4 | 0
7 | 0
5 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
6 | 0
6 | 0
7 | 0
5 | 0
6 | 0
6 | 0
7 | 0
7 | 0
7 | 0
7 | males
(cont...) |
| | ANIMAL ID | 0
3
3
7
1 | 0
3
3
8
1 | 0
3
3
9
1 | 0
3
3
0
1 | 0
3
3
1
1 | 0
3
3
2
1 | 0
3
3
3
1 | 0
3
3
4
1 | 0
3
3
4
1 | 0
3
3
4
1 | 0
3
3
5
1 | 0
3
3
6
1 | 0
3
3
7
1 | 0
3
3
8
1 | 0
3
3
9
1 | 0
3
3
0
1 | 0
3
3
1
1 | 0
3
3
2
1 | 0
3
3
3
1 | 0
3
3
4
1 | 0
3
3
5
1 | 0
3
3
6
1 | 0
3
3
7
1 | 0
3
3
8
1 | 0
3
3
9
1 | |

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Exfoliated Germ Cell | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hypospermia | | | | | | | | | | | | | | | | | | | | | | 3 | | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | 1 | | | | | | | | | | | 1 | 3 | 1 | | |
| Spermatocele | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adventitia, Inflammation, Chronic Active | | 4 | | | | | | | | | | | | | | | | | | | | | | | |
| Fat Pad, Epididymal | | + | | | | | | | | | | | | | | | | | | | | | | | |
| Fibrosis | | 4 | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | 4 | | | | | | | | | | | | | | | | | | | | | | | |
| Mineralization | | 4 | | | | | | | | | | | | | | | | | | | | | | | |
| Necrosis | | 4 | | | | | | | | | | | | | | | | | | | | | | | |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Abscess | | | | 4 | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Lymphocyte | | 1 | 2 | 4 | | 2 | 2 | 2 | | | 1 | | 1 | 2 | 2 | | 1 | 1 | | | | | 2 | 2 | 1 |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | |
| Duct, Dilatation | 4 | 2 | 3 | 4 | 4 | 4 | 4 | 3 | 4 | 4 | 4 | 4 | 2 | 3 | 4 | 3 | 4 | 4 | 3 | 3 | 4 | 3 | 3 | 4 | |
| Epithelium, Hyperplasia | | | | | | 3 | | | | | | | | | | | | | | | | | | | |
| Prostate | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Infiltration Cellular, Lymphocyte | | | | 1 | | | | | | 1 | 1 | 1 | 1 | 1 | | 1 | | | 1 | 1 | 1 | 1 | | | |
| Seminal Vesicle | + | + | + | + | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| B6C3F1 MICE MALE | DAY ON TEST | 0727 | 0625 | 0778 | 0772 | 0533 | 0731 | 0722 | 0712 | 0773 | 0772 | 0772 | 0772 | 0772 | 0772 | 0772 | 0664 | 0666 | 0728 | 0533 | 0691 | 0662 | 0772 | 0772 | 0771 |
| | ANIMAL ID | 03371 | 03381 | 03391 | 03401 | 03411 | 03421 | 03431 | 03441 | 03451 | 03461 | 03471 | 03481 | 03491 | 03501 | 03511 | 03521 | 03531 | 03541 | 03551 | 03561 | 03571 | 03581 | 03591 | 03601 |

males (cont...)

Lumen, Dilatation 4 4 3 3 4 3

Testes +
Seminiferous Tubule, Degeneration 3

HEMATOPOIETIC SYSTEM

Bone Marrow + + + + A +
Myeloid Cell, Hyperplasia 4 4

Lymph Node + +
Lumbar, Hyperplasia, Lymphoid 4
Lumbar, Infiltration Cellular, Histiocyte 3
Mediastinal, Hyperplasia, Lymphoid 4
Renal, Hyperplasia, Lymphoid 4

Lymph Node, Mandibular +
Hyperplasia, Lymphoid 2 2 1 2
Pigmentation 1 1 1 2

Lymph Node, Mesenteric + + + + A +
Angiectasis 2
Degeneration, Cystic 2
Fibrosis 2
Foreign Body X
Hemorrhage
Hyperplasia, Lymphoid 2 2 2 1 3 2 3 2 3 3 1
Infiltration Cellular, Histiocyte 2
Infiltration Cellular, Mast Cell 3
Infiltration Cellular, Plasma Cell 3
Inflammation, Chronic Active 3

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically M .. Missing tissue 1-4 .. Lesion qualified as:
X .. Lesion present A .. Autolysis precludes evaluation 1) Minimal 3) Moderate
I .. Insufficient tissue BLANK .. Not examined microscopically 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE
Untreat Male | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ANIMAL ID | males
(cont...) | |
|----------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|--------------------|---|
| | | 7 | 6 | 7 | 7 | 5 | 7 | 4 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 6 | 7 | 5 | 6 | 6 | 7 | 7 | | | 7 |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 1 | 2 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 8 | 8 | 2 | 8 | 9 | 1 | 2 | 2 | 1 | | |
| | | 7 | 5 | 8 | 9 | 2 | 0 | 7 | 7 | 3 | 8 | 9 | 0 | 6 | 7 | 8 | 9 | 4 | 6 | 6 | 3 | 3 | 4 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | | |
| | | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |

Pigmentation

1

Spleen
Hematopoietic Cell Proliferation
Hyperplasia, Lymphoid

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | 4 | | 3 | | 4 | 4 | | 4 | 2 | 4 | | | | | 3 | 3 | 4 | | 2 | 3 | 3 | | 4 |
| | 4 | | 4 | 3 | | 2 | | 3 | 2 | 3 | 3 | 3 | 4 | 2 | 3 | 3 | 2 | | 2 | | 3 | 2 | 4 | 4 |

Thymus
Atrophy
Cyst

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | M |
| | 4 | 4 | 4 | 4 | 4 | 4 | | 4 | 4 | 4 | 4 | 3 | 4 | 4 | 4 | 3 | | 4 | 4 | 4 | 4 | 3 | 4 | |

INTEGUMENTARY SYSTEM

Mammary Gland

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | + | + | M | M | M | M |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

Skin
Cyst Epithelial Inclusion

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | X | | | | | | | | | | | | | | | | | |

Skin, Control
Dermis, Inflammation, Chronic Active
Epidermis, Hyperplasia
Epidermis, Inflammation, Suppurative
Epidermis, Ulcer

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | | 4 |

Skin, Site Of Application
Dermis, Fibrosis
Dermis, Inflammation, Chronic Active
Epidermis, Hyperplasia
Epidermis, Inflammation, Suppurative
Epidermis, Ulcer

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | | 1 |

MUSCULOSKELETAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02
 Test Type: CHRONIC
 Route: Dermal
 Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE
Untreat Male | DAY ON TEST | 0
7 | 0
6 | 0
7 | 0
7 | 0
5 | 0
7 | 0
4 | 0
7 | 0
5 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
6 | 0
6 | 0
7 | 0
5 | 0
6 | 0
6 | 0
7 | 0
7 | 0
7 | males
(cont...) | |
|----------------------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--|
| | ANIMAL ID | 2
7 | 2
5 | 2
8 | 2
9 | 3
2 | 3
0 | 1
7 | 2
7 | 1
3 | 2
8 | 2
9 | 3
0 | 2
6 | 2
7 | 2
8 | 2
6 | 3
6 | 3
4 | 9
1 | 1
1 | 2
7 | 2
8 | 1
1 | | |
| | | 0
3
3
7
1 | 0
3
3
8
1 | 0
3
3
9
1 | 0
3
3
0
1 | 0
3
3
4
1 | 0
3
3
2
1 | 0
3
3
3
1 | 0
3
3
4
1 | 0
3
3
4
1 | 0
3
3
5
1 | 0
3
3
6
1 | 0
3
3
7
1 | 0
3
3
8
1 | 0
3
3
9
1 | 0
3
3
0
1 | 0
3
3
5
1 | 0
3
3
5
1 | 0
3
3
5
1 | 0
3
3
5
1 | 0
3
3
5
1 | 0
3
3
6
1 | 0
3
3
7
1 | 0
3
3
8
1 | 0
3
3
9
1 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone, Femur
Fibro-Osseous Lesion | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 2 |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------------------------------|
| Brain, Brain Stem | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Brain, Cerebellum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Brain, Cerebrum
Mineralization | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 2 1 2 1 1 2 1 2 1 1 1 1 1 1 1 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung
Hemorrhage | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 4 |
| Infiltration Cellular, Histiocyte | | | | | 1 | | | 3 | | | | | | | | | | 4 | | | | | | | | | 4 | |
| Alveolar Epithelium, Hyperplasia | | | | | 2 | | | | | | | | | | | | | | | | | | | | | | | |
| Nose
Eosinophilic Material | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Inflammation, Suppurative | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 4 |
| Olfactory Epithelium, Accumulation, Hyaline Droplet | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Posterior To Upper Incisor, Malformation | X | | | | | | | X | | | | | X | | | X | | | | | | | | | | | X | |
| Respiratory Epithelium, Accumulation, Hyaline Droplet | 1 | | | | 1 | | | 1 | | | | 1 | | | | 1 | | | | | | | | | | | 1 | |
| Trachea | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically M .. Missing tissue
 X .. Lesion present A .. Autolysis precludes evaluation 1-4 .. Lesion qualified as:
 I .. Insufficient tissue BLANK .. Not examined microscopically 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE
Untreat Male | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | males
(cont...) | |
|-----------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|---|
| | ANIMAL ID | 7 | 6 | 7 | 7 | 5 | 7 | 4 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 6 | 6 | 7 | 5 | 6 | 6 | 7 | 7 | 7 | | 0 |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 1 | 2 | 1 | 2 | 2 | 3 | 2 | 2 | 2 | 8 | 2 | 3 | 9 | 1 | 2 | 2 | 1 | | |
| | | 7 | 5 | 8 | 9 | 2 | 0 | 7 | 7 | 3 | 8 | 9 | 0 | 6 | 7 | 8 | 9 | 4 | 6 | 6 | 3 | 4 | 1 | 7 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | |
| | | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| Eye | | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Cataract | | | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| Phthisis Bulbi | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| Harderian Gland | | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Infiltration Cellular, Lymphocyte | | 1 | | 1 | 1 | | | | 1 | 1 | 1 | 1 | | | 1 | | 1 | 1 | | 1 | 1 | | 1 | 2 | | |
| Acinus, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Infarct | | X | | | | | | | | | | | | | | | X | | | | | | | | | |
| Infiltration Cellular, Lymphocyte | | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | 2 | | | | | | | | | | | | | | | | | | | | | | | |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mineralization | | | | | | | | | 1 | | | | | | | | | | | | | | | | | |
| Necrosis | | | 2 | | | | | | | | | | | | | | | | | | | | | | | |
| Nephropathy | | | | 2 | 2 | | 3 | | 2 | 2 | 1 | 1 | 2 | 1 | 1 | 1 | 4 | 1 | 4 | 2 | 2 | 3 | 1 | 1 | 1 | |
| Renal Tubule, Cyst | | | X | | | | | | | | | | | | X | | | | | | | | | | | |
| Urinary Bladder | | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Infiltration Cellular, Lymphocyte | | 1 | | | | | | | | | | 1 | | | 1 | | | | | | | | | | | |
| Lumen, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 7 | 7 | 5 | 7 | 5 | 7 | 7 | 5 | 7 | 5 | 7 | 5 | 6 | 7 | 7 | 7 | 2 | 2 | 2 | 2 | 2 | 6 | 7 |
| Untreat Male | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Gallbladder | + | + | + | + | + | + | M | + | + | M | + | + | + | + | M | + | + | + | + | + | + | + | + | 41 |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Lymphoid Tissue, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | 2 3.5 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Basophilic Focus | X | | | | | | | X | X | | | | | | | | | | | | | | | 6 |
| Clear Cell Focus | | X | | | | | | | X | X | | | | | | | | | | | | | | 9 |
| Eosinophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Hematopoietic Cell Proliferation | | | | | | | | 3 | | | | | | | | | | | | | | | | 1 3.0 |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | 2 1.0 |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Inflammation, Chronic Active | | | | | | | | 3 | | | | | | | | | | | | | | | | 5 2.2 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS |
|------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|
| | 0726 | 0727 | 0728 | 0729 | 0730 | 0731 | 0732 | 0733 | 0734 | 0735 | 0736 | 0737 | 0738 | 0739 | 0740 | 0741 | 0742 | 0743 | 0744 | 0745 | |
| Untreat Male | ANIMAL ID | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 03621 | 03631 | 03641 | 03651 | 03661 | 03671 | 03681 | 03691 | 03701 | 03711 | 03721 | 03731 | 03741 | 03751 | 03761 | 03771 | 03781 | 03791 | 03801 | 03811 | |

| | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|---|--|---|--|--|---|--|--|--|--|---|--|--|--|--|--|--|---|---|---|-----|
| Mixed Cell Focus | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Thrombosis | | | | | | | | X | | | | | | | | | | | | | | 4 | |
| Vacuolization Cytoplasmic Hepatocyte, Necrosis | | | | | 3 | | | | | | | | | | | | | | | 1 | | 4 | 2.3 |
| | | | 3 | | | | | 2 | | | | | 4 | | | | | | | | 4 | 8 | 3.0 |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|-----|
| Mesentery Necrosis | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 3.0 |
|--------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|-----|

| | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| Infiltration Cellular, Lymphocyte Artery, Degeneration | 1 | | | | | | | | 1 | | | | 1 | | | | | | | | | 7 | 1.0 |
| Artery, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |

| | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Infiltration Cellular, Lymphocyte | 1 | 2 | 1 | 2 | | 1 | 1 | 1 | 2 | 1 | 1 | | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 40 | 1.4 |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|-----|
| Stomach, Forestomach Epithelium, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | 2 | 2.5 |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|-----|

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|-----|
| Stomach, Glandular Cyst | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 | 1 | |
| Mineralization Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 1.0 |
| | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 | |

| | | | | | | | | | | | | | | | | | | | | | | |
|--------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Tongue | | | | | | | | | | | | | | | | | | | | | | 1 |
|--------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

| | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|------|
| | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | | 0726 |
| Untreat Male | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 47 |

Cardiomyopathy 1 1.0

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|-----|----|-----|
| Adrenal Cortex | + | | | | | | | | | | | | | | | | | | | | 47 | | | |
| Accessory Adrenal Cortical Nodule | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Amyloid Deposition | | | | | | | | | | | | | | | | | | | | | | 2.0 | | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Hypertrophy | | | | | | | | | | | | | | | | | | | | | | 1.8 | | |
| Subcapsular, Hyperplasia | 2 | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 3 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 2 | 2 | 1 | 44 | 1.5 |
| Adrenal Medulla | + | | | | | | | | | | | | | | | | | | | | 47 | | | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 4.0 | | |
| Islets, Pancreatic | + | | | | | | | | | | | | | | | | | | | | 47 | | | |
| Hyperplasia | 2 | | | | 2 | | | | 2 | | | | 2 | | | | | | | 7 | 2.1 | | | |
| Parathyroid Gland | + | | | | | | | | | | | | | | | | | | | | 44 | | | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Ectopic Thymus | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Pituitary Gland | + | | | | | | | | | | | | | | | | | | | | 47 | | | |
| Pars Distalis, Cyst | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Pars Distalis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 2.0 | | |
| Thyroid Gland | + | | | | | | | | | | | | | | | | | | | | 47 | | | |
| C-cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 1.0 | | |
| Follicle, Cyst | | | | | | | | | | | | | | | | | | | | | | 3 | | |

GENERAL BODY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically M .. Missing tissue 1-4 .. Lesion qualified as:
 X .. Lesion present A .. Autolysis precludes evaluation 1) Minimal 3) Moderate
 I .. Insufficient tissue BLANK .. Not examined microscopically 2) Mild 4) Marked

Experiment Number: 03039 - 02

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Date Report Requested: 12/04/2020

Test Type: CHRONIC

Triclosan

Time Report Requested: 13:42:33

Route: Dermal

CAS Number: 3380-34-5

First Dose M/F: 09/11/13 / 09/11/13

Species/Strain: MICE/B6C3F1

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 7 | 7 | 5 | 7 | 5 | 7 | 7 | 5 | 7 | 5 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 |
| Untreat Male | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | | |

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|---|
| Epididymis | + | | | | | | | | | | | | | | | | | | | | | | | | | 48 | |
| Exfoliated Germ Cell | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 1 2.0 |
| Hypospermia | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | 2 4 2.5 |
| Infiltration Cellular, Lymphocyte | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2 4 9 1.7 |
| Spermatocele | | | | | | | | | | | | | | | | | | | | | | | | | | | X 1 |
| Adventitia, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Fat Pad, Epididymal | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Preputial Gland | | | | | | | | | | | | | | | | | | | | | | | | | | 48 | |
| Abscess | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Infiltration Cellular, Lymphocyte | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | 1 1 1 2 3 29 1.7 |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | | | 4 4 3.5 |
| Duct, Dilatation | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | 4 4 4 4 4 4 4 4 3 4 4 4 4 4 4 4 2 3 4 48 3.6 |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Prostate | | | | | | | | | | | | | | | | | | | | | | | | | | 47 | |
| Infiltration Cellular, Lymphocyte | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | 1 1 1 20 1.1 |
| Seminal Vesicle | | | | | | | | | | | | | | | | | | | | | | | | | | 46 | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|-----|-----|-----|-----|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | |
| Untreat Male | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | |
| | 7 | 7 | 5 | 7 | 5 | 7 | 7 | 5 | 7 | 5 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | | | | | |
| | 2 | 2 | 7 | 2 | 7 | 2 | 2 | 5 | 2 | 0 | 2 | 4 | 1 | 2 | 2 | 2 | 2 | 2 | 6 | 2 | | | | | |
| | 6 | 7 | 6 | 8 | 6 | 9 | 9 | 2 | 7 | 6 | 8 | 5 | 0 | 6 | 7 | 8 | 9 | 6 | 7 | 4 | | | | | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | | | | |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | | | | | |
| | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | | | | | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | * TOTALS | | | | |
| Lumen, Dilatation | | | | | | | | | | | 4 | | | | | | | | | | 3 | 8 | 3.5 | | |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | | |
| Seminiferous Tubule, Degeneration | 3 | | | 2 | | | | | | | | | | | | | 3 | | 3 | | 5 | 2.8 | | | |
| HEMATOPOIETIC SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | | | |
| Myeloid Cell, Hyperplasia | | | 4 | | | | | | | | | | | | | | | | | | 4 | 4.0 | | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | 3 | | | | |
| Lumbar, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | | |
| Lumbar, Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 | | |
| Mediastinal, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | | |
| Renal, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | | |
| Hyperplasia, Lymphoid | | | | | | 1 | | | | | 1 | | | 1 | | | | 1 | | 1 | 14 | 1.3 | | | |
| Pigmentation | | | | | | | | | | | | | | 2 | | | | | | | 1 | 2.0 | | | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | | | |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | 2 | 2.0 | | |
| Degeneration, Cystic | | | | | | | | | | | | | | | | | | | | | | 3 | 3.0 | | |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 | | |
| Foreign Body | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | 3 | 4 | 3.0 | |
| Hyperplasia, Lymphoid | 4 | 2 | 3 | | | 2 | | 3 | 2 | 2 | | | 2 | | 1 | | 2 | 2 | | 2 | 24 | 2.2 | | | |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | 3 | 3 | 3 | 2.8 |
| Infiltration Cellular, Mast Cell | | | | | | | | | | | | | | | | | | | | | | | | 3 | 3.0 |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | | 4 | 3.3 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE
Untreat Male | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|--------------------------------------|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|------|-----|-----|
| | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | | 0726 | | |
| ANIMAL ID | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | 03621 | | | |
| | Pigmentation | | | | | | | | | | | | | | | | | | | | | | 1 | 1.0 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | |
| Hematopoietic Cell Proliferation | | 2 | 4 | | 4 | | 4 | 2 | | 4 | | 4 | 3 | | 3 | | | 2 | | 4 | | 25 | 3.3 | |
| Hyperplasia, Lymphoid | 3 | 4 | 2 | 3 | | 3 | | 4 | 4 | 2 | 4 | 3 | 3 | 1 | 4 | 4 | 4 | 2 | 4 | 3 | 4 | 3 | 39 | 3.1 |
| Thymus | + | + | M | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | 43 | | |
| Atrophy | 4 | 4 | | 4 | 4 | 4 | 4 | | 4 | 2 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 3 | 42 | 3.9 |
| Cyst | | | | | | | | | | | | | | | | | | | | | | X | 1 | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 2 | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Cyst Epithelial Inclusion | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Skin, Control | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Dermis, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Epidermis, Hyperplasia | | | | | | | | | | | | 1 | | | | | | | | | | | 2 | 1.5 |
| Epidermis, Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Epidermis, Ulcer | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Skin, Site Of Application | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Dermis, Fibrosis | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |
| Dermis, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Epidermis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.0 |
| Epidermis, Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.5 |
| Epidermis, Ulcer | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.0 |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|----|-------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | |
| Untreat Male | 7 | 7 | 5 | 7 | 5 | 7 | 7 | 5 | 7 | 5 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 48 | |
| | 2 | 2 | 7 | 2 | 7 | 2 | 2 | 5 | 2 | 0 | 2 | 4 | 1 | 2 | 2 | 2 | 2 | 2 | 6 | 6 | 2 | | 2 |
| | 6 | 7 | 6 | 8 | 6 | 9 | 2 | 2 | 7 | 6 | 8 | 5 | 0 | 6 | 7 | 8 | 9 | 6 | 7 | 4 | 8 | 9 | 48 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 48 |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | |
| | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 48 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| Bone, Femur | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Fibro-Osseous Lesion | | | | | | | | | | | | | | | | | | | | | | | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Brain, Brain Stem | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Brain, Cerebellum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Brain, Cerebrum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Mineralization | | | 2 | | 1 | 1 | | | 1 | 1 | | 1 | | 1 | | 1 | | 1 | 2 | | 1 | 1 | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | 5 3.0 |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Eosinophilic Material | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Olfactory Epithelium, Accumulation, Hyaline Droplet | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Posterior To Upper Incisor, Malformation | | | | | | | | | X | | | | | | | X | | | | | | | 7 |
| Respiratory Epithelium, Accumulation, Hyaline Droplet | | | | 1 | | | | | | | | | | | 1 | | | | | | | | 8 1.0 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| | | | | | | | | | | | | | | | | | | | | | | | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE
Untreat Male | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS | |
|----------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | ANIMAL ID | 7 | 7 | 5 | 7 | 5 | 7 | 7 | 5 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | | 7 |
| | | 2 | 2 | 7 | 2 | 7 | 2 | 2 | 5 | 2 | 0 | 2 | 4 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 6 | 2 | 2 | |
| | | 6 | 7 | 6 | 8 | 6 | 9 | 9 | 2 | 7 | 6 | 8 | 5 | 0 | 6 | 7 | 8 | 9 | 6 | 7 | 4 | 8 | 9 | 2 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | |
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Cataract | | | | | | | | | | | | | | | | | | | | | | | 3 | 2 2.0 |
| Phthisis Bulbi | | | | | | | | | | X | | | | | | | | | | | | | | 2 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Infiltration Cellular, Lymphocyte | | | 1 | 1 | 1 | | 1 | 1 | 1 | 2 | | 1 | | 1 | | 1 | | | | | | 1 | 1 | 26 1.1 |
| Acinus, Degeneration | | | | | | | | | | | | | | | | | | 2 | | | | | | 1 2.0 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Infarct | | | | X | | | | | | | | | | | | | | | X | | | | | 4 |
| Infiltration Cellular, Lymphocyte | | | 2 | | | | | | | 2 | 3 | | | | | | | | | | | | | 4 2.5 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Metaplasia, Osseous | 1 | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Mineralization | | | | 1 | | | | | | | | | | | | | 1 | | | | | | | 3 1.0 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Nephropathy | 1 | 1 | 1 | 2 | 3 | 2 | 2 | 2 | 2 | | 2 | 1 | 3 | 1 | 1 | 1 | 2 | 1 | 2 | 3 | 2 | 2 | 2 | 43 1.8 |
| Renal Tubule, Cyst | | X | | | | | | | X | | | | | | | X | X | X | | | | | X | 8 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Infiltration Cellular, Lymphocyte | | | | 1 | 1 | | 1 | | | | | | | 1 | | | 1 | | | | | 1 | | 9 1.0 |
| Lumen, Dilatation | | | | | | | | | | 4 | | | | | | | | | | | | | | 1 4.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02
 Test Type: CHRONIC
 Route: Dermal
 Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Triclosan
 CAS Number: 3380-34-5

Date Report Requested: 12/04/2020
 Time Report Requested: 13:42:33
 First Dose M/F: 09/11/13 / 09/11/13
 Lab: NCTR

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
7
2
7 | 0
5
4
7 | 0
7
2
8 | 0
7
2
8 | 0
6
6
8 | 0
7
3
0 | 0
7
2
9 | 0
6
8
5 | 0
4
2
1 | 0
5
6
6 | 0
5
9
4 | 0
7
3
0 | 0
7
2
6 | 0
6
1
7 | 0
6
6
1 | 0
6
8
5 | 0
7
2
6 | 0
7
2
8 | 0
6
5
0 | 0
7
2
9 | 0
7
2
6 | 0
7
2
9 | | 0
7
2
8 | | | |
| Tri 5.8 Male | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | | | | |
| | 0
4
3
3
1 | 0
4
3
4
1 | 0
4
3
5
1 | 0
4
3
6
1 | 0
4
3
7
1 | 0
4
3
8
1 | 0
4
4
9
1 | 0
4
4
0
1 | 0
4
4
1
1 | 0
4
4
2
1 | 0
4
4
3
1 | 0
4
4
4
1 | 0
4
4
5
1 | 0
4
4
6
1 | 0
4
4
7
1 | 0
4
4
8
1 | 0
4
4
9
1 | 0
4
4
0
1 | 0
4
4
1
1 | 0
4
4
2
1 | 0
4
4
3
1 | 0
4
4
4
1 | | 0
4
4
5
1 | 0
4
4
6
1 | 0
4
4
7
1 | 0
4
4
8
1 |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | A | + | M | + | + | + | + | + | M | + | + | + | M | M | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum
Lymphoid Tissue, Hyperplasia | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | 4 | | | | | | | | 3 | | | | | | | | | | |
| Intestine Large, Colon
Inflammation, Suppurative
Necrosis
Ulcer | + | + | + | + | + | + | + | + | 4 | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | 4 | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum
Lymphoid Tissue, Hyperplasia | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | 2 | | | | | | | | | | |
| Intestine Small, Jejunum
Lymphoid Tissue, Hyperplasia | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | 4 | | | | | | | | | | |
| Liver
Basophilic Focus
Clear Cell Focus
Congestion
Deformity
Eosinophilic Focus
Fibrosis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | X | | X | | | X | | | | X | | | | | | | | X | | | | | X | | X |
| | | | | | | X | | | | | | | | | | | | | | X | | | | X | | | |
| | | | | | | | | | 4 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | X | | | |
| | | | | | | | | | | | | | | | | 4 | | | | | | | | | 4 | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE
Tri 5.8 Male | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | males
(cont...) | |
|----------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|---|
| | ANIMAL ID | 7 | 5 | 7 | 7 | 6 | 7 | 7 | 6 | 4 | 5 | 5 | 7 | 7 | 6 | 6 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | | 7 |
| | | 2 | 4 | 2 | 2 | 6 | 3 | 2 | 8 | 2 | 6 | 9 | 3 | 2 | 1 | 6 | 8 | 2 | 2 | 2 | 5 | 2 | 2 | 2 | |
| | | 7 | 7 | 8 | 0 | 8 | 0 | 9 | 5 | 1 | 6 | 4 | 0 | 6 | 7 | 1 | 5 | 6 | 7 | 8 | 0 | 9 | 6 | 8 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |

Hemorrhage
 Inflammation, Chronic
 Inflammation, Chronic Active
 Mineralization
 Pigmentation
 Vacuolization Cytoplasmic
 Hepatocyte, Necrosis

3
 3 4 1
 4
 2
 3 4 1 4 4

Mesentery
 Necrosis

+
 4 +
 4

Pancreas
 Infiltration Cellular, Lymphocyte
 Fat, Necrosis

+
 2 1
 4

Salivary Glands
 Infiltration Cellular, Lymphocyte

+
 2 1 1 1 2 1 2 1 1 1 1 1 1 2 2 1 1 1 1 2 2 1

Stomach, Forestomach

+ +

Stomach, Glandular
 Cyst
 Epithelium, Hyperplasia

+
 X X X X
 X

CARDIOVASCULAR SYSTEM

Blood Vessel

+ +

Heart
 Arteritis
 Cardiomyopathy

+
 1
 2 1 1

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------------------|
| | 0727 | 0754 | 0777 | 0776 | 0777 | 0777 | 0766 | 0777 | 0766 | 0744 | 0755 | 0755 | 0777 | 0777 | 0766 | 0766 | 0766 | 0777 | 0777 | 0766 | 0766 | 0777 | 0777 | 0777 | |
| Tri 5.8 Male | 0433 | 0444 | 0444 | 0444 | 0444 | 0444 | 0444 | 0444 | 0444 | 0444 | 0444 | 0444 | 0444 | 0444 | 0444 | 0444 | 0444 | 0444 | 0444 | 0444 | 0444 | 0444 | 0444 | 0444 | 0444 |
| | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 |

Mineralization

1

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Accessory Adrenal Cortical Nodule | | | | | | | | | | | | | | | | | | | | | | | | | |
| Amyloid Deposition | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hypertrophy | | | | | | | | | | | | | | | | | | | | | | | | | |
| Vacuolization Cytoplasmic | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcapsular, Hyperplasia | 2 | | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 2 | | 1 | 2 | 1 | 1 | 1 | 1 | | 1 | | 1 | 2 | 1 |
| Adrenal Medulla | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hyperplasia | | | 4 | | | | | | | | | | | 3 | | | 4 | | | | | | | 2 | 2 |
| Parathyroid Gland | M | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | M | |
| Pars Distalis, Cyst | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pars Distalis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | | |
| Follicle, Cyst | | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Tissue NOS | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------------------|
| | 0727 | 0757 | 0777 | 0767 | 0777 | 0767 | 0745 | 0755 | 0777 | 0777 | 0766 | 0766 | 0766 | 0727 | 0777 | 0727 | 0727 | 0765 | 0727 | 0727 | 0777 | 0777 | 0777 | 0777 | |
| Tri 5.8 Male | 0433 | 0443 | 0443 | 0443 | 0443 | 0443 | 0443 | 0443 | 0443 | 0443 | 0443 | 0443 | 0443 | 0443 | 0443 | 0443 | 0443 | 0443 | 0443 | 0443 | 0443 | 0443 | 0443 | 0443 | |
| | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | |

Infiltration Cellular, Lymphocyte
 Mineralization
 Necrosis
 Pigmentation

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|--|--|--|
| Epididymis | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Exfoliated Germ Cell | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hypospermia | | | | | | | | | | | | | 4 | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | |
| Fat Pad, Epididymal | | | | | | | | | | | | | + | | | | | | | | | | | | | | | | | |
| Preputial Gland | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Abscess | | | | | | | | | | | | | | | | | | | 4 | | | | | | | | | | | |
| Atrophy | | | | | | | | | | | | | | | | | | | | | 4 | | | | | | | | | |
| Infiltration Cellular, Lymphocyte | 2 | 1 | 2 | 1 | 1 | 2 | 1 | 1 | | | | | 1 | 1 | 1 | | 1 | | | | | 2 | | | | | | | | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | 2 | | 1 | | 4 | | | | | |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | | | | 4 | | | | | |
| Duct, Dilatation | 4 | 4 | 4 | 4 | 3 | 3 | 3 | 4 | 3 | 4 | 4 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 3 | 4 | 4 | 4 | 3 | 4 | | | | | |
| Prostate | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Lymphocyte | 1 | 1 | | | | | 1 | 1 | | | | | 1 | 2 | 2 | 1 | 1 | | | | | 1 | 1 | 1 | 1 | | | | | |
| Seminal Vesicle | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumen, Dilatation | | | 2 | | 3 | | | | | | | | | | | | | | | | | | 4 | | | | | | | |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | | | |
| Interstitial Cell, Hyperplasia | | | | | | | | | | | | | 2 | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------------|
| | 07 | 05 | 07 | 07 | 06 | 07 | 07 | 06 | 04 | 05 | 05 | 07 | 07 | 06 | 06 | 06 | 07 | 07 | 06 | 06 | 07 | 07 | |
| Tri 5.8 Male | 2 | 4 | 2 | 2 | 6 | 3 | 2 | 8 | 2 | 6 | 9 | 3 | 2 | 1 | 6 | 8 | 2 | 2 | 5 | 2 | 2 | 2 | |
| | 7 | 7 | 8 | 0 | 8 | 0 | 9 | 5 | 1 | 6 | 4 | 0 | 6 | 7 | 1 | 5 | 6 | 7 | 8 | 0 | 9 | 6 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| ANIMAL ID | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |

Seminiferous Tubule, Degeneration

4

1

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Myeloid Cell, Hyperplasia | | | | | | | | | 4 | | | | | | | | | 3 | | 4 | | 3 |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | + |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia, Lymphoid | | | | | | | | 1 | | | | | 1 | | | | 1 | 1 | | | | |
| Infiltration Cellular, Lymphocyte | | | 1 | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Angiectasis | | | | | | | | | | | | | | | 2 | | | | | | | |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | 2 | | | | |
| Hemorrhage | | | | 3 | | | | 4 | | | | | | | | | | | 2 | | | |
| Hyperplasia, Lymphoid | | | 3 | 2 | 2 | | 1 | | 2 | | 3 | 1 | 2 | 2 | 2 | 1 | 4 | 2 | | 3 | 2 | 3 |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | 2 | | | 3 | 2 | | | | |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | 3 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hematopoietic Cell Proliferation | | | 3 | | | 1 | | | | | 4 | | 3 | 4 | 2 | | 4 | | | 4 | | 4 |
| Hyperplasia, Lymphoid | 4 | 3 | 4 | | 2 | 3 | 3 | 1 | | | 4 | | 4 | | 2 | | 2 | 4 | 3 | 3 | | 3 |
| Thymus | + | M | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Atrophy | 3 | | 3 | | 4 | 4 | 4 | 4 | 4 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | males
(cont...) | |
|------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------------------|------|
| | 0727 | 0547 | 0778 | 0768 | 0778 | 0679 | 0768 | 0778 | 0645 | 0455 | 0776 | 0776 | 0666 | 0666 | 0827 | 0778 | 0778 | 0665 | 0779 | 0779 | | 0778 |
| Tri 5.8 Male | 0433 | 0433 | 0433 | 0433 | 0433 | 0433 | 0433 | 0433 | 0433 | 0433 | 0433 | 0433 | 0433 | 0433 | 0433 | 0433 | 0433 | 0433 | 0433 | 0433 | 0433 | 0433 |
| | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |

| | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Skin | + | | | | | | | | | | | | | | | | | | | | |
| Cyst Epithelial Inclusion | | | | | | | | | | | | | | | | | | | | | X |
| Necrosis | | | | | | | | | | | | | | | | | | | | | |
| Skin, Control | + | | | | | | | | | | | | | | | | | | | | |
| Epidermis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | 1 |
| Skin, Site Of Application | + | | | | | | | | | | | | | | | | | | | | |
| Dermis, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | 1 |
| Epidermis, Hyperplasia | 2 | | | | | | | | | | | | | | | | | | | | 1 |
| Epidermis, Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | 2 |
| Epidermis, Ulcer | | | | | | | | | | | | | | | | | | | | | 2 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Bone | | | | | | | | | | | | | | | | | | | | | |
| Cranium, Hyperostosis | | | | | | | | | | | | | | | | | | | | | 4 |
| Bone, Femur | + | | | | | | | | | | | | | | | | | | | | |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | |
| Regeneration | | | | | | | | | | | | | | | | | | | | | + |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | |
|-------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Brain, Brain Stem | + | | | | | | | | | | | | | | | | | | | | |
| Brain, Cerebellum | + | | | | | | | | | | | | | | | | | | | | |
| Brain, Cerebrum | + | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE
Tri 5.8 Male | DAY ON TEST | | | | | | | | | | | | | | | | | | | | males
(cont...) | | | | | | |
|----------------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------------|------|---|---|---|---|--|
| | 0727 | 0754 | 0777 | 0776 | 0777 | 0777 | 0776 | 0774 | 0775 | 0775 | 0777 | 0777 | 0776 | 0776 | 0776 | 0777 | 0777 | 0776 | 0776 | 0777 | | 0777 | | | | | |
| ANIMAL ID | 04331 | 04431 | 04431 | 04431 | 04431 | 04431 | 04431 | 04431 | 04431 | 04431 | 04431 | 04431 | 04431 | 04431 | 04431 | 04431 | 04431 | 04431 | 04431 | 04431 | 04431 | | | | | | |
| Mineralization | 2 | 1 | 1 | 1 | 1 | | 1 | | | | | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | | 1 | 2 | 1 | 1 | 2 | 1 | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | 3 | | | 4 | | | | | | | |
| Alveolar Epithelium, Hyperplasia | | | | | | | 1 | 2 | | | | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Eosinophilic Material | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Inflammation, Chronic Active | | | | 4 | | | | | | | | | | | | | | | | | | | | | | |
| Posterior To Upper Incisor, Malformation | | | | X | | | | | | | | | | X | | | | | | | | | | | X | |
| Respiratory Epithelium, Accumulation, Hyaline Droplet | | | | | | | | | | 2 | | | 1 | | | | | | | | | | | | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cataract | | | | 4 | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Infiltration Cellular, Lymphocyte | 1 | 1 | | 1 | 1 | | 1 | | | | 2 | 1 | 1 | 1 | | 1 | 1 | | | | | | 1 | 1 | 2 | 1 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Infarct | | | | | | | | | | | | | | | | X | | | | | | | | | X | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | 1 | | 2 | | | | | | | | | | | | | | | |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|-----------------------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------------------|
| | 07 | 05 | 07 | 07 | 06 | 07 | 07 | 06 | 04 | 05 | 05 | 07 | 07 | 06 | 06 | 06 | 07 | 07 | 06 | 06 | 07 | 07 | 07 | 07 | |
| Tri 5.8 Male | 27 | 47 | 28 | 20 | 68 | 30 | 29 | 85 | 21 | 66 | 94 | 30 | 26 | 17 | 61 | 85 | 26 | 27 | 58 | 29 | 26 | 29 | 29 | 8 | |
| | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 |
| | 33 | 33 | 33 | 33 | 33 | 33 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | |
| | 33 | 44 | 55 | 66 | 77 | 88 | 99 | 00 | 11 | 22 | 33 | 44 | 55 | 66 | 77 | 88 | 99 | 00 | 11 | 22 | 33 | 44 | 55 | 66 | |
| | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | |
| Nephropathy | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 3 | | | | 2 | 2 | 3 | 1 | 1 | 2 | 1 | 1 | 1 | 2 | 1 | 2 | 2 | |
| Cortex, Cyst | | | | | | | | | | | | | | | | | X | | | | | | | | |
| Renal Tubule, Cyst | | | | X | | | | | | | | X | X | | | | | X | | X | | | X | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Infiltration Cellular, Lymphocyte | 1 | 1 | | 1 | | | | | | | | | | | 1 | 2 | | | | 1 | | | | 1 | |
| Lumen, Dilatation | | | | | | | | 3 | | | | | | | | | | | | | | | | 3 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-------|--|
| | 0727 | 0722 | 0722 | 0722 | 0722 | 0723 | 0723 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | 0726 | | 0726 | |
| Tri 5.8 Male | 04581 | 04590 | 04601 | 04612 | 04623 | 04634 | 04645 | 04656 | 04667 | 04678 | 04689 | 04690 | 04691 | 04692 | 04693 | 04694 | 04695 | 04696 | 04697 | 04698 | 04699 | 04700 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Gallbladder | + | + | + | M | + | M | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | 40 |
| Intestine Large, Cecum
Lymphoid Tissue, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47
2 3.5 |
| Intestine Large, Colon
Inflammation, Suppurative
Necrosis
Ulcer | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
1 4.0
1 4.0
1 4.0 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Intestine Small, Ileum
Lymphoid Tissue, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47
1 2.0 |
| Intestine Small, Jejunum
Lymphoid Tissue, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47
1 4.0 |
| Liver
Basophilic Focus
Clear Cell Focus
Congestion
Deformity
Eosinophilic Focus
Fibrosis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
13
6
1 4.0
1
1
2 4.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE
Tri 5.8 Male | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | |
|--|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|---|-----|-----|-----|
| | 0
7
2
7 | 0
7
2
6 | 0
7
2
9 | 0
7
2
8 | 0
7
2
7 | 0
5
3
3 | 0
6
6
8 | 0
6
6
8 | 0
6
6
9 | 0
4
3
9 | 0
3
2
3 | 0
7
2
6 | 0
7
2
7 | 0
7
2
8 | 0
7
2
9 | 0
7
2
6 | 0
4
2
2 | 0
7
2
9 | 0
5
2
6 | 0
7
2
8 | | | | | |
| ANIMAL ID | 0
4
5
8
1 | 0
4
5
9
1 | 0
4
6
0
1 | 0
4
6
1
1 | 0
4
6
2
1 | 0
4
6
3
1 | 0
4
6
4
1 | 0
4
6
5
1 | 0
4
6
6
1 | 0
4
6
7
1 | 0
4
6
8
1 | 0
4
7
9
1 | 0
4
7
0
1 | 0
4
7
1
1 | 0
4
7
2
1 | 0
4
7
3
1 | 0
4
7
4
1 | 0
4
7
5
1 | 0
4
7
6
1 | 0
4
7
7
1 | 0
4
7
8
1 | | | | |
| Hemorrhage | | | | | | 4 | | | | | | | | | | | | | | | | 1 | 4.0 | | |
| Inflammation, Chronic | | | | | | 4 | | | | 3 | | | | | | | | | | | | | 4 | 3.5 | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | 3 | 2.7 | |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | |
| Vacuolization Cytoplasmic Hepatocyte, Necrosis | 2 | | | | | | | | | | | 2 | | | | | | | | | | | 3 | 2.0 | |
| | | | | | | 4 | | | | 4 | | | | | | 4 | 4 | | | | | | 10 | 3.6 | |
| Mesentery Necrosis | | | | | | | | | | + | + | | | | | | | | | | | | 5 | | |
| | | | | | | | | | | 3 | 4 | | | | | | | | | | | | 4 | 3.8 | |
| Pancreas Infiltration Cellular, Lymphocyte Fat, Necrosis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| | | 1 | 1 | | 1 | | | | | | | | | | 1 | 1 | | 1 | | 1 | | 1 | 10 | 1.1 | |
| | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | |
| Salivary Glands Infiltration Cellular, Lymphocyte | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| | 2 | 1 | 2 | 2 | 1 | 1 | 2 | 1 | | 2 | | 2 | 2 | 1 | | 2 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | 42 | 1.4 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Stomach, Glandular Cyst Epithelium, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| | | | | | | | | | | | | | | | | | | | | | | | 3 | | |
| | | | | | | | | | | | | | | | | | 2 | | | | | | 1 | 2.0 | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Heart Arteritis Cardiomyopathy | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| | 1 | 1 | | | | | | | | | | | | | | | 4 | | | | | | 6 | 1.7 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically M .. Missing tissue 1-4 .. Lesion qualified as:
X .. Lesion present A .. Autolysis precludes evaluation 1) Minimal 3) Moderate
I .. Insufficient tissue BLANK .. Not examined microscopically 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|------|
| | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | | 0727 |
| Tri 5.8 Male | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 1 |

Mineralization

1 1.0

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Accessory Adrenal Cortical Nodule | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Amyloid Deposition | | | | | | | | | 1 | | | | | | | | | | | | | | 3 1.0 |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hypertrophy | | | | | | 2 | | | | | | | 2 | | | | | | | | | | 2 2.0 |
| Vacuolization Cytoplasmic | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Subcapsular, Hyperplasia | 1 | 1 | 1 | 2 | 2 | | 1 | 2 | | 1 | 1 | 1 | 2 | | 1 | 1 | | 2 | 1 | | 1 | 1 | 37 1.2 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Hyperplasia | | | | | | | | | 4 | | | | | | 2 | | | | | | | | 7 3.0 |
| Parathyroid Gland | + | + | M | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | 44 |
| Cyst | | | | | | | | | | | | | | | | | | X | | | | | 1 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Pars Distalis, Cyst | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pars Distalis, Hyperplasia | | | | 1 | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | 1 | | | 1 1.0 |
| Follicle, Cyst | | | | | | | | | | | | | | | X | | | | | | | | 2 |

GENERAL BODY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Tissue NOS | | | | | | | | | | | | | | | | | | | | | | | 2 |
|------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|------|
| | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | | 0727 |
| Tri 5.8 Male | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 04581 | 48 |

| | | |
|-----------------------------------|---|-------|
| Infiltration Cellular, Lymphocyte | 3 | 1 3.0 |
| Mineralization | 3 | 1 3.0 |
| Necrosis | 4 | 1 4.0 |
| Pigmentation | 4 | 1 4.0 |

GENITAL SYSTEM

| | | | |
|-----------------------------------|---|-----|----------|
| Epididymis | + | 48 | |
| Exfoliated Germ Cell | | 1 | 1 1.0 |
| Hypospermia | | | 1 4.0 |
| Infiltration Cellular, Lymphocyte | 1 | 1 1 | 2 6 1.2 |
| Fat Pad, Epididymal | | | 1 |
| Preputial Gland | + | 48 | |
| Abscess | | | 4 2 4.0 |
| Atrophy | | | 1 4.0 |
| Infiltration Cellular, Lymphocyte | 2 | 1 2 | 1 26 1.3 |
| Inflammation, Suppurative | | | 3 3 3.7 |
| Inflammation, Chronic | | | 2 1 2.0 |
| Duct, Dilatation | 4 4 4 4 2 4 4 4 4 4 4 4 2 4 4 4 4 3 4 4 | | 46 3.7 |
| Prostate | + | 48 | |
| Infiltration Cellular, Lymphocyte | 1 | 1 1 | 1 22 1.1 |
| Seminal Vesicle | + | 48 | |
| Lumen, Dilatation | | 3 | 4 3.0 |
| Testes | + | 48 | |
| Infiltration Cellular, Lymphocyte | | | 1 1.0 |
| Interstitial Cell, Hyperplasia | | | 1 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE
Tri 5.8 Male | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ANIMAL ID | | | | |
|----------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|---|---|-----------------|---|
| | 7 | 7 | 7 | 7 | 7 | 5 | 6 | 6 | 6 | 4 | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | | 5 | 7 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 3 | 6 | 6 | 3 | 9 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 9 | 2 | 2 | 2 | 2 | 4 | 4 | |
| | 7 | 6 | 9 | 8 | 7 | 3 | 8 | 8 | 9 | 3 | 6 | 6 | 7 | 8 | 9 | 6 | 1 | 8 | 2 | 9 | 9 | 6 | 6 | 8 | 1 | 1 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 4 | |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | |
| | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 9 | |
| | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | * TOTALS | |

Seminiferous Tubule, Degeneration

2 2.5

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|---|---|---|---|----|-----|-----|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | 48 | | |
| Myeloid Cell, Hyperplasia | 4 | | | | 4 | | | | 4 | | | | 4 | | | | 8 | 3.8 | | | | | | | |
| Lymph Node | + | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Lymph Node, Mandibular | + | | | | | | | | | | | | | | | | | | | | | | 48 | | |
| Hyperplasia, Lymphoid | 1 | 1 | | 1 | | 1 | 1 | | | | | 1 | 1 | 1 | 1 | | | 2 | 1 | 2 | 1 | | 17 | 1.1 | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | 1 | 1.0 | |
| Lymph Node, Mesenteric | + | | | | | | | | | | | | | | | | | | | | | | 48 | | |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | 3 | 2.0 | |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | 5 | 2.6 | |
| Hyperplasia, Lymphoid | 2 | 2 | 2 | 1 | 2 | 2 | | 2 | | 2 | 2 | 2 | 2 | 2 | 4 | 2 | | 2 | 4 | 2 | 2 | | 2 | 35 | 2.2 |
| Infiltration Cellular, Histiocyte | 3 | | | | | | 3 | | | | | 1 | | | | 2 | | 2 | 2 | | | 2 | | 10 | 2.2 |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | 2 | 3.0 | |
| Spleen | + | | | | | | | | | | | | | | | | | | | | | | 48 | | |
| Hematopoietic Cell Proliferation | 3 | | | 3 | | 2 | 3 | | | 4 | 4 | 2 | | | 4 | | | 4 | 2 | | 4 | | | 20 | 3.2 |
| Hyperplasia, Lymphoid | 3 | 2 | 4 | 2 | 3 | 2 | 3 | 3 | | 3 | | 3 | 3 | 3 | 4 | 3 | 3 | 4 | 3 | 2 | 4 | 4 | 3 | 39 | 2.9 |
| Thymus | + | | | | | | | | | | | | | | | | | | | | | | 44 | | |
| Atrophy | 4 | 4 | 4 | 4 | 4 | 4 | 3 | | | M | M | | + | + | + | + | + | + | + | + | + | + | + | 43 | 3.9 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 2 |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|------|
| | 0727 | 0727 | 0729 | 0728 | 0727 | 0725 | 0726 | 0726 | 0726 | 0726 | 0724 | 0723 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0724 | 0727 | | 0725 | 0727 |
| Tri 5.8 Male | 0458 | 0459 | 0460 | 0441 | 0442 | 0443 | 0444 | 0446 | 0446 | 0446 | 0446 | 0446 | 0447 | 0447 | 0447 | 0447 | 0447 | 0444 | 0444 | 0444 | 0447 | 0448 | |

| | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|-------|
| Skin | + | | | | | | | | | | | | | | | | | | | | 48 | |
| Cyst Epithelial Inclusion | | | | | | | | | | | | | | | | | | | | | | 1 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | 4 | 1 4.0 |
| Skin, Control | + | | | | | | | | | | | | | | | | | | | | 48 | |
| Epidermis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Skin, Site Of Application | + | | | | | | | | | | | | | | | | | | | | 48 | |
| Dermis, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | 2 1.0 |
| Epidermis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | 17 | 1.2 |
| Epidermis, Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | 4 | 1.5 |
| Epidermis, Ulcer | | | | | | | | | | | | | | | | | | | | | 2 | 1.5 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|-------|
| Bone | | | | | | | | | | | | | | | | | | | | | 3 | |
| Cranium, Hyperostosis | | | | | | | | | | | | | | | | | | | | | | 2 3.0 |
| Bone, Femur | + | | | | | | | | | | | | | | | | | | | | 48 | |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | 4 | |
| Regeneration | | | | | | | | | | | | | | | | | | | | | 4 | 1 4.0 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | |
|-------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|--|
| Brain, Brain Stem | + | | | | | | | | | | | | | | | | | | | | 48 | |
| Brain, Cerebellum | + | | | | | | | | | | | | | | | | | | | | 48 | |
| Brain, Cerebrum | + | | | | | | | | | | | | | | | | | | | | 48 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----------------|------------|
| | 07 | 07 | 07 | 07 | 07 | 05 | 06 | 06 | 06 | 06 | 04 | 03 | 07 | 07 | 07 | 07 | 07 | 07 | 04 | 07 | | | 05 | 07 |
| Tri 5.8 Male | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | | |
| | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | | |
| | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | * TOTALS | |
| Mineralization | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | | 39 | 1.2 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|-----------|------------|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | 4 | | 3 | 3.7 |
| Alveolar Epithelium, Hyperplasia | | | | 3 | | | | 4 | | | | | | | | | | | 2 | | | | | 5 | 2.4 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Eosinophilic Material | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | 48 | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Posterior To Upper Incisor, Malformation | | | | | | | | X | | | | | | | | | | | | X | | | | 5 | |
| Respiratory Epithelium, Accumulation, Hyaline Droplet | | | | 1 | | | | | | 1 | | | | 1 | | | | 2 | | | | | | 6 | 1.3 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|-----------|------------|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Cataract | | | | | | | | | | | | | | | | | | | | | | 1 | | 2 | 2.5 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Infiltration Cellular, Lymphocyte | 1 | 1 | | | 1 | 1 | | | | | | | | | | | 1 | | 1 | 1 | 1 | 1 | | 24 | 1.1 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------|------------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Infarct | | | | | | | | | | | | | | | | X | | | | | | | | 3 | |
| Infiltration Cellular, Lymphocyte | | | | | | | 1 | 1 | | 1 | | | 1 | | | | | | 2 | | | | | 7 | 1.3 |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | 1 | | 2 | 1.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | |
|-----------------------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----------|-----|---|--------|--------|
| | 077 | 077 | 077 | 077 | 077 | 056 | 066 | 066 | 066 | 043 | 037 | 077 | 077 | 077 | 077 | 077 | 077 | 047 | 077 | 057 | | 077 | | | |
| Tri 5.8 Male | 044 | 044 | 044 | 044 | 044 | 044 | 044 | 044 | 044 | 044 | 044 | 044 | 044 | 044 | 044 | 044 | 044 | 044 | 044 | 044 | 044 | | | | |
| | 55 | 55 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | 66 | | | | |
| | 89 | 89 | 01 | 01 | 22 | 33 | 44 | 55 | 66 | 77 | 88 | 99 | 00 | 11 | 22 | 33 | 44 | 55 | 66 | 77 | 88 | | | | |
| | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | | | | |
| Nephropathy | 3 | 2 | 2 | 2 | 1 | 2 | 2 | | | 3 | | 2 | 2 | | | 2 | 2 | 4 | 1 | 2 | 1 | 2 | 2 | 1 | 41 1.8 |
| Cortex, Cyst | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Renal Tubule, Cyst | | | | | X | | | | | | | | | X | X | | X | X | | | | | | | 11 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Infiltration Cellular, Lymphocyte | | 1 | | | | 1 | 1 | | 1 | | | | | | | 1 | | | 1 | 1 | 1 | | | 15 1.1 | |
| Lumen, Dilatation | | | | | | | | | | | | | | | | | | 4 | | | | | | 3 3.3 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|
| B6C3F1 MICE MALE | DAY ON TEST | 0625 | 0727 | 0668 | 0778 | 0779 | 0777 | 0777 | 0672 | 0772 | 0775 | 0777 | 0676 | 0776 | 0777 | 0667 | 0776 | 0777 | 0555 | 0554 | 0777 | 0777 | 0666 | males
(cont...) |
| | ANIMAL ID | 0591 | 0531 | 0531 | 0531 | 0531 | 0531 | 0531 | 0531 | 0531 | 0531 | 0531 | 0531 | 0531 | 0531 | 0531 | 0531 | 0531 | 0531 | 0531 | 0531 | 0531 | 0531 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus
Inflammation, Chronic Active
Epithelium, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder
Lumen, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum
Lymphoid Tissue, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Basophilic Focus | X | | X | | | | | | | | X | | | | | X | X | | | | | | |
| Clear Cell Focus | | | | | | | | | X | | | | X | X | | | | | | | | | |
| Cyst | | | | | | | | | | | | | | | | | | X | X | | | | |
| Deformity | | | | | | | | | | | | | | | | | | | | | | | |
| Eosinophilic Focus | | X | | | | | | | | | | | | | | | | | | | | | |
| Fatty Change | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Hepatodiaphragmatic Nodule | | X | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE
Tri 12.5Male | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|--|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------------|
| | 0625 | 0727 | 0628 | 0728 | 0729 | 0730 | 0731 | 0732 | 0733 | 0734 | 0735 | 0736 | 0737 | 0738 | 0739 | 0740 | 0741 | 0742 | 0743 | 0744 | 0745 | 0746 | 0747 | 0748 | |
| ANIMAL ID | 05291 | 05311 | 05331 | 05351 | 05371 | 05391 | 05411 | 05431 | 05451 | 05471 | 05491 | 05511 | 05531 | 05551 | 05571 | 05591 | 05611 | 05631 | 05651 | 05671 | 05691 | 05711 | 05731 | 05751 | |
| Infiltration Cellular, Polymorphonuclear Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | | | 4 | |
| Inflammation, Chronic Active Mixed Cell Focus | | | | | | 1 | | | | | | | | | | | | | | | | | | X | |
| Tension Lipidosis | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Vacuolization Cytoplasmic | | | | | 1 | | | | | | | | | | | | | | | | | | | | |
| Bile Duct, Crystals | | | | | | | | | | | | | | | | | | | | | | | | 4 | |
| Bile Duct, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 4 | |
| Hepatocyte, Necrosis | | | | | | | | | | | 2 | | | | | | | | | | | | | 4 | |
| Mesentery Necrosis | | | | | | | | | | | | + | | | | | | | | | | | | + | |
| | | | | | | | | | | | | 4 | | | | | | | | | | | | 4 | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Infiltration Cellular, Lymphocyte | | | | | 1 | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Polymorphonuclear Necrosis | | | | | | | | | | | | | | | | | | | | | | | | 4 | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Infiltration Cellular, Lymphocyte | 2 | 2 | | 1 | | 1 | | 2 | 2 | | 2 | | 1 | 2 | 1 | 2 | | 2 | 1 | 1 | 1 | | 2 | 2 | 1 |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE
Tri 12.5Male | DAY ON TEST | 0625 | 0727 | 0628 | 0728 | 0729 | 0730 | 0731 | 0622 | 0723 | 0724 | 0725 | 0726 | 0627 | 0728 | 0729 | 0730 | 0731 | 0622 | 0723 | 0724 | 0725 | 0726 | 0627 | 0728 | 0729 | 0730 | 0731 | males
(cont...) |
|----------------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------------------|
| | ANIMAL ID | 0591 | 0511 | 0512 | 0513 | 0514 | 0515 | 0516 | 0517 | 0518 | 0519 | 0520 | 0521 | 0522 | 0523 | 0524 | 0525 | 0526 | 0527 | 0528 | 0529 | 0530 | 0531 | 0532 | 0533 | 0534 | 0535 | 0536 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Heart
Cardiomyopathy | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 1 |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Accessory Adrenal Cortical Nodule | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Amyloid Deposition | | | | 1 | | | | | | | | | 2 | | | | | | | | | | | | | | | |
| Hypertrophy | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | |
| Subcapsular, Hyperplasia | | 1 | 2 | 2 | 1 | 2 | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 2 | 2 | 1 | | 1 | 2 | 1 | 1 | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic
Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | | | 4 | | | | | | | | | |
| Parathyroid Gland
Cyst | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | M | + | + | + | + | + |
| | | | | | | X | | | | | | | | | | | | X | | X | | | | | | | | |
| Pituitary Gland
Pars Distalis, Cyst
Pars Distalis, Hyperplasia | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | X | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland
Infiltration Cellular, Lymphocyte
C-cell, Hyperplasia
Follicle, Cyst | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|------------------------|----|
| B6C3F1 MICE MALE | DAY ON TEST | 06 | 07 | 06 | 07 | 07 | 07 | 07 | 06 | 07 | 07 | 05 | 07 | 07 | 06 | 07 | 07 | 06 | 05 | 05 | 04 | 07 | 07 | 06 |
| | ANIMAL ID | 25 | 27 | 26 | 28 | 22 | 23 | 22 | 28 | 29 | 22 | 03 | 02 | 02 | 09 | 02 | 06 | 07 | 04 | 03 | 01 | 06 | 02 | 02 |
| Tri 12.5Male | ANIMAL ID | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 |
| | | 29 | 01 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 00 | 01 |
| | | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| | | | | | | | | | | | | | | | | | | | | | | | males (cont...) | |

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Infiltration Cellular, Lymphocyte | | 1 | | | | | | | | | | | | | 1 | | | | | | | | 3 |
| Spermatocoele | | | | | | | | | | | | | | | | | | | | | | | |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Abscess | | | | | | | | 4 | | | | | | | | | | | | | | | |
| Hyperkeratosis | | | | | | | | | | | | | | | 4 | | | | | | | | |
| Infiltration Cellular, Lymphocyte | | 1 | | 1 | 1 | 3 | 1 | | | 2 | 1 | | | 1 | 4 | 1 | 3 | 1 | | | 1 | | |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Suppurative | | | | | 2 | | | | | | | | | | 4 | | 4 | | | | | | |
| Duct, Dilatation | 4 | 4 | 4 | 3 | 2 | 4 | 4 | 4 | 4 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 2 | 4 | 4 | 4 | 3 | 4 | 3 |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Infiltration Cellular, Lymphocyte | | 1 | 1 | | | 1 | 1 | 1 | 1 | 1 | 2 | | | 1 | | | 1 | | | 1 | 2 | | |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | 3 | | | |
| Lumen, Dilatation | | | | | | | | | | 4 | | | | | | | | | 4 | 3 | | | |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Seminiferous Tubule, Dilatation | | | | | | | | | | | | | | | | | | | | | | | 3 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Myeloid Cell, Hyperplasia | | | | | | | | 4 | 4 | 3 | | | | | 4 | | 4 | | | | 4 | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) | | | | | |
|------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|--------------------|------|------|------|------|------|
| | 0625 | 0727 | 0628 | 0728 | 0729 | 0730 | 0731 | 0622 | 0623 | 0624 | 0725 | 0726 | 0727 | 0728 | 0729 | 0730 | 0731 | 0622 | 0623 | 0624 | | | 0725 | 0726 | 0727 | 0728 | 0729 |
| Tri 12.5Male | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 5 | 7 | 8 | 8 | 9 | 0 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |

Epidermis, Ulcer

Skin, Control

Epidermis, Hyperplasia

Skin, Site Of Application

Infiltration Cellular, Mast Cell

Dermis, Inflammation, Chronic Active

Epidermis, Hyperplasia

Epidermis, Inflammation, Suppurative

Epidermis, Ulcer

MUSCULOSKELETAL SYSTEM

Bone, Femur

NERVOUS SYSTEM

Brain, Brain Stem

Brain, Cerebellum

Brain, Cerebrum

Mineralization

RESPIRATORY SYSTEM

Lung

Infiltration Cellular, Histiocyte

Infiltration Cellular, Polymorphonuclear

Inflammation, Chronic Active

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|---------------------|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------------------------|
| B6C3F1 MICE MALE | DAY ON TEST | 0625 | 0772 | 0668 | 0772 | 0773 | 0772 | 0778 | 0669 | 0772 | 0770 | 0573 | 0772 | 0776 | 0672 | 0772 | 0674 | 0573 | 0551 | 0466 | 0772 | 0772 | 0672 | Tri 12.5Male | ANIMAL ID | 0591 | 0551 | 0533 | 0553 | 0553 | 0533 | 0553 | 0553 | 0533 | 0553 | 0553 | 0544 | 0544 | 0544 | 0544 | 0556 | 0557 | 0558 | 0559 | 0501 | 0501 | 0502 | 0503 | males
(cont...) |
| | | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | 1111 | | 1111 | | | | | | | | | | | | | | | | | | | | | | | | |

Pigmentation
Alveolar Epithelium, Hyperplasia

2
1

Nose
Eosinophilic Material
Inflammation, Chronic Active
Posterior To Upper Incisor, Malformation
Respiratory Epithelium, Accumulation, Hyaline Droplet

+
X
3
1 2 1 1 1 1 1

Trachea

+ +

SPECIAL SENSES SYSTEM

Eye
Cataract
Phthisis Bulbi

+
4
X

Harderian Gland
Infiltration Cellular, Lymphocyte
Infiltration Cellular, Polymorphonuclear

+
2 2 1 2 2 1 1 2 1 2 1 1 1 2 1 2 1 2 1 1 1 1
2

URINARY SYSTEM

Kidney
Infarct
Infiltration Cellular, Lymphocyte
Infiltration Cellular, Polymorphonuclear
Metaplasia, Osseous
Nephropathy
Cortex, Cyst

+
X X
1 2 2 1
4
1
2 1 2 1 1 2 1 2 1 2 1 2 1 2

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------------------------|
| B6C3F1 MICE MALE | DAY ON TEST | 0625 | 0777 | 0668 | 0772 | 0773 | 0777 | 0778 | 0669 | 0779 | 0779 | 0570 | 0772 | 0778 | 0669 | 0772 | 0774 | 0668 | 0773 | 0571 | 0574 | 0476 | 0772 | 0776 | 0672 | males
(cont...) |
| | ANIMAL ID | 05291 | 05531 | 05531 | 05531 | 05531 | 05531 | 05531 | 05531 | 05531 | 05531 | 05531 | 05531 | 05531 | 05531 | 05531 | 05531 | 05531 | 05531 | 05531 | 05531 | 05531 | 05531 | 05531 | 05531 | |

Renal Tubule, Cyst

X

Urinary Bladder

+ +

Infiltration Cellular, Lymphocyte

1 1 1 1

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|-----------------|
| B6C3F1 MICE MALE | DAY ON TEST | 0726 | 0727 | 0728 | 0481 | 0672 | 0772 | 0462 | 0661 | 0772 | 0772 | 0772 | 0772 | 0772 | 0772 | 0473 | 0772 | 0228 | 0228 | 0772 | 0772 | 0772 | 0772 | | |
| | ANIMAL ID | 0541 | 0551 | 0561 | 0571 | 0581 | 0591 | 0011 | 0021 | 0031 | 0041 | 0051 | 0061 | 0071 | 0081 | 0091 | 0001 | 0011 | 0021 | 0031 | 0041 | 0051 | 0061 | | 0071 |
| Tri 12.5Male | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------|------------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Inflammation, Chronic Active | | | | | 2 | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Epithelium, Hyperplasia | | | | | 4 | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Gallbladder | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | 46 | | |
| Lumen, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Lymphoid Tissue, Hyperplasia | | 4 | | | | | | | | | | | | | | | | | | | | 3 | | | 3 | 3.7 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Basophilic Focus | | | | | | | | | X | | | | | X | X | | | | | | | X | | | 9 | |
| Clear Cell Focus | | | | | | | | | | | | | | | X | | | | | | | X | | | 5 | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Deformity | | | | | | | | | | | | | X | | | | | | | | | | | | 1 | |
| Eosinophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Fatty Change | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Hepatodiaphragmatic Nodule | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | 2 | | | | | | | | 1 | 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | |
|--|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-------|-----|-----|-----|-----|
| | 0726 | 0727 | 0728 | 0748 | 0761 | 0772 | 0777 | 0784 | 0766 | 0761 | 0772 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | | 0777 | | | | |
| Tri 12.5Male | ANIMAL ID | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | |
| | 05541 | 05551 | 05561 | 05571 | 05581 | 05591 | 05601 | 05611 | 05621 | 05631 | 05641 | 05651 | 05661 | 05671 | 05681 | 05691 | 05701 | 05711 | 05721 | 05731 | | 05741 | | | | |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | | | |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | | 4 | 4.0 | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | 3 | 2.0 | | |
| Mixed Cell Focus | | | | | | | | | | | | | | | | | | | | | | | 1 | | | |
| Tension Lipidosis | | | | | | | | | | | | | | | | | | | | | | | 2 | 3.0 | | |
| Thrombosis | X | | | | | | | | | | | | | | | | | | | | | | 1 | | | |
| Vacuolization Cytoplasmic | | | | | | | | | | | | | | | | | | | | | | | 2 | 1.5 | | |
| Bile Duct, Crystals | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | | |
| Bile Duct, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | | |
| Hepatocyte, Necrosis | | | | | | | | | | | | | | | | | | | | | | | 4 | 3.3 | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | 2 | | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | 2 | 4.0 | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | 1 | | | | | 1 | | 1 | | | | 1 | 1 | | 1 | 8 | 1.0 | |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | | |
| Infiltration Cellular, Lymphocyte | | | 1 | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 1 | | 1 | | 1 | 2 | 1 | 1 | 1 | 2 | | 1 | 1 | 1 | 37 | 1.4 |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | | | | | | | | | | | | | | | | 1 | 1.0 | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|
| | 0726 | 0727 | 0728 | 0748 | 0761 | 0772 | 0774 | 0786 | 0796 | 0797 | 0798 | 0799 | 0799 | 0799 | 0799 | 0799 | 0799 | 0799 | 0799 | 0799 | | 0799 |
| Tri 12.5Male | 0541 | 0551 | 0555 | 0555 | 0555 | 0556 | 0590 | 0591 | 0592 | 0593 | 0594 | 0595 | 0596 | 0597 | 0598 | 0599 | 0599 | 0599 | 0599 | 0599 | 0599 | 48 |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Cardiomyopathy | | | | | | | | | | | | | | | | | | | | | | | 1 | 2 1.0 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Accessory Adrenal Cortical Nodule | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Amyloid Deposition | | | | | 1 | | | | | | | | | | | | | | | | | | | 3 1.3 |
| Hypertrophy | 4 | | | | | | | | | | | | | | | | | | | | | | | 2 2.5 |
| Subcapsular, Hyperplasia | 2 | 2 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 3 | 1 | 1 | 1 | 2 | 1 | 2 | | 1 | 1 | 1 | 1 | | 1 | 44 1.5 |

| | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

| | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Hyperplasia | | | | | | | | | | | 2 | | | 3 | | | | | | | | | 4 3.0 |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | 45 |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | 3 |

| | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Pituitary Gland | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | M | 45 |
| Pars Distalis, Cyst | | | | | | | | | | | X | | | | | | | | | | X | | 3 |
| Pars Distalis, Hyperplasia | | | | | 1 | | | | | 1 | | | | | | | | | | | | | 2 1.0 |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| C-cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Follicle, Cyst | | | | | | | | | | X | | | | | | | | | | | | | | 1 |

GENERAL BODY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

Table with columns for DAY ON TEST (0726, 0728, 0744, 0761, 0772, 0779, 0786, 0792, 0796, 0797, 0798, 0799, 0800, 0801, 0802, 0803, 0804, 0805, 0806, 0807, 0808, 0809) and ANIMAL ID (05541, 05551, 05561, 05571, 05581, 05591, 05601, 05611, 05621, 05631, 05641, 05651, 05661, 05671, 05681, 05691, 05701, 05711, 05721, 05731, 05741, 05751). Includes * TOTALS column.

NONE

GENITAL SYSTEM

Table of Genital System findings. Rows include Epididymis (Infiltration Cellular, Lymphocyte Spermatocele), Preputial Gland (Abscess, Hyperkeratosis, Infiltration Cellular, Lymphocyte, Infiltration Cellular, Plasma Cell, Inflammation, Suppurative, Duct, Dilatation), Prostate (Infiltration Cellular, Lymphocyte), Seminal Vesicle (Inflammation, Chronic Active, Lumen, Dilatation), and Testes (Seminiferous Tubule, Dilatation). Columns show counts and severity grades.

HEMATOPOIETIC SYSTEM

Table of Hematopoietic System findings. Row: Bone Marrow (Myeloid Cell, Hyperplasia). Columns show counts and severity grades.

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS |
|------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|
| | 0726 | 0727 | 0728 | 0481 | 0672 | 0772 | 0466 | 0676 | 0776 | 0776 | 0776 | 0776 | 0776 | 0776 | 0776 | 0473 | 0772 | 0228 | 0228 | 0228 | |
| Tri 12.5Male | ANIMAL ID | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 05541 | 05551 | 05561 | 05571 | 05581 | 05591 | 05601 | 05611 | 05621 | 05631 | 05641 | 05651 | 05661 | 05671 | 05681 | 05691 | 05701 | 05711 | 05721 | 05731 | |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|-----|
| Lymph Node | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Renal, Infiltration Cellular, Polymorphonuclear | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | 47 | 15 | 1.4 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | 47 | 6 | 2.0 |
| Histiocytosis | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |
| Hyperplasia, Lymphoid | 2 | 2 | 2 | | 2 | | 3 | 2 | 3 | | 2 | 2 | 1 | 3 | 2 | 2 | 4 | 3 | 2 | 4 | 2 | | |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | 6 | 2.3 |
| Infiltration Cellular, Mast Cell | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | 4 | 3.8 |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Hematopoietic Cell Proliferation | 4 | 3 | 4 | 4 | 4 | | 4 | 4 | | 4 | | 4 | 3 | 2 | | 3 | 3 | 4 | 2 | | 2 | | |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | 48 | 29 | 3.2 |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Atrophy | 3 | 4 | 4 | 2 | 4 | 4 | 4 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 2 | 4 | 4 | 4 | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | 47 | 3.7 |
| | | | | | | | | | | | | | | | | | | | | | | 1 | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | | | |
| | | | | | | | | | | | | | | | | | | | | | 0 | | | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | |
| Epidermis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 3 | 1 | 3.0 |
| Epidermis, Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | 4 | 1 | 4.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE MALE
Tri 12.5Male | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|--|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|------|--------|
| | 0726 | 0727 | 0728 | 0748 | 0761 | 0772 | 0777 | 0784 | 0766 | 0762 | 0761 | 0772 | 0777 | 0772 | 0777 | 0772 | 0777 | 0772 | 0777 | 0772 | | 0777 | |
| ANIMAL ID | 05541 | 05551 | 05561 | 05571 | 05581 | 05591 | 05601 | 05611 | 05621 | 05631 | 05641 | 05651 | 05661 | 05671 | 05681 | 05691 | 05701 | 05711 | 05721 | 05731 | 05741 | | |
| Epidermis, Ulcer | | | | | | | | | | | | | | | | | | | | | | 4 | 1 4.0 |
| Skin, Control | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | 48 |
| Epidermis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 2 | 1 2.0 |
| Skin, Site Of Application | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | 48 |
| Infiltration Cellular, Mast Cell | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Dermis, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Epidermis, Hyperplasia | 1 | | | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 3 | 2 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 2 | 1 | 1 | 43 1.4 |
| Epidermis, Inflammation, Suppurative | | | | 2 | | | | | | | 4 | 2 | | | | | | | 2 | | | 1 | 9 2.0 |
| Epidermis, Ulcer | | | | 2 | | | | | | | 4 | | | | | | | | 2 | | | | 5 2.4 |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Bone, Femur | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | 48 |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Brain, Brain Stem | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | 48 |
| Brain, Cerebellum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | 48 |
| Brain, Cerebrum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | 48 |
| Mineralization | | 2 | 1 | 1 | | 2 | 2 | 1 | 2 | 1 | 2 | 1 | 1 | | | | 1 | 1 | 2 | 1 | 1 | | 27 1.4 |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | 48 |
| Infiltration Cellular, Histiocyte | 4 | 4 | | 1 | | | | | | | | | 3 | 3 | | | | 3 | | | | | 9 2.7 |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

| B6C3F1 MICE MALE
Tri 12.5Male | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | |
|----------------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-------|-------|-------|-------|-------|
| | 0726 | 0727 | 0728 | 0748 | 0761 | 0772 | 0774 | 0776 | 0777 | 0778 | 0779 | 0781 | 0782 | 0783 | 0784 | 0785 | 0786 | 0787 | 0788 | 0789 | | 0791 | 0792 | 0793 | 0794 | 0795 |
| ANIMAL ID | | 05541 | 05551 | 05561 | 05571 | 05581 | 05591 | 05601 | 05611 | 05621 | 05631 | 05641 | 05651 | 05661 | 05671 | 05681 | 05691 | 05701 | 05711 | 05721 | 05731 | 05741 | 05751 | 05761 | 05771 | 05781 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|-----|---|-----|
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 | | |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | | 4 | 2 | 2.5 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|--|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Eosinophilic Material | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 48 | 48 | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.5 | |
| Posterior To Upper Incisor, Malformation | | | | | | | | | | | | | | X | | | | | | | | | | | | | | 1 | | |
| Respiratory Epithelium, Accumulation, Hyaline Droplet | | | | | 1 | | | | | | | | | | 1 | | | | | | | | | | | 1 | | 11 | 1.1 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--|--|
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--|--|

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|-----|--|
| Eye | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | | |
| Cataract | | | | 2 | | | | | | 1 | | | | | | | | | | | | | | | | | | 3 | 2.3 | |
| Phthisis Bulbi | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Infiltration Cellular, Lymphocyte | | | | 1 | 1 | | | | | 2 | 1 | | | | | | 1 | | | 1 | | | | | | | | 18 | 1.2 | |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | 2.0 | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|-----|--|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Infarct | | | | | | | | | | | | | X | | | | | | | | | | | | X | | 4 | | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | | | | | 6 | 1.5 | |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1.5 | |
| Nephropathy | | | | | | | | | | | | | | | | | | | | | | | | | | | | 43 | 1.5 | |
| Cortex, Cyst | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|------------------------------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 07 | 03 | 07 | 05 | 07 | 07 | 07 | 07 | 07 | 07 | 05 | 06 | 07 | 06 | 07 | 07 | 07 | 07 | 05 | 07 | 07 | 06 | |
| | | 27 | 43 | 28 | 38 | 29 | 30 | 27 | 28 | 29 | 30 | 90 | 68 | 26 | 29 | 27 | 28 | 29 | 66 | 78 | 96 | 29 | 43 | |
| Veh ctrlFemale | ANIMAL ID | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | females
(cont...) |
| | | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder
Infiltration Cellular, Lymphocyte | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + |
| Intestine Large, Colon
Inflammation, Chronic Active | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + |
| Intestine Small, Duodenum
Inflammation, Chronic Active | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + |
| Intestine Small, Ileum
Inflammation, Chronic Active
Lymphoid Tissue, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + |
| Intestine Small, Jejunum
Inflammation, Suppurative
Ulcer
Lymphoid Tissue, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | |
| Basophilic Focus | | | | X | X | | | | | | | | X | | | | | | | | | | |
| Deformity | | | | | | | | | | | | | | | | | | | | | | X | |
| Eosinophilic Focus | | | | | X | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE
Veh ctrlFemale | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------|
| | 0
7
2
7 | 0
3
4
3 | 0
7
2
8 | 0
5
3
8 | 0
7
2
9 | 0
7
3
0 | 0
7
2
7 | 0
7
2
8 | 0
7
2
9 | 0
7
3
0 | 0
7
2
9 | 0
5
9
0 | 0
6
6
8 | 0
7
2
6 | 0
6
2
9 | 0
7
2
8 | 0
7
2
9 | 0
7
2
6 | 0
7
2
7 | 0
5
9
6 | 0
7
2
9 | 0
7
2
9 | 0
6
2
3 | | |
| ANIMAL ID | 0
0
0
1
1 | 0
0
0
2
1 | 0
0
0
3
1 | 0
0
0
4
1 | 0
0
0
5
1 | 0
0
0
6
1 | 0
0
0
7
1 | 0
0
0
8
1 | 0
0
0
9
1 | 0
0
0
0
1 | 0
0
0
1
1 | 0
0
0
2
1 | 0
0
0
3
1 | 0
0
0
4
1 | 0
0
0
5
1 | 0
0
0
6
1 | 0
0
0
7
1 | 0
0
0
8
1 | 0
0
0
9
1 | 0
0
0
0
1 | 0
0
0
1
1 | 0
0
0
2
1 | 0
0
0
3
1 | 0
0
0
4
1 | |
| Hematopoietic Cell Proliferation
Infiltration Cellular, Lymphocyte
Inflammation, Chronic Active
Tension Lipidosis
Vacuolization Cytoplasmic
Hepatocyte, Necrosis | 1 | | | 1 | | 2 | 1 | 1 | 1 | 1 | 1 | | 1 | 2 | | 1 | 1 | | | 1 | | 1 | 2 | | |
| Mesentery
Necrosis | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas
Infiltration Cellular, Lymphocyte
Fat, Necrosis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Salivary Glands
Infiltration Cellular, Lymphocyte | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Stomach, Forestomach
Fibrosis
Inflammation, Chronic Active
Epithelium, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Stomach, Glandular
Cyst
Fibrosis
Epithelium, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | females
(cont...) | | | |
|--------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|----------------------|------------------|------------------|------------------|
| | 0
7
2
7 | 0
3
4
3 | 0
7
2
8 | 0
5
3
8 | 0
7
2
9 | 0
7
3
0 | 0
7
2
7 | 0
7
2
8 | 0
7
2
8 | 0
7
3
9 | 0
7
2
9 | 0
7
3
0 | 0
5
6
8 | 0
7
2
6 | 0
6
2
9 | 0
7
2
7 | 0
7
2
8 | 0
7
2
6 | 0
7
2
7 | 0
5
9
6 | | 0
7
2
9 | 0
7
2
9 | 0
6
4
3 |
| Veh ctrlFemale | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |

| | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cardiomyopathy | | | | | | | | | | | | | 1 | | | | | | 1 | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Accessory Adrenal Cortical Nodule | | | | | | | X | | | | | | | | | | | | | | | |
| Amyloid Deposition | | | 2 | 1 | 2 | 1 | | 2 | 2 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 1 | 1 | 2 | 2 | 1 | 1 |
| Angiectasis | | | | | | 2 | | | | | | | | | | | | | | | | |
| Cyst | | | | | | | X | | | | | | | | | | | | | | | |
| Vacuolization Cytoplasmic Subcapsular, Hyperplasia | 3 | 2 | 2 | 3 | 4 | 2 | 2 | 3 | 2 | 2 | 3 | 2 | 2 | 2 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 2 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | | | 1 | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | + | + | + | + | + | M | + | + | + | M | + | + | + | + | M | + | M | + | + | + | + | + |
| Ectopic Thymus | | | | | | | | | | | | | | | | | | | | | | |
| Pituitary Gland | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | 4 | |
| Pars Distalis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | 2 | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | 1 | |
| C-cell, Hyperplasia | | | | | 1 | 1 | | | 1 | | | | | 1 | | | | | 1 | | 1 | |
| Follicle, Cyst | | | | | | | | | | | | | | X | | | | | | X | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------------------------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 7 | 3 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 6 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | |
| Veh ctrlFemale | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | females
(cont...) |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | M | + | + | + | + | + | + | + | |
| Duct, Dilatation | | | 2 | | | 3 | 3 | 2 | 2 | 3 | | | | 3 | 3 | | | 4 | | 2 | | 3 | | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Atrophy | 4 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| Cyst | | | | X | | | | | | | | | | X | | X | | | | | | | | |
| Hematocyst | | | | X | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | | | |
| Endometrium, Hyperplasia, Cystic Lumen, Dilatation | 4 | 2 | 4 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 3 | 4 | 4 | 3 | 3 | 4 | 4 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Myeloid Cell, Hyperplasia | | | | | | | | | | | | | | 4 | | | | | | | | | |
| Lymph Node | | | | + | | | | | | | | | | | | + | | | | | | | |
| Mediastinal, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | 2 | | | | | | | |
| Mediastinal, Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE
Veh ctrlFemale | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | | | | | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|------------------|-----------------------|-----------------------|------------------|
| | 07
27 | 03
43 | 07
78 | 05
53 | 07
72 | 07
73 | 07
72 | 07
72 | 07
72 | 07
73 | 07
72 | 07
72 | 05
59 | 06
66 | 07
72 | 06
62 | 07
72 | 07
72 | 05
59 | 07
72 | | | 07
72 | 06
64 | 06
63 | | |
| Lymph Node, Mandibular
Hyperplasia, Lymphoid
Infiltration Cellular, Histiocyte
Infiltration Cellular, Lymphocyte
Infiltration Cellular, Plasma Cell | +
+
+
+
+ | +
+
+
+
+ | +
+
+
+
+ | +
+
+
+
+ | +
+
+
+
+ | +
+
+
+
+ | +
+
+
+
+ | +
+
+
+
+ | +
+
+
+
+ | +
+
+
+
+ | +
+
+
+
+ | +
+
+
+
+ | +
+
+
+
+ | +
+
+
+
+ | +
+
+
+
+ | +
+
+
+
+ | +
+
+
+
+ | +
+
+
+
+ | +
+
+
+
+ | +
+
+
+
+ | +
+
+
+
+ | +
+
+
+
+ | +
+
+
+
+ | M | +
+
+
+
+ | +
+
+
+
+ | |
| Lymph Node, Mesenteric
Hyperplasia, Lymphoid
Infiltration Cellular, Histiocyte
Infiltration Cellular, Plasma Cell | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ |
| Spleen
Angiectasis
Hematopoietic Cell Proliferation
Hyperplasia, Lymphoid | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ |
| Thymus
Atrophy
Hyperplasia, Lymphoid | +
+
+ | M
+
+ | +
+
+ | +
+
+ | +
+
+ | +
+
+ | +
+
+ | +
+
+ | +
+
+ | +
+
+ | +
+
+ | +
+
+ | +
+
+ | +
+
+ | +
+
+ | +
+
+ | +
+
+ | +
+
+ | +
+
+ | +
+
+ | +
+
+ | +
+
+ | +
+
+ | +
+
+ | +
+
+ | +
+
+ | +
+
+ |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|--|--|--|
| Mammary Gland | +
+
+
+ | M
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | | | | |
| Skin | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | +
+
+
+ | | | |
| Dermis, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epidermis, Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epidermis, Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Edema | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) | |
|-----------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------|-----------------------|
| | 0
7
2
7 | 0
3
4
3 | 0
7
2
8 | 0
5
3
8 | 0
7
2
9 | 0
7
3
0 | 0
7
2
7 | 0
7
2
8 | 0
7
2
9 | 0
7
2
0 | 0
7
2
9 | 0
5
9
0 | 0
6
6
8 | 0
7
2
6 | 0
6
2
9 | 0
7
2
8 | 0
7
2
6 | 0
7
2
7 | 0
5
9
6 | 0
7
2
9 | 0
7
2
2 | 0
7
2
3 | 0
6
2
4 | 0
7
2
5 | | |
| Veh ctrlFemale | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) | |
| 0
0
0
1
1 | 0
0
0
2
1 | 0
0
0
3
1 | 0
0
0
4
1 | 0
0
0
5
1 | 0
0
0
6
1 | 0
0
0
7
1 | 0
0
0
8
1 | 0
0
0
9
1 | 0
0
0
0
1 | 0
0
0
1
1 | 0
0
0
2
1 | 0
0
0
3
1 | 0
0
0
4
1 | 0
0
0
5
1 | 0
0
0
6
1 | 0
0
0
7
1 | 0
0
0
8
1 | 0
0
0
9
1 | 0
0
0
0
1 | 0
0
0
1
1 | 0
0
0
2
1 | 0
0
0
3
1 | 0
0
0
4
1 | 0
0
0
5
1 | | 0
0
0
6
1 |
| Skin, Control | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Skin, Site Of Application | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone, Femur | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Fibro-Osseous Lesion | 1 | | | | 3 | 2 | | | | | | | | | | | | | | 2 | 4 | | | | | |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain, Brain Stem | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Brain, Cerebellum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Brain, Cerebrum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Mineralization | 1 | | | | | | | | | 1 | 1 | 1 | | | | 1 | 2 | | 1 | 1 | 1 | 1 | | | 1 | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Eosinophilic Material | X | | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | females
(cont...) | |
|--------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|------|
| | 0727 | 0734 | 0738 | 0753 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | | 0777 |
| Veh ctrlFemale | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | |
| ANIMAL ID | 0001 | 0002 | 0003 | 0004 | 0005 | 0006 | 0007 | 0008 | 0009 | 0010 | 0011 | 0012 | 0013 | 0014 | 0015 | 0016 | 0017 | 0018 | 0019 | 0020 | 0021 | |

Olfactory Epithelium, Accumulation, Hyaline Droplet

2

Respiratory Epithelium, Accumulation, Hyaline Droplet

1 1 1 2 3 2 2 2 2 2 2 2 2 2 2 2 2 2 1 3 2 2 2

Trachea

+ +

SPECIAL SENSES SYSTEM

Eye

+ A + + +

Cataract

1

Phthisis Bulbi

X

Bilateral, Cataract

3

Harderian Gland

+ +

Infiltration Cellular, Lymphocyte

1 1

URINARY SYSTEM

Kidney

+ +

Infarct

X

X

X

X

X

Infiltration Cellular, Lymphocyte

2 2 2 1 2 1 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Metaplasia, Osseous

1

Nephropathy

1

2

2

2

1

1

1

2

Cortex, Cyst

Urinary Bladder

+ +

Infiltration Cellular, Lymphocyte

1 1

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0726 | 0726 | 0728 | 0722 | 0726 | 0722 | 0728 | 0722 | 0728 | 0722 | 0728 | 0722 | 0728 | 0722 | 0728 | 0625 | 0624 | 0729 | 0624 | 0625 | 0724 | 0624 | 0728 | |
| | ANIMAL ID | 0061 | 0071 | 0081 | 0001 | 0011 | 0021 | 0031 | 0041 | 0051 | 0061 | 0071 | 0081 | 0091 | 0001 | 0011 | 0021 | 0031 | 0041 | 0051 | 0061 | 0071 | 0081 | 0091 | |
| Veh ctrlFemale | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|-----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Gallbladder
Infiltration Cellular, Lymphocyte | + | + | + | + | M | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | 45 | 1 | 1.0 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | |
| Intestine Large, Colon
Inflammation, Chronic Active | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | 1 | 3.0 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | |
| Intestine Small, Duodenum
Inflammation, Chronic Active | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | 1 | 2.0 |
| Intestine Small, Ileum
Inflammation, Chronic Active
Lymphoid Tissue, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | 1 | 3.0 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Intestine Small, Jejunum
Inflammation, Suppurative
Ulcer
Lymphoid Tissue, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | 1 | 4.0 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Liver
Angiectasis
Basophilic Focus
Deformity
Eosinophilic Focus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 2 | 2.0 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | 0726 | 0727 | 0728 | 0729 | 0730 | 0731 | 0732 | 0733 | 0734 | 0735 | 0736 | 0737 | 0738 | 0739 | 0740 | 0741 | 0742 | 0743 | 0744 | 0745 | |
| Veh ctrlFemale | ANIMAL ID | | | | | | | | | | | | | | | | | | | | |
| | 0061 | 0062 | 0063 | 0064 | 0065 | 0066 | 0067 | 0068 | 0069 | 0070 | 0071 | 0072 | 0073 | 0074 | 0075 | 0076 | 0077 | 0078 | 0079 | 0080 | 0081 |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|---|---|--|---|--|--|--|--|--|---|-----|-----|
| Hematopoietic Cell Proliferation Infiltration Cellular, Lymphocyte Inflammation, Chronic Active Tension Lipidosis | | | | | | | | | | | | | | | | | | | | | | 2 | 1.0 | |
| Vacuolization Cytoplasmic Hepatocyte, Necrosis | 2 | | | | | | | | | | | | 2 | | | | | | | | | | 4 | 2.0 |
| | | | | | | | | | | | | | | 1 | | 1 | | | | | | | 2 | 1.0 |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|--|--|--|---|---|--|--|--|--|---|---|--|--|--|--|--|---|--|--|--|--|--|---|-----|
| Mesentery Necrosis | | | | + | + | | | | | + | + | | | | | | + | | | | | | 7 | |
| | | | | 4 | 3 | | | | | 4 | 3 | | | | | | 4 | | | | | | 7 | 3.6 |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|
| Pancreas Infiltration Cellular, Lymphocyte Fat, Necrosis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| | 2 | 1 | 1 | | 1 | | 2 | | 1 | 1 | 1 | | | | | 1 | 2 | | 2 | | 1 | 1 | 26 | 1.3 |
| | | | | | | | | | | | | | | | | 4 | | | | | | | 1 | 4.0 |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|
| Salivary Glands Infiltration Cellular, Lymphocyte | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| | | | | 2 | | | 1 | 1 | 2 | 1 | 3 | 2 | 2 | 1 | 1 | 2 | 2 | 1 | | 1 | 1 | 2 | 36 | 1.5 |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|
| Stomach, Forestomach Fibrosis Inflammation, Chronic Active Epithelium, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.5 |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|
| Stomach, Glandular Cyst Fibrosis Epithelium, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| | | | | | | | | | | | | | | | | | | | | | | | 4 | |
| | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| | | | 4 | | | | | | | | | | | | | | | | | | | 2 | 2 | 3.0 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically M .. Missing tissue 1-4 .. Lesion qualified as:
X .. Lesion present A .. Autolysis precludes evaluation 1) Minimal 3) Moderate
I .. Insufficient tissue BLANK .. Not examined microscopically 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----------|--|
| | 076 | 077 | 078 | 079 | 076 | 077 | 078 | 079 | 076 | 077 | 078 | 079 | 076 | 077 | 078 | 079 | 076 | 077 | 078 | 079 | | |
| Veh ctrlFemale | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | | |

| | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Cardiomyopathy | | | | | | | | | | | | | | | | | | | | | | | 2 1.0 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|-------|--------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Accessory Adrenal Cortical Nodule | X | | | | | | | | | X | | | | | | | | | | | | 3 | | |
| Amyloid Deposition | 1 | 2 | 1 | 2 | 2 | 2 | 1 | 2 | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 2 | 1 | 2 | | 1 | 2 | 44 1.6 | | |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | | |
| Cyst | | | | | | | | | | X | | | | | | | | | | | | 2 | | |
| Vacuolization Cytoplasmic Subcapsular, Hyperplasia | 2 | | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 3 | 2 | 3 | 3 | 2 | 3 | 3 | 1 | 4 | 4 | 2 | 47 2.4 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 2 | 1 2.0 | |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 44 | |
| Ectopic Thymus | | | | | | | | | X | | | | | | | | | | | | | | 1 | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 | |
| Pars Distalis, Hyperplasia | | | | | | | | | | | | 2 | | | | | | | | | 2 | | 3 2.0 | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | 1 | | | | | | | | 2 1.0 | |
| C-cell, Hyperplasia | | | | | | | 1 | 1 | | | | | | | | 1 | | | | | | | 9 1.0 | |
| Follicle, Cyst | | X | | | | | | | | | X | X | | | | | | | | | | | 5 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----------|
| | 076 | 077 | 078 | 079 | 076 | 077 | 078 | 079 | 076 | 077 | 078 | 079 | 076 | 077 | 078 | 079 | 076 | 077 | 078 | 079 | |
| Veh ctrlFemale | 006 | 007 | 008 | 009 | 006 | 007 | 008 | 009 | 006 | 007 | 008 | 009 | 006 | 007 | 008 | 009 | 006 | 007 | 008 | 009 | |
| | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|----|-----|---|-----|
| Clitoral Gland | + | | | | | | | | | | | | | | | | | | | | 46 | | | |
| Duct, Dilatation | 2 | | 2 | | 2 | | 4 | | 3 | | 2 | | 2 | | | | | | | | 18 | 2.6 | | |
| Ovary | + | | | | | | | | | | | | | | | | | | | | 48 | | | |
| Atrophy | 4 | | 4 | | 4 | | 4 | | 4 | | 4 | | 4 | | 4 | | 4 | | 4 | | 46 | 4.0 | | |
| Cyst | X | | X | | | | X | | | | X | | X | | X | | | | | | 9 | | | |
| Hematocyst | | | | | | | | | | | | | | | | | | | | | 1 | | | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 | | |
| Uterus | + | | | | | | | | | | | | | | | | | | | | 48 | | | |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | 3 | 1 | 3.0 |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | 4 | 1 | 4.0 |
| Endometrium, Hyperplasia, Cystic | 2 | | 4 | | 3 | | 4 | | 3 | | 4 | | 2 | | 4 | | 4 | | 4 | | 48 | 3.6 | | |
| Lumen, Dilatation | | | | | | | | | | | | | | | | | | | | | | 4 | 2 | 4.0 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|---|---|-----|-----|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | 47 | | | | |
| Myeloid Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | M | 1 | 4.0 | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | 7 | | |
| Mediastinal, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | 3 | 2 | 2.5 |
| Mediastinal, Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | 3 | 1 | 3.0 |
| Renal, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | 3 | 1 | 3.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-----------------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | 076 | 077 | 078 | 079 | 076 | 077 | 078 | 079 | 076 | 077 | 078 | 079 | 076 | 077 | 078 | 079 | 076 | 077 | 078 | 079 | |
| Veh ctrlFemale | ANIMAL ID | | | | | | | | | | | | | | | | | | | | |
| | 0061 | 0067 | 0068 | 0069 | 0061 | 0067 | 0068 | 0069 | 0061 | 0067 | 0068 | 0069 | 0061 | 0067 | 0068 | 0069 | 0061 | 0067 | 0068 | 0069 | |
| | 0061 | 0067 | 0068 | 0069 | 0061 | 0067 | 0068 | 0069 | 0061 | 0067 | 0068 | 0069 | 0061 | 0067 | 0068 | 0069 | 0061 | 0067 | 0068 | 0069 | |
| | 0061 | 0067 | 0068 | 0069 | 0061 | 0067 | 0068 | 0069 | 0061 | 0067 | 0068 | 0069 | 0061 | 0067 | 0068 | 0069 | 0061 | 0067 | 0068 | 0069 | |
| Skin, Control | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Skin, Site Of Application | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | |
| Bone, Femur | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Fibro-Osseous Lesion | | | 1 | 2 | 2 | | | | | | 2 | 1 | 2 | 2 | | | | | 3 | | 13 2.1 |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | 1 |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | |
| Brain, Brain Stem | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Brain, Cerebellum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Brain, Cerebrum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Mineralization | 1 | 1 | 1 | 2 | | 1 | 2 | 1 | | 1 | 1 | 2 | 1 | 2 | 1 | 1 | 1 | | 1 | 1 | 30 1.2 |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Hemorrhage | | | | 2 | | | | | | | | | | | | | | | | | 1 2.0 |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | 1 | | | | | | | 2 2.0 |
| Mineralization | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | 2 1.5 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Eosinophilic Material | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 44 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | | | | | | | | | | | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|------|------|------|------|-----|---|-----|-----|---|---|-----|-----|-----|-----|
| | 076 | 077 | 078 | 079 | 076 | 077 | 078 | 079 | 076 | 077 | 078 | 079 | 076 | 077 | 078 | 079 | 065 | 066 | 067 | 068 | | 069 | 065 | 066 | 067 | 068 | 069 | | | | | | | | | |
| Veh ctrlFemale | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0061 | 0067 | 0068 | 0069 | 0070 | 0071 | 0072 | 0073 | 0074 | 0075 | 0076 | 0077 | 0078 | 0079 | 0080 | 0081 | 0082 | 0083 | 0084 | 0085 | 0086 | 0087 | 0088 | 0089 | 0090 | 0091 | | | | | | | | | | |
| Olfactory Epithelium, Accumulation, Hyaline Droplet | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2 | 1.5 | | | | | | | |
| Respiratory Epithelium, Accumulation, Hyaline Droplet | 2 | | 1 | | 2 | 2 | 2 | | | | 1 | 2 | 2 | 2 | 1 | 2 | 1 | 2 | 1 | 1 | 1 | 2 | | | | | | | 34 | 1.7 | | | | | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | | | | | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | | | | | | |
| Cataract | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2 | 1.0 | | | |
| Phthisis Bulbi | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | |
| Bilateral, Cataract | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | | | | | |
| Infiltration Cellular, Lymphocyte | | | | | 1 | | 1 | 2 | 1 | 1 | 1 | 2 | 1 | | | | | 1 | | | | | | | | | | | | | | 2 | 18 | 1.2 | | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | | | | | |
| Infarct | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 7 | | |
| Infiltration Cellular, Lymphocyte | 1 | | 2 | | | 2 | 2 | 2 | 1 | | | 2 | | | | | | 1 | 2 | 1 | | | 1 | 1 | 1 | 1 | 2 | | | | | | 29 | 1.6 | | |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1.0 | |
| Nephropathy | | | 2 | | | 1 | | | | | | 1 | | 1 | | | | 2 | | | | | 1 | | | | | | | | | | | 14 | 1.4 | |
| Cortex, Cyst | | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | | | | | |
| Infiltration Cellular, Lymphocyte | | | 2 | | | 1 | 1 | 1 | 1 | | | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | 24 | 1.1 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0668 | 0535 | 0722 | 0658 | 0779 | 0770 | 0772 | 0778 | 0679 | 0779 | 0772 | 0254 | 0677 | 0550 | 0662 | 0757 | 0578 | 0722 | 0618 | 0570 | 0772 | 0757 | 0772 |
| | ANIMAL ID | 0097 | 0089 | 0098 | 0090 | 0012 | 0013 | 0014 | 0015 | 0016 | 0017 | 0018 | 0019 | 0020 | 0021 | 0022 | 0023 | 0024 | 0025 | 0026 | 0027 | 0028 | 0029 | 0030 |

females (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cardiomyopathy | | | | | | | | | | | | | | | | | | | | | | | | |
| Polyarteritis | | | | | | | | | 1 | | | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Accessory Adrenal Cortical Nodule | | | | | | | | | | | | | | | X | | | | | | | | | |
| Amyloid Deposition | 2 | 1 | 2 | 2 | 1 | 1 | 2 | 1 | 1 | | 1 | | | 2 | 2 | 1 | 1 | 2 | 1 | | 1 | 1 | | 1 |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | |
| Hypertrophy | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | | | | | | | 2 | | | | | | | | | | |
| Subcapsular, Hyperplasia | 3 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 3 | 2 | 4 | 2 | 3 | 2 | 3 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 2 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland | + | + | + | + | + | + | M | + | + | + | + | + | + | + | M | + | + | + | M | + | + | + | + | + |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Angiectasis | | | | | | | | | | | | | 2 | | | | | | | | | | | |
| Pars Distalis, Hyperplasia | | | | | | | | | | | | | | | | | | | 1 | | | 2 | | |
| Pars Distalis, Hypertrophy | | | | | | | | | | | | | 2 | | | | | | | | | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------------------|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------------------------------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0668 | 0535 | 0727 | 0659 | 0728 | 0779 | 0770 | 0777 | 0772 | 0773 | 0779 | 0674 | 0776 | 0525 | 0663 | 0728 | 0573 | 0728 | 0618 | 0580 | 0779 | 0771 | Tri 1.25Female | ANIMAL ID | 0071 | 0098 | 0099 | 0010 | 0011 | 0012 | 0013 | 0014 | 0015 | 0016 | 0017 | 0018 | 0019 | 0020 | 0021 | 0022 | 0023 | 0024 | 0025 | 0026 | 0027 | 0028 | 0029 | 0030 | females
(cont...) |
| | | 0668 | 0535 | 0727 | 0659 | 0728 | 0779 | 0770 | 0777 | 0772 | 0773 | 0779 | 0674 | 0776 | 0525 | 0663 | 0728 | 0573 | 0728 | 0618 | 0580 | 0779 | 0771 | | | 0071 | 0098 | 0099 | 0010 | 0011 | 0012 | 0013 | 0014 | 0015 | 0016 | 0017 | 0018 | 0019 | 0020 | 0021 | 0022 | 0023 | 0024 | 0025 | 0026 | 0027 | 0028 | 0029 | 0030 | |

Infiltration Cellular, Lymphocyte
C-cell, Hyperplasia
Follicle, Cyst

1 1 1 1

GENERAL BODY SYSTEM

Tissue NOS
Infiltration Cellular, Lymphocyte
Necrosis

+

GENITAL SYSTEM

Clitoral Gland
Duct, Dilatation

+ + + + + + + M + + + + + + + M + + + + + + + M
2 3 3 2 3 2 4 2 2 2 2 2 2 2 2 2 2 2 2 2 3 3

Ovary
Atrophy
Cyst
Hematocyst
Hyperplasia, Tubulostromal

+
4
X X X X
X
4

Uterus
Abscess
Necrosis
Endometrium, Hyperplasia, Cystic

+
4 4
4
3 3 4 3 4 3 4 4 4 2 4 4 1 4 3 4 3 4 3 4 3 4 3

HEMATOPOIETIC SYSTEM

Bone Marrow
Erythroid Cell, Hyperplasia
Myeloid Cell, Hyperplasia

+
3
4

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| B6C3F1 MICE FEMALE
Tri 1.25Female | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|--|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------------------|
| | 0668 | 0535 | 0722 | 0652 | 0772 | 0777 | 0777 | 0777 | 0777 | 0676 | 0777 | 0772 | 0666 | 0775 | 0566 | 0777 | 0575 | 0772 | 0772 | 0666 | 0557 | 0777 | 0667 | |
| ANIMAL ID | 00971 | 00981 | 00991 | 00101 | 00111 | 00121 | 00131 | 00141 | 00151 | 00161 | 00171 | 00181 | 00191 | 00201 | 00211 | 00221 | 00231 | 00241 | 00251 | 00261 | 00271 | 00281 | 00291 | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Histiocytosis | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hyperplasia, Lymphoid | | | 1 | | | | | | | | | 2 | 2 | | | | | | | | 1 | 3 | 1 | |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | | |
| Hyperplasia, Lymphoid | 2 | | 2 | | 1 | | 3 | 2 | 2 | | 1 | 2 | | 2 | | | | | | 3 | | 3 | 2 | |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Amyloid Deposition | | | | 4 | | | | | | | | | | | | | | | | | | | | |
| Hematopoietic Cell Proliferation | 4 | 2 | | 3 | | | 2 | | 2 | | | | | 4 | 2 | | 2 | 3 | 4 | | 2 | 4 | 4 | |
| Hyperplasia, Lymphoid | 3 | 3 | 4 | | 3 | 4 | 3 | 3 | 3 | | 3 | 4 | | 3 | 4 | | 3 | 4 | | 3 | 3 | | 4 | |
| Capsule, Inflammation, Chronic Active | | | | | | | | | | | | | | 3 | | | | | | | | | | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | M | + | + | M | + | + | + | + | + | + | + | | |
| Atrophy | 4 | 3 | 3 | 4 | 3 | 4 | 4 | 4 | 4 | | 3 | 4 | | 4 | 4 | | 3 | 3 | | 4 | 4 | 4 | 4 | |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cyst Epithelial Inclusion | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) | | |
|--------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|------|--|
| | 0668 | 0535 | 0727 | 0625 | 0778 | 0777 | 0777 | 0777 | 0777 | 0676 | 0777 | 0777 | 0222 | 0666 | 0777 | 0555 | 0666 | 0777 | 0555 | 0777 | 0222 | 0666 | 0555 | | 0777 | |
| Tri 1.25Female | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | | |
| | 9997 | 9998 | 9999 | 0000 | 0001 | 0002 | 0003 | 0004 | 0005 | 0006 | 0007 | 0008 | 0009 | 0010 | 0011 | 0012 | 0013 | 0014 | 0015 | 0016 | 0017 | 0018 | 0019 | 0020 | 0021 | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Epidermis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Skin, Control | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Epidermis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | |
| Skin, Site Of Application | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Dermis, Fibrosis | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Dermis, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Epidermis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Epidermis, Inflammation, Suppurative | | | | | | | | | | | | | 1 | | | | | | | | | | | 2 |
| Epidermis, Ulcer | | | | | | | | | | | | | 2 | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | | | | | | | | | | | | | | | | | | | | | | | | + |
| Bone, Femur | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Fibro-Osseous Lesion | | | | 2 | | | | | 2 | | | | | | | | 2 | | | | | 1 | | 2 |
| Skeletal Muscle | + | | | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain, Brain Stem | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Compression | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain, Cerebellum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Brain, Cerebrum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Mineralization | | | | 1 | 1 | 1 | | 1 | | 1 | 1 | 1 | | 1 | 1 | | 1 | | | | 2 | | 1 | 2 |
| Ventricle, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----------------------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------------------------------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0668 | 0535 | 0722 | 0655 | 0722 | 0773 | 0772 | 0772 | 0772 | 0672 | 0772 | 0223 | 0655 | 0752 | 0663 | 0752 | 0722 | 0672 | 0655 | 0773 | 0772 | 0672 | Tri 1.25Female | ANIMAL ID | 00971 | 00998 | 00990 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | females
(cont...) |
| | ANIMAL ID | 00971 | 00998 | 00990 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | 00111 | | | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Histiocytosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Histiocyte | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Lymphocyte | | 2 | | | | | | | | 2 | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Eosinophilic Material | | X | X | X | X | X | X | X | | X | X | | X | | | X | X | X | X | X | X | X | X | | |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | | | | |
| Olfactory Epithelium, Accumulation, Hyaline Droplet | | | | 2 | | | | | | | | | | | | | | | | | | | | | |
| Respiratory Epithelium, Accumulation, Hyaline Droplet | 2 | 2 | 2 | | | | 2 | 1 | 1 | 3 | 1 | 1 | | 2 | 2 | | 1 | 2 | 1 | 1 | | 2 | 1 | 1 | 1 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | |
| Cataract | | | | | | | | | | | | | | 4 | | | 1 | | | | | | 1 | | |
| Phthisis Bulbi | | | | | | | | | X | | | | | | | | | | | | | | | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Infiltration Cellular, Lymphocyte | 1 | | 1 | 1 | | 2 | | | | | 1 | | | | | | 1 | | 2 | | 1 | 2 | 1 | | 2 |
| Zymbal's Gland | | | | | | | | | | | | | | | | | | | | | | | | | + |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Duct, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | | 4 |

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|--------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|
| | 0668 | 0535 | 0722 | 0655 | 0772 | 0777 | 0777 | 0777 | 0777 | 0676 | 0777 | 0777 | 0222 | 0666 | 0777 | 0555 | 0666 | 0777 | 0555 | 0777 | 0222 | 0666 | 0555 | 0777 | |
| Tri 1.25Female | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 |
| | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Casts | | | | | | | | | | | | | | | | | | | | | | | | |
| Infarct | | | | | | | | | | | | | | | | | | | X | X | | | | |
| Infiltration Cellular, Lymphocyte | | 2 | 1 | 2 | | 2 | 2 | 1 | 3 | | 4 | 1 | | | 1 | | 1 | 2 | | 1 | 1 | | 4 | 1 |
| Metaplasia, Osseous | | | | | 1 | | | | | | | | | | | | | | | | | | | |
| Nephropathy | | | | | 1 | | | | | | | 3 | 1 | | | | | | 1 | | | 2 | | 4 |
| Epithelium, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | |
| Glomerulus, Amyloid Deposition | | | | | | | | | | | 4 | | | | | | | | | | | | | |
| Pelvis, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal Tubule, Cyst | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal Tubule, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal Tubule, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Infiltration Cellular, Lymphocyte | 2 | | 1 | 1 | 1 | 1 | 1 | 3 | 2 | 1 | 2 | 2 | | 2 | 1 | | 1 | 1 | | 1 | | | | 1 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumen, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | |
| Transitional Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----------------|--|
| B6C3F1 MICE FEMALE | DAY ON TEST | 07 | 07 | 07 | 06 | 04 | 07 | 07 | 07 | 05 | 05 | 07 | 07 | 07 | 07 | 07 | 06 | 07 | 07 | 06 | 07 | 07 | 07 | |
| | | 27 | 28 | 29 | 17 | 19 | 23 | 20 | 22 | 25 | 23 | 22 | 22 | 22 | 22 | 28 | 22 | 22 | 27 | 27 | 29 | 29 | 22 | |
| Tri 1.25Female | ANIMAL ID | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | |
| | | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | |
| | | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | |
| | | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | |
| | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | * TOTALS | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Gallbladder | + | + | + | + | + | + | + | + | A | + | M | + | + | + | + | + | + | + | + | + | + | + | 46 | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | 1 | | | | | | | | | | | | 1 1.0 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Lymphoid Tissue, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | 5 |
| Deformity | | | X | | | | | | | | | | | | | | | | | | | | | 1 |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Infiltration Cellular, Lymphocyte | 2 | | | 1 | 1 | | | | | | 1 | 1 | | 1 | 1 | | | 1 | 1 | | | | | 22 1.3 |
| Inflammation, Chronic Active | | | 1 | | | | | | | | | 1 | | | | | | | | | | | | 5 1.8 |
| Tension Lipidosis | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|--|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|----|--------|
| | 07 | 07 | 07 | 06 | 04 | 07 | 07 | 07 | 07 | 05 | 05 | 07 | 07 | 07 | 07 | 07 | 06 | 07 | 07 | 06 | | 07 | 07 |
| Tri 1.25Female | ANIMAL ID | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
| | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | | 01 | 01 |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Vacuolization Cytoplasmic Hepatocyte, Necrosis | | | | 2 | | | | | | 1 | | | | | | | 1 | | | | | | 5 1.8 |
| Mesentery Necrosis | | | | | | | | | | | | | | | | | | | | | | + | 4 |
| | | | | | | | | | | | | | | | | | | | | | | + | 4 3.8 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Histiocytosis | | | | | | | | | | | | | | | | | | | | | | 2 | 1 2.0 |
| Infiltration Cellular, Lymphocyte | | | | 1 | 1 | | | | 1 | | 1 | 2 | 2 | 2 | | | | 1 | 1 | 1 | | 1 | 25 1.2 |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | 2 | 1 2.0 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Infiltration Cellular, Lymphocyte | | | | 1 | 2 | | 1 | 1 | 1 | 2 | | | 2 | 1 | | 1 | 1 | 1 | 2 | 1 | 2 | 1 | 1 1 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Keratin Cyst | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Cyst | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 2 | 1 2.0 |

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE
Tri 1.25Female | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|--------|
| | 0727 | 0728 | 0729 | 0671 | 0493 | 0726 | 0772 | 0778 | 0525 | 0553 | 0722 | 0727 | 0772 | 0778 | 0628 | 0726 | 0727 | 0677 | 0679 | 0722 | | 0729 |
| ANIMAL ID | 001 | 002 | 003 | 004 | 005 | 006 | 007 | 008 | 009 | 010 | 011 | 012 | 013 | 014 | 015 | 016 | 017 | 018 | 019 | 020 | 021 | |
| | 111 | 112 | 113 | 114 | 115 | 116 | 117 | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 | 131 | |
| | 222 | 223 | 224 | 225 | 226 | 227 | 228 | 229 | 230 | 231 | 232 | 233 | 234 | 235 | 236 | 237 | 238 | 239 | 240 | 241 | 242 | 243 |
| | 111 | 112 | 113 | 114 | 115 | 116 | 117 | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 | 131 | 132 |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Cardiomyopathy | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Polyarteritis | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Accessory Adrenal Cortical Nodule | | | | | | | | | | | | | | | | | | | | | | 1 |
| Amyloid Deposition | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 1 | 1 | 2 | 2 | 2 | 1 | 2 | 2 | 2 | | 2 | 1 | 2 | 2 | 42 1.5 |
| Angiectasis | | | | | | | | | | | | 3 | | | | | | | | | | 1 3.0 |
| Cyst | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Hypertrophy | | | | | | | 2 | | | | | | | | | | | | | | | 1 2.0 |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Subcapsular, Hyperplasia | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 1 | 4 | 2 | 2 | 2 | 3 | 3 | 2 | 2 | 3 | 2 | 3 | 3 | 48 2.4 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 45 |
| Cyst | | | | | X | | | | | | | | | | | | | | | | | 1 |
| Pituitary Gland | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Angiectasis | | | | | | | | | | | | | | 1 | | | | | | | | 2 1.5 |
| Pars Distalis, Hyperplasia | | | | | | | | | | | | | | | | | 2 | | 2 | | | 4 1.8 |
| Pars Distalis, Hypertrophy | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE
Tri 1.25Female | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|--------------------------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----------|-----|-----|-----|
| | 077 | 078 | 079 | 061 | 049 | 072 | 076 | 077 | 078 | 055 | 055 | 072 | 077 | 077 | 077 | 077 | 066 | 072 | 077 | 066 | | 072 | 077 | 077 |
| ANIMAL ID | 011 | 011 | 011 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 |
| | 227 | 228 | 229 | 271 | 249 | 272 | 276 | 277 | 278 | 255 | 255 | 272 | 277 | 277 | 277 | 277 | 266 | 272 | 277 | 266 | 272 | 277 | 277 | 277 |
| | 227 | 228 | 229 | 271 | 249 | 272 | 276 | 277 | 278 | 255 | 255 | 272 | 277 | 277 | 277 | 277 | 266 | 272 | 277 | 266 | 272 | 277 | 277 | 277 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|--|--|--|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|---|-----|-----|
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 4 | 1.0 | |
| C-cell, Hyperplasia | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | 4 | 1.0 |
| Follicle, Cyst | | | | | X | | | | | | | | | | | | | | | | | | | | | X | | 3 | |

GENERAL BODY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|---|-----|
| Tissue NOS | | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | 4 | 2 | 2 | 3.0 |

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|----|-----|
| Clitoral Gland | | | | | | | | | | | | | | | | | | | | | | | | | | | | 44 | |
| Duct, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | | | | | 26 | 2.5 |
| Ovary | | | | | | | | | | | | | | | | | | | | | | | | | | | | 48 | |
| Atrophy | | | | | | | | | | | | | | | | | | | | | | | | | | | | 46 | 4.0 |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | | | | 5 | |
| Hematocyst | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hyperplasia, Tubulostromal | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Uterus | | | | | | | | | | | | | | | | | | | | | | | | | | | | 48 | |
| Abscess | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Endometrium, Hyperplasia, Cystic | | | | | | | | | | | | | | | | | | | | | | | | | | 4 | 4 | 47 | 3.4 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|-----|
| Bone Marrow | | | | | | | | | | | | | | | | | | | | | | | | | | | | 48 | |
| Erythroid Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |
| Myeloid Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 4.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|----|
| | 07 | 07 | 07 | 06 | 04 | 07 | 07 | 07 | 07 | 05 | 05 | 07 | 07 | 07 | 07 | 06 | 07 | 07 | 06 | 07 | | 07 |
| Tri 1.25Female | 02 | 07 | 07 | 07 | 09 | 02 | 00 | 02 | 02 | 03 | 02 | 02 | 02 | 02 | 08 | 02 | 06 | 07 | 08 | 07 | 09 | |
| | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | |
| | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 04 | 04 | 04 | 04 | |
| | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 00 | 01 | 02 | |
| | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | |

| | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|-----|
| Lymph Node | + | | | | | | | | | | | | | | | | | | | | 4 | | |
| Lumbar, Histiocytosis | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Lumbar, Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Lumbar, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | 14 | 1.6 |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | 28 | 2.1 |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | 3 | 3.7 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Amyloid Deposition | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | 30 | 2.8 |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | 38 | 3.3 |
| Capsule, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 | | |
| Atrophy | | | | | | | | | | | | | | | | | | | | | | 42 | 3.7 |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--|--|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Cyst Epithelial Inclusion | | | | | | | | | | | | | | | | | | X | | 1 | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE
Tri 1.25Female | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------|---|---|-----------------------|-------------|
| | 0
7
2
7 | 0
7
2
8 | 0
7
2
9 | 0
6
7
1 | 0
4
9
3 | 0
7
2
6 | 0
7
0
2 | 0
7
2
8 | 0
5
2
5 | 0
5
2
3 | 0
7
2
9 | 0
7
2
6 | 0
7
2
8 | 0
7
2
9 | 0
6
2
2 | 0
7
2
6 | 0
7
2
8 | 0
6
2
7 | 0
7
2
9 | 0
7
2
9 | | | | | |
| | ANIMAL ID | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | |
| | 0
1
2
2
1 | 0
1
2
3
1 | 0
1
2
4
1 | 0
1
2
5
1 | 0
1
2
6
1 | 0
1
2
7
1 | 0
1
2
8
1 | 0
1
2
9
1 | 0
1
3
0
1 | 0
1
3
1
1 | 0
1
3
2
1 | 0
1
3
3
1 | 0
1
3
4
1 | 0
1
3
5
1 | 0
1
3
6
1 | 0
1
3
7
1 | 0
1
3
8
1 | 0
1
4
9
1 | 0
1
4
0
1 | 0
1
4
1
1 | | | 0
1
4
2
1 | 0
1
4
3
1 | |
| Epidermis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Skin, Control
Epidermis, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | + | + | 48
1 1.0 |
| Skin, Site Of Application
Dermis, Fibrosis
Dermis, Inflammation, Chronic Active
Epidermis, Hyperplasia
Epidermis, Inflammation, Suppurative
Epidermis, Ulcer | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
1 3.0
2 2.5
5 1.8
3 2.0
2 3.0 | | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Bone, Femur
Fibro-Osseous Lesion | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
10 1.5 | | |
| Skeletal Muscle | | | | + | | | | | | | | | | | | | | | | | | | 2 | | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain, Brain Stem
Compression | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
1 4.0 | | |
| Brain, Cerebellum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Brain, Cerebrum
Mineralization
Ventricle, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
29 1.1
1 3.0 | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|--|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 7 | 7 | 7 | 6 | 4 | 7 | 7 | 7 | 5 | 5 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | |
| Tri 1.25Female | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | |
| | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|--|---------------|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Histiocytosis | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | | | | 2 3.0 |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | | | 3 2.7 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Eosinophilic Material | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | 42 |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Olfactory Epithelium, Accumulation, Hyaline Droplet | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Respiratory Epithelium, Accumulation, Hyaline Droplet | | | | | | | | | | | | | | | | | | | | | | | | | | 34 1.6 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|--|---------------|
| Eye | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 | | |
| Cataract | | | | | | | | | | | | | | | | | | | | | | | | | | 4 1.8 |
| Phthisis Bulbi | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | | | 25 1.2 |
| Zymbal's Gland | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Duct, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--------------------------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|--------|
| | 07 | 07 | 07 | 06 | 04 | 07 | 07 | 07 | 05 | 05 | 07 | 07 | 07 | 07 | 07 | 06 | 07 | 07 | 06 | 07 | | 07 |
| Tri 1.25Female | ANIMAL ID | | | | | | | | | | | | | | | | | | | | * TOTALS | |
| | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | | 01 |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Casts | | | 4 | | | | | | | | | | | | | | | | | | 2 | 2 3.0 |
| Infarct | | | | | | | X | | | | | | | X | | | | | X | X | | 6 |
| Infiltration Cellular, Lymphocyte | 1 | 1 | 2 | 1 | | 2 | 2 | 1 | | 1 | 2 | | 1 | 2 | 1 | | 1 | 2 | | 1 | 2 | 33 1.6 |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Nephropathy | | | | | 2 | | | | 1 | | 1 | | | | 1 | | 2 | 1 | 1 | | | 13 1.6 |
| Epithelium, Degeneration | | | 4 | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Glomerulus, Amyloid Deposition | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Pelvis, Dilatation | | | | | 3 | | | | | | | | | | | | | | | | | 1 3.0 |
| Renal Tubule, Cyst | X | | | | | | | | | | | | | | | | | | | | | 1 |
| Renal Tubule, Dilatation | | | | | | | | | | | | | | | 3 | | | | | | | 1 3.0 |
| Renal Tubule, Hyperplasia | | | 4 | | | | | | | | | | | | | | | | | | 2 | 2 3.0 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Infiltration Cellular, Lymphocyte | 1 | | 2 | 2 | | | | 1 | | | 1 | | | 1 | 1 | 1 | 2 | 1 | | | 1 | 30 1.3 |
| Inflammation, Chronic Active | | | | | 3 | | | | | | | | | | | | | | | | | 1 3.0 |
| Lumen, Dilatation | | | | | 3 | | | | | | | | | | | | | | | | | 1 3.0 |
| Transitional Epithelium, Hyperplasia | | | | | 2 | | | | | | | | | | | | | | | | | 1 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 7 | 7 | 6 | 7 | 6 | 7 | 6 | 7 | 5 | 6 | 6 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 6 | 7 | 6 | 6 | 7 | 6 | 6 | 7 | 6 | 7 |
| Tri 2.7 Female | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |

females (cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Gallbladder | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | M | | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ulcer | | | | | | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoid Tissue, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Clear Cell Focus | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hypertrophy | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE
Tri 2.7 Female | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) | |
|--|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|---|
| | 0727 | 0728 | 0728 | 0729 | 0731 | 0731 | 0731 | 0731 | 0731 | 0731 | 0731 | 0731 | 0731 | 0731 | 0731 | 0731 | 0731 | 0731 | 0731 | 0731 | 0731 | 0731 | 0731 | 0731 | | |
| ANIMAL ID | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | 0111 | | |
| Infiltration Cellular, Lymphocyte
Inflammation, Chronic | 1 | 2 | | | | | | | | 1 | | | | 1 | 1 | 2 | | 1 | | | 1 | | | | | |
| Inflammation, Chronic Active
Mixed Cell Focus | | | | 4 | | | | | | | 4 | | | | | | | 1 | | | | | | 1 | | |
| Tension Lipidosis
Thrombosis | | | | | | | | | | | | | | | | | | | | 2 | | X | | | | |
| Vacuolization Cytoplasmic
Hepatocyte, Necrosis | | | | | 4 | | | | | | | | | | | | | | | 2 | | | | | | |
| | | | | 4 | | | | | | | 4 | | | | 4 | | | | | | | | | 1 | | |
| Mesentery
Necrosis | | | | + | + | + | | | | | + | + | | | | | | | + | | | | | | | |
| | | | | 3 | 4 | | | | | | 4 | 4 | | | | | | | | 3 | | | | | | |
| Pancreas
Infiltration Cellular, Lymphocyte | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| | 1 | 1 | | 1 | | | | | | 2 | 1 | | | | 2 | 1 | | | | | | 2 | | 2 | 3 | |
| Inflammation, Chronic Active
Vacuolization Cytoplasmic
Acinus, Degeneration | | | | | | | | | | | | | | | | | | | | | | | 3 | | | |
| Duct, Cyst
Duct, Dilatation | | | | | | | | | | | | | | | | | | | | | | | 2 | | 4 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 4 | |
| Salivary Glands
Infiltration Cellular, Lymphocyte | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| | 1 | 2 | 1 | 3 | | 1 | | | 2 | | 2 | 1 | 2 | | 1 | 1 | 1 | 2 | 1 | 1 | 1 | | 3 | 2 | 2 | 2 |
| Stomach, Forestomach
Epithelium, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| | | | | | | | | | 2 | | | | | 3 | | | | | | | | | | | | |
| Stomach, Glandular
Infiltration Cellular, Lymphocyte
Epithelium, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| | | | | | | | | | | | | | | 1 | | | | | | | | | | | | |
| | | | | | | | | | 2 | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|-------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------------------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0727 | 0728 | 0668 | 0729 | 0661 | 0720 | 0666 | 0753 | 0666 | 0727 | 0667 | 0726 | 0667 | 0725 | 0668 | 0720 | 0669 | 0728 | 0669 | 0722 | 0668 | 0729 | 0665 | 0723 | 0669 | 0726 | |
| | ANIMAL ID | 01931 | 0119 | 0111 | 0109 | 0109 | 0109 | 0100 | 0100 | 0100 | 0100 | 0100 | 0100 | 0100 | 0100 | 0100 | 0100 | 0101 | 0101 | 0102 | 0103 | 0104 | 0105 | 0106 | 0107 | 0108 | 0109 | |
| Tri 2.7 Female | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Inflammation, Chronic Active Myocardium, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Accessory Adrenal Cortical Nodule | | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Amyloid Deposition | 1 | | 2 | 1 | | | 2 | 2 | 1 | 1 | 2 | 1 | 1 | 2 | 2 | 1 | 1 | 2 | 2 | | 1 | 1 | 1 | 2 | | | |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcapsular, Hyperplasia | 2 | 2 | 3 | 2 | | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 3 | 2 | 2 | 2 | 1 | 2 | 3 | 2 | 3 | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | | | | | | | | | | | | | | 2 | | | | | | | | | | | | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + |
| Cyst | | | | X | | | | | | | | | | | | | | | | | | | | | | | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pars Distalis, Hyperplasia | | | 3 | | | | | | 2 | | | | | | | 4 | | 1 | | | | | | | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| C-cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|--------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|----------------------|
| | 0727 | 0728 | 0668 | 0669 | 0671 | 0676 | 0677 | 0678 | 0593 | 0593 | 0593 | 0572 | 0566 | 0577 | 0566 | 0577 | 0566 | 0577 | 0566 | 0577 | 0666 | 0666 | 0677 | | |
| Tri 2.7 Female | 0113 | 0113 | 0113 | 0113 | 0113 | 0113 | 0113 | 0200 | 0200 | 0200 | 0200 | 0200 | 0200 | 0200 | 0200 | 0200 | 0200 | 0200 | 0200 | 0200 | 0200 | 0200 | 0200 | | |
| | 931 | 931 | 931 | 931 | 931 | 931 | 931 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | | |

Follicle, Cyst X X

GENERAL BODY SYSTEM

Tissue NOS +

GENITAL SYSTEM

Clitoral Gland +
 Duct, Dilatation 2 2 2 2 2 2 2 2 2 2 3 2 2 2 2 2 2 2 2 2 2 2 2

Fat Pad, Ovarian/parametrial +
 Necrosis 4

Ovary +
 Atrophy 4 2 4 4 4
 Cyst X X
 Pigmentation 4
 Bilateral, Cyst X
 Epithelium, Hyperplasia 3

Uterus +
 Infiltration Cellular, Polymorphonuclear
 Inflammation, Chronic Active 3
 Endometrium, Hyperplasia, Cystic 4 3 3 4 3 4 4 4 3 4 3 4 4 4 3 4 3 4 3 4 4 4 3 3
 Muscularis, Degeneration 3

HEMATOPOIETIC SYSTEM

Bone Marrow +
 Myeloid Cell, Hyperplasia 4 4 4 4

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically M .. Missing tissue 1-4 .. Lesion qualified as:
 X .. Lesion present A .. Autolysis precludes evaluation 1) Minimal 3) Moderate
 I .. Insufficient tissue BLANK .. Not examined microscopically 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| B6C3F1 MICE FEMALE | DAY ON TEST | 07 | 07 | 06 | 07 | 06 | 07 | 06 | 07 | 05 | 06 | 06 | 07 | 06 | 07 | 07 | 06 | 07 | 07 | 07 | 06 | 06 | 07 |
| | ANIMAL ID | 27 | 28 | 26 | 29 | 22 | 23 | 29 | 33 | 33 | 37 | 37 | 22 | 26 | 22 | 25 | 27 | 28 | 29 | 26 | 29 | 22 | 29 |
| Tri 2.7 Female | DAY ON TEST | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |
| | ANIMAL ID | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |

females (cont...)

Skin, Control
Epidermis, Hyperplasia

+ +

Skin, Site Of Application
Epidermis, Hyperplasia
Epidermis, Inflammation, Suppurative

+
1 1

MUSCULOSKELETAL SYSTEM

Bone, Femur
Fibro-Osseous Lesion

+
2 2 2 3

Skeletal Muscle

+ +

NERVOUS SYSTEM

Brain, Brain Stem
Compression

+
4

Brain, Cerebellum

+ +

Brain, Cerebrum
Mineralization
Ventricle, Dilatation

+
1 1

Nerve Trigeminal

+

Peripheral Nerve, Sciatic

+

Spinal Cord, Cervical

+

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----------------------|-----------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|------------------------------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 07 | 07 | 06 | 07 | 06 | 07 | 06 | 07 | 05 | 06 | 06 | 07 | 06 | 07 | 06 | 07 | 06 | 07 | 07 | 06 | 06 | 07 | Tri 2.7 Female | ANIMAL ID | 01 | 01 | 01 | 01 | 01 | 01 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | females
(cont...) |
| | | 72 | 72 | 66 | 72 | 62 | 73 | 93 | 33 | 77 | 77 | 26 | 26 | 25 | 28 | 29 | 69 | 78 | 22 | 22 | 09 | 78 | 29 | | 93 | | 93 | 44 | 55 | 66 | 77 | 88 | 99 | 00 | 11 | 22 | 33 | 44 | 55 | 66 | 77 | 11 | | | | | | |

Spinal Cord, Lumbar

+

Spinal Cord, Thoracic

+

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Eosinophilic Material | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | |
| Olfactory Epithelium, Accumulation, Hyaline Droplet | | | | | 1 | | | | | | | | | | | | | | | | | | 2 | |
| Respiratory Epithelium, Accumulation, Hyaline Droplet | | 1 | | | | 2 | 2 | 1 | | 1 | | 2 | 1 | | 1 | | 2 | 1 | 1 | 2 | | 1 | 2 | 2 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cataract | | | | | | 1 | | | | | | | | | | | | | | | | 1 | |
| Harderian Gland | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Infiltration Cellular, Lymphocyte | 1 | 1 | | 1 | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | 1 | | 1 | | | | 1 |
| Zymbal's Gland | | | | | | | | | | | | | | | | | | | | | | | |
| Cyst, Squamous | | | | | | | | | | | | | | | | | | | | | | | X |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | 4 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 7 | 7 | 6 | 7 | 6 | 7 | 6 | 7 | 5 | 6 | 6 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 6 | 6 | 7 |
| | | 2 | 2 | 6 | 2 | 2 | 3 | 9 | 3 | 3 | 7 | 7 | 2 | 6 | 2 | 2 | 5 | 2 | 2 | 0 | 2 | 2 | 9 | 3 | 9 | 3 | 2 |
| Tri 2.7 Female | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 7 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |

females (cont...)

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Accumulation, Hyaline Droplet | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Casts | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infarct | X | | | | | | | | | | | | | X | | X | | | | | | | | | | | |
| Infiltration Cellular, Lymphocyte | | 2 | | 1 | | 2 | | | | 1 | | 1 | 1 | 2 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | | 2 | | | 2 | |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Metaplasia, Osseous | | | 2 | | | | | | | | | | 1 | | | | | | | | | | | | | | |
| Nephropathy | 1 | | 2 | | 2 | | | 2 | 2 | | 1 | | | | | | | | | | | | | | 1 | | |
| Cortex, Cyst | | | | | | | | | X | | | | | | | | | | | | | | | | | | |
| Renal Tubule, Cyst | X | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal Tubule, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | 4 | |
| Renal Tubule, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | 4 | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Infiltration Cellular, Lymphocyte | | | 1 | 1 | 1 | 1 | | | | 1 | 1 | 1 | 2 | | | 1 | | 2 | 1 | 1 | | 1 | 1 | 2 | | 1 | |
| Transitional Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|
| | 07 | 06 | 04 | 07 | 07 | 07 | 07 | 05 | 07 | 07 | 05 | 07 | 07 | 07 | 06 | 07 | 07 | 07 | 06 | 07 | |
| Tri 2.7 Female | 27 | 27 | 24 | 28 | 22 | 22 | 26 | 20 | 22 | 22 | 23 | 22 | 22 | 26 | 22 | 22 | 22 | 22 | 25 | 22 | 48 |
| | 11 | 11 | 12 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 23 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 44 |
| | 89 | 00 | 11 | 22 | 33 | 44 | 55 | 66 | 77 | 88 | 99 | 00 | 11 | 22 | 33 | 44 | 55 | 66 | 77 | 88 | 48 |
| | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 48 |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | 44 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Lymphoid Tissue, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Angiectasis | | | | | | 2 | | | | | | | | | | | | | | | | | 1 2.0 |
| Basophilic Focus | | | | | | | | X | | | | | | | | | | | | | | | 3 |
| Clear Cell Focus | | | | | | | | | | | | | | | | | | | X | | | | 1 |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | 2 3.0 |
| Hypertrophy | | | 2 | | | | | | | | | | | | | | | | | | | | 1 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE
Tri 2.7 Female | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|--------------------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|----|-----|
| | 07
27
7 | 06
7
2 | 04
4
8 | 07
2
8 | 07
2
9 | 07
2
6 | 07
2
7 | 05
0
3 | 07
2
8 | 07
2
9 | 05
3
5 | 07
2
6 | 07
2
7 | 07
2
6 | 06
6
4 | 07
2
9 | 07
2
6 | 07
2
7 | 07
2
8 | 06
5
0 | | 07
2
8 | | |
| ANIMAL ID | 02
11
8
1 | 02
11
9
1 | 02
22
0
1 | 02
22
1
1 | 02
22
2
1 | 02
22
3
1 | 02
22
4
1 | 02
22
5
1 | 02
22
6
1 | 02
22
7
1 | 02
22
8
1 | 02
22
9
1 | 02
23
0
1 | 02
23
1
1 | 02
23
2
1 | 02
23
3
1 | 02
23
4
1 | 02
23
5
1 | 02
23
6
1 | 02
23
7
1 | 02
23
8
1 | 02
23
9
1 | | |
| Infiltration Cellular, Lymphocyte | 2 | | | 2 | 1 | 1 | 1 | | | | | | | | 2 | 1 | 2 | | 1 | | | | 17 | 1.4 |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Inflammation, Chronic Active | | | | | | | | | 1 | | | | | | | | | | 1 | | | | 5 | 1.6 |
| Mixed Cell Focus | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Tension Lipidosis | | | | | | | | | | | | | | 2 | | | | | | | | | 2 | 2.0 |
| Thrombosis | | | | | | | | | | | | | | | | | | | | X | | | 1 | |
| Vacuolization Cytoplasmic | | | | | | | | | | | | | | | | | | | | | | | 2 | 3.0 |
| Hepatocyte, Necrosis | | | | | | | | | 4 | | | | | | | | | | 1 | | | | 6 | 3.0 |
| Mesentery | + | | | | | | | | | | | | | | | | | | | | | | 11 | |
| Necrosis | 3 | | | | | | + | + | | | | | | | + | | | | | | | + | 10 | 3.5 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Infiltration Cellular, Lymphocyte | 1 | | | 2 | 1 | 1 | | | | 1 | | | | | 1 | 2 | | | 1 | | 1 | | 22 | 1.4 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |
| Vacuolization Cytoplasmic | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.0 |
| Acinus, Degeneration | | | | | | | | | | | | | | | | | | | | | | | 3 | 2.3 |
| Duct, Cyst | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Duct, Dilatation | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Infiltration Cellular, Lymphocyte | 1 | | | 2 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 2 | | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 39 | 1.5 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.5 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | 1 | 1.0 |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE
Tri 2.7 Female | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--------------------------------------|-------------|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ANIMAL ID | 7 | 6 | 4 | 7 | 7 | 7 | 5 | 7 | 7 | 5 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 6 | 7 |
| | | 2 | 7 | 4 | 2 | 2 | 2 | 0 | 2 | 2 | 3 | 2 | 2 | 6 | 2 | 2 | 2 | 2 | 2 | 2 | 5 | 2 | 2 | |
| | | 7 | 2 | 8 | 8 | 9 | 6 | 3 | 8 | 9 | 5 | 6 | 7 | 4 | 9 | 6 | 7 | 8 | 9 | 7 | 0 | 8 | 8 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | |
| | | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Inflammation, Chronic Active | | | 2 | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Myocardium, Necrosis | | | 2 | | | | | | | | | | | | | | | | | | | | | 1 2.0 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Accessory Adrenal Cortical Nodule | | | | | | | | | X | | | | | | | | | X | | | | | | 3 |
| Amyloid Deposition | 2 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 43 1.5 |
| Angiectasis | | | 3 | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Subcapsular, Hyperplasia | 3 | 2 | 1 | 2 | 2 | 2 | 2 | 2 | 4 | 2 | 2 | 2 | 3 | 3 | 2 | 2 | 2 | 3 | 2 | 3 | 2 | 2 | 2 | 47 2.2 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Hyperplasia | | | | | | | | | 2 | | | | | | | | | | | | | | | 1 2.0 |
| Parathyroid Gland | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 45 |
| Cyst | | | | X | | | | | | | | | | | | | | | | | | | | 2 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | 47 |
| Angiectasis | | | | | | | | | | | | | | | | 2 | 1 | | | | | | | 3 2.3 |
| Pars Distalis, Hyperplasia | | | | 1 | | | | | | | | | | | | | | | | | | | | 5 2.2 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| C-cell, Hyperplasia | | | | 1 | | | | | | | | | | | | | | | | | | | | 2 1.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|--|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0
7 | 0
6 | 0
4 | 0
7 | 0
7 | 0
7 | 0
7 | 0
5 | 0
7 | 0
7 | 0
5 | 0
7 | 0
7 | 0
7 | 0
6 | 0
7 | 0
7 | 0
7 | 0
7 | 0
6 | 0
7 | |
| | ANIMAL ID | 2
1
8
1 | 2
1
9
1 | 2
2
0
1 | 2
2
1
1 | 2
2
2
1 | 2
2
3
1 | 2
2
4
1 | 2
2
5
1 | 2
2
6
1 | 2
2
7
1 | 2
2
8
1 | 2
2
9
1 | 2
2
0
1 | 2
2
1
1 | 2
2
2
1 | 2
2
3
1 | 2
2
4
1 | 2
2
5
1 | 2
2
6
1 | 2
2
7
1 | 2
2
8
1 | |
| Tri 2.7 Female | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

Follicle, Cyst

X X

4

GENERAL BODY SYSTEM

Tissue NOS

+

2

GENITAL SYSTEM

Clitoral Gland
Duct, Dilatation

+ + + + + M + + + + + + + + + + + + + M M

3 3 2 2 2 2 2 2 2 2 2 2 2 2 3 1 3 3 3 2

45
22 2.3

Fat Pad, Ovarian/parametrial
Necrosis

1
1 4.0

Ovary
Atrophy
Cyst
Pigmentation
Bilateral, Cyst
Epithelium, Hyperplasia

+ +

4 4

X X

48
45 4.0
7
1 4.0
1
1 3.0

Uterus
Infiltration Cellular, Polymorphonuclear
Inflammation, Chronic Active
Endometrium, Hyperplasia, Cystic
Muscularis, Degeneration

+ +

4 4 3 4 3 4 3 4 3 3 4 3 4 4 4 4 4 4 3 3 4 3

4 4 3 4 3 4 3 4 3 3 4 3 4 4 4 4 4 4 3 3 4 3

48
1 4.0
1 3.0
48 3.6
1 3.0

HEMATOPOIETIC SYSTEM

Bone Marrow
Myeloid Cell, Hyperplasia

+ +

48
4 4.0

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE
Tri 2.7 Female | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--------------------------------------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------|--|
| | 0
7 | 0
6 | 0
4 | 0
7 | 0
7 | 0
7 | 0
7 | 0
5 | 0
7 | 0
7 | 0
5 | 0
7 | 0
7 | 0
6 | 0
7 | 0
7 | 0
7 | 0
7 | 0
6 | 0
7 | | |
| | 2 | 7 | 4 | 2 | 2 | 2 | 2 | 0 | 2 | 2 | 3 | 2 | 2 | 6 | 2 | 2 | 2 | 2 | 2 | 5 | 2 | |
| | 7 | 2 | 8 | 8 | 9 | 6 | 7 | 3 | 8 | 9 | 5 | 6 | 7 | 4 | 9 | 6 | 7 | 8 | 9 | 0 | 8 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | |
| | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|-----|
| Lymph Node | + | | | | | | | | | | | | | | | | | | | | 8 | | | |
| Lymph Node, Mandibular
Hyperplasia, Lymphoid
Infiltration Cellular, Plasma Cell | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 15 | 2.0 |
| | 1 | | | 1 | 2 | 2 | | | | 1 | | | | 3 | | | | | 2 | | | | 2 | 3.0 |
| Lymph Node, Mesenteric
Foreign Body
Hemorrhage
Hyperplasia, Lymphoid
Infiltration Cellular, Histiocyte
Infiltration Cellular, Plasma Cell
Inflammation, Chronic Active
Necrosis | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 | | 1 |
| | | | | | | | | | | | | | | | | | | | | | | | 2 | 4.0 |
| | 2 | | | | | 4 | | | | | | 2 | 2 | 4 | 3 | 2 | 3 | 3 | 2 | 2 | 2 | 29 | 2.4 | |
| | 2 | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 | |
| | | | | | | 4 | | | | | | 2 | | | | | | | | | | 3 | 2.7 | |
| | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | |
| | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | |
| Spleen
Hematopoietic Cell Proliferation
Hemorrhage
Hyperplasia, Lymphoid
Necrosis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 26 | 3.3 |
| | | | 2 | 3 | 3 | | 4 | 4 | | | 3 | 2 | | | 2 | 3 | | 2 | 3 | 4 | 3 | 4 | 1 | 4.0 |
| | 4 | | | 3 | 3 | | 2 | | 3 | 4 | | 3 | 4 | 4 | 2 | 4 | 4 | 3 | 3 | | 4 | 4 | 34 | 3.3 |
| | 2 | | | | | | | | | | | | | | | | | | | | | 2 | 3.0 | |
| Thymus
Atrophy | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 42 | 3.7 |
| | 4 | | 4 | 4 | 4 | 3 | 4 | 4 | 4 | 4 | | 4 | 4 | 4 | 3 | 3 | 4 | 3 | 4 | 4 | 4 | 4 | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|-----|
| Mammary Gland
Alveolus, Hyperplasia | + | | | | | | | | | | | | | | | | | | | | 46 | | |
| | | | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 1 | 1.0 |
| Skin | + | | | | | | | | | | | | | | | | | | | | 48 | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE
Tri 2.7 Female | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------------|----------|
| | ANIMAL ID | 7 | 6 | 4 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 5 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | |
| | | 2 | 7 | 4 | 2 | 2 | 2 | 0 | 2 | 2 | 3 | 2 | 2 | 2 | 6 | 2 | 2 | 2 | 2 | 2 | 5 | 2 | 8 | |
| | | 7 | 2 | 8 | 8 | 9 | 6 | 7 | 3 | 8 | 9 | 5 | 6 | 7 | 6 | 4 | 9 | 6 | 7 | 8 | 9 | 7 | 8 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | |
| | | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| Skin, Control
Epidermis, Hyperplasia | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
1 1.0 | |
| Skin, Site Of Application
Epidermis, Hyperplasia
Epidermis, Inflammation, Suppurative | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
7 1.1
1 1.0 | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone, Femur
Fibro-Osseous Lesion | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
8 2.5 | |
| Skeletal Muscle | | 1 | | | | | | | | | | | | 2 | | | 4 | 4 | | | | | 2 | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain, Brain Stem
Compression | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
1 4.0 | |
| Brain, Cerebellum | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Brain, Cerebrum
Mineralization
Ventricle, Dilatation | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
27 1.2
1 1.0 | |
| Nerve Trigeminal | | 1 | | | 1 | 1 | | 1 | 2 | 1 | 2 | | 1 | | 2 | 2 | | | 1 | | 1 | 1 | 1 | |
| Peripheral Nerve, Sciatic | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Spinal Cord, Cervical | | | | | | | | | | | | | | | | | | | | | | | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|
| | 07 | 06 | 04 | 07 | 07 | 07 | 05 | 07 | 07 | 05 | 07 | 07 | 07 | 06 | 07 | 07 | 07 | 07 | 06 | 07 | |
| Tri 2.7 Female | 02 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | |
| | 21 | 11 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | |
| | 89 | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | |
| | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | |

Spinal Cord, Lumbar

1

Spinal Cord, Thoracic

1

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Infiltration Cellular, Histiocyte | | | | | 2 | | | | | | | | | 2 | | | | 2 | | | 3 |
| Alveolar Epithelium, Hyperplasia | | | | | | 1 | | | | | | | | | 2 | | | | | | 3 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Eosinophilic Material | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | | X | X | | X | 44 |
| Olfactory Epithelium, Accumulation, Hyaline Droplet | | | | | | | | | | | | | | | | | | | | | 2 |
| Respiratory Epithelium, Accumulation, Hyaline Droplet | | 1 | | 2 | 1 | | 1 | | 3 | | 2 | | 1 | 2 | | 2 | 2 | | 2 | 2 | 27 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Cataract | | | | | | | | | | | | | | | | | | | | | 2 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Infiltration Cellular, Lymphocyte | | | | | | 1 | 1 | 2 | 1 | | | | | 1 | 1 | | 1 | | 1 | 2 | 25 |
| Zymbal's Gland | | | | | | | | | | | | | | | | | | | | | 1 |
| Cyst, Squamous | | | | | | | | | | | | | | | | | | | | | 1 |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|
| | 07 | 06 | 04 | 07 | 07 | 07 | 07 | 05 | 07 | 07 | 05 | 07 | 07 | 07 | 06 | 07 | 07 | 07 | 07 | 06 | |
| Tri 2.7 Female | 02 | 01 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |
| | 11 | 11 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| | 89 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 |
| | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|-----------|------------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Accumulation, Hyaline Droplet | | | | | | | | 4 | | | | | | | | | | | | 3 | | | 2 | 3.5 |
| Casts | | | | | | | | | | | | | | | | | | | | 2 | | | 1 | 2.0 |
| Infarct | | | | | | X | X | | | | | | X | | | | | | X | X | X | | 9 | |
| Infiltration Cellular, Lymphocyte | 3 | | | 1 | 1 | 2 | 1 | | | 1 | 2 | 1 | 1 | 2 | 3 | | 2 | 1 | 2 | 2 | 3 | | 33 | 1.6 |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | | 3 | | | | | | | | | | | | | | 1 | 3.0 |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | 2 | 1.5 |
| Nephropathy | | | | | | | | | | | | | | | 1 | | | | | 2 | 1 | | 10 | 1.5 |
| Cortex, Cyst | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Renal Tubule, Cyst | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Renal Tubule, Hyperplasia | | | | | | | | | | | | | | | | | | | | 2 | | | 2 | 3.0 |
| Renal Tubule, Necrosis | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Infiltration Cellular, Lymphocyte | 2 | | | 1 | | | | | | | | | 1 | | 2 | | | | 1 | 1 | | | 25 | 1.3 |
| Transitional Epithelium, Hyperplasia | | 2 | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0727 | 0728 | 0729 | 0730 | 0731 | 0732 | 0733 | 0734 | 0735 | 0736 | 0737 | 0738 | 0739 | 0740 | 0741 | 0742 | 0743 | 0744 | 0745 | 0746 | 0747 | 0748 | 0749 | 0750 | |
| | ANIMAL ID | 0289 | 0290 | 0291 | 0292 | 0293 | 0294 | 0295 | 0296 | 0297 | 0298 | 0299 | 0300 | 0301 | 0302 | 0303 | 0304 | 0305 | 0306 | 0307 | 0308 | 0309 | 0310 | 0311 | 0312 | 0313 |
| Untreat Female | | 0111 | 0112 | 0113 | 0114 | 0115 | 0116 | 0117 | 0118 | 0119 | 0120 | 0121 | 0122 | 0123 | 0124 | 0125 | 0126 | 0127 | 0128 | 0129 | 0130 | 0131 | 0132 | 0133 | 0134 | 0135 |
| females (cont...) | | | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Perforation | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoid Tissue, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Arteritis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | |
| Clear Cell Focus | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE
Untreat Female | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|
| | 0727 | 0728 | 0729 | 0730 | 0731 | 0702 | 0703 | 0704 | 0705 | 0706 | 0707 | 0708 | 0709 | 0710 | 0711 | 0712 | 0713 | 0714 | 0715 | 0716 | 0717 | 0718 | |
| ANIMAL ID | 0289 | 0290 | 0291 | 0292 | 0293 | 0294 | 0295 | 0296 | 0297 | 0298 | 0299 | 0300 | 0301 | 0302 | 0303 | 0304 | 0305 | 0306 | 0307 | 0308 | 0309 | 0310 | |
| Infiltration Cellular, Lymphocyte
Inflammation, Chronic Active
Mineralization
Tension Lipidosis
Hepatocyte, Necrosis | | | 1 | | 2 | 2 | | | | 1 | | | 1 | 2 | | 2 | | 1 | | 2 | | | |
| Mesentery
Necrosis | | | + | | | | | | | + | + | | | | | | | | | + | | + | |
| Pancreas
Fibrosis
Infiltration Cellular, Lymphocyte
Duct, Dilatation
Duct, Hemorrhage
Duct, Inflammation, Chronic Active
Duct, Ulcer
Fat, Necrosis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Salivary Glands
Infiltration Cellular, Lymphocyte | 2 | 1 | 3 | 1 | 1 | 1 | | | | 2 | 2 | | 2 | 2 | 2 | 1 | | 1 | | 2 | | | |
| Stomach, Forestomach
Keratin Cyst | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Stomach, Glandular
Cyst
Mineralization | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| | | | | | | | | | | X | | | | | | | | | | | X | | |
| | | | | | | | | | | 1 | | | | | | | | | | | 1 | | |

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE
Untreat Female | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ANIMAL ID | females
(cont...) |
|--------------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------------------|
| | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | 6 | 7 | 6 | 4 | 7 | 7 | 7 | 7 | | |
| | 2 | 2 | 2 | 3 | 8 | 0 | 2 | 2 | 2 | 3 | 2 | 2 | 5 | 2 | 0 | 9 | 2 | 7 | 8 | 2 | 2 | 2 | 2 | 0 | |
| | 7 | 8 | 9 | 0 | 1 | 0 | 7 | 8 | 9 | 0 | 7 | 9 | 0 | 7 | 9 | 9 | 2 | 3 | 6 | 7 | 8 | 9 | 6 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | |
| | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 0 | |
| | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cardiomyopathy | | | | | | | | | 1 | | | | | | | | | | | | | | |
| Polyarteritis | | | | | | | 2 | | | | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Accessory Adrenal Cortical Nodule | | | | | | | | | | | | | | | | | | | | | | X | X | |
| Amyloid Deposition | 2 | 1 | 1 | 1 | 1 | | 1 | | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 1 | 2 | 1 | | 1 | 1 | 2 | 1 | 2 |
| Angiectasis | | | | | | | | 2 | | | | | | | | | | | | | | | | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | X | | |
| Vacuolization Cytoplasmic | | | 4 | | | | | | | | | | | | | | | | | | | | | |
| Subcapsular, Hyperplasia | 2 | 3 | 2 | 3 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 3 | 3 | 2 | 4 | 2 | 2 | 2 | 3 | 3 | 2 | 2 |
| Adrenal Medulla | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Parathyroid Gland | + | + | M | + | + | + | + | + | + | + | M | M | + | + | + | + | + | + | + | + | + | + | + | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | |
| Ectopic Thymus | | | | | | | | | | | | | | | | | | | | | | | | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Angiectasis | 3 | | 4 | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | | | |
| Pars Distalis, Cyst | | | | | | | | | | | | | | | | | | | | | | X | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE
Untreat Female | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) | | |
|--|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
7
2
7 | 0
7
2
8 | 0
7
2
9 | 0
7
3
0 | 0
5
8
1 | 0
7
0
7 | 0
7
2
8 | 0
7
2
9 | 0
7
2
0 | 0
7
2
8 | 0
7
3
9 | 0
7
2
0 | 0
7
2
2 | 0
7
2
6 | 0
6
5
0 | 0
7
2
7 | 0
6
0
9 | 0
6
9
9 | 0
7
2
9 | 0
6
7
2 | 0
4
8
3 | 0
7
2
6 | 0
7
2
7 | 0
7
2
8 | | 0
7
2
9 | 0
7
2
6 |
| ANIMAL ID | 0
2
8
9
1 | 0
2
9
0
1 | 0
2
9
1
1 | 0
2
9
2
1 | 0
2
9
3
1 | 0
2
9
4
1 | 0
2
9
5
1 | 0
2
9
6
1 | 0
2
9
7
1 | 0
2
9
8
1 | 0
2
9
9
1 | 0
3
0
0
1 | 0
3
0
1
1 | 0
3
0
2
1 | 0
3
0
3
1 | 0
3
0
4
1 | 0
3
0
5
1 | 0
3
0
6
1 | 0
3
0
7
1 | 0
3
0
8
1 | 0
3
0
9
1 | 0
3
1
0
1 | 0
3
1
1
1 | 0
3
1
2
1 | 0
3
1
3
1 | 0
3
1
4
1 | 0
3
1
5
1 |
| Pars Distalis, Hyperplasia | 2 | | | | | | | | | | | 2 | | 1 | | | | | | | | | | | | | |
| Thyroid Gland | + | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C-cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Follicle, Cyst | | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| Follicular Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 4 | | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tissue NOS | | | | | | | | | | | | | | | | | | | | | | | | | + | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | 3 | | |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | 4 | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | 4 | | |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Clitoral Gland | + | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Duct, Dilatation | 3 | 4 | | 3 | M | 2 | | + | + | + | + | | 2 | | 3 | | 2 | M | 3 | 2 | | | | 2 | | 2 | |
| Ovary | + | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Atrophy | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| Cyst | | X | X | | X | X | X | | | X | | | | | | | | | | | X | | | | | | |
| Hematocyst | | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Uterus | + | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Endometrium, Hyperplasia, Cystic | 4 | 4 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 3 | 4 | 3 | 4 | 4 | 4 | 3 | 3 | 3 | 4 | 4 | 4 | 3 | 4 | 4 | 4 | 4 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------------------------|------|------|------|------|------|------|------|------|------|------|------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0727 | 0728 | 0729 | 0730 | 0731 | 0701 | 0702 | 0703 | 0704 | 0705 | 0706 | 0707 | 0708 | 0709 | 0710 | 0711 | 0712 | 0713 | 0714 | 0715 | 0716 | 0717 | 0718 | 0719 | 0720 | 0721 | 0722 | 0723 | 0724 | 0725 | 0726 | 0727 | 0728 | 0729 | 0730 | 0731 | | | | |
| | ANIMAL ID | 0289 | 0290 | 0291 | 0292 | 0293 | 0294 | 0295 | 0296 | 0297 | 0298 | 0299 | 0300 | 0301 | 0302 | 0303 | 0304 | 0305 | 0306 | 0307 | 0308 | 0309 | 0310 | 0311 | 0312 | 0313 | 0314 | 0315 | 0316 | 0317 | 0318 | 0319 | 0320 | 0321 | 0322 | 0323 | 0324 | 0325 | | | |
| Untreat Female | | 0111 | 0112 | 0113 | 0114 | 0115 | 0116 | 0117 | 0118 | 0119 | 0120 | 0121 | 0122 | 0123 | 0124 | 0125 | 0126 | 0127 | 0128 | 0129 | 0130 | 0131 | 0132 | 0133 | 0134 | 0135 | 0136 | 0137 | 0138 | 0139 | 0140 | 0141 | 0142 | 0143 | 0144 | 0145 | 0146 | 0147 | 0148 | 0149 | 0150 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) | | | | | | | | | | | |

Lumen, Dilatation

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow
Myeloid Cell, Hyperplasia | +
4 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node
Degeneration, Cystic
Renal, Hyperplasia, Lymphoid | +
4 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular
Hyperplasia, Lymphoid | +
2 2 1 1 1 1 2 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric
Hyperplasia, Lymphoid
Infiltration Cellular, Polymorphonuclear | +
1 3 2 2 1 4 4 2 2 1 2 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Spleen
Angiectasis
Hematopoietic Cell Proliferation
Hyperplasia, Lymphoid | +
4 3 3 2 2 3 4 2 3 4 3 2 3 2 4 4 3 4 3 4
3 4 3 4 3 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus
Atrophy
Hyperplasia, Lymphoid
Epithelium, Hyperplasia | +
3 3 2 4 4 3 3 4 3 4 4 4 4 4 4 4 2 4 2 4 4 3 4
3 2 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Mammary Gland | + + + + M + + + + + + + + + + + + + + + + + M + + + + + | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically M .. Missing tissue
 X .. Lesion present A .. Autolysis precludes evaluation
 I .. Insufficient tissue BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| B6C3F1 MICE FEMALE
Untreat Female | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ANIMAL ID | females
(cont...) | |
|--------------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------------------|---|
| | | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | 6 | 7 | 6 | 4 | 7 | 7 | 7 | | | 7 |
| | | 2 | 2 | 2 | 3 | 8 | 0 | 2 | 2 | 2 | 3 | 2 | 2 | 5 | 2 | 0 | 9 | 2 | 7 | 8 | 2 | 2 | 2 | 2 | 0 | |
| | | 7 | 8 | 9 | 0 | 1 | 0 | 7 | 8 | 9 | 0 | 7 | 9 | 0 | 7 | 9 | 9 | 9 | 2 | 3 | 6 | 7 | 8 | 9 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 0 | |
| | | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 0 | |

Skin Epidermis, Hyperplasia + 2

Skin, Control +

Skin, Site Of Application Epidermis, Hyperplasia + 1

MUSCULOSKELETAL SYSTEM

Bone, Femur Fibro-Osseous Lesion + + + + + + + + 1 + + 2 + + + + + + + + + + + + + + 2

Skeletal Muscle

NERVOUS SYSTEM

Brain, Brain Stem Compression + 1

Brain, Cerebellum +

Brain, Cerebrum Mineralization + 2 2 1 1 1 1 1 1 1 1 1 1 1 1 2 1 1

Nerve Trigeminal

Peripheral Nerve, Sciatic

Spinal Cord

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02
 Test Type: CHRONIC
 Route: Dermal
 Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Triclosan
 CAS Number: 3380-34-5

Date Report Requested: 12/04/2020
 Time Report Requested: 13:42:33
 First Dose M/F: 09/11/13 / 09/11/13
 Lab: NCTR

| B6C3F1 MICE FEMALE
Untreat Female | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) | |
|--------------------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------------------|--|
| | 0727 | 0728 | 0729 | 0730 | 0731 | 0700 | 0701 | 0702 | 0703 | 0704 | 0705 | 0706 | 0707 | 0708 | 0709 | 0710 | 0711 | 0712 | 0713 | 0714 | 0715 | 0716 | 0717 | | | |
| ANIMAL ID | 02891 | 02892 | 02893 | 02894 | 02895 | 02896 | 02897 | 02898 | 02899 | 02900 | 02901 | 02902 | 02903 | 02904 | 02905 | 02906 | 02907 | 02908 | 02909 | 02910 | 02911 | 02912 | 02913 | 02914 | | |
| Infiltration Cellular, Lymphocyte | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | | | 1 | | | 1 | | | 1 | | 1 | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Infarct | | | X | X | | | | | | | | X | X | | | | | | | | | | | | |
| Infiltration Cellular, Lymphocyte | 2 | | | | | 3 | | 2 | | 1 | 2 | 1 | 2 | | | | | 2 | 2 | 1 | 1 | 1 | 1 | 1 | |
| Metaplasia, Osseous | | | | | | | 1 | | | | | | | | | | | | | | | | | | |
| Nephropathy | | 1 | 1 | 1 | 1 | | 2 | 1 | | | | | | | 1 | | 1 | | | | | | | | |
| Renal Tubule, Cyst | | | X | | | | | | | X | | | | | | | | | | | | | | | |
| Renal Tubule, Hyperplasia | | | | | | | | | | 2 | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Infiltration Cellular, Lymphocyte | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | | | 1 | 1 | | 1 | | | | | 1 | 1 | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----------------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0727 | 0727 | 0727 | 0727 | 0566 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | | |
| | ANIMAL ID | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | 03141 | |
| Untreat Female | | 0727 | 0727 | 0727 | 0727 | 0566 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | 0667 | * TOTALS |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|--------------|--------------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Perforation | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Lymphoid Tissue, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Arteritis | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Clear Cell Focus | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE
Untreat Female | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|---|---|
| | 0727 | 0729 | 0729 | 0726 | 0723 | 0723 | 0723 | 0723 | 0723 | 0723 | 0723 | 0723 | 0723 | 0723 | 0723 | 0723 | 0723 | 0723 | 0723 | 0723 | | 0723 | | |
| ANIMAL ID | 0314 | 0315 | 0316 | 0317 | 0318 | 0319 | 0320 | 0321 | 0322 | 0323 | 0324 | 0325 | 0326 | 0327 | 0328 | 0329 | 0330 | 0331 | 0332 | 0333 | 0334 | | | |
| Infiltration Cellular, Lymphocyte | | | 2 | 2 | | | 2 | | | 3 | | 1 | 2 | | 1 | | 1 | | 1 | 2 | | | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | 2 | 4 | 1 | | | | | | | | | |
| Mineralization | | | | | | | | | | | | | | 3 | | | | | | | | | | |
| Tension Lipidosis | | | | | | | | | | | | | | 2 | | | | | | | | | | |
| Hepatocyte, Necrosis | | | | | 4 | 4 | | | | | | | 2 | 4 | | | | | | | | | | |
| Mesentery Necrosis | + | | | | + | + | + | + | | | | + | + | | | | | + | + | | | | | |
| | 4 | | | | 4 | 3 | 4 | 4 | | | | 4 | 4 | | | | | 4 | 4 | | | | | |
| Pancreas Fibrosis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Infiltration Cellular, Lymphocyte | 1 | 1 | 1 | 1 | | | 1 | | 1 | 1 | 1 | 1 | | 1 | 1 | | 1 | 1 | | 2 | 1 | 2 | | |
| Duct, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | |
| Duct, Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | |
| Duct, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | |
| Duct, Ulcer | | | | | | | | | | | | | | | | | | | | | | | | |
| Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands Infiltration Cellular, Lymphocyte | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| | 1 | 1 | 2 | 1 | | 1 | 3 | | | | | 2 | 2 | 1 | | 2 | 2 | 2 | 2 | 1 | 1 | 1 | 2 | 2 |
| Stomach, Forestomach Keratin Cyst | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular Cyst | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE
Untreat Female | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|--------------------------------------|----------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|--------|
| | 0727 | 0729 | 0729 | 0726 | 0723 | 0729 | 0721 | 0727 | 0722 | 0728 | 0729 | 0728 | 0726 | 0727 | 0728 | 0723 | 0726 | 0729 | 0727 | 0728 | | 0729 | 0724 |
| ANIMAL ID | 0314 | 0315 | 0316 | 0317 | 0318 | 0319 | 0320 | 0321 | 0322 | 0323 | 0324 | 0325 | 0326 | 0327 | 0328 | 0329 | 0330 | 0331 | 0332 | 0333 | 0334 | 0335 | |
| | Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| | Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| | Cardiomyopathy | | | | | | | 1 | | | | | | | | | | | | | | | 2 1.0 |
| | Polyarteritis | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Accessory Adrenal Cortical Nodule | | | | X | | | | | | | | | | | | | | | | | | 3 | |
| Amyloid Deposition | 2 | 1 | 2 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | | | 1 | 2 | 1 | 1 | 2 | 2 | 1 2 | 42 1.5 |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Cyst | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Vacuolization Cytoplasmic | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Subcapsular, Hyperplasia | 3 | 1 | 3 | 2 | 2 | | 2 | 2 | 3 | 2 | 2 | | 4 | 1 | 2 | 2 | 2 | 3 | 2 | 3 | 3 | 2 3 | 46 2.3 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | M | + | + | + | M | + | + | + | + | + | + | + | 43 | |
| Cyst | | | | | X | | | | | | | | | | | | X | | | | | 2 | |
| Ectopic Thymus | | | | | | | | | | X | | | | | | | | | | | | 1 | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | 47 |
| Angiectasis | | | | | | | | | | | | | | | | | 2 | | | | | 2 | 4 2.8 |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | 3 | | | | | | | 1 3.0 |
| Necrosis | | | | | | | | | | | | | | | | 4 | | | | | | | 1 4.0 |
| Pigmentation | | | | | | | | | | | | | | | | 3 | | | | | | | 1 3.0 |
| Pars Distalis, Cyst | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|------------|-----------------|-----------|------------|------------|
| | 07 | 07 | 07 | 07 | 05 | 06 | 06 | 07 | 07 | 07 | 07 | 07 | 06 | 04 | 07 | 07 | 07 | 07 | 05 | 07 | | 07 | 05 | | | |
| Untreat Female | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | | 03 | 03 | | | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | | | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | * TOTALS | | | |
| Pars Distalis, Hyperplasia | 2 | | | | 2 | | | | 2 | | | | | | | | | | | | 6 | 1.8 | | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | 3 | 1.3 | |
| C-cell, Hyperplasia | | 1 | 1 | 1 | | | | | | | | | | | | | | | | 1 | | | | 8 | 1.0 | |
| Follicle, Cyst | | | | | X | | | | | X | | | X | | | | | | X | | | | | 6 | | |
| Follicular Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tissue NOS | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Clitoral Gland | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | 45 | | | |
| Duct, Dilatation | 2 | | 2 | | 2 | 2 | | | | 2 | 3 | 2 | | 3 | | 2 | | 3 | | | 3 | | | 22 | 2.5 | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Angiectasis | | | | 4 | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | |
| Atrophy | 4 | 4 | 4 | 4 | 4 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | 47 | 4.0 | |
| Cyst | | X | | X | X | X | | | X | | | | | | | | | | | | | | | 12 | | |
| Hematocyst | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Mineralization | | | | 4 | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | | | 3 | | | | | | | | | | | | | | 1 | 3.0 | |
| Endometrium, Hyperplasia, Cystic | 3 | 4 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 2 | 4 | 3 | 4 | 3 | 4 | 4 | 4 | 4 | | 48 | 3.7 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 7 | 7 | 7 | 7 | 5 | 6 | 6 | 7 | 7 | 7 | 7 | 6 | 4 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 5 | 5 | |
| Untreat Female | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | * TOTALS |

Lumen, Dilatation

4

4

2 4.0

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|-----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Myeloid Cell, Hyperplasia | | | | | | 4 | | | | | 4 | | | | | | | | | | | | | 3 | 4.0 | |
| Lymph Node | | | | | + | + | | | | | | | + | | | | | | | | | + | | 6 | | |
| Degeneration, Cystic | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Renal, Hyperplasia, Lymphoid | | | | | | | | | | | | 4 | | | | | | | | | | | | | 1 | 4.0 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Hyperplasia, Lymphoid | | | | | | | 2 | 2 | | 1 | 1 | | | | 3 | | | 1 | | 1 | 1 | | 3 | 16 | 1.6 | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Hyperplasia, Lymphoid | | | 1 | 2 | 2 | | | 4 | | 1 | | | 3 | 3 | | 2 | | | 2 | | | 3 | 2 | 23 | 2.2 | |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | | | | | 3 | | | | | | | | | | | | 1 | 3.0 | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Angiectasis | | | | | 4 | | | | | | | | | | | | | | | | | | | 1 | 4.0 | |
| Hematopoietic Cell Proliferation | | | 2 | | 2 | 4 | | | 3 | 2 | 2 | 3 | 4 | 4 | 2 | 3 | 2 | | 3 | 4 | | | 4 | 4 | 27 | 3.0 |
| Hyperplasia, Lymphoid | 3 | 3 | 4 | 4 | | | 4 | 4 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | 3 | 4 | 3 | | 4 | 4 | 2 | 2 | 39 | 3.1 | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Atrophy | 4 | 4 | 4 | 4 | | | 4 | 4 | 3 | 4 | 3 | 3 | 4 | 4 | 4 | 4 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 42 | 3.6 | |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.5 | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE
Untreat Female | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|--------------|
| | 0727 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | | 0729 |
| ANIMAL ID | 0314 | 0315 | 0316 | 0317 | 0318 | 0319 | 0320 | 0321 | 0322 | 0323 | 0324 | 0325 | 0326 | 0327 | 0328 | 0329 | 0330 | 0331 | 0332 | 0333 | 0334 | |
| Skin
Epidermis, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
1 2.0 |
| Skin, Control | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Skin, Site Of Application
Epidermis, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
1 1.0 |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | |
| Bone, Femur
Fibro-Osseous Lesion | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
7 1.7 |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | 3 |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | |
| Brain, Brain Stem
Compression | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
1 1.0 |
| Brain, Cerebellum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Brain, Cerebrum
Mineralization | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
31 1.2 |
| Nerve Trigeminal | | | | | | | | | | | | | | | | | | | | | | 1 |
| Peripheral Nerve, Sciatic | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02
 Test Type: CHRONIC
 Route: Dermal
 Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Triclosan
 CAS Number: 3380-34-5

Date Report Requested: 12/04/2020
 Time Report Requested: 13:42:33
 First Dose M/F: 09/11/13 / 09/11/13
 Lab: NCTR

| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | | 7 | 7 | 7 | 7 | 5 | 6 | 6 | 7 | 7 | 7 | 7 | 6 | 4 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 5 |
| Untreat Female | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|
| Spinal Cord, Cervical | | | | | | | | | | | | | | | | | | | | | | | | + | 1 |
| Spinal Cord, Lumbar | | | | | | | | | | | | | | | | | | | | | | | | + | 1 |
| Spinal Cord, Thoracic | | | | | | | | | | | | | | | | | | | | | | | | + | 1 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|-----|---|-----|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1 | 2.0 | | |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3 | 4 | 5 | 2.6 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 | 4.0 | | |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 | 2.0 | | |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 3 | 2 | 2.5 | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | | |
| Eosinophilic Material | X | X | | X | X | X | X | X | X | X | X | X | | X | | X | X | X | X | X | X | X | X | 2 | 43 | | | |
| Olfactory Epithelium, Accumulation, Hyaline Droplet | | | | | | | | | | | | | | | | | | | | | | | | 2 | 3 | 2.0 | | |
| Respiratory Epithelium, Accumulation, Hyaline Droplet | 2 | 2 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | 2 | | 2 | 1 | 1 | 3 | | 3 | 1 | | 2 | 33 | 1.9 | | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|-----|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Cataract | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 1.0 |
| Phthisis Bulbi | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE
Untreat Female | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-----------------|--------|--------|--------|---|---|---|--|---|---|--|---|---|--|---|---|---|---|---|----|-----|
| | 0
7 | 0
7 | 0
7 | 0
7 | 0
5 | 0
6 | 0
6 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
6 | 0
4 | 0
7 | 0
7 | 0
7 | 0
7 | 0
5 | 0
7 | | | 0
7 | 0
5 | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0
3 | 0
3 | 0
3 | 0
3 | 0
3 | 0
3 | 0
3 | 0
3 | 0
3 | 0
3 | 0
3 | 0
3 | 0
3 | 0
3 | 0
3 | 0
3 | 0
3 | 0
3 | 0
3 | 0
3 | 0
3 | 0
3 | | | | | | | | | | | | | | | | | | | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | | | | | | | | | | | | | | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | | | | | | | | | | | | | | | | | | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | 2 | 1 | 1 | 1 | | 1 | 1 | | 1 | 1 | | 1 | 1 | 1 | 1 | 2 | 27 | 1.1 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Infarct | | | | X | | | | | | | | | | | X | | | | | X | | | 7 | |
| Infiltration Cellular, Lymphocyte | 1 | 2 | 1 | 2 | | | 1 | 2 | 1 | 2 | 2 | 1 | | | 2 | 2 | 2 | | | 2 | 1 | | 29 | 1.6 |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | 1 | 1.0 |
| Nephropathy | | | | | | | | | | | | 1 | 2 | | | | | 2 | 1 | | | 3 | 13 | 1.4 |
| Renal Tubule, Cyst | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Renal Tubule, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Infiltration Cellular, Lymphocyte | 1 | 2 | 2 | 1 | | | | 1 | | 2 | | | | | 1 | | 1 | 1 | | | | | 26 | 1.2 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0727 | 0728 | 0729 | 0730 | 0731 | 0732 | 0733 | 0734 | 0735 | 0736 | 0737 | 0738 | 0739 | 0740 | 0741 | 0742 | 0743 | 0744 | 0745 | 0746 | 0747 | 0748 | 0749 | 0750 | 0751 | 0752 | 0753 | 0754 | 0755 | 0756 | 0757 | 0758 | 0759 | 0760 | |
| | ANIMAL ID | 03851 | 03861 | 03871 | 03881 | 03891 | 03901 | 03911 | 03921 | 03931 | 03941 | 03951 | 03961 | 03971 | 03981 | 03991 | 04001 | 04011 | 04021 | 04031 | 04041 | 04051 | 04061 | 04071 | 04081 | 04091 | 04101 | 04111 | 04121 | 04131 | 04141 | 04151 | 04161 | 04171 | 04181 | 04191 |

females (cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Fibrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumen, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Clear Cell Focus | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Lymphocyte | 1 | 1 | | 2 | | 1 | | 1 | 2 | 2 | | | | | | | 2 | | 1 | | | | | | | | | | | | | | | | | | | | | 1 | |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2 |
| Vacuolization Cytoplasmic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hepatocyte, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE

Tri 5.8 Female | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|----------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | 0727 | 0728 | 0729 | 0730 | 0731 | 0732 | 0733 | 0734 | 0735 | 0736 | 0737 | 0738 | 0739 | 0740 | 0741 | 0742 | 0743 | 0744 | 0745 | 0746 | 0747 | 0748 | 0749 | | | 0750 | 0751 | 0752 | 0753 | 0754 | 0755 | 0756 | 0757 | 0758 | 0759 | 0760 | 0761 | 0762 | 0763 | 0764 | 0765 | 0766 | 0767 | 0768 | 0769 | 0770 | 0771 | 0772 | 0773 | 0774 | 0775 | 0776 | 0777 | 0778 | 0779 | 0780 | 0781 | 0782 | 0783 | 0784 | 0785 | 0786 | 0787 | 0788 | 0789 | 0790 | 0791 | 0792 | 0793 | 0794 | 0795 | 0796 | 0797 | 0798 | 0799 | 0800 | 0801 | 0802 | 0803 | 0804 | 0805 | 0806 | 0807 | 0808 | 0809 | 0810 | 0811 | 0812 | 0813 | 0814 | 0815 | 0816 | 0817 | 0818 | 0819 | 0820 | 0821 | 0822 | 0823 | 0824 | 0825 | 0826 | 0827 | 0828 | 0829 | 0830 | 0831 | 0832 | 0833 | 0834 | 0835 | 0836 | 0837 | 0838 | 0839 | 0840 | 0841 | 0842 | 0843 | 0844 | 0845 | 0846 | 0847 | 0848 | 0849 | 0850 | 0851 | 0852 | 0853 | 0854 | 0855 | 0856 | 0857 | 0858 | 0859 | 0860 | 0861 | 0862 | 0863 | 0864 | 0865 | 0866 | 0867 | 0868 | 0869 | 0870 | 0871 | 0872 | 0873 | 0874 | 0875 | 0876 | 0877 | 0878 | 0879 | 0880 | 0881 | 0882 | 0883 | 0884 | 0885 | 0886 | 0887 | 0888 | 0889 | 0890 | 0891 | 0892 | 0893 | 0894 | 0895 | 0896 | 0897 | 0898 | 0899 | 0900 | 0901 | 0902 | 0903 | 0904 | 0905 | 0906 | 0907 | 0908 | 0909 | 0910 | 0911 | 0912 | 0913 | 0914 | 0915 | 0916 | 0917 | 0918 | 0919 | 0920 | 0921 | 0922 | 0923 | 0924 | 0925 | 0926 | 0927 | 0928 | 0929 | 0930 | 0931 | 0932 | 0933 | 0934 | 0935 | 0936 | 0937 | 0938 | 0939 | 0940 | 0941 | 0942 | 0943 | 0944 | 0945 | 0946 | 0947 | 0948 | 0949 | 0950 | 0951 | 0952 | 0953 | 0954 | 0955 | 0956 | 0957 | 0958 | 0959 | 0960 | 0961 | 0962 | 0963 | 0964 | 0965 | 0966 | 0967 | 0968 | 0969 | 0970 | 0971 | 0972 | 0973 | 0974 | 0975 | 0976 | 0977 | 0978 | 0979 | 0980 | 0981 | 0982 | 0983 | 0984 | 0985 | 0986 | 0987 | 0988 | 0989 | 0990 | 0991 | 0992 | 0993 | 0994 | 0995 | 0996 | 0997 | 0998 | 0999 | 1000 | 1001 | 1002 | 1003 | 1004 | 1005 | 1006 | 1007 | 1008 | 1009 | 1010 | 1011 | 1012 | 1013 | 1014 | 1015 | 1016 | 1017 | 1018 | 1019 | 1020 | 1021 | 1022 | 1023 | 1024 | 1025 | 1026 | 1027 | 1028 | 1029 | 1030 | 1031 | 1032 | 1033 | 1034 | 1035 | 1036 | 1037 | 1038 | 1039 | 1040 | 1041 | 1042 | 1043 | 1044 | 1045 | 1046 | 1047 | 1048 | 1049 | 1050 | 1051 | 1052 | 1053 | 1054 | 1055 | 1056 | 1057 | 1058 | 1059 | 1060 | 1061 | 1062 | 1063 | 1064 | 1065 | 1066 | 1067 | 1068 | 1069 | 1070 | 1071 | 1072 | 1073 | 1074 | 1075 | 1076 | 1077 | 1078 | 1079 | 1080 | 1081 | 1082 | 1083 | 1084 | 1085 | 1086 | 1087 | 1088 | 1089 | 1090 | 1091 | 1092 | 1093 | 1094 | 1095 | 1096 | 1097 | 1098 | 1099 | 1100 | 1101 | 1102 | 1103 | 1104 | 1105 | 1106 | 1107 | 1108 | 1109 | 1110 | 1111 | 1112 | 1113 | 1114 | 1115 | 1116 | 1117 | 1118 | 1119 | 1120 | 1121 | 1122 | 1123 | 1124 | 1125 | 1126 | 1127 | 1128 | 1129 | 1130 | 1131 | 1132 | 1133 | 1134 | 1135 | 1136 | 1137 | 1138 | 1139 | 1140 | 1141 | 1142 | 1143 | 1144 | 1145 | 1146 | 1147 | 1148 | 1149 | 1150 | 1151 | 1152 | 1153 | 1154 | 1155 | 1156 | 1157 | 1158 | 1159 | 1160 | 1161 | 1162 | 1163 | 1164 | 1165 | 1166 | 1167 | 1168 | 1169 | 1170 | 1171 | 1172 | 1173 | 1174 | 1175 | 1176 | 1177 | 1178 | 1179 | 1180 | 1181 | 1182 | 1183 | 1184 | 1185 | 1186 | 1187 | 1188 | 1189 | 1190 | 1191 | 1192 | 1193 | 1194 | 1195 | 1196 | 1197 | 1198 | 1199 | 1200 | 1201 | 1202 | 1203 | 1204 | 1205 | 1206 | 1207 | 1208 | 1209 | 1210 | 1211 | 1212 | 1213 | 1214 | 1215 | 1216 | 1217 | 1218 | 1219 | 1220 | 1221 | 1222 | 1223 | 1224 | 1225 | 1226 | 1227 | 1228 | 1229 | 1230 | 1231 | 1232 | 1233 | 1234 | 1235 | 1236 | 1237 | 1238 | 1239 | 1240 | 1241 | 1242 | 1243 | 1244 | 1245 | 1246 | 1247 | 1248 | 1249 | 1250 | 1251 | 1252 | 1253 | 1254 | 1255 | 1256 | 1257 | 1258 | 1259 | 1260 | 1261 | 1262 | 1263 | 1264 | 1265 | 1266 | 1267 | 1268 | 1269 | 1270 | 1271 | 1272 | 1273 | 1274 | 1275 | 1276 | 1277 | 1278 | 1279 | 1280 | 1281 | 1282 | 1283 | 1284 | 1285 | 1286 | 1287 | 1288 | 1289 | 1290 | 1291 | 1292 | 1293 | 1294 | 1295 | 1296 | 1297 | 1298 | 1299 | 1300 | 1301 | 1302 | 1303 | 1304 | 1305 | 1306 | 1307 | 1308 | 1309 | 1310 | 1311 | 1312 | 1313 | 1314 | 1315 | 1316 | 1317 | 1318 | 1319 | 1320 | 1321 | 1322 | 1323 | 1324 | 1325 | 1326 | 1327 | 1328 | 1329 | 1330 | 1331 | 1332 | 1333 | 1334 | 1335 | 1336 | 1337 | 1338 | 1339 | 1340 | 1341 | 1342 | 1343 | 1344 | 1345 | 1346 | 1347 | 1348 | 1349 | 1350 | 1351 | 1352 | 1353 | 1354 | 1355 | 1356 | 1357 | 1358 | 1359 | 1360 | 1361 | 1362 | 1363 | 1364 | 1365 | 1366 | 1367 | 1368 | 1369 | 1370 | 1371 | 1372 | 1373 | 1374 | 1375 | 1376 | 1377 | 1378 | 1379 | 1380 | 1381 | 1382 | 1383 | 1384 | 1385 | 1386 | 1387 | 1388 | 1389 | 1390 | 1391 | 1392 | 1393 | 1394 | 1395 | 1396 | 1397 | 1398 | 1399 | 1400 | 1401 | 1402 | 1403 | 1404 | 1405 | 1406 | 1407 | 1408 | 1409 | 1410 | 1411 | 1412 | 1413 | 1414 | 1415 | 1416 | 1417 | 1418 | 1419 | 1420 | 1421 | 1422 | 1423 | 1424 | 1425 | 1426 | 1427 | 1428 | 1429 | 1430 | 1431 | 1432 | 1433 | 1434 | 1435 | 1436 | 1437 | 1438 | 1439 | 1440 | 1441 | 1442 | 1443 | 1444 | 1445 | 1446 | 1447 | 1448 | 1449 | 1450 | 1451 | 1452 | 1453 | 1454 | 1455 | 1456 | 1457 | 1458 | 1459 | 1460 | 1461 | 1462 | 1463 | 1464 | 1465 | 1466 | 1467 | 1468 | 1469 | 1470 | 1471 | 1472 | 1473 | 1474 | 1475 | 1476 | 1477 | 1478 | 1479 | 1480 | 1481 | 1482 | 1483 | 1484 | 1485 | 1486 | 1487 | 1488 | 1489 | 1490 | 1491 | 1492 | 1493 | 1494 | 1495 | 1496 | 1497 | 1498 | 1499 | 1500 | 1501 | 1502 | 1503 | 1504 | 1505 | 1506 | 1507 | 1508 | 1509 | 1510 | 1511 | 1512 | 1513 | 1514 | 1515 | 1516 | 1517 | 1518 | 1519 | 1520 | 1521 | 1522 | 1523 | 1524 | 1525 | 1526 | 1527 | 1528 | 1529 | 1530 | 1531 | 1532 | 1533 | 1534 | 1535 | 1536 | 1537 | 1538 | 1539 | 1540 | 1541 | 1542 | 1543 | 1544 | 1545 | 1546 | 1547 | 1548 | 1549 | 1550 | 1551 | 1552 | 1553 | 1554 | 1555 | 1556 | 1557 | 1558 | 1559 | 1560 | 1561 | 1562 | 1563 | 1564 | 1565 | 1566 | 1567 | 1568 | 1569 | 1570 | 1571 | 1572 | 1573 | 1574 | 1575 | 1576 | 1577 | 1578 | 1579 | 1580 | 1581 | 1582 | 1583 | 1584 | 1585 | 1586 | 1587 | 1588 | 1589 | 1590 | 1591 | 1592 | 1593 | 1594 | 1595 | 1596 | 1597 | 1598 | 1599 | 1600 | 1601 | 1602 | 1603 | 1604 | 1605 | 1606 | 1607 | 1608 | 1609 | 1610 | 1611 | 1612 | 1613 | 1614 | 1615 | 1616 | 1617 | 1618 | 1619 | 1620 | 1621 | 1622 | 1623 | 1624 | 1625 | 1626 | 1627 | 1628 | 1629 | 1630 | 1631 | 1632 | 1633 | 1634 | 1635 | 1636 | 1637 | 1638 | 1639 | 1640 | 1641 | 1642 | 1643 | 1644 | 1645 | 1646 | 1647 | 1648 | 1649 | 1650 | 1651 | 1652 | 1653 | 1654 | 1655 | 1656 | 1657 | 1658 | 1659 | 1660 | 1661 | 1662 | 1663 | 1664 | 1665 | 1666 | 1667 | 1668 | 1669 | 1670 | 1671 | 1672 | 1673 | 1674 | 1675 | 1676 | 1677 | 1678 | 1679 | 1680 | 1681 | 1682 | 1683 | 1684 | 1685 | 1686 | 1687 | 1688 | 1689 | 1690 | 1691 | 1692 | 1693 | 1694 | 1695 | 1696 | 1697 | 1698 | 1699 | 1700 | 1701 | 1702 | 1703 | 1704 | 1705 | 1706 | 1707 | 1708 | 1709 | 1710 | 1711 | 1712 | 1713 | 1714 | 1715 | 1716 | 1717 | 1718 | 1719 | 1720 | 1721 | 1722 | 1723 | 1724 | 1725 | 1726 | 1727 | 1728 | 1729 | 1730 | 1731 | 1732 | 1733 | 1734 | 1735 | 1736 | 1737 | 1738 | 1739 | 1740 | 1741 | 1742 | 1743 | 1744 | 1745 | 1746 | 1747 | 1748 | 1749 | 1750 | 1751 | 1752 | 1753 | 1754 | 1755 | 1756 | 1757 | 1758 | 1759 | 1760 | 1761 | 1762 | 1763 | 1764 | 1765 | 1766 | 1767 | 1768 | 1769 | 1770 | 1771 | 1772 | 1773 | 1774 | 1775 | 1776 | 1777 | 1778 | 1779 | 1780 | 1781 | 1782 | 1783 | 1784 | 1785 | 1786 | 1787 | 1788 | 1789 | 1790 | 1791 | 1792 | 1793 | 1794 | 1795 | 1796 | 1797 | 1798 | 1799 | 1800 | 1801 | 1802 | 1803 | 1804 | 1805 | 1806 | 1807 | 1808 | 1809 | 1810 | 1811 | 1812 | 1813 | 1814 | 1815 | 1816 | 1817 | 1818 | 1819 | 1820 | 1821 | 1822 | 1823 | 1824 | 1825 | 1826 | 1827 | 1828 | 1829 | 1830 | 1831 | 1832 | 1833 | 1834 | 1835 | 1836 | 1837 | 1838 | 1839 | 1840 | 1841 | 1842 | 1843 | 1844 | 1845 | 1846 | 1847 | 1848 | 1849 | 1850 | 1851 | 1852 | 1853 | 1854 | 1855 | 1856 | 1857 | 1858 | 1859 | 1860 | 1861 | 1862 | 1863 | 1864 | 1865 | 1866 | 1867 | 1868 | 1869 | 1870 | 1871 | 1872 | 1873 | 1874 | 1875 | 1876 | 1877 | 1878 | 1879 | 1880 | 1881 | 1882 | 1883 | 1884 | 1885 | 1886 | 1887 | 1888 | 1889 | 1890 | 1891 | 1892 | 1893 | 1894 | 1895 | 1896 | 1897 | 1898 | 1899 | 1900 | 1901 | 1902 | 1903 | 1904 | 1905 | 1906 | 1907 | 1908 | 1909 | 1910 | 1911 | 1912 | 1913 | 1914 | 1915 | 1916 | 1917 | 1918 | 1919 | 1920 | 1921 | 1922 | 1923 | 1924 | 1925 | 1926 | 1927 | 1928 | 1929 | 1930 | 1931 | 1932 | 1933 | 1934 | 1935 | 1936 | 1937 | 1938 | 1939 | 1940 | 1941 | 1942 | 1943 | 1944 | 1945 | 1946 | 1947 | 1948 | 1949 | 1950 | 1951 | 1952 | 1953 | 1954 | 1955 | 1956 | 1957 | 1958 | 1959 | 1960 | 1961 | 1962 | 1963 | 1964 | 1965 | 1966 | 1967 | 1968 | 1969 | 1970 | 1971 | 1972 | 1973 | 1974 | 1975 | 1976 | 1977 | 1978 | 1979 | 1980 | 1981 | 1982 | 1983 | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 | 2025 | 2026 | 2027 | 2028 | 2029 |

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0727 | 0728 | 0729 | 0730 | 0731 | 0732 | 0733 | 0734 | 0735 | 0736 | 0737 | 0738 | 0739 | 0740 | 0741 | 0742 | 0743 | 0744 | 0745 | 0746 | 0747 | 0748 | 0749 | 0750 | 0751 | 0752 |
| | ANIMAL ID | 03851 | 03861 | 03871 | 03881 | 03891 | 03901 | 03911 | 03921 | 03931 | 03941 | 03951 | 03961 | 03971 | 03981 | 03991 | 04001 | 04011 | 04021 | 04031 | 04041 | 04051 | 04061 | 04071 | 04081 | 04091 | 04101 |

females (cont...)

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Accessory Adrenal Cortical Nodule | | | | X | | | | | | | | | | | | | | X | | | | | | | | |
| Amyloid Deposition | | | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 1 | 1 | 1 | 2 | 1 | | 1 | 1 | 2 | 1 | | |
| Hypertrophy | | | | | | | | | | | | | 1 | | | | | | | | | | | | | |
| Vacuolization Cytoplasmic | 3 | | | | | | | | | | 2 | | | | | | | | | | | | | | | |
| Subcapsular, Hyperplasia | 3 | 3 | 2 | 3 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | | | | | | | | | | | | | | | | | | 4 | | | | | | | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland | + | + | + | + | + | M | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Angiectasis | 3 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pars Distalis, Hyperplasia | | | | | | | | | | | | | | | | | | 1 | | | | | | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Ectopic Thymus | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C-cell, Hyperplasia | 1 | | | | | | 1 | | 1 | | | | | | | | | | | | | 1 | | | | |
| Follicle, Cyst | X | X | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | females
(cont...) | |
|--------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------------------|------|
| | 0727 | 0728 | 0729 | 0730 | 0731 | 0732 | 0733 | 0734 | 0735 | 0736 | 0737 | 0738 | 0739 | 0740 | 0741 | 0742 | 0743 | 0744 | 0745 | 0746 | | 0747 |
| Tri 5.8 Female | 03851 | 03861 | 03871 | 03881 | 03891 | 03901 | 03911 | 03921 | 03931 | 03941 | 03951 | 03961 | 03971 | 03981 | 03991 | 04001 | 04011 | 04021 | 04031 | 04041 | 04051 | |

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland Duct, Dilatation | + | + | + | + | M | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | 2 | | | | 4 | | 2 | | | 2 | | | | | | 2 | 3 | | | | 2 |
| Ovary Atrophy | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Ovary Cyst | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| Ovary Infiltration Cellular, Lymphocyte | | | X | | | | | | | X | | | | | X | X | | X | | | X | | |
| Uterus Infiltration Cellular, Polymorphonuclear Necrosis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Uterus Thrombosis | | | X | | | | | | | | | | | | | | | | | | | | |
| Uterus Endometrium, Hyperplasia, Cystic Lumen, Dilatation | 3 | 4 | 4 | 4 | 3 | 4 | 4 | 3 | 3 | 4 | 4 | 4 | 3 | 2 | 4 | 3 | 3 | 3 | 4 | 3 | 4 | 4 | 4 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow Myeloid Cell, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | | | | | | 4 | 4 |
| Lymph Node Degeneration, Cystic Lumbar, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | + |
| | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Lymph Node, Mandibular Hyperplasia, Lymphoid | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | | | | | | 3 | 1 |
| | | | | | | | | | | | | | | | | | | | | | | 1 | 1 |
| Lymph Node, Mesenteric Angiectasis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| B6C3F1 MICE FEMALE | DAY ON TEST | 07 | 07 | 07 | 04 | 04 | 07 | 07 | 07 | 04 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 06 | 05 | 07 | 07 | 04 | 07 | 04 |
| | | 27 | 28 | 29 | 28 | 26 | 27 | 28 | 29 | 29 | 28 | 29 | 28 | 27 | 28 | 29 | 26 | 27 | 25 | 28 | 25 | 28 | 29 | 28 |
| Tri 5.8 Female | ANIMAL ID | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 |
| | | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| | | 01 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 00 | 01 | 02 |
| | | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|---------------|--------------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Gallbladder | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | A | A | + | + | + | + | 45 | | |
| Fibrosis | | | | | | | | | | | | | | | | | | | 2 | | | | | | 1 2.0 |
| Lumen, Dilatation | | | | | | | | | | | | | 4 | | | | | | | | | | | | 1 4.0 |
| Intestine Large, Cecum | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | A | A | + | + | + | + | 45 | | |
| Intestine Large, Colon | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | A | A | + | + | + | + | 45 | | |
| Intestine Large, Rectum | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | A | A | + | + | + | + | 45 | | |
| Intestine Small, Duodenum | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | A | A | + | + | + | + | 45 | | |
| Intestine Small, Ileum | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | A | A | + | + | + | + | 45 | | |
| Intestine Small, Jejunum | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | A | A | + | + | + | + | 45 | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Basophilic Focus | | | | | | | X | | | | | | | | | | | X | | | | | | 2 | |
| Clear Cell Focus | | | | | | | | | | | | | | | | | | X | | | | | | 1 | |
| Cyst | | | | | | | | | | | | | | | X | | | | | | | | | 1 | |
| Hematopoietic Cell Proliferation | | | | | 1 | | | | | | | | | | | | | | | | | | | 1 1.0 | |
| Infiltration Cellular, Lymphocyte | | | 1 | 2 | | 1 | 2 | | | | 2 | 1 | 1 | | | 2 | | | | | | | | 19 1.5 | |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | 4 | | | | | 1 4.0 | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | 2 1.5 | |
| Vacuolization Cytoplasmic | | | | | | | | | | | | | | | | | | | 4 | | | | | 2 2.5 | |
| Hepatocyte, Necrosis | | | | | | | | | | | | | | | 3 | 4 | | | 2 | | | | | 5 2.4 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE
Tri 5.8 Female | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|--|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|--------|--------|
| | 077 | 077 | 077 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | | 078 | |
| ANIMAL ID | 04101 | 04101 | 04101 | 04101 | 04101 | 04101 | 04101 | 04101 | 04101 | 04101 | 04101 | 04101 | 04101 | 04101 | 04101 | 04101 | 04101 | 04101 | 04101 | 04101 | 04101 | | |
| | 04102 | 04102 | 04102 | 04102 | 04102 | 04102 | 04102 | 04102 | 04102 | 04102 | 04102 | 04102 | 04102 | 04102 | 04102 | 04102 | 04102 | 04102 | 04102 | 04102 | 04102 | | |
| | 04103 | 04103 | 04103 | 04103 | 04103 | 04103 | 04103 | 04103 | 04103 | 04103 | 04103 | 04103 | 04103 | 04103 | 04103 | 04103 | 04103 | 04103 | 04103 | 04103 | 04103 | | |
| | 04104 | 04104 | 04104 | 04104 | 04104 | 04104 | 04104 | 04104 | 04104 | 04104 | 04104 | 04104 | 04104 | 04104 | 04104 | 04104 | 04104 | 04104 | 04104 | 04104 | 04104 | 04104 | |
| Mesentery | + | | | | | | | | | | | | | | | | | | | | | 8 | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | 2 2.5 | |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | 1 4.0 | |
| Necrosis | 4 | | | | | | | | | | | | | | | | | | | | | 7 3.7 | |
| Fat, Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Infiltration Cellular, Lymphocyte | | | | | | 1 | | | | | 1 | 1 | | 1 | 2 | 2 | | 1 | | 1 | 1 | 25 1.2 | |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Vacuolization Cytoplasmic | | | | | | | | | | | | | | | | | | | | | | 1 1.0 | |
| Acinus, Degeneration | | | | | | | | | | | | | | | | | | | | | | 1 3.0 | |
| Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | 1 4.0 | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Infiltration Cellular, Lymphocyte | 1 | 2 | 2 | | | 1 | 2 | 1 | 1 | 2 | 2 | 1 | 1 | 2 | | 2 | 2 | | 1 | 2 | 1 | 1 | 39 1.5 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | |
| Stomach, Glandular | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | A | A | + | + | + | 45 |
| Cyst | | | | | | | | | | | | | | | | | | X | | | | 1 | |
| Epithelium, Hyperplasia | | | | 2 | | | | | | | | | | | | | | | | | | 1 2.0 | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Cardiomyopathy | | | | 1 | | | | | | | | | | | | | | | | | | 1 1.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | | |
|--------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|----|----|----|----|----|----|
| | 07 | 07 | 07 | 04 | 04 | 07 | 07 | 07 | 04 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 06 | 05 | | 07 | 07 | 04 | 07 | 04 | 08 |
| Tri 5.8 Female | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 |
| | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| | 01 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 00 | 01 | 02 | 03 | 04 | 05 | 06 |
| | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Accessory Adrenal Cortical Nodule | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Amyloid Deposition | 2 | 1 | 2 | | 1 | 2 | 2 | 2 | 1 | 2 | | 2 | 1 | | 2 | 2 | | 2 | | 2 | 2 | 1 | | | | | 39 1.5 |
| Hypertrophy | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Vacuolization Cytoplasmic | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 2.5 |
| Subcapsular, Hyperplasia | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 2 | 2 | 2 | 3 | 2 | 3 | 2 | 2 | 3 | 2 | | 2 | 3 | 3 | 2 | 2 | | | | 47 2.4 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Parathyroid Gland | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 45 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | M | + | + | | 46 |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 2.5 |
| Pars Distalis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Ectopic Thymus | X | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | 1 1.0 |
| C-cell, Hyperplasia | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | 5 1.0 |
| Follicle, Cyst | | | | | | | | X | | | | | | | | | | | | | | | | | | | 3 |

GENERAL BODY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE
Tri 5.8 Female | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | |
|--------------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|------------------|-----|-----|
| | 0
7
2
7 | 0
7
2
8 | 0
7
2
9 | 0
4
8
4 | 0
4
2
6 | 0
7
2
6 | 0
7
2
7 | 0
7
2
8 | 0
4
9
9 | 0
7
2
9 | 0
7
2
8 | 0
7
2
6 | 0
7
2
7 | 0
7
2
8 | 0
7
2
9 | 0
7
2
6 | 0
0
0
5 | 0
6
7
8 | 0
5
4
5 | 0
7
2
8 | | 0
7
2
9 | 0
4
2
8 | 0
4
3
1 | | |
| ANIMAL ID | 0
4
1
0
1 | 0
4
1
1
1 | 0
4
1
2
1 | 0
4
1
3
1 | 0
4
1
4
1 | 0
4
1
5
1 | 0
4
1
6
1 | 0
4
1
7
1 | 0
4
1
8
1 | 0
4
1
9
1 | 0
4
2
0
1 | 0
4
2
1
1 | 0
4
2
2
1 | 0
4
2
3
1 | 0
4
2
4
1 | 0
4
2
5
1 | 0
0
0
6
1 | 0
6
7
7
1 | 0
5
4
8
1 | 0
7
2
8
1 | 0
7
3
9
1 | 0
4
3
0
1 | 0
4
3
1
1 | | | |
| Hyperplasia, Lymphoid | 1 | | 2 | 2 | | | 2 | 1 | 4 | | 1 | 2 | 2 | | | 2 | 4 | | | 2 | 1 | | | | 23 | 2.1 |
| Infiltration Cellular, Histiocyte | 3 | | | | | | | | | | | | | | | | | 2 | | | | | | | 2 | 2.5 |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | 4 | | | | | | | | | | | | | 2 | 3.5 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Hematopoietic Cell Proliferation | | | | 4 | 4 | 4 | 2 | | 4 | | | | 4 | | 4 | 3 | 4 | | 2 | 4 | | | 2 | 28 | 3.1 | |
| Hyperplasia, Lymphoid | | 4 | 4 | | | 3 | 4 | 4 | 4 | | 4 | 3 | | 3 | 2 | 3 | 4 | | 3 | | 3 | 4 | 3 | 39 | 3.4 | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Atrophy | 2 | 4 | 4 | 4 | 3 | 4 | 4 | 4 | 4 | 4 | 3 | 4 | 4 | 4 | 3 | 3 | 4 | | 2 | 4 | 4 | 3 | 3 | 47 | 3.6 | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | 47 | | |
| Alveolus, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Epidermis, Hyperplasia | 2 | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.0 | |
| Sebaceous Gland, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 | |
| Skin, Control | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Skin, Site Of Application | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Epidermis, Hyperplasia | 2 | | | | | | | | | | 1 | 2 | 1 | | | | | | | | | | | 10 | 1.2 | |
| Epidermis, Inflammation, Suppurative | 1 | | | | | | | | | | | | | | | | | | | | | | | 2 | 1.5 | |
| Epidermis, Ulcer | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | | | | | | | | | | | | | | | | | | | | | | | + | 1 | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | | |
|--|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|----|----|----|--------|--------|----|
| | 07 | 07 | 07 | 04 | 04 | 07 | 07 | 07 | 04 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 06 | 05 | 07 | | 07 | 04 | 07 | 04 | 08 | |
| Tri 5.8 Female | ANIMAL ID | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | | |
| | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | 04 | | 04 | 04 | 04 | 04 | 04 | 04 |
| Bone, Femur Fibro-Osseous Lesion | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| | | | | | | | | | | 2 | | | | | | 2 | | 1 | | | | | | 3 | | 11 1.6 | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain, Brain Stem Compression | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 | |
| Brain, Cerebellum Compression | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 4.0 | |
| Brain, Cerebrum Mineralization Ventricle, Dilatation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| | | 1 | 1 | 1 | | 1 | | 1 | 1 | 1 | 1 | | 2 | 2 | 1 | | | | | 1 | | | 2 | 1 | | 25 1.2 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung Infiltration Cellular, Histiocyte | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| | | | | | | | | | | 2 | | | 4 | | | | | | | 4 | | | | | | 3 3.3 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | |
| | | | | | | | | | | 4 | | | | | 2 | | | | | | | | | | | 2 3.0 | |
| Nose Eosinophilic Material | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 46 | |
| | | | | | | | | | | 2 | | | 2 | | | | | | | | | | | | | 4 1.8 | |
| | 3 | 2 | 2 | | 2 | | | | 2 | | 1 | 2 | | | 3 | 2 | | | 2 | 1 | 2 | 2 | 3 | | 34 1.8 | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE
Tri 12.5Female | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------------------|
| | 0727 | 0728 | 0729 | 0730 | 0731 | 0732 | 0733 | 0734 | 0735 | 0736 | 0737 | 0738 | 0739 | 0740 | 0741 | 0742 | 0743 | 0744 | 0745 | 0746 | 0747 | 0748 | 0749 | 0750 | |
| ANIMAL ID | 04811 | 04812 | 04813 | 04814 | 04815 | 04816 | 04817 | 04818 | 04819 | 04820 | 04821 | 04822 | 04823 | 04824 | 04825 | 04826 | 04827 | 04828 | 04829 | 04830 | 04831 | 04832 | 04833 | 04834 | |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tension Lipidosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Vacuolization Cytoplasmic | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bile Duct, Cyst | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocyte, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | | |
| Vacuolization Cytoplasmic Acinus, Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | |
| Duct, Dilatation | | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular Ulcer Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tongue | | | | | | | | | | | | | | | | | | | | | | | | | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE
Tri 12.5Female | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | females
(cont...) |
|--------------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | ANIMAL ID | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 4 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 2 | 2 | 2 | 3 | 6 | 2 | 2 | 2 | 8 | 3 | 2 | 3 | 2 | 9 | 2 | 1 | 2 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | | 7 | 8 | 9 | 0 | 3 | 7 | 8 | 9 | 5 | 0 | 8 | 0 | 6 | 8 | 7 | 3 | 8 | 5 | 6 | 7 | 8 | 9 | 6 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | |
| | | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |

Myeloid Cell, Hyperplasia

3

Lymph Node

+

+

+

Lumbar, Hyperplasia, Lymphoid

3

Renal, Hyperplasia, Lymphoid

Lymph Node, Mandibular

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

Hyperplasia, Lymphoid

1

1

2

1

2

1

2

1

Lymph Node, Mesenteric

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

Angiectasis

Hemorrhage

4

Hyperplasia, Lymphoid

2

2

3

2

3

1

2

4

1

1

2

1

Spleen

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

Hematopoietic Cell Proliferation

2

4

4

2

4

4

2

4

4

2

4

4

3

4

3

4

3

4

4

3

4

2

2

4

3

Hyperplasia, Lymphoid

3

2

3

2

4

3

3

4

3

4

3

4

3

4

3

4

4

4

3

4

3

4

3

4

4

Thymus

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

Atrophy

3

3

3

4

4

4

4

4

4

4

4

3

3

3

2

3

3

4

4

3

4

4

3

4

4

Hyperplasia, Lymphoid

4

INTEGUMENTARY SYSTEM

Mammary Gland

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

Alveolus, Hyperplasia

Skin

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

Epidermis, Hyperplasia

2

Skin, Control

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE
Tri 12.5Female | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) | | | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|---|---|--|
| | 0
7
2
7 | 0
7
2
8 | 0
7
2
9 | 0
7
3
0 | 0
6
6
3 | 0
7
2
7 | 0
7
2
8 | 0
7
2
9 | 0
6
2
5 | 0
7
8
0 | 0
7
2
3 | 0
7
2
8 | 0
7
3
0 | 0
4
9
8 | 0
7
2
7 | 0
5
1
3 | 0
7
2
8 | 0
7
1
5 | 0
2
2
6 | 0
7
7
8 | 0
7
2
9 | 0
7
2
6 | 0
7
2
7 | 0
7
2
2 | | | | |
| ANIMAL ID | 0
4
8
1
1 | 0
4
8
2
1 | 0
4
8
3
1 | 0
4
8
4
1 | 0
4
8
5
1 | 0
4
8
6
1 | 0
4
8
7
1 | 0
4
8
8
1 | 0
4
8
9
1 | 0
0
9
0
1 | 0
4
9
1
1 | 0
4
9
2
1 | 0
4
9
3
1 | 0
4
9
4
1 | 0
4
9
5
1 | 0
4
9
6
1 | 0
4
9
7
1 | 0
4
9
8
1 | 0
4
9
9
1 | 0
5
0
0
1 | 0
5
0
1
1 | 0
5
0
2
1 | 0
5
0
3
1 | 0
5
0
4
1 | 0
5
0
5
1 | | | |
| Eosinophilic Material | X | X | | X | X | X | | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | |
| Olfactory Epithelium, Accumulation, Hyaline Droplet | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Respiratory Epithelium, Accumulation, Hyaline Droplet | 2 | 1 | 2 | | 2 | 1 | | 2 | | 1 | | | 1 | | | | | 2 | 1 | | 2 | | | | 1 | 1 | 2 | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | A | + | + | + | + | + | + | + | + | + | |
| Cataract | | 1 | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Infiltration Cellular, Lymphocyte | 1 | 1 | | | | | | 1 | 1 | 1 | 1 | 1 | | 1 | | 1 | 1 | 1 | | 1 | | | 1 | | | | | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Accumulation, Hyaline Droplet | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Casts | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infarct | | | | | X | | | | | | | X | X | | | | | | | X | | | | | X | | | |
| Infiltration Cellular, Lymphocyte | 2 | 1 | | | 1 | 2 | | | | 1 | 2 | | | 1 | 1 | 2 | | | 2 | 2 | 1 | 2 | | | | | 1 | |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nephropathy | | | | 1 | 2 | | | | 2 | 1 | | | 1 | | | | | | | | | | | | | 1 | 2 | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Infiltration Cellular, Lymphocyte | | 1 | | 2 | | | | 1 | 1 | | | 1 | | 1 | | | | | 2 | 1 | 1 | | | 2 | | | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------------------------------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 077 | 077 | 077 | 076 | 077 | 077 | 077 | 066 | 077 | 077 | 077 | 077 | 049 | 077 | 057 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | females
(cont...) |
| | ANIMAL ID | 048 | 048 | 048 | 048 | 048 | 048 | 048 | 048 | 049 | 049 | 049 | 049 | 049 | 049 | 049 | 049 | 049 | 050 | 050 | 055 | 055 | 055 | 055 | |
| Tri 12.5Female | | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | |

Transitional Epithelium, Hyperplasia

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----------------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 07 | 07 | 06 | 06 | 07 | 07 | 06 | 04 | 06 | 06 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 05 | 07 | 07 | | |
| | ANIMAL ID | 27 | 28 | 43 | 26 | 29 | 28 | 44 | 05 | 66 | 99 | 22 | 22 | 28 | 99 | 66 | 77 | 88 | 99 | 55 | 77 | | 22 |
| Tri 12.5Female | ANIMAL ID | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | |
| | | 00 | 00 | 00 | 00 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | * TOTALS |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|-----------|------------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Gallbladder | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | M | + | 44 | | |
| Infiltration Cellular, Lymphocyte | | | 1 | 1 | | | | | | | | | | | | | | | | | | | | 3 | 1.0 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 | | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 | | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 | | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 | | |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | 4 | | | 1 | 4.0 |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | 4 | | | 1 | 4.0 |
| Ulcer | | | | | | | | | | | | | | | | | | | | | 4 | | | 1 | 4.0 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 | | |
| Lymphoid Tissue, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Basophilic Focus | X | | | X | X | | | | | | | | | | | | | X | | | | | | 5 | |
| Eosinophilic Focus | | | | | | | | X | | | | | | | | | | | | | | | | 1 | |
| Fatty Change | | | | | | | | | | | | | | | | | | | | | 3 | | | 1 | 3.0 |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | 1 | | | 1 | 1.0 |
| Infiltration Cellular, Lymphocyte | 1 | | 2 | | 1 | | 1 | | | | | | 1 | 1 | 1 | | | | | 2 | | | | 19 | 1.4 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE
Tri 12.5Female | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--------------------------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----------|--------|
| | 077 | 078 | 079 | 070 | 071 | 072 | 073 | 074 | 075 | 076 | 077 | 078 | 079 | 070 | 071 | 072 | 073 | 074 | 075 | 076 | | 077 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 6 | 4 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | |
| | 2 | 2 | 4 | 2 | 2 | 2 | 1 | 0 | 7 | 9 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 5 | 2 | |
| | 7 | 8 | 3 | 6 | 9 | 8 | 4 | 4 | 5 | 6 | 9 | 6 | 7 | 8 | 9 | 6 | 7 | 8 | 9 | 6 | 8 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Inflammation, Chronic Active | | | | | | | | 1 | | | | | | | | | | | | | | 2 1.0 |
| Tension Lipidosis | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Vacuolization Cytoplasmic | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Bile Duct, Cyst | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocyte, Necrosis | | | | | | | | 1 | 4 | | | | | | | | | | | | | 4 2.5 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | 6 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | 6 4.0 |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | 48 |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | 22 1.4 |
| Vacuolization Cytoplasmic | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Acinus, Degeneration | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Duct, Dilatation | | | | | | | | | | | | | | | | | | | | | | 3 3.0 |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | 48 |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | 35 1.5 |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | 48 |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | 46 |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Tongue | | | | | | | | | | | | | | | | | | | | | | 1 |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | | | | | | | | | | | | | | | | | | | | | | 48 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|----|
| | 07 | 07 | 06 | 06 | 07 | 07 | 07 | 06 | 04 | 06 | 06 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 05 | 07 | | 07 |
| Tri 12.5Female | 02 | 02 | 04 | 02 | 02 | 02 | 01 | 04 | 07 | 09 | 02 | 02 | 02 | 02 | 08 | 09 | 06 | 07 | 08 | 09 | 06 | |
| | 00 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | |
| | 00 | 00 | 00 | 00 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | |
| | 06 | 07 | 08 | 09 | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 00 | 01 | 02 | 03 | 04 | 05 | 06 | |
| | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|-----|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Cardiomyopathy | | | 1 | | | 2 | | | | | | | | | | | | | | | | | 2 | 1.5 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Mineralization | | | | | | | | | | 1 | | | | | | | | | | | | | 1 | 1.0 |
| Polyarteritis | | | | | | 1 | | | | | | | | | | | | | | | | | 1 | 1.0 |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | 1 | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|----|----|-----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | | | |
| Amyloid Deposition | 2 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | | 1 | 2 | 1 | | 2 | 2 | 2 | 2 | 1 | 2 | 2 | | 2 | 1 | | 44 | 1.4 |
| Angiectasis | | | | | | | | | | 3 | | | | | | | | | | | | | | | 1 | 3.0 |
| Vacuolization Cytoplasmic | | | 2 | | | | | | | | | | | | | | | | | | | | | | 2 | 2.0 |
| Subcapsular, Hyperplasia | 2 | 1 | 3 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | 48 | 2.1 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Hyperplasia | | | | | | | | | | | | | 1 | | | | | | | | | | | | 2 | 1.5 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | 4 | | 1 | 4.0 |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | M | + | + | + | M | + | + | + | 43 | | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | X | | | 2 | |
| Ectopic Thymus | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 | | |
| Angiectasis | | | 4 | | | | | 2 | | | | | | | | | | | | | | | 1 | | 7 | 2.0 |
| Pars Distalis, Cyst | | | | | | | | | | | X | | | | | | | | X | | | | | | 2 | |
| Pars Distalis, Hyperplasia | | | | | | | 2 | 2 | | | | | | | | | | | | | | | 2 | | 9 | 1.7 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 6 | 4 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 |
| Tri 12.5Female | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| | | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| C-cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1.0 |
| Follicle, Cyst | | | X | | | | | | | | | | | | | | | | | | | | | 7 | |

GENERAL BODY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|-----|
| Tissue NOS | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 | 4.0 |

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 43 | |
| Duct, Dilatation | | | | 2 | | 2 | | | | 2 | 2 | 3 | | | | | | 2 | 2 | | | 2 | 2 | 15 | 2.3 |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Atrophy | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 46 | 4.0 |
| Cyst | | | | | | X | X | X | | | | | | | X | X | X | | | | X | | | 12 | |
| Hematocyst | | | | | | | | | | | X | | | | | | | | | | | | | 2 | |
| Bilateral, Cyst | | | | | | | | | | | | | | | | | | | | | | | | 1 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | 4 | | | | 3 | | | | | | | | | | | | 2 | 3.5 |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 | 4.0 |
| Pigmentation | | | | | | | | | | | | | | | | | | | | | | | 3 | 1 | 3.0 |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | X | 1 | |
| Endometrium, Hyperplasia, Cystic | 3 | 3 | 4 | 4 | 3 | 3 | 3 | 4 | 2 | 4 | 4 | 3 | 4 | 4 | 2 | 4 | 4 | 4 | 4 | 3 | 3 | 4 | 3 | 48 | 3.5 |
| Lumen, Dilatation | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 | 4.0 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE
Tri 12.5Female | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-------|--------|
| | 077 | 078 | 079 | 080 | 081 | 082 | 083 | 084 | 085 | 086 | 087 | 088 | 089 | 090 | 091 | 092 | 093 | 094 | 095 | 096 | | 097 | |
| ANIMAL ID | 05061 | 05067 | 05068 | 05069 | 05070 | 05071 | 05072 | 05073 | 05074 | 05075 | 05076 | 05077 | 05078 | 05079 | 05080 | 05081 | 05082 | 05083 | 05084 | 05085 | 05086 | | |
| Myeloid Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | 4 | 2 3.5 | |
| Lymph Node | | | | | + | | | | | | | | | | | | | | | | | | 6 |
| Lumbar, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Renal, Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Lymph Node, Mandibular
Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | 47 |
| | | | | | | | | | | | | | | | | | | | | | | | 15 1.3 |
| Lymph Node, Mesenteric
Angiectasis | | | | | | | | | | | | | | | | | | | | | | | 48 |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| | | | | | | | | | | | | | | | | | | | | | | | 24 2.0 |
| Spleen | | | | | | | | | | | | | | | | | | | | | | | 48 |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | | 23 3.2 |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | 37 3.1 |
| Thymus | | | | | | | | | | | | | | | | | | | | | | | 48 |
| Atrophy | | | | | | | | | | | | | | | | | | | | | | | 44 3.5 |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | 2 3.0 |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | | | | | | | | | | | | | | | | | | | | | | | 47 |
| Alveolus, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Skin | | | | | | | | | | | | | | | | | | | | | | | 48 |
| Epidermis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Skin, Control | | | | | | | | | | | | | | | | | | | | | | | 48 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE
Tri 12.5Female | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
|--------------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | ANIMAL ID | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 6 | 4 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | |
| | | 2 | 2 | 4 | 2 | 2 | 2 | 1 | 0 | 7 | 9 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 5 | 2 | 2 | 2 | |
| | | 7 | 8 | 3 | 6 | 9 | 8 | 4 | 4 | 5 | 6 | 9 | 6 | 7 | 8 | 9 | 6 | 7 | 8 | 9 | 6 | 7 | 8 | 8 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |

Epidermis, Hyperplasia 2 1.5

Skin, Site Of Application + 48

Infiltration Cellular, Mast Cell 2 1 2.0

Dermis, Inflammation, Chronic Active 1 1 1.0

Epidermis, Hyperplasia 1 1 1 1 1 2 2 1 1 1 1 2 1 2 1 1 1 2 1 2 39 1.2

Epidermis, Inflammation, Suppurative 1 4 1.0

MUSCULOSKELETAL SYSTEM

Bone, Femur + 48

Fibro-Osseous Lesion 1 1 1 3 3 3 10 1.6

NERVOUS SYSTEM

Brain, Brain Stem + 48

Compression 4 1 4.0

Brain, Cerebellum + 48

Brain, Cerebrum + 48

Metaplasia, Osseous 1 1 1 1 1 1 1 2 2 2 1 1 1 1 1 2 33 1.2

Mineralization 1 1 1 1 1 1 1 2 2 2 1 1 1 1 1 2

RESPIRATORY SYSTEM

Lung + 48

Infiltration Cellular, Histiocyte 2 4 3 2.7

Alveolar Epithelium, Hyperplasia 2 3 2.3

Nose + 48

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 12/04/2020

Time Report Requested: 13:42:33

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | |
|---|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|----|----|-----|-----|
| | 07 | 07 | 06 | 06 | 07 | 07 | 07 | 06 | 04 | 06 | 06 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 05 | 07 | | 07 | | | |
| Tri 12.5Female | ANIMAL ID | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | |
| | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | | 05 | | | |
| Eosinophilic Material | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | | X | X | X | X | X | 42 | |
| Olfactory Epithelium, Accumulation, Hyaline Droplet | | | | | | | | | | | | | | | | | | | 2 | | | | | 1 | 2.0 |
| Respiratory Epithelium, Accumulation, Hyaline Droplet | 2 | 1 | 3 | | 2 | 2 | 2 | 2 | 2 | 2 | 3 | | | 2 | | | 1 | 3 | 2 | 3 | 2 | | 30 | 1.8 | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 | | |
| Cataract | | | | | | | | | | | | | | | | | | | | | | | 2 | 1.0 | |
| Harderian Gland | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | |
| Infiltration Cellular, Lymphocyte | 1 | | 2 | | 1 | | 1 | | | 1 | | 1 | | | 1 | 2 | | 1 | 1 | 1 | 1 | | 27 | 1.1 | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Accumulation, Hyaline Droplet | | | | | | | | | | | 4 | | | | | | | | | | | | 1 | 4.0 | |
| Casts | | | | | | | | | | | | | | | | | | 2 | | | | | 1 | 2.0 | |
| Infarct | | | X | | | | | | | | | | X | | | | | | X | | | | 8 | | |
| Infiltration Cellular, Lymphocyte | 1 | 1 | 2 | 1 | 1 | | | 2 | 1 | | | | | 1 | 2 | 1 | 2 | 2 | 2 | 1 | | 1 | 30 | 1.4 | |
| Infiltration Cellular, Polymorphonuclear | | | | | | | | | | 3 | | | | | | | | | | 1 | | | 2 | 2.0 | |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | 1 | 1.0 | |
| Mineralization | 1 | | | | | | | | | | | | | | | | | | | | | | 1 | 1.0 | |
| Nephropathy | | | | | 2 | 1 | | | | | | | 1 | | | | | | | | | | 10 | 1.4 | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | |
| Infiltration Cellular, Lymphocyte | 1 | 1 | 2 | 1 | | 1 | | 1 | 1 | | | 1 | | 2 | 1 | | 1 | 2 | | 2 | | 1 | 26 | 1.3 | |
| Inflammation, Chronic Active | | | | | | | | | | 2 | | | | | | | | | | | | | 1 | 2.0 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

