

Experiment Number: 03039 - 02
Test Type: CHRONIC
Route: Dermal
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan
CAS Number: 3380-34-5

Date Report Requested: 08/17/2021
Time Report Requested: 17:12:36
First Dose M/F: 09/11/13 / 09/11/13
Lab: NCTR

No Untreated Control

NTP Study Number:	C03039B		
Lock Date:	12/18/2017		
Cage Range:	ALL		
Date Range:	ALL		
Reasons For Removal:	ALL		
Removal Date Range:	ALL		
Treatment Groups:	Include 001 Veh ctrlFemale	Include 002 Veh ctrlMale	Include 003 Tri 1.25Female
	Include 004 Tri 1.25Male	Include 005 Tri 2.7 Female	Include 006 Tri 2.7 Male
	Include 009 Tri 5.8 Female	Include 010 Tri 5.8 Male	Include 011 Tri 12.5Female
	Include 012 Tri 12.5Male		
Study Gender:	Both		
TDMSE Version:	2.5.0.0_SFH		
PWG Approval Date:	10/13/2017		

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

SUMMARY OF STATISTICALLY SIGNIFICANT ($P \leq .05$) RESULTS IN THE ANALYSIS OF TRICLOSAN

MALE MICE

Organ

Adrenal Cortex: Subcapsular
Bone, Femur
Brain, Cerebrum
Epididymis
Harderian Gland
Intestine Small, Ileum: Lymphoid Tissue
Kidney

Liver

Liver: Hepatocyte
Lung

Lymph Node, Mandibular
Mesentery
Nose
Nose: Respiratory Epithelium
Pancreas
Preputial Gland

Salivary Glands
Skin, Site of Application: Epidermis

Stomach, Glandular
Testes: Seminiferous Tubule

Urinary Bladder
Urinary Bladder: Lumen

Morphology

Hyperplasia
Fibro-osseous Lesion
Mineralization
Exfoliated Germ Cell
Infiltration Cellular Lymphocyte
Hyperplasia
Infiltration Cellular Lymphocyte
Mineralization
Cyst
Eosinophilic Focus
Inflammation Chronic
Mixed Cell Focus
Necrosis
Hemorrhage
Infiltration Cellular Histiocyte
Hyperplasia Lymphoid
Necrosis
Inflammation Chronic
Accumulation, Hyaline Droplet
Infiltration Cellular Lymphocyte
Infiltration Cellular Lymphocyte
Inflammation
Infiltration Cellular Lymphocyte
Hyperplasia
Inflammation
Ulcer
Cyst
Degeneration
Dilatation
Infiltration Cellular Lymphocyte
Dilatation

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

SUMMARY OF STATISTICALLY SIGNIFICANT ($P \leq .05$) RESULTS IN THE ANALYSIS OF TRICLOSAN

FEMALE MICE

Organ

Adrenal Cortex
Clitoral Gland: Duct
Harderian Gland
Lung
Lymph Node: Mediastinal
Ovary
Pancreas: Acinus
Pancreas: Duct
Pituitary Gland
Pituitary Gland: Pars Distalis

Skin, Site of Application: Epidermis

Stomach, Glandular
Thymus
Thyroid Gland
Thyroid Gland: C-Cell
Urinary Bladder

Morphology

Accessory Adrenal Cortical Nodule
Dilatation
Infiltration Cellular Lymphocyte
Infiltration Cellular Lymphocyte
Hyperplasia Lymphoid
Cyst
Degeneration
Dilatation
Angiectasis
Cyst
Hyperplasia
Hyperplasia
Inflammation
Cyst
Atrophy
Infiltration Cellular Lymphocyte
Hyperplasia
Infiltration Cellular Lymphocyte

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Adrenal Cortex					
Accessory Adrenal Cortical Nodule					
LESION RATES					
OVERALL (a)	2/47 (4%)	0/48 (0%)	2/48 (4%)	2/47 (4%)	1/48 (2%)
POLY-3 RATE (b)	2/41.49	0/40.20	2/43.23	2/40.08	1/40.36
POLY-3 PERCENT (g)	4.8%	0%	4.6%	5%	2.5%
TERMINAL (d)	2/34 (6%)	0/30 (0%)	2/34 (6%)	0/27 (0%)	1/31 (3%)
FIRST INCIDENCE	726 (T)	---	726 (T)	421	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.562N	P=0.244N	P=0.679N	P=0.682	P=0.510N
POLY 1.5	P=0.559N	P=0.238N	P=0.679N	P=0.689	P=0.502N
POLY 6	P=0.563N	P=0.251N	P=0.681N	P=0.671	P=0.516N
COCH-ARM / FISHERS	P=0.555N	P=0.242N	P=0.684N	P=0.692N	P=0.492N
MAX-ISO-POLY-3	P=0.494N	P=0.083N	P=0.483N	P=0.486	P=0.292N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Adrenal Cortex					
Amyloid Deposition					
LESION RATES					
OVERALL (a)	4/47 (9%)	2/48 (4%)	2/48 (4%)	3/47 (6%)	3/48 (6%)
POLY-3 RATE (b)	4/41.70	2/40.56	2/43.42	3/39.77	3/40.88
POLY-3 PERCENT (g)	9.6%	4.9%	4.6%	7.5%	7.3%
TERMINAL (d)	3/34 (9%)	1/30 (3%)	1/34 (3%)	0/27 (0%)	1/31 (3%)
FIRST INCIDENCE	671	625	676	617	617
STATISTICAL TESTS					
POLY 3	P=0.558	P=0.349N	P=0.318N	P=0.526N	P=0.511N
POLY 1.5	P=0.564	P=0.338N	P=0.318N	P=0.512N	P=0.501N
POLY 6	P=0.557	P=0.362N	P=0.320N	P=0.542N	P=0.519N
COCH-ARM / FISHERS	P=0.574	P=0.329N	P=0.329N	P=0.500N	P=0.488N
MAX-ISO-POLY-3	P=0.465N	P=0.213N	P=0.188N	P=0.374N	P=0.358N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Adrenal Cortex Cyst					
LESION RATES					
OVERALL (a)	0/47 (0%)	0/48 (0%)	0/48 (0%)	1/47 (2%)	0/48 (0%)
POLY-3 RATE (b)	0/41.49	0/40.20	0/43.23	1/38.88	0/40.36
POLY-3 PERCENT (g)	0%	0%	0%	2.6%	0%
TERMINAL (d)	0/34 (0%)	0/30 (0%)	0/34 (0%)	1/27 (4%)	0/31 (0%)
FIRST INCIDENCE	---	---	---	726 (T)	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Adrenal Cortex Hypertrophy					
LESION RATES					
OVERALL (a)	2/47 (4%)	1/48 (2%)	3/48 (6%)	2/47 (4%)	2/48 (4%)
POLY-3 RATE (b)	2/41.49	1/40.20	3/43.71	2/38.88	2/40.36
POLY-3 PERCENT (g)	4.8%	2.5%	6.9%	5.1%	5%
TERMINAL (d)	2/34 (6%)	1/30 (3%)	2/34 (6%)	2/27 (7%)	2/31 (7%)
FIRST INCIDENCE	726 (T)	726 (T)	583	726 (T)	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.541	P=0.511N	P=0.524	P=0.671	P=0.684
POLY 1.5	P=0.548	P=0.502N	P=0.522	P=0.683	P=0.692
POLY 6	P=0.535	P=0.521N	P=0.525	P=0.655	P=0.677
COCH-ARM / FISHERS	P=0.558	P=0.492N	P=0.510	P=0.692N	P=0.684N
MAX-ISO-POLY-3	P=0.580	P=0.293N	P=0.347	P=0.474	P=0.489

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Adrenal Cortex					
Vacuolization Cytoplasmic					
<hr/>					
LESION RATES					
OVERALL (a)	0/47 (0%)	0/48 (0%)	0/48 (0%)	1/47 (2%)	0/48 (0%)
POLY-3 RATE (b)	0/41.49	0/40.20	0/43.23	1/39.41	0/40.36
POLY-3 PERCENT (g)	0%	0%	0%	2.5%	0%
TERMINAL (d)	0/34 (0%)	0/30 (0%)	0/34 (0%)	0/27 (0%)	0/31 (0%)
FIRST INCIDENCE	---	---	---	566	---
<hr/>					
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Adrenal Cortex: Subcapsular Hyperplasia					
LESION RATES					
OVERALL (a)	43/47 (91%)	41/48 (85%)	46/48 (96%)	37/47 (79%)	44/48 (92%)
POLY-3 RATE (b)	43/46.00	41/45.39	46/47.41	37/45.20	44/46.19
POLY-3 PERCENT (g)	93.5%	90.3%	97%	81.9%	95.3%
TERMINAL (d)	31/34 (91%)	28/30 (93%)	33/34 (97%)	22/27 (82%)	30/31 (97%)
FIRST INCIDENCE	478	393	407	336	282
STATISTICAL TESTS					
POLY 3	P=0.556	P=0.430N	P=0.372	P=0.076N	P=0.535
POLY 1.5	P=0.536N	P=0.317N	P=0.413	P=0.056N	P=0.636
POLY 6	P=0.490	P=0.565N	P=0.327	P=0.116N	P=0.420
COCH-ARM / FISHERS	P=0.531N	P=0.274N	P=0.329	P=0.073N	P=0.631
MAX-ISO-POLY-3	P=0.302N	P=0.283N	P=0.206	P=0.040N*	P=0.348

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Adrenal Medulla Hyperplasia					
LESION RATES					
OVERALL (a)	0/47 (0%)	0/47 (0%)	0/48 (0%)	0/46 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/41.49	0/39.96	0/43.23	0/38.20	0/40.36
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%
TERMINAL (d)	0/34 (0%)	0/30 (0%)	0/34 (0%)	0/27 (0%)	0/31 (0%)
FIRST INCIDENCE	---	---	---	---	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Bone Marrow: Myeloid Cell Hyperplasia					
LESION RATES					
OVERALL (a)	7/48 (15%)	7/48 (15%)	4/48 (8%)	8/48 (17%)	8/48 (17%)
POLY-3 RATE (b)	7/42.84	7/40.76	4/43.23	8/40.87	8/41.33
POLY-3 PERCENT (g)	16.3%	17.2%	9.3%	19.6%	19.4%
TERMINAL (d)	4/35 (11%)	5/30 (17%)	4/34 (12%)	4/28 (14%)	5/31 (16%)
FIRST INCIDENCE	671	622	726 (T)	639	469
STATISTICAL TESTS					
POLY 3	P=0.295	P=0.575	P=0.254N	P=0.460	P=0.470
POLY 1.5	P=0.305	P=0.594	P=0.252N	P=0.481	P=0.485
POLY 6	P=0.287	P=0.554	P=0.261N	P=0.436	P=0.456
COCH-ARM / FISHERS	P=0.320	P=0.613N	P=0.262N	P=0.500	P=0.500
MAX-ISO-POLY-3	P=0.453	P=0.460	P=0.163N	P=0.352	P=0.361

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Bone, Femur					
Fibro-osseous Lesion					
LESION RATES					
OVERALL (a)	0/48 (0%)	1/48 (2%)	3/48 (6%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/42.49	1/40.20	3/43.23	0/39.88	0/40.36
POLY-3 PERCENT (g)	0%	2.5%	6.9%	0%	0%
TERMINAL (d)	0/35 (0%)	1/30 (3%)	3/34 (9%)	0/28 (0%)	0/31 (0%)
FIRST INCIDENCE	---	726 (T)	726 (T)	---	---
STATISTICAL TESTS					
POLY 3	P=0.292N	P=0.489	P=0.121	(e)	(e)
POLY 1.5	P=0.286N	P=0.494	P=0.122	(e)	(e)
POLY 6	P=0.300N	P=0.483	P=0.120	(e)	(e)
COCH-ARM / FISHERS	P=0.282N	P=0.500	P=0.121	(e)	(e)
MAX-ISO-POLY-3	P=0.265N	P=0.158	P=0.041*	(e)	(e)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Bone: Cranium					
Hyperostosis					
LESION RATES					
OVERALL (a)	0/0 (0%)	0/1 (0%)	1/1 (100%)	2/3 (67%)	0/0 (0%)
POLY-3 RATE (b)	0/0.00	0/0.62	1/1.00	2/2.47	0/0.00
POLY-3 PERCENT (g)	0%	0%	100%	80.9%	0%
TERMINAL (d)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)
FIRST INCIDENCE	---	---	716	661	---
STATISTICAL TESTS					
POLY 3	(e)	(e)	(e)	(e)	(e)
POLY 1.5	(e)	(e)	(e)	(e)	(e)
POLY 6	(e)	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	P=0.811	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Brain, Cerebrum					
Mineralization					
LESION RATES					
OVERALL (a)	27/48 (56%)	28/48 (58%)	32/48 (67%)	39/48 (81%)	27/48 (56%)
POLY-3 RATE (b)	27/45.39	28/42.79	32/46.09	39/46.49	27/45.75
POLY-3 PERCENT (g)	59.5%	65.4%	69.4%	83.9%	59%
TERMINAL (d)	19/35 (54%)	21/30 (70%)	23/34 (68%)	23/28 (82%)	16/31 (52%)
FIRST INCIDENCE	482	451	503	336	282
STATISTICAL TESTS					
POLY 3	P=0.496N	P=0.359	P=0.217	P=0.007**	P=0.567N
POLY 1.5	P=0.515N	P=0.429	P=0.224	P=0.007**	P=0.554N
POLY 6	P=0.481N	P=0.281	P=0.205	P=0.006**	P=0.585
COCH-ARM / FISHERS	P=0.489	P=0.500	P=0.201	P=0.007**	P=0.581N
MAX-ISO-POLY-3	P=0.177	P=0.285	P=0.159	P=0.004**	P=0.481N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Epididymis					
Exfoliated Germ Cell					
LESION RATES					
OVERALL (a)	3/48 (6%)	0/48 (0%)	2/48 (4%)	1/48 (2%)	0/48 (0%)
POLY-3 RATE (b)	3/42.49	0/40.20	2/43.23	1/40.49	0/40.36
POLY-3 PERCENT (g)	7.1%	0%	4.6%	2.5%	0%
TERMINAL (d)	3/35 (9%)	0/30 (0%)	2/34 (6%)	0/28 (0%)	0/31 (0%)
FIRST INCIDENCE	726 (T)	---	726 (T)	533	---
STATISTICAL TESTS					
POLY 3	P=0.130N	P=0.128N	P=0.492N	P=0.322N	P=0.128N
POLY 1.5	P=0.130N	P=0.124N	P=0.492N	P=0.313N	P=0.124N
POLY 6	P=0.130N	P=0.134N	P=0.494N	P=0.335N	P=0.131N
COCH-ARM / FISHERS	P=0.130N	P=0.121N	P=0.500N	P=0.308N	P=0.121N
MAX-ISO-POLY-3	P=0.052N	P=0.047N*	P=0.318N	P=0.171N	P=0.046N*

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Epididymis					
Hypospermia					
LESION RATES					
OVERALL (a)	2/48 (4%)	0/48 (0%)	2/48 (4%)	1/48 (2%)	0/48 (0%)
POLY-3 RATE (b)	2/42.49	0/40.20	2/43.23	1/39.88	0/40.36
POLY-3 PERCENT (g)	4.7%	0%	4.6%	2.5%	0%
TERMINAL (d)	2/35 (6%)	0/30 (0%)	2/34 (6%)	1/28 (4%)	0/31 (0%)
FIRST INCIDENCE	726 (T)	---	726 (T)	726 (T)	---
STATISTICAL TESTS					
POLY 3	P=0.221N	P=0.249N	P=0.688N	P=0.522N	P=0.249N
POLY 1.5	P=0.220N	P=0.243N	P=0.687N	P=0.511N	P=0.243N
POLY 6	P=0.222N	P=0.256N	P=0.690N	P=0.537N	P=0.253N
COCH-ARM / FISHERS	P=0.218N	P=0.247N	P=0.692N	P=0.500N	P=0.247N
MAX-ISO-POLY-3	P=0.151N	P=0.087N	P=0.493N	P=0.304N	P=0.087N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Epididymis					
Infiltration Cellular Lymphocyte					
LESION RATES					
OVERALL (a)	6/48 (13%)	6/48 (13%)	3/48 (6%)	6/48 (13%)	5/48 (10%)
POLY-3 RATE (b)	6/42.49	6/40.56	3/43.65	6/40.49	5/41.24
POLY-3 PERCENT (g)	14.1%	14.8%	6.9%	14.8%	12.1%
TERMINAL (d)	6/35 (17%)	5/30 (17%)	1/34 (3%)	3/28 (11%)	3/31 (10%)
FIRST INCIDENCE	726 (T)	625	617	668	462
STATISTICAL TESTS					
POLY 3	P=0.534N	P=0.589	P=0.228N	P=0.587	P=0.521N
POLY 1.5	P=0.524N	P=0.605	P=0.230N	P=0.605	P=0.511N
POLY 6	P=0.541N	P=0.572	P=0.226N	P=0.568	P=0.529N
COCH-ARM / FISHERS	P=0.510N	P=0.621N	P=0.243N	P=0.621N	P=0.500N
MAX-ISO-POLY-3	P=0.561N	P=0.466	P=0.138N	P=0.464	P=0.395N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Eye Cataract					
LESION RATES					
OVERALL (a)	3/47 (6%)	2/48 (4%)	2/44 (5%)	2/48 (4%)	3/47 (6%)
POLY-3 RATE (b)	3/41.85	2/40.20	2/40.00	2/40.53	3/40.81
POLY-3 PERCENT (g)	7.2%	5%	5%	4.9%	7.4%
TERMINAL (d)	3/35 (9%)	2/30 (7%)	2/32 (6%)	0/28 (0%)	1/30 (3%)
FIRST INCIDENCE	726 (T)	726 (T)	726 (T)	526	462
STATISTICAL TESTS					
POLY 3	P=0.493	P=0.518N	P=0.521N	P=0.515N	P=0.651
POLY 1.5	P=0.496	P=0.505N	P=0.521N	P=0.501N	P=0.657
POLY 6	P=0.491	P=0.534N	P=0.522N	P=0.532N	P=0.645
COCH-ARM / FISHERS	P=0.498	P=0.490N	P=0.532N	P=0.490N	P=0.661N
MAX-ISO-POLY-3	P=0.618	P=0.344N	P=0.343N	P=0.339N	P=0.487

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Gallbladder					
Infiltration Cellular Lymphocyte					
<hr/>					
LESION RATES					
OVERALL (a)	0/45 (0%)	0/44 (0%)	0/43 (0%)	0/40 (0%)	0/46 (0%)
POLY-3 RATE (b)	0/39.89	0/36.64	0/39.00	0/32.67	0/39.10
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%
TERMINAL (d)	0/34 (0%)	0/27 (0%)	0/31 (0%)	0/23 (0%)	0/30 (0%)
FIRST INCIDENCE	---	---	---	---	---
<hr/>					
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Harderian Gland					
Infiltration Cellular Lymphocyte					
LESION RATES					
OVERALL (a)	24/48 (50%)	15/48 (31%)	21/48 (44%)	24/48 (50%)	18/48 (38%)
POLY-3 RATE (b)	24/44.52	15/44.34	21/44.06	24/43.15	18/44.39
POLY-3 PERCENT (g)	53.9%	33.8%	47.7%	55.6%	40.6%
TERMINAL (d)	19/35 (54%)	7/30 (23%)	18/34 (53%)	15/28 (54%)	7/31 (23%)
FIRST INCIDENCE	478	451	503	526	462
STATISTICAL TESTS					
POLY 3	P=0.375N	P=0.042N*	P=0.352N	P=0.521	P=0.145N
POLY 1.5	P=0.379N	P=0.041N*	P=0.333N	P=0.555	P=0.145N
POLY 6	P=0.349N	P=0.043N*	P=0.383N	P=0.488	P=0.136N
COCH-ARM / FISHERS	P=0.375N	P=0.048N*	P=0.341N	P=0.581N	P=0.152N
MAX-ISO-POLY-3	P=0.172N	P=0.026N*	P=0.277N	P=0.435	P=0.101N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Heart					
Cardiomyopathy					
LESION RATES					
OVERALL (a)	2/48 (4%)	2/48 (4%)	3/48 (6%)	6/48 (13%)	2/48 (4%)
POLY-3 RATE (b)	2/42.53	2/40.42	3/44.00	6/39.90	2/40.57
POLY-3 PERCENT (g)	4.7%	5%	6.8%	15%	4.9%
TERMINAL (d)	1/35 (3%)	1/30 (3%)	1/34 (3%)	5/28 (18%)	1/31 (3%)
FIRST INCIDENCE	716	668	571	721	672
STATISTICAL TESTS					
POLY 3	P=0.463	P=0.676	P=0.515	P=0.112	P=0.677
POLY 1.5	P=0.475	P=0.685	P=0.513	P=0.122	P=0.685
POLY 6	P=0.456	P=0.666	P=0.518	P=0.099	P=0.671
COCH-ARM / FISHERS	P=0.493	P=0.692N	P=0.500	P=0.134	P=0.692N
MAX-ISO-POLY-3	P=0.321	P=0.479	P=0.340	P=0.061	P=0.481

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Intestine Large, Cecum: Lymphoid Tissue Hyperplasia					
LESION RATES					
OVERALL (a)	1/47 (2%)	0/48 (0%)	0/46 (0%)	2/47 (4%)	0/48 (0%)
POLY-3 RATE (b)	1/41.85	0/40.20	0/42.00	2/39.36	0/40.36
POLY-3 PERCENT (g)	2.4%	0%	0%	5.1%	0%
TERMINAL (d)	1/35 (3%)	0/30 (0%)	0/34 (0%)	1/28 (4%)	0/31 (0%)
FIRST INCIDENCE	726 (T)	---	---	594	---
STATISTICAL TESTS					
POLY 3	P=0.587N	P=0.508N	P=0.499N	P=0.479	P=0.507N
POLY 1.5	P=0.584N	P=0.502N	P=0.500N	P=0.490	P=0.502N
POLY 6	P=0.589N	P=0.515N	P=0.499N	P=0.465	P=0.512N
COCH-ARM / FISHERS	P=0.578N	P=0.495N	P=0.505N	P=0.500	P=0.495N
MAX-ISO-POLY-3	P=0.332N	P=0.169N	P=0.159N	P=0.268	P=0.168N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Intestine Small, Ileum: Lymphoid Tissue Hyperplasia					
LESION RATES					
OVERALL (a)	0/47 (0%)	1/48 (2%)	0/46 (0%)	1/47 (2%)	3/48 (6%)
POLY-3 RATE (b)	0/41.85	1/40.57	0/42.00	1/38.91	3/40.36
POLY-3 PERCENT (g)	0%	2.5%	0%	2.6%	7.4%
TERMINAL (d)	0/35 (0%)	0/30 (0%)	0/34 (0%)	1/28 (4%)	3/31 (10%)
FIRST INCIDENCE	---	622	---	726 (T)	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.025*	P=0.494	(e)	P=0.485	P=0.112
POLY 1.5	P=0.027*	P=0.499	(e)	P=0.493	P=0.117
POLY 6	P=0.024*	P=0.488	(e)	P=0.476	P=0.107
COCH-ARM / FISHERS	P=0.029*	P=0.505	(e)	P=0.500	P=0.125
MAX-ISO-POLY-3	P=0.027*	P=0.159	(e)	P=0.158	P=0.038*

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Islets, Pancreatic Hyperplasia					
LESION RATES					
OVERALL (a)	6/48 (13%)	5/48 (10%)	3/48 (6%)	7/48 (15%)	4/47 (9%)
POLY-3 RATE (b)	6/43.01	5/40.35	3/43.23	7/40.27	4/40.70
POLY-3 PERCENT (g)	14%	12.4%	6.9%	17.4%	9.8%
TERMINAL (d)	3/35 (9%)	4/30 (13%)	3/34 (9%)	5/28 (18%)	2/30 (7%)
FIRST INCIDENCE	654	689	726 (T)	668	469
STATISTICAL TESTS					
POLY 3	P=0.476N	P=0.545N	P=0.239N	P=0.449	P=0.404N
POLY 1.5	P=0.469N	P=0.523N	P=0.236N	P=0.475	P=0.393N
POLY 6	P=0.481N	P=0.571N	P=0.246N	P=0.415	P=0.417N
COCH-ARM / FISHERS	P=0.460N	P=0.500N	P=0.243N	P=0.500	P=0.384N
MAX-ISO-POLY-3	P=0.495N	P=0.419N	P=0.143N	P=0.338	P=0.287N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Kidney					
Accumulation, Hyaline Droplet					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/42.49	0/40.20	0/43.23	0/39.88	0/40.36
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%
TERMINAL (d)	0/35 (0%)	0/30 (0%)	0/34 (0%)	0/28 (0%)	0/31 (0%)
FIRST INCIDENCE	---	---	---	---	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Kidney Casts					
LESION RATES					
OVERALL (a)	0/48 (0%)	1/48 (2%)	0/48 (0%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/42.49	1/40.20	0/43.23	0/39.88	0/40.36
POLY-3 PERCENT (g)	0%	2.5%	0%	0%	0%
TERMINAL (d)	0/35 (0%)	1/30 (3%)	0/34 (0%)	0/28 (0%)	0/31 (0%)
FIRST INCIDENCE	---	726 (T)	---	---	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Kidney Infarct					
LESION RATES					
OVERALL (a)	5/48 (10%)	7/48 (15%)	6/48 (13%)	3/48 (6%)	4/48 (8%)
POLY-3 RATE (b)	5/43.21	7/40.75	6/43.74	3/40.13	4/40.36
POLY-3 PERCENT (g)	11.6%	17.2%	13.7%	7.5%	9.9%
TERMINAL (d)	4/35 (11%)	5/30 (17%)	5/34 (15%)	2/28 (7%)	4/31 (13%)
FIRST INCIDENCE	478	625	571	661	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.268N	P=0.337	P=0.509	P=0.397N	P=0.543N
POLY 1.5	P=0.252N	P=0.356	P=0.510	P=0.377N	P=0.524N
POLY 6	P=0.284N	P=0.320	P=0.506	P=0.421N	P=0.560N
COCH-ARM / FISHERS	P=0.231N	P=0.379	P=0.500	P=0.357N	P=0.500N
MAX-ISO-POLY-3	P=0.393N	P=0.238	P=0.383	P=0.271N	P=0.407N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Kidney					
Infiltration Cellular Lymphocyte					
LESION RATES					
OVERALL (a)	2/48 (4%)	4/48 (8%)	3/48 (6%)	7/48 (15%)	6/48 (13%)
POLY-3 RATE (b)	2/42.49	4/41.85	3/43.23	7/42.58	6/41.18
POLY-3 PERCENT (g)	4.7%	9.6%	6.9%	16.4%	14.6%
TERMINAL (d)	2/35 (6%)	2/30 (7%)	3/34 (9%)	2/28 (7%)	3/31 (10%)
FIRST INCIDENCE	726 (T)	350	726 (T)	336	503
STATISTICAL TESTS					
POLY 3	P=0.073	P=0.330	P=0.508	P=0.078	P=0.121
POLY 1.5	P=0.077	P=0.336	P=0.508	P=0.081	P=0.127
POLY 6	P=0.070	P=0.320	P=0.506	P=0.074	P=0.118
COCH-ARM / FISHERS	P=0.085	P=0.339	P=0.500	P=0.079	P=0.134
MAX-ISO-POLY-3	P=0.095	P=0.195	P=0.332	P=0.038*	P=0.064

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Kidney					
Infiltration Cellular Polymorphonuclear					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)	1/48 (2%)
POLY-3 RATE (b)	0/42.49	0/40.20	0/43.23	0/39.88	1/41.09
POLY-3 PERCENT (g)	0%	0%	0%	0%	2.4%
TERMINAL (d)	0/35 (0%)	0/30 (0%)	0/34 (0%)	0/28 (0%)	0/31 (0%)
FIRST INCIDENCE	---	---	---	---	469
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Kidney					
Metaplasia Osseous					
LESION RATES					
OVERALL (a)	1/48 (2%)	1/48 (2%)	1/48 (2%)	0/48 (0%)	2/48 (4%)
POLY-3 RATE (b)	1/42.49	1/40.96	1/43.27	0/39.88	2/40.36
POLY-3 PERCENT (g)	2.4%	2.4%	2.3%	0%	5%
TERMINAL (d)	1/35 (3%)	0/30 (0%)	0/34 (0%)	0/28 (0%)	2/31 (7%)
FIRST INCIDENCE	726 (T)	451	716	---	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.353	P=0.753	P=0.757N	P=0.513N	P=0.482
POLY 1.5	P=0.359	P=0.757	P=0.756N	P=0.506N	P=0.490
POLY 6	P=0.348	P=0.747	P=0.758N	P=0.521N	P=0.475
COCH-ARM / FISHERS	P=0.367	P=0.753N	P=0.753N	P=0.500N	P=0.500
MAX-ISO-POLY-3	P=0.319	P=0.489	P=0.495N	P=0.173N	P=0.270

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Kidney Mineralization					
LESION RATES					
OVERALL (a)	3/48 (6%)	2/48 (4%)	3/48 (6%)	2/48 (4%)	0/48 (0%)
POLY-3 RATE (b)	3/42.53	2/40.20	3/43.23	2/39.88	0/40.36
POLY-3 PERCENT (g)	7.1%	5%	6.9%	5%	0%
TERMINAL (d)	2/35 (6%)	2/30 (7%)	3/34 (9%)	2/28 (7%)	0/31 (0%)
FIRST INCIDENCE	716	726 (T)	726 (T)	726 (T)	---
STATISTICAL TESTS					
POLY 3	P=0.092N	P=0.526N	P=0.655N	P=0.529N	P=0.128N
POLY 1.5	P=0.090N	P=0.513N	P=0.654N	P=0.514N	P=0.124N
POLY 6	P=0.095N	P=0.540N	P=0.658N	P=0.549N	P=0.132N
COCH-ARM / FISHERS	P=0.085N	P=0.500N	P=0.661N	P=0.500N	P=0.121N
MAX-ISO-POLY-3	P=0.125N	P=0.350N	P=0.492N	P=0.354N	P=0.046N*

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Kidney Nephropathy					
LESION RATES					
OVERALL (a)	45/48 (94%)	45/48 (94%)	47/48 (98%)	41/48 (85%)	43/48 (90%)
POLY-3 RATE (b)	45/47.00	45/46.35	47/48.00	41/44.78	43/46.59
POLY-3 PERCENT (g)	95.7%	97.1%	97.9%	91.6%	92.3%
TERMINAL (d)	33/35 (94%)	29/30 (97%)	33/34 (97%)	27/28 (96%)	29/31 (94%)
FIRST INCIDENCE	478	393	407	492	282
STATISTICAL TESTS					
POLY 3	P=0.124N	P=0.585	P=0.493	P=0.332N	P=0.392N
POLY 1.5	P=0.093N	P=0.674	P=0.490	P=0.200N	P=0.321N
POLY 6	P=0.180N	P=0.523	P=0.493	P=0.538N	P=0.464N
COCH-ARM / FISHERS	P=0.123N	P=0.661N	P=0.308	P=0.158N	P=0.357N
MAX-ISO-POLY-3	P=0.203N	P=0.359	P=0.276	P=0.187N	P=0.234N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Kidney: Cortex Cyst					
LESION RATES					
OVERALL (a)	1/48 (2%)	1/48 (2%)	1/48 (2%)	1/48 (2%)	2/48 (4%)
POLY-3 RATE (b)	1/42.49	1/40.96	1/43.23	1/39.88	2/40.61
POLY-3 PERCENT (g)	2.4%	2.4%	2.3%	2.5%	4.9%
TERMINAL (d)	1/35 (3%)	0/30 (0%)	1/34 (3%)	1/28 (4%)	1/31 (3%)
FIRST INCIDENCE	726 (T)	451	726 (T)	726 (T)	661
STATISTICAL TESTS					
POLY 3	P=0.318	P=0.753	P=0.757N	P=0.747	P=0.484
POLY 1.5	P=0.324	P=0.757	P=0.756N	P=0.754	P=0.491
POLY 6	P=0.314	P=0.747	P=0.758N	P=0.737	P=0.479
COCH-ARM / FISHERS	P=0.332	P=0.753N	P=0.753N	P=0.753N	P=0.500
MAX-ISO-POLY-3	P=0.435	P=0.489	P=0.495N	P=0.482	P=0.271

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Kidney: Renal Tubule Cyst					
LESION RATES					
OVERALL (a)	7/48 (15%)	10/48 (21%)	11/48 (23%)	11/48 (23%)	3/48 (6%)
POLY-3 RATE (b)	7/42.74	10/41.33	11/44.10	11/39.93	3/41.01
POLY-3 PERCENT (g)	16.4%	24.2%	25%	27.6%	7.3%
TERMINAL (d)	5/35 (14%)	6/30 (20%)	9/34 (27%)	9/28 (32%)	2/31 (7%)
FIRST INCIDENCE	671	618	540	720	511
STATISTICAL TESTS					
POLY 3	P=0.076N	P=0.267	P=0.236	P=0.166	P=0.173N
POLY 1.5	P=0.069N	P=0.282	P=0.234	P=0.191	P=0.165N
POLY 6	P=0.083N	P=0.256	P=0.236	P=0.138	P=0.180N
COCH-ARM / FISHERS	P=0.064N	P=0.297	P=0.217	P=0.217	P=0.158N
MAX-ISO-POLY-3	P=0.061N	P=0.189	P=0.166	P=0.115	P=0.104N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Kidney: Renal Tubule Hyperplasia					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/42.49	0/40.20	0/43.23	0/39.88	0/40.36
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%
TERMINAL (d)	0/35 (0%)	0/30 (0%)	0/34 (0%)	0/28 (0%)	0/31 (0%)
FIRST INCIDENCE	---	---	---	---	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
<hr/>					
Liver					
Angiectasis					
<hr/>					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	1/48 (2%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/42.49	0/40.20	1/43.23	0/39.88	0/40.36
POLY-3 PERCENT (g)	0%	0%	2.3%	0%	0%
TERMINAL (d)	0/35 (0%)	0/30 (0%)	1/34 (3%)	0/28 (0%)	0/31 (0%)
FIRST INCIDENCE	---	---	726 (T)	---	---
<hr/>					
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Liver					
Basophilic Focus					
LESION RATES					
OVERALL (a)	10/48 (21%)	11/48 (23%)	8/48 (17%)	13/48 (27%)	9/48 (19%)
POLY-3 RATE (b)	10/43.99	11/40.87	8/44.69	13/41.86	9/41.98
POLY-3 PERCENT (g)	22.7%	26.9%	17.9%	31.1%	21.4%
TERMINAL (d)	6/35 (17%)	8/30 (27%)	4/34 (12%)	8/28 (29%)	4/31 (13%)
FIRST INCIDENCE	482	622	540	492	503
STATISTICAL TESTS					
POLY 3	P=0.537N	P=0.423	P=0.382N	P=0.265	P=0.546N
POLY 1.5	P=0.521N	P=0.458	P=0.381N	P=0.292	P=0.526N
POLY 6	P=0.546N	P=0.386	P=0.385N	P=0.235	P=0.559N
COCH-ARM / FISHERS	P=0.495N	P=0.500	P=0.397N	P=0.317	P=0.500N
MAX-ISO-POLY-3	P=0.581	P=0.333	P=0.289N	P=0.196	P=0.444N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Liver					
Clear Cell Focus					
LESION RATES					
OVERALL (a)	5/48 (10%)	6/48 (13%)	8/48 (17%)	6/48 (13%)	5/48 (10%)
POLY-3 RATE (b)	5/42.76	6/40.20	8/43.23	6/39.88	5/40.36
POLY-3 PERCENT (g)	11.7%	14.9%	18.5%	15%	12.4%
TERMINAL (d)	4/35 (11%)	6/30 (20%)	8/34 (24%)	6/28 (21%)	5/31 (16%)
FIRST INCIDENCE	654	726 (T)	726 (T)	726 (T)	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.477N	P=0.456	P=0.281	P=0.451	P=0.594
POLY 1.5	P=0.458N	P=0.478	P=0.285	P=0.476	P=0.611
POLY 6	P=0.495N	P=0.431	P=0.273	P=0.418	P=0.577
COCH-ARM / FISHERS	P=0.435N	P=0.500	P=0.276	P=0.500	P=0.630N
MAX-ISO-POLY-3	P=0.552	P=0.337	P=0.190	P=0.333	P=0.462

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Liver Cyst					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)	2/48 (4%)
POLY-3 RATE (b)	0/42.49	0/40.20	0/43.23	0/39.88	2/40.97
POLY-3 PERCENT (g)	0%	0%	0%	0%	4.9%
TERMINAL (d)	0/35 (0%)	0/30 (0%)	0/34 (0%)	0/28 (0%)	1/31 (3%)
FIRST INCIDENCE	---	---	---	---	533
STATISTICAL TESTS					
POLY 3	P=0.020*	(e)	(e)	(e)	P=0.229
POLY 1.5	P=0.020*	(e)	(e)	(e)	P=0.233
POLY 6	P=0.020*	(e)	(e)	(e)	P=0.226
COCH-ARM / FISHERS	P=0.021*	(e)	(e)	(e)	P=0.247
MAX-ISO-POLY-3	P=0.020*	(e)	(e)	(e)	P=0.075

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Liver Deformity					
LESION RATES					
OVERALL (a)	1/48 (2%)	0/48 (0%)	2/48 (4%)	1/48 (2%)	1/48 (2%)
POLY-3 RATE (b)	1/42.53	0/40.20	2/43.27	1/39.88	1/40.36
POLY-3 PERCENT (g)	2.4%	0%	4.6%	2.5%	2.5%
TERMINAL (d)	0/35 (0%)	0/30 (0%)	1/34 (3%)	1/28 (4%)	1/31 (3%)
FIRST INCIDENCE	716	---	716	726 (T)	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.566	P=0.511N	P=0.506	P=0.746	P=0.749
POLY 1.5	P=0.570	P=0.506N	P=0.506	P=0.754	P=0.754
POLY 6	P=0.563	P=0.518N	P=0.504	P=0.737	P=0.744
COCH-ARM / FISHERS	P=0.576	P=0.500N	P=0.500	P=0.753N	P=0.753N
MAX-ISO-POLY-3	P=0.487	P=0.172N	P=0.287	P=0.482	P=0.485

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Liver					
Eosinophilic Focus					
LESION RATES					
OVERALL (a)	3/48 (6%)	1/48 (2%)	0/48 (0%)	1/48 (2%)	1/48 (2%)
POLY-3 RATE (b)	3/42.53	1/40.30	0/43.23	1/40.17	1/40.36
POLY-3 PERCENT (g)	7.1%	2.5%	0%	2.5%	2.5%
TERMINAL (d)	2/35 (6%)	0/30 (0%)	0/34 (0%)	0/28 (0%)	1/31 (3%)
FIRST INCIDENCE	717	702	---	650	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.370N	P=0.324N	P=0.115N	P=0.326N	P=0.324N
POLY 1.5	P=0.368N	P=0.315N	P=0.115N	P=0.315N	P=0.315N
POLY 6	P=0.371N	P=0.335N	P=0.116N	P=0.339N	P=0.332N
COCH-ARM / FISHERS	P=0.362N	P=0.308N	P=0.121N	P=0.308N	P=0.308N
MAX-ISO-POLY-3	P=0.130N	P=0.173N	P=0.038N*	P=0.174N	P=0.172N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Liver Fatty Change					
LESION RATES					
OVERALL (a)	2/48 (4%)	2/48 (4%)	0/48 (0%)	0/48 (0%)	1/48 (2%)
POLY-3 RATE (b)	2/42.53	2/40.35	0/43.23	0/39.88	1/41.01
POLY-3 PERCENT (g)	4.7%	5%	0%	0%	2.4%
TERMINAL (d)	1/35 (3%)	1/30 (3%)	0/34 (0%)	0/28 (0%)	0/31 (0%)
FIRST INCIDENCE	716	689	---	---	511
STATISTICAL TESTS					
POLY 3	P=0.358N	P=0.675	P=0.233N	P=0.251N	P=0.513N
POLY 1.5	P=0.354N	P=0.684	P=0.233N	P=0.244N	P=0.507N
POLY 6	P=0.363N	P=0.665	P=0.235N	P=0.261N	P=0.518N
COCH-ARM / FISHERS	P=0.347N	P=0.692N	P=0.247N	P=0.247N	P=0.500N
MAX-ISO-POLY-3	P=0.206N	P=0.478	P=0.075N	P=0.089N	P=0.294N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Liver Fibrosis					
LESION RATES					
OVERALL (a)	1/48 (2%)	1/48 (2%)	1/48 (2%)	2/48 (4%)	0/48 (0%)
POLY-3 RATE (b)	1/42.49	1/40.56	1/43.23	2/40.55	0/40.36
POLY-3 PERCENT (g)	2.4%	2.5%	2.3%	4.9%	0%
TERMINAL (d)	1/35 (3%)	0/30 (0%)	1/34 (3%)	0/28 (0%)	0/31 (0%)
FIRST INCIDENCE	726 (T)	625	726 (T)	617	---
STATISTICAL TESTS					
POLY 3	P=0.384N	P=0.750	P=0.757N	P=0.484	P=0.510N
POLY 1.5	P=0.377N	P=0.755	P=0.756N	P=0.492	P=0.506N
POLY 6	P=0.389N	P=0.745	P=0.758N	P=0.474	P=0.514N
COCH-ARM / FISHERS	P=0.367N	P=0.753N	P=0.753N	P=0.500	P=0.500N
MAX-ISO-POLY-3	P=0.342N	P=0.487	P=0.495N	P=0.271	P=0.171N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
<hr/>					
Liver					
Hematopoietic Cell Proliferation					
<hr/>					
LESION RATES					
OVERALL (a)	0/48 (0%)	1/48 (2%)	0/48 (0%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/42.49	1/40.30	0/43.23	0/39.88	0/40.36
POLY-3 PERCENT (g)	0%	2.5%	0%	0%	0%
TERMINAL (d)	0/35 (0%)	0/30 (0%)	0/34 (0%)	0/28 (0%)	0/31 (0%)
FIRST INCIDENCE	---	702	---	---	---
<hr/>					
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Liver					
Hepatodiaphragmatic Nodule					
LESION RATES					
OVERALL (a)	1/48 (2%)	0/48 (0%)	2/48 (4%)	0/48 (0%)	1/48 (2%)
POLY-3 RATE (b)	1/43.03	0/40.20	2/43.42	0/39.88	1/40.36
POLY-3 PERCENT (g)	2.3%	0%	4.6%	0%	2.5%
TERMINAL (d)	0/35 (0%)	0/30 (0%)	1/34 (3%)	0/28 (0%)	1/31 (3%)
FIRST INCIDENCE	560	---	676	---	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.635	P=0.514N	P=0.503	P=0.515N	P=0.746
POLY 1.5	P=0.639	P=0.507N	P=0.505	P=0.508N	P=0.753
POLY 6	P=0.631	P=0.521N	P=0.500	P=0.525N	P=0.740
COCH-ARM / FISHERS	P=0.643	P=0.500N	P=0.500	P=0.500N	P=0.753N
MAX-ISO-POLY-3	P=0.582	P=0.174N	P=0.283	P=0.176N	P=0.482

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Liver					
Infiltration Cellular Lymphocyte					
LESION RATES					
OVERALL (a)	1/48 (2%)	1/48 (2%)	2/48 (4%)	0/48 (0%)	1/48 (2%)
POLY-3 RATE (b)	1/42.70	1/40.20	2/43.23	0/39.88	1/40.36
POLY-3 PERCENT (g)	2.3%	2.5%	4.6%	0%	2.5%
TERMINAL (d)	0/35 (0%)	1/30 (3%)	2/34 (6%)	0/28 (0%)	1/31 (3%)
FIRST INCIDENCE	671	726 (T)	726 (T)	---	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.522N	P=0.747	P=0.504	P=0.514N	P=0.748
POLY 1.5	P=0.516N	P=0.754	P=0.506	P=0.507N	P=0.754
POLY 6	P=0.529N	P=0.739	P=0.501	P=0.523N	P=0.742
COCH-ARM / FISHERS	P=0.510N	P=0.753N	P=0.500	P=0.500N	P=0.753N
MAX-ISO-POLY-3	P=0.503N	P=0.483	P=0.285	P=0.174N	P=0.484

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Liver Inflammation Chronic					
LESION RATES					
OVERALL (a)	2/48 (4%)	8/48 (17%)	3/48 (6%)	7/48 (15%)	3/48 (6%)
POLY-3 RATE (b)	2/42.74	8/42.09	3/43.46	7/41.74	3/41.15
POLY-3 PERCENT (g)	4.7%	19%	6.9%	16.8%	7.3%
TERMINAL (d)	0/35 (0%)	2/30 (7%)	1/34 (3%)	1/28 (4%)	2/31 (7%)
FIRST INCIDENCE	671	513	676	533	430
STATISTICAL TESTS					
POLY 3	P=0.481N	P=0.041*	P=0.508	P=0.072	P=0.483
POLY 1.5	P=0.465N	P=0.043*	P=0.508	P=0.076	P=0.492
POLY 6	P=0.499N	P=0.040*	P=0.505	P=0.068	P=0.473
COCH-ARM / FISHERS	P=0.445N	P=0.045*	P=0.500	P=0.079	P=0.500
MAX-ISO-POLY-3	P=0.226	P=0.019*	P=0.332	P=0.036*	P=0.311

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Liver					
Mixed Cell Focus					
LESION RATES					
OVERALL (a)	0/48 (0%)	3/48 (6%)	1/48 (2%)	0/48 (0%)	1/48 (2%)
POLY-3 RATE (b)	0/42.49	3/41.24	1/43.23	0/39.88	1/40.36
POLY-3 PERCENT (g)	0%	7.3%	2.3%	0%	2.5%
TERMINAL (d)	0/35 (0%)	1/30 (3%)	1/34 (3%)	0/28 (0%)	1/31 (3%)
FIRST INCIDENCE	---	350	726 (T)	---	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.525N	P=0.113	P=0.503	(e)	P=0.490
POLY 1.5	P=0.514N	P=0.116	P=0.504	(e)	P=0.494
POLY 6	P=0.537N	P=0.109	P=0.502	(e)	P=0.486
COCH-ARM / FISHERS	P=0.502N	P=0.121	P=0.500	(e)	P=0.500
MAX-ISO-POLY-3	P=0.332	P=0.038*	P=0.162	(e)	P=0.158

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Liver Pigmentation					
LESION RATES					
OVERALL (a)	2/48 (4%)	0/48 (0%)	0/48 (0%)	1/48 (2%)	0/48 (0%)
POLY-3 RATE (b)	2/42.70	0/40.20	0/43.23	1/40.17	0/40.36
POLY-3 PERCENT (g)	4.7%	0%	0%	2.5%	0%
TERMINAL (d)	1/35 (3%)	0/30 (0%)	0/34 (0%)	0/28 (0%)	0/31 (0%)
FIRST INCIDENCE	671	---	---	650	---
STATISTICAL TESTS					
POLY 3	P=0.292N	P=0.251N	P=0.234N	P=0.521N	P=0.250N
POLY 1.5	P=0.293N	P=0.244N	P=0.234N	P=0.510N	P=0.244N
POLY 6	P=0.290N	P=0.259N	P=0.236N	P=0.535N	P=0.255N
COCH-ARM / FISHERS	P=0.292N	P=0.247N	P=0.247N	P=0.500N	P=0.247N
MAX-ISO-POLY-3	P=0.069N	P=0.089N	P=0.075N	P=0.303N	P=0.088N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
<hr/>					
Liver					
Tension Lipidosis					
<hr/>					
LESION RATES					
OVERALL (a)	0/48 (0%)	1/48 (2%)	1/48 (2%)	0/48 (0%)	2/48 (4%)
POLY-3 RATE (b)	0/42.49	1/40.35	1/43.74	0/39.88	2/40.72
POLY-3 PERCENT (g)	0%	2.5%	2.3%	0%	4.9%
TERMINAL (d)	0/35 (0%)	0/30 (0%)	0/34 (0%)	0/28 (0%)	1/31 (3%)
FIRST INCIDENCE	---	689	571	---	625
<hr/>					
STATISTICAL TESTS					
POLY 3	P=0.180	P=0.490	P=0.506	(e)	P=0.227
POLY 1.5	P=0.184	P=0.495	P=0.505	(e)	P=0.232
POLY 6	P=0.176	P=0.484	P=0.506	(e)	P=0.224
COCH-ARM / FISHERS	P=0.189	P=0.500	P=0.500	(e)	P=0.247
MAX-ISO-POLY-3	P=0.094	P=0.158	P=0.165	(e)	P=0.075

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Liver					
Vacuolization Cytoplasmic					
LESION RATES					
OVERALL (a)	2/48 (4%)	1/48 (2%)	5/48 (10%)	3/48 (6%)	2/48 (4%)
POLY-3 RATE (b)	2/42.49	1/40.96	5/43.23	3/39.88	2/40.36
POLY-3 PERCENT (g)	4.7%	2.4%	11.6%	7.5%	5%
TERMINAL (d)	2/35 (6%)	0/30 (0%)	5/34 (15%)	3/28 (11%)	2/31 (7%)
FIRST INCIDENCE	726 (T)	451	726 (T)	726 (T)	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.576	P=0.513N	P=0.222	P=0.471	P=0.676
POLY 1.5	P=0.581N	P=0.506N	P=0.223	P=0.486	P=0.684
POLY 6	P=0.567	P=0.521N	P=0.220	P=0.452	P=0.668
COCH-ARM / FISHERS	P=0.567N	P=0.500N	P=0.218	P=0.500	P=0.692N
MAX-ISO-POLY-3	P=0.361	P=0.295N	P=0.125	P=0.303	P=0.479

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Liver: Hepatocyte Necrosis					
LESION RATES					
OVERALL (a)	5/48 (10%)	11/48 (23%)	4/48 (8%)	10/48 (21%)	3/48 (6%)
POLY-3 RATE (b)	5/43.20	11/42.14	4/43.74	10/41.77	3/41.88
POLY-3 PERCENT (g)	11.6%	26.1%	9.1%	23.9%	7.2%
TERMINAL (d)	1/35 (3%)	4/30 (13%)	1/34 (3%)	3/28 (11%)	1/31 (3%)
FIRST INCIDENCE	604	513	650	533	430
STATISTICAL TESTS					
POLY 3	P=0.179N	P=0.073	P=0.492N	P=0.112	P=0.373N
POLY 1.5	P=0.169N	P=0.078	P=0.490N	P=0.121	P=0.364N
POLY 6	P=0.192N	P=0.069	P=0.497N	P=0.102	P=0.385N
COCH-ARM / FISHERS	P=0.163N	P=0.085	P=0.500N	P=0.130	P=0.357N
MAX-ISO-POLY-3	P=0.121N	P=0.043*	P=0.356N	P=0.069	P=0.246N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Lung Hemorrhage					
LESION RATES					
OVERALL (a)	3/48 (6%)	1/48 (2%)	2/48 (4%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	3/43.49	1/40.20	2/43.23	0/39.88	0/40.36
POLY-3 PERCENT (g)	6.9%	2.5%	4.6%	0%	0%
TERMINAL (d)	2/35 (6%)	1/30 (3%)	2/34 (6%)	0/28 (0%)	0/31 (0%)
FIRST INCIDENCE	41	726 (T)	726 (T)	---	---
STATISTICAL TESTS					
POLY 3	P=0.063N	P=0.334N	P=0.503N	P=0.135N	P=0.132N
POLY 1.5	P=0.062N	P=0.323N	P=0.502N	P=0.128N	P=0.128N
POLY 6	P=0.063N	P=0.345N	P=0.506N	P=0.143N	P=0.136N
COCH-ARM / FISHERS	P=0.061N	P=0.308N	P=0.500N	P=0.121N	P=0.121N
MAX-ISO-POLY-3	P=0.057N	P=0.182N	P=0.326N	P=0.052N	P=0.050N*

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Lung					
Infiltration Cellular Histiocyte					
LESION RATES					
OVERALL (a)	3/48 (6%)	5/48 (10%)	1/48 (2%)	3/48 (6%)	9/48 (19%)
POLY-3 RATE (b)	3/42.49	5/40.30	1/43.23	3/40.13	9/42.11
POLY-3 PERCENT (g)	7.1%	12.4%	2.3%	7.5%	21.4%
TERMINAL (d)	3/35 (9%)	4/30 (13%)	1/34 (3%)	2/28 (7%)	5/31 (16%)
FIRST INCIDENCE	726 (T)	702	726 (T)	661	484
STATISTICAL TESTS					
POLY 3	P=0.013*	P=0.327	P=0.299N	P=0.636	P=0.055
POLY 1.5	P=0.014*	P=0.341	P=0.299N	P=0.650	P=0.057
POLY 6	P=0.013*	P=0.311	P=0.300N	P=0.619	P=0.054
COCH-ARM / FISHERS	P=0.016*	P=0.357	P=0.308N	P=0.661N	P=0.060
MAX-ISO-POLY-3	P=0.022*	P=0.211	P=0.151N	P=0.471	P=0.028*

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Lung					
Infiltration Cellular Lymphocyte					
<hr/>					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/42.49	0/40.20	0/43.23	0/39.88	0/40.36
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%
TERMINAL (d)	0/35 (0%)	0/30 (0%)	0/34 (0%)	0/28 (0%)	0/31 (0%)
FIRST INCIDENCE	---	---	---	---	---
<hr/>					
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Lung: Alveolar Epithelium Hyperplasia					
LESION RATES					
OVERALL (a)	4/48 (8%)	3/48 (6%)	2/48 (4%)	5/48 (10%)	2/48 (4%)
POLY-3 RATE (b)	4/42.96	3/40.20	2/43.23	5/40.27	2/40.74
POLY-3 PERCENT (g)	9.3%	7.5%	4.6%	12.4%	4.9%
TERMINAL (d)	2/35 (6%)	3/30 (10%)	2/34 (6%)	3/28 (11%)	0/31 (0%)
FIRST INCIDENCE	604	726 (T)	726 (T)	668	625
STATISTICAL TESTS					
POLY 3	P=0.415N	P=0.536N	P=0.334N	P=0.459	P=0.362N
POLY 1.5	P=0.407N	P=0.519N	P=0.331N	P=0.480	P=0.350N
POLY 6	P=0.420N	P=0.557N	P=0.339N	P=0.434	P=0.371N
COCH-ARM / FISHERS	P=0.393N	P=0.500N	P=0.339N	P=0.500	P=0.339N
MAX-ISO-POLY-3	P=0.405N	P=0.385N	P=0.197N	P=0.330	P=0.224N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Lymph Node, Mandibular Hyperplasia Lymphoid					
LESION RATES					
OVERALL (a)	7/47 (15%)	12/46 (26%)	11/48 (23%)	17/48 (35%)	15/47 (32%)
POLY-3 RATE (b)	7/42.03	12/40.67	11/44.03	17/41.79	15/43.33
POLY-3 PERCENT (g)	16.7%	29.5%	25%	40.7%	34.6%
TERMINAL (d)	6/34 (18%)	7/29 (24%)	8/34 (24%)	12/28 (43%)	7/31 (23%)
FIRST INCIDENCE	560	597	617	492	282
STATISTICAL TESTS					
POLY 3	P=0.050*	P=0.128	P=0.247	P=0.012*	P=0.047*
POLY 1.5	P=0.049*	P=0.135	P=0.246	P=0.014*	P=0.046*
POLY 6	P=0.053	P=0.124	P=0.248	P=0.009**	P=0.049*
COCH-ARM / FISHERS	P=0.046*	P=0.140	P=0.231	P=0.019*	P=0.043*
MAX-ISO-POLY-3	P=0.027*	P=0.083	P=0.175	P=0.006**	P=0.029*

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Lymph Node, Mandibular Infiltration Cellular Plasma Cell					
LESION RATES					
OVERALL (a)	0/47 (0%)	2/46 (4%)	0/48 (0%)	0/48 (0%)	0/47 (0%)
POLY-3 RATE (b)	0/41.49	2/39.09	0/43.23	0/39.88	0/40.09
POLY-3 PERCENT (g)	0%	5.1%	0%	0%	0%
TERMINAL (d)	0/34 (0%)	2/29 (7%)	0/34 (0%)	0/28 (0%)	0/31 (0%)
FIRST INCIDENCE	---	726 (T)	---	---	---
STATISTICAL TESTS					
POLY 3	P=0.327N	P=0.224	(e)	(e)	(e)
POLY 1.5	P=0.319N	P=0.229	(e)	(e)	(e)
POLY 6	P=0.337N	P=0.217	(e)	(e)	(e)
COCH-ARM / FISHERS	P=0.312N	P=0.242	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.225N	P=0.074	(e)	(e)	(e)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Lymph Node, Mesenteric Angiectasis					
LESION RATES					
OVERALL (a)	2/48 (4%)	0/48 (0%)	0/47 (0%)	3/48 (6%)	0/47 (0%)
POLY-3 RATE (b)	2/42.49	0/40.20	0/42.36	3/40.82	0/39.97
POLY-3 PERCENT (g)	4.7%	0%	0%	7.4%	0%
TERMINAL (d)	2/35 (6%)	0/30 (0%)	0/34 (0%)	1/28 (4%)	0/31 (0%)
FIRST INCIDENCE	726 (T)	---	---	493	---
STATISTICAL TESTS					
POLY 3	P=0.449N	P=0.249N	P=0.238N	P=0.482	P=0.251N
POLY 1.5	P=0.449N	P=0.243N	P=0.238N	P=0.492	P=0.247N
POLY 6	P=0.447N	P=0.256N	P=0.238N	P=0.468	P=0.254N
COCH-ARM / FISHERS	P=0.445N	P=0.247N	P=0.253N	P=0.500	P=0.253N
MAX-ISO-POLY-3	P=0.149N	P=0.087N	P=0.077N	P=0.310	P=0.088N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Lymph Node, Mesenteric Hemorrhage					
LESION RATES					
OVERALL (a)	6/48 (13%)	5/48 (10%)	7/47 (15%)	5/48 (10%)	6/47 (13%)
POLY-3 RATE (b)	6/42.49	5/40.76	7/42.92	5/40.04	6/39.97
POLY-3 PERCENT (g)	14.1%	12.3%	16.3%	12.5%	15%
TERMINAL (d)	6/35 (17%)	3/30 (10%)	4/34 (12%)	4/28 (14%)	6/31 (19%)
FIRST INCIDENCE	726 (T)	622	672	685	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.513	P=0.529N	P=0.508	P=0.542N	P=0.578
POLY 1.5	P=0.526	P=0.515N	P=0.503	P=0.520N	P=0.591
POLY 6	P=0.500	P=0.543N	P=0.514	P=0.568N	P=0.567
COCH-ARM / FISHERS	P=0.544	P=0.500N	P=0.483	P=0.500N	P=0.605
MAX-ISO-POLY-3	P=0.682	P=0.404N	P=0.390	P=0.416N	P=0.455

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Lymph Node, Mesenteric Hyperplasia Lymphoid					
LESION RATES					
OVERALL (a)	30/48 (63%)	35/48 (73%)	35/47 (74%)	35/48 (73%)	35/47 (74%)
POLY-3 RATE (b)	30/45.35	35/46.48	35/44.72	35/44.59	35/43.94
POLY-3 PERCENT (g)	66.2%	75.3%	78.3%	78.5%	79.7%
TERMINAL (d)	24/35 (69%)	21/30 (70%)	27/34 (79%)	24/28 (86%)	25/31 (81%)
FIRST INCIDENCE	41	350	571	336	282
STATISTICAL TESTS					
POLY 3	P=0.139	P=0.227	P=0.141	P=0.132	P=0.107
POLY 1.5	P=0.172	P=0.210	P=0.140	P=0.157	P=0.122
POLY 6	P=0.107	P=0.248	P=0.150	P=0.101	P=0.095
COCH-ARM / FISHERS	P=0.225	P=0.191	P=0.151	P=0.191	P=0.151
MAX-ISO-POLY-3	P=0.111	P=0.165	P=0.094	P=0.088	P=0.070

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Lymph Node, Mesenteric Infiltration Cellular Histiocyte					
LESION RATES					
OVERALL (a)	8/48 (17%)	7/48 (15%)	5/47 (11%)	10/48 (21%)	6/47 (13%)
POLY-3 RATE (b)	8/43.42	7/40.57	5/42.36	10/40.51	6/39.97
POLY-3 PERCENT (g)	18.4%	17.3%	11.8%	24.7%	15%
TERMINAL (d)	6/35 (17%)	6/30 (20%)	5/34 (15%)	7/28 (25%)	6/31 (19%)
FIRST INCIDENCE	478	622	726 (T)	617	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.534N	P=0.557N	P=0.290N	P=0.333	P=0.451N
POLY 1.5	P=0.516N	P=0.531N	P=0.285N	P=0.364	P=0.430N
POLY 6	P=0.549N	P=0.586N	P=0.299N	P=0.299	P=0.472N
COCH-ARM / FISHERS	P=0.490N	P=0.500N	P=0.290N	P=0.397	P=0.403N
MAX-ISO-POLY-3	P=0.547	P=0.446N	P=0.197N	P=0.249	P=0.344N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Lymph Node, Mesenteric Infiltration Cellular Plasma Cell					
LESION RATES					
OVERALL (a)	4/48 (8%)	5/48 (10%)	2/47 (4%)	2/48 (4%)	4/47 (9%)
POLY-3 RATE (b)	4/42.49	5/40.20	2/42.36	2/39.88	4/41.10
POLY-3 PERCENT (g)	9.4%	12.4%	4.7%	5%	9.7%
TERMINAL (d)	4/35 (11%)	5/30 (17%)	2/34 (6%)	2/28 (7%)	0/31 (0%)
FIRST INCIDENCE	726 (T)	726 (T)	726 (T)	726 (T)	462
STATISTICAL TESTS					
POLY 3	P=0.544N	P=0.465	P=0.338N	P=0.366N	P=0.625
POLY 1.5	P=0.539N	P=0.482	P=0.338N	P=0.351N	P=0.629
POLY 6	P=0.547N	P=0.446	P=0.339N	P=0.386N	P=0.625
COCH-ARM / FISHERS	P=0.532N	P=0.500	P=0.349N	P=0.339N	P=0.631
MAX-ISO-POLY-3	P=0.411N	P=0.334	P=0.200N	P=0.228N	P=0.480

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Lymph Node: Mediastinal Hyperplasia Lymphoid					
LESION RATES					
OVERALL (a)	0/2 (0%)	0/3 (0%)	0/4 (0%)	0/2 (0%)	0/2 (0%)
POLY-3 RATE (b)	0/2.00	0/2.56	0/3.55	0/1.40	0/1.27
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%
TERMINAL (d)	0/2 (0%)	0/2 (0%)	0/1 (0%)	0/0 (0%)	0/1 (0%)
FIRST INCIDENCE	---	---	---	---	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Mesentery					
Inflammation Chronic					
LESION RATES					
OVERALL (a)	0/2 (0%)	0/1 (0%)	0/3 (0%)	0/5 (0%)	0/2 (0%)
POLY-3 RATE (b)	0/1.69	0/1.00	0/2.81	0/4.29	0/2.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%
TERMINAL (d)	0/0 (0%)	0/1 (0%)	0/2 (0%)	0/1 (0%)	0/2 (0%)
FIRST INCIDENCE	---	---	---	---	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Mesentery Necrosis					
LESION RATES					
OVERALL (a)	0/2 (0%)	1/1 (100%)	3/3 (100%)	4/5 (80%)	2/2 (100%)
POLY-3 RATE (b)	0/1.69	1/1.00	3/3.00	4/4.98	2/2.00
POLY-3 PERCENT (g)	0%	100%	100%	80.3%	100%
TERMINAL (d)	0/0 (0%)	1/1 (100%)	2/2 (100%)	1/1 (100%)	2/2 (100%)
FIRST INCIDENCE	---	726 (T)	676	661	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.219	P<0.001**	P<0.001**	P=0.139	P<0.001**
POLY 1.5	P=0.159	P<0.001**	P<0.001**	P=0.112	P<0.001**
POLY 6	P=0.347	P=0.026*	P<0.001**	P=0.198	P<0.001**
COCH-ARM / FISHERS	P=0.177	P=0.333	P=0.100	P=0.143	P=0.167
MAX-ISO-POLY-3	P=0.006**	P<0.001**	P<0.001**	P=0.043*	P<0.001**

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Nose					
Eosinophilic Material					
<hr/>					
LESION RATES					
OVERALL (a)	47/48 (98%)	48/48 (100%)	48/48 (100%)	48/48 (100%)	48/48 (100%)
POLY-3 RATE (b)	47/47.00	48/48.00	48/48.00	48/48.00	48/48.00
POLY-3 PERCENT (g)	100%	100%	100%	100%	100%
TERMINAL (d)	35/35 (100%)	30/30 (100%)	34/34 (100%)	28/28 (100%)	31/31 (100%)
FIRST INCIDENCE	478	350	407	336	282
<hr/>					
STATISTICAL TESTS					
POLY 3	P=1.000	P=1.000	P=1.000	P=1.000	P=1.000
POLY 1.5	P=1.000	P=1.000	P=1.000	P=1.000	P=1.000
POLY 6	P=0.403	P=0.500	P=0.500	P=0.500	P=0.500
COCH-ARM / FISHERS	P=0.403	P=0.500	P=0.500	P=0.500	P=0.500
MAX-ISO-POLY-3	P=0.098	P=0.161	P=0.161	P=0.161	P=0.161

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Nose					
Inflammation Chronic					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	0/48 (0%)	1/48 (2%)	2/48 (4%)
POLY-3 RATE (b)	0/42.49	0/40.20	0/43.23	1/39.88	2/40.36
POLY-3 PERCENT (g)	0%	0%	0%	2.5%	5%
TERMINAL (d)	0/35 (0%)	0/30 (0%)	0/34 (0%)	1/28 (4%)	2/31 (7%)
FIRST INCIDENCE	---	---	---	726 (T)	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.031*	(e)	(e)	P=0.487	P=0.226
POLY 1.5	P=0.032*	(e)	(e)	P=0.494	P=0.231
POLY 6	P=0.030*	(e)	(e)	P=0.479	P=0.221
COCH-ARM / FISHERS	P=0.033*	(e)	(e)	P=0.500	P=0.247
MAX-ISO-POLY-3	P=0.052	(e)	(e)	P=0.158	P=0.075

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Nose: Olfactory Epithelium Accumulation, Hyaline Droplet					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/42.49	0/40.20	0/43.23	0/39.88	0/40.36
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%
TERMINAL (d)	0/35 (0%)	0/30 (0%)	0/34 (0%)	0/28 (0%)	0/31 (0%)
FIRST INCIDENCE	---	---	---	---	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Nose: Posterior to Upper Incisor Malformation					
LESION RATES					
OVERALL (a)	3/48 (6%)	1/48 (2%)	3/48 (6%)	5/48 (10%)	1/48 (2%)
POLY-3 RATE (b)	3/42.49	1/40.35	3/43.23	5/40.11	1/40.36
POLY-3 PERCENT (g)	7.1%	2.5%	6.9%	12.5%	2.5%
TERMINAL (d)	3/35 (9%)	0/30 (0%)	3/34 (9%)	4/28 (14%)	1/31 (3%)
FIRST INCIDENCE	726 (T)	689	726 (T)	668	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.428N	P=0.324N	P=0.655N	P=0.324	P=0.324N
POLY 1.5	P=0.420N	P=0.315N	P=0.654N	P=0.341	P=0.315N
POLY 6	P=0.434N	P=0.333N	P=0.657N	P=0.304	P=0.331N
COCH-ARM / FISHERS	P=0.408N	P=0.308N	P=0.661N	P=0.357	P=0.308N
MAX-ISO-POLY-3	P=0.338N	P=0.172N	P=0.491N	P=0.209	P=0.172N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Nose: Respiratory Epithelium Accumulation, Hyaline Droplet					
LESION RATES					
OVERALL (a)	9/48 (19%)	8/48 (17%)	16/48 (33%)	6/48 (13%)	11/48 (23%)
POLY-3 RATE (b)	9/43.91	8/40.79	16/44.02	6/42.06	11/41.07
POLY-3 PERCENT (g)	20.5%	19.6%	36.3%	14.3%	26.8%
TERMINAL (d)	7/35 (20%)	6/30 (20%)	11/34 (32%)	3/28 (11%)	10/31 (32%)
FIRST INCIDENCE	478	597	657	421	484
STATISTICAL TESTS					
POLY 3	P=0.458	P=0.567N	P=0.077	P=0.317N	P=0.335
POLY 1.5	P=0.480	P=0.537N	P=0.080	P=0.299N	P=0.363
POLY 6	P=0.434	P=0.596N	P=0.075	P=0.342N	P=0.310
COCH-ARM / FISHERS	P=0.505	P=0.500N	P=0.081	P=0.288N	P=0.401
MAX-ISO-POLY-3	P=0.416	P=0.461N	P=0.048*	P=0.227N	P=0.254

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Pancreas					
Infiltration Cellular Lymphocyte					
LESION RATES					
OVERALL (a)	14/48 (29%)	4/48 (8%)	12/48 (25%)	10/48 (21%)	8/48 (17%)
POLY-3 RATE (b)	14/42.53	4/41.04	12/44.02	10/40.34	8/41.12
POLY-3 PERCENT (g)	32.9%	9.8%	27.3%	24.8%	19.5%
TERMINAL (d)	13/35 (37%)	3/30 (10%)	10/34 (29%)	9/28 (32%)	6/31 (19%)
FIRST INCIDENCE	717	393	503	594	462
STATISTICAL TESTS					
POLY 3	P=0.316N	P=0.008N**	P=0.367N	P=0.282N	P=0.123N
POLY 1.5	P=0.308N	P=0.008N**	P=0.375N	P=0.258N	P=0.116N
POLY 6	P=0.320N	P=0.010N**	P=0.362N	P=0.315N	P=0.129N
COCH-ARM / FISHERS	P=0.296N	P=0.008N**	P=0.409N	P=0.240N	P=0.112N
MAX-ISO-POLY-3	P=0.124N	P=0.005N**	P=0.286N	P=0.211N	P=0.082N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Pancreas: Acinus Degeneration					
LESION RATES					
OVERALL (a)	1/48 (2%)	1/48 (2%)	1/48 (2%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	1/42.49	1/40.20	1/43.23	0/39.88	0/40.36
POLY-3 PERCENT (g)	2.4%	2.5%	2.3%	0%	0%
TERMINAL (d)	1/35 (3%)	1/30 (3%)	1/34 (3%)	0/28 (0%)	0/31 (0%)
FIRST INCIDENCE	726 (T)	726 (T)	726 (T)	---	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Pancreas: Duct Dilatation					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/42.49	0/40.20	0/43.23	0/39.88	0/40.36
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%
TERMINAL (d)	0/35 (0%)	0/30 (0%)	0/34 (0%)	0/28 (0%)	0/31 (0%)
FIRST INCIDENCE	---	---	---	---	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Parathyroid Gland Cyst					
LESION RATES					
OVERALL (a)	2/41 (5%)	3/46 (7%)	0/46 (0%)	1/44 (2%)	3/45 (7%)
POLY-3 RATE (b)	2/37.79	3/39.80	0/41.23	1/36.36	3/38.01
POLY-3 PERCENT (g)	5.3%	7.5%	0%	2.8%	7.9%
TERMINAL (d)	1/31 (3%)	2/29 (7%)	0/32 (0%)	1/26 (4%)	3/29 (10%)
FIRST INCIDENCE	478	451	---	726 (T)	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.375	P=0.524	P=0.217N	P=0.513N	P=0.503
POLY 1.5	P=0.386	P=0.539	P=0.213N	P=0.496N	P=0.520
POLY 6	P=0.365	P=0.505	P=0.223N	P=0.534N	P=0.486
COCH-ARM / FISHERS	P=0.404	P=0.555	P=0.219N	P=0.473N	P=0.545
MAX-ISO-POLY-3	P=0.362	P=0.345	P=0.069N	P=0.298N	P=0.328

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Pituitary Gland					
Angiectasis					
<hr/>					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/46 (0%)	0/46 (0%)	0/46 (0%)	0/45 (0%)
POLY-3 RATE (b)	0/42.49	0/38.20	0/41.23	0/38.41	0/37.36
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%
TERMINAL (d)	0/35 (0%)	0/28 (0%)	0/32 (0%)	0/27 (0%)	0/28 (0%)
FIRST INCIDENCE	---	---	---	---	---
<hr/>					
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Pituitary Gland: Pars Distalis Cyst					
LESION RATES					
OVERALL (a)	1/48 (2%)	3/46 (7%)	2/46 (4%)	1/46 (2%)	3/45 (7%)
POLY-3 RATE (b)	1/43.02	3/38.79	2/41.23	1/38.41	3/37.36
POLY-3 PERCENT (g)	2.3%	7.7%	4.9%	2.6%	8%
TERMINAL (d)	0/35 (0%)	1/28 (4%)	2/32 (6%)	1/27 (4%)	3/28 (11%)
FIRST INCIDENCE	567	597	726 (T)	726 (T)	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.316	P=0.269	P=0.485	P=0.735	P=0.256
POLY 1.5	P=0.331	P=0.279	P=0.488	P=0.743	P=0.267
POLY 6	P=0.301	P=0.258	P=0.480	P=0.725	P=0.245
COCH-ARM / FISHERS	P=0.349	P=0.292	P=0.484	P=0.742	P=0.284
MAX-ISO-POLY-3	P=0.235	P=0.138	P=0.269	P=0.469	P=0.133

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Pituitary Gland: Pars Distalis Hyperplasia					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/46 (0%)	1/46 (2%)	1/46 (2%)	2/45 (4%)
POLY-3 RATE (b)	0/42.49	0/38.20	1/41.23	1/38.41	2/37.99
POLY-3 PERCENT (g)	0%	0%	2.4%	2.6%	5.3%
TERMINAL (d)	0/35 (0%)	0/28 (0%)	1/32 (3%)	1/27 (4%)	0/28 (0%)
FIRST INCIDENCE	---	---	726 (T)	726 (T)	617
STATISTICAL TESTS					
POLY 3	P=0.072	(e)	P=0.494	P=0.480	P=0.212
POLY 1.5	P=0.074	(e)	P=0.495	P=0.486	P=0.217
POLY 6	P=0.072	(e)	P=0.492	P=0.472	P=0.209
COCH-ARM / FISHERS	P=0.076	(e)	P=0.489	P=0.489	P=0.231
MAX-ISO-POLY-3	P=0.090	(e)	P=0.155	P=0.155	P=0.072

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Preputial Gland Abscess					
LESION RATES					
OVERALL (a)	2/48 (4%)	2/48 (4%)	4/48 (8%)	2/48 (4%)	3/48 (6%)
POLY-3 RATE (b)	2/42.49	2/40.20	4/44.05	2/39.88	3/40.61
POLY-3 PERCENT (g)	4.7%	5%	9.1%	5%	7.4%
TERMINAL (d)	2/35 (6%)	2/30 (7%)	3/34 (9%)	2/28 (7%)	2/31 (7%)
FIRST INCIDENCE	726 (T)	726 (T)	407	726 (T)	661
STATISTICAL TESTS					
POLY 3	P=0.449	P=0.674	P=0.354	P=0.671	P=0.479
POLY 1.5	P=0.458	P=0.684	P=0.352	P=0.683	P=0.489
POLY 6	P=0.443	P=0.663	P=0.353	P=0.656	P=0.472
COCH-ARM / FISHERS	P=0.469	P=0.692N	P=0.339	P=0.692N	P=0.500
MAX-ISO-POLY-3	P=0.538	P=0.477	P=0.216	P=0.474	P=0.308

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Preputial Gland Infiltration Cellular Lymphocyte					
LESION RATES					
OVERALL (a)	32/48 (67%)	25/48 (52%)	21/48 (44%)	26/48 (54%)	23/48 (48%)
POLY-3 RATE (b)	32/45.44	25/44.42	21/45.90	26/41.77	23/41.98
POLY-3 PERCENT (g)	70.4%	56.3%	45.8%	62.3%	54.8%
TERMINAL (d)	23/35 (66%)	15/30 (50%)	15/34 (44%)	18/28 (64%)	19/31 (61%)
FIRST INCIDENCE	478	350	503	547	462
STATISTICAL TESTS					
POLY 3	P=0.279N	P=0.116N	P=0.012N*	P=0.275N	P=0.092N
POLY 1.5	P=0.217N	P=0.101N	P=0.012N*	P=0.202N	P=0.064N
POLY 6	P=0.360N	P=0.136N	P=0.013N*	P=0.374N	P=0.138N
COCH-ARM / FISHERS	P=0.152N	P=0.106N	P=0.020N*	P=0.148N	P=0.049N*
MAX-ISO-POLY-3	P=0.106N	P=0.079N	P=0.007N**	P=0.211N	P=0.066N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Preputial Gland Infiltration Cellular Plasma Cell					
LESION RATES					
OVERALL (a)	2/48 (4%)	1/48 (2%)	1/48 (2%)	0/48 (0%)	2/48 (4%)
POLY-3 RATE (b)	2/42.49	1/40.20	1/43.23	0/39.88	2/40.36
POLY-3 PERCENT (g)	4.7%	2.5%	2.3%	0%	5%
TERMINAL (d)	2/35 (6%)	1/30 (3%)	1/34 (3%)	0/28 (0%)	2/31 (7%)
FIRST INCIDENCE	726 (T)	726 (T)	726 (T)	---	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.529	P=0.519N	P=0.494N	P=0.251N	P=0.676
POLY 1.5	P=0.534	P=0.510N	P=0.494N	P=0.244N	P=0.684
POLY 6	P=0.525	P=0.530N	P=0.496N	P=0.261N	P=0.668
COCH-ARM / FISHERS	P=0.541	P=0.500N	P=0.500N	P=0.247N	P=0.692N
MAX-ISO-POLY-3	P=0.441	P=0.301N	P=0.277N	P=0.089N	P=0.479

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Preputial Gland Inflammation					
LESION RATES					
OVERALL (a)	2/48 (4%)	8/48 (17%)	3/48 (6%)	3/48 (6%)	4/48 (8%)
POLY-3 RATE (b)	2/42.49	8/41.02	3/43.23	3/40.59	4/40.49
POLY-3 PERCENT (g)	4.7%	19.5%	6.9%	7.4%	9.9%
TERMINAL (d)	2/35 (6%)	6/30 (20%)	3/34 (9%)	1/28 (4%)	3/31 (10%)
FIRST INCIDENCE	726 (T)	597	726 (T)	492	694
STATISTICAL TESTS					
POLY 3	P=0.536N	P=0.038*	P=0.508	P=0.479	P=0.314
POLY 1.5	P=0.519N	P=0.041*	P=0.508	P=0.491	P=0.325
POLY 6	P=0.551N	P=0.035*	P=0.506	P=0.464	P=0.306
COCH-ARM / FISHERS	P=0.497N	P=0.045*	P=0.500	P=0.500	P=0.339
MAX-ISO-POLY-3	P=0.306	P=0.019*	P=0.332	P=0.308	P=0.187

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Preputial Gland: Duct Dilatation					
LESION RATES					
OVERALL (a)	44/48 (92%)	44/48 (92%)	47/48 (98%)	46/48 (96%)	47/48 (98%)
POLY-3 RATE (b)	44/46.29	44/47.16	47/48.00	46/47.10	47/48.00
POLY-3 PERCENT (g)	95.1%	93.3%	97.9%	97.7%	97.9%
TERMINAL (d)	33/35 (94%)	27/30 (90%)	33/34 (97%)	27/28 (96%)	30/31 (97%)
FIRST INCIDENCE	478	350	407	421	282
STATISTICAL TESTS					
POLY 3	P=0.228	P=0.533N	P=0.420	P=0.449	P=0.420
POLY 1.5	P=0.196	P=0.536N	P=0.367	P=0.441	P=0.367
POLY 6	P=0.256	P=0.520N	P=0.466	P=0.475	P=0.466
COCH-ARM / FISHERS	P=0.113	P=0.643N	P=0.181	P=0.339	P=0.181
MAX-ISO-POLY-3	P=0.289	P=0.357N	P=0.222	P=0.242	P=0.222

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Preputial Gland: Epithelium Hyperplasia					
LESION RATES					
OVERALL (a)	0/48 (0%)	2/48 (4%)	0/48 (0%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/42.49	2/40.96	0/43.23	0/39.88	0/40.36
POLY-3 PERCENT (g)	0%	4.9%	0%	0%	0%
TERMINAL (d)	0/35 (0%)	1/30 (3%)	0/34 (0%)	0/28 (0%)	0/31 (0%)
FIRST INCIDENCE	---	451	---	---	---
STATISTICAL TESTS					
POLY 3	P=0.329N	P=0.229	(e)	(e)	(e)
POLY 1.5	P=0.321N	P=0.233	(e)	(e)	(e)
POLY 6	P=0.338N	P=0.223	(e)	(e)	(e)
COCH-ARM / FISHERS	P=0.314N	P=0.247	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.239N	P=0.075	(e)	(e)	(e)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Prostate					
Infiltration Cellular Lymphocyte					
LESION RATES					
OVERALL (a)	22/48 (46%)	18/48 (38%)	20/48 (42%)	22/48 (46%)	26/48 (54%)
POLY-3 RATE (b)	22/43.60	18/43.39	20/45.96	22/43.65	26/43.99
POLY-3 PERCENT (g)	50.5%	41.5%	43.5%	50.4%	59.1%
TERMINAL (d)	19/35 (54%)	9/30 (30%)	14/34 (41%)	13/28 (46%)	16/31 (52%)
FIRST INCIDENCE	478	451	407	421	282
STATISTICAL TESTS					
POLY 3	P=0.082	P=0.264N	P=0.327N	P=0.584N	P=0.272
POLY 1.5	P=0.089	P=0.261N	P=0.348N	P=0.572N	P=0.279
POLY 6	P=0.079	P=0.257N	P=0.310N	P=0.579	P=0.278
COCH-ARM / FISHERS	P=0.095	P=0.267N	P=0.419N	P=0.581N	P=0.270
MAX-ISO-POLY-3	P=0.141	P=0.198N	P=0.259N	P=0.498N	P=0.204

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Salivary Glands Infiltration Cellular Lymphocyte					
LESION RATES					
OVERALL (a)	42/48 (88%)	41/48 (85%)	45/48 (94%)	42/48 (88%)	37/48 (77%)
POLY-3 RATE (b)	42/45.23	41/45.17	45/47.84	42/45.68	37/45.44
POLY-3 PERCENT (g)	92.9%	90.8%	94.1%	91.9%	81.4%
TERMINAL (d)	34/35 (97%)	27/30 (90%)	32/34 (94%)	26/28 (93%)	24/31 (77%)
FIRST INCIDENCE	478	451	407	421	430
STATISTICAL TESTS					
POLY 3	P=0.023N*	P=0.509N	P=0.579	P=0.601N	P=0.081N
POLY 1.5	P=0.028N*	P=0.486N	P=0.472	P=0.578N	P=0.091N
POLY 6	P=0.018N*	P=0.484N	P=0.670N	P=0.611N	P=0.063N
COCH-ARM / FISHERS	P=0.051N	P=0.500N	P=0.243	P=0.621N	P=0.142N
MAX-ISO-POLY-3	P=0.040N*	P=0.345N	P=0.404	P=0.426N	P=0.042N*

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Seminal Vesicle: Lumen Dilatation					
LESION RATES					
OVERALL (a)	7/48 (15%)	6/48 (13%)	4/46 (9%)	4/48 (8%)	3/48 (6%)
POLY-3 RATE (b)	7/42.70	6/41.39	4/42.16	4/40.13	3/41.62
POLY-3 PERCENT (g)	16.4%	14.5%	9.5%	10%	7.2%
TERMINAL (d)	6/35 (17%)	2/30 (7%)	3/34 (9%)	2/28 (7%)	1/31 (3%)
FIRST INCIDENCE	671	451	685	668	511
STATISTICAL TESTS					
POLY 3	P=0.127N	P=0.524N	P=0.267N	P=0.296N	P=0.166N
POLY 1.5	P=0.123N	P=0.511N	P=0.270N	P=0.277N	P=0.162N
POLY 6	P=0.131N	P=0.539N	P=0.264N	P=0.320N	P=0.170N
COCH-ARM / FISHERS	P=0.117N	P=0.500N	P=0.287N	P=0.262N	P=0.158N
MAX-ISO-POLY-3	P=0.167N	P=0.407N	P=0.173N	P=0.201N	P=0.098N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Skin, Control: Epidermis Hyperplasia					
LESION RATES					
OVERALL (a)	1/48 (2%)	1/48 (2%)	2/48 (4%)	1/48 (2%)	1/48 (2%)
POLY-3 RATE (b)	1/42.49	1/40.20	2/43.23	1/39.88	1/40.36
POLY-3 PERCENT (g)	2.4%	2.5%	4.6%	2.5%	2.5%
TERMINAL (d)	1/35 (3%)	1/30 (3%)	2/34 (6%)	1/28 (4%)	1/31 (3%)
FIRST INCIDENCE	726 (T)	726 (T)	726 (T)	726 (T)	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.572N	P=0.748	P=0.506	P=0.747	P=0.749
POLY 1.5	P=0.566N	P=0.754	P=0.506	P=0.754	P=0.754
POLY 6	P=0.578N	P=0.742	P=0.504	P=0.737	P=0.745
COCH-ARM / FISHERS	P=0.559N	P=0.753N	P=0.500	P=0.753N	P=0.753N
MAX-ISO-POLY-3	P=0.680	P=0.484	P=0.287	P=0.482	P=0.485

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Skin, Control: Epidermis Inflammation					
LESION RATES					
OVERALL (a)	1/48 (2%)	1/48 (2%)	2/48 (4%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	1/42.49	1/40.20	2/43.23	0/39.88	0/40.36
POLY-3 PERCENT (g)	2.4%	2.5%	4.6%	0%	0%
TERMINAL (d)	1/35 (3%)	1/30 (3%)	2/34 (6%)	0/28 (0%)	0/31 (0%)
FIRST INCIDENCE	726 (T)	726 (T)	726 (T)	---	---
STATISTICAL TESTS					
POLY 3	P=0.197N	P=0.748	P=0.506	P=0.513N	P=0.510N
POLY 1.5	P=0.193N	P=0.754	P=0.506	P=0.506N	P=0.506N
POLY 6	P=0.201N	P=0.742	P=0.504	P=0.521N	P=0.514N
COCH-ARM / FISHERS	P=0.189N	P=0.753N	P=0.500	P=0.500N	P=0.500N
MAX-ISO-POLY-3	P=0.269N	P=0.484	P=0.287	P=0.173N	P=0.171N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Skin, Site of Application: Dermis					
Inflammation Chronic					
LESION RATES					
OVERALL (a)	0/48 (0%)	1/48 (2%)	1/48 (2%)	2/48 (4%)	1/48 (2%)
POLY-3 RATE (b)	0/42.49	1/40.20	1/43.61	2/40.13	1/40.36
POLY-3 PERCENT (g)	0%	2.5%	2.3%	5%	2.5%
TERMINAL (d)	0/35 (0%)	1/30 (3%)	0/34 (0%)	1/28 (4%)	1/31 (3%)
FIRST INCIDENCE	---	726 (T)	617	661	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.381	P=0.489	P=0.505	P=0.224	P=0.490
POLY 1.5	P=0.390	P=0.494	P=0.505	P=0.231	P=0.494
POLY 6	P=0.374	P=0.483	P=0.505	P=0.216	P=0.486
COCH-ARM / FISHERS	P=0.402	P=0.500	P=0.500	P=0.247	P=0.500
MAX-ISO-POLY-3	P=0.248	P=0.158	P=0.164	P=0.075	P=0.158

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Skin, Site of Application: Epidermis					
Hyperplasia					
LESION RATES					
OVERALL (a)	1/48 (2%)	3/48 (6%)	20/48 (42%)	17/48 (35%)	43/48 (90%)
POLY-3 RATE (b)	1/42.49	3/41.22	20/43.61	17/40.35	43/46.41
POLY-3 PERCENT (g)	2.4%	7.3%	45.9%	42.1%	92.7%
TERMINAL (d)	1/35 (3%)	1/30 (3%)	19/34 (56%)	15/28 (54%)	29/31 (94%)
FIRST INCIDENCE	726 (T)	513	617	661	282
STATISTICAL TESTS					
POLY 3	P<0.001**	P=0.294	P<0.001**	P<0.001**	P<0.001**
POLY 1.5	P<0.001**	P=0.300	P<0.001**	P<0.001**	P<0.001**
POLY 6	P<0.001**	P=0.288	P<0.001**	P<0.001**	P<0.001**
COCH-ARM / FISHERS	P<0.001**	P=0.308	P<0.001**	P<0.001**	P<0.001**
MAX-ISO-POLY-3	P<0.001**	P=0.149	P<0.001**	P<0.001**	P<0.001**

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Skin, Site of Application: Epidermis					
Inflammation					
LESION RATES					
OVERALL (a)	0/48 (0%)	3/48 (6%)	2/48 (4%)	4/48 (8%)	9/48 (19%)
POLY-3 RATE (b)	0/42.49	3/41.22	2/43.61	4/40.11	9/42.01
POLY-3 PERCENT (g)	0%	7.3%	4.6%	10%	21.4%
TERMINAL (d)	0/35 (0%)	1/30 (3%)	1/34 (3%)	3/28 (11%)	7/31 (23%)
FIRST INCIDENCE	---	513	617	668	282
STATISTICAL TESTS					
POLY 3	P<0.001**	P=0.113	P=0.243	P=0.053	P<0.001**
POLY 1.5	P<0.001**	P=0.116	P=0.242	P=0.056	P=0.002**
POLY 6	P<0.001**	P=0.110	P=0.243	P=0.048*	P<0.001**
COCH-ARM / FISHERS	P<0.001**	P=0.121	P=0.247	P=0.059	P<0.001**
MAX-ISO-POLY-3	P<0.001**	P=0.038*	P=0.081	P=0.019*	P<0.001**

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Skin, Site of Application: Epidermis					
Ulcer					
LESION RATES					
OVERALL (a)	0/48 (0%)	2/48 (4%)	1/48 (2%)	2/48 (4%)	5/48 (10%)
POLY-3 RATE (b)	0/42.49	2/40.57	1/43.61	2/40.11	5/42.01
POLY-3 PERCENT (g)	0%	4.9%	2.3%	5%	11.9%
TERMINAL (d)	0/35 (0%)	1/30 (3%)	0/34 (0%)	1/28 (4%)	3/31 (10%)
FIRST INCIDENCE	---	622	617	668	282
STATISTICAL TESTS					
POLY 3	P=0.010**	P=0.227	P=0.505	P=0.224	P=0.029*
POLY 1.5	P=0.011*	P=0.232	P=0.505	P=0.231	P=0.030*
POLY 6	P=0.010**	P=0.221	P=0.505	P=0.216	P=0.028*
COCH-ARM / FISHERS	P=0.011*	P=0.247	P=0.500	P=0.247	P=0.028*
MAX-ISO-POLY-3	P=0.008**	P=0.075	P=0.164	P=0.075	P=0.009**

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Skin: Epidermis					
Hyperplasia					
LESION RATES					
OVERALL (a)	1/48 (2%)	3/48 (6%)	0/48 (0%)	0/48 (0%)	1/48 (2%)
POLY-3 RATE (b)	1/42.49	3/40.85	0/43.23	0/39.88	1/40.36
POLY-3 PERCENT (g)	2.4%	7.3%	0%	0%	2.5%
TERMINAL (d)	1/35 (3%)	2/30 (7%)	0/34 (0%)	0/28 (0%)	1/31 (3%)
FIRST INCIDENCE	726 (T)	513	---	---	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.414N	P=0.291	P=0.497N	P=0.513N	P=0.749
POLY 1.5	P=0.405N	P=0.298	P=0.496N	P=0.506N	P=0.754
POLY 6	P=0.423N	P=0.282	P=0.498N	P=0.521N	P=0.745
COCH-ARM / FISHERS	P=0.394N	P=0.308	P=0.500N	P=0.500N	P=0.753N
MAX-ISO-POLY-3	P=0.215N	P=0.148	P=0.158N	P=0.173N	P=0.485

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Skin: Epidermis					
Ulcer					
LESION RATES					
OVERALL (a)	1/48 (2%)	2/48 (4%)	0/48 (0%)	0/48 (0%)	1/48 (2%)
POLY-3 RATE (b)	1/42.49	2/40.20	0/43.23	0/39.88	1/40.36
POLY-3 PERCENT (g)	2.4%	5%	0%	0%	2.5%
TERMINAL (d)	1/35 (3%)	2/30 (7%)	0/34 (0%)	0/28 (0%)	1/31 (3%)
FIRST INCIDENCE	726 (T)	726 (T)	---	---	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.541N	P=0.481	P=0.497N	P=0.513N	P=0.749
POLY 1.5	P=0.534N	P=0.490	P=0.496N	P=0.506N	P=0.754
POLY 6	P=0.549N	P=0.470	P=0.498N	P=0.521N	P=0.745
COCH-ARM / FISHERS	P=0.525N	P=0.500	P=0.500N	P=0.500N	P=0.753N
MAX-ISO-POLY-3	P=0.320N	P=0.269	P=0.158N	P=0.173N	P=0.485

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Spleen					
Hematopoietic Cell Proliferation					
LESION RATES					
OVERALL (a)	22/47 (47%)	26/48 (54%)	21/48 (44%)	20/48 (42%)	29/48 (60%)
POLY-3 RATE (b)	22/46.00	26/46.56	21/47.05	20/45.75	29/47.79
POLY-3 PERCENT (g)	47.8%	55.9%	44.6%	43.7%	60.7%
TERMINAL (d)	11/35 (31%)	12/30 (40%)	11/34 (32%)	8/28 (29%)	13/31 (42%)
FIRST INCIDENCE	478	350	407	336	282
STATISTICAL TESTS					
POLY 3	P=0.156	P=0.287	P=0.460N	P=0.427N	P=0.149
POLY 1.5	P=0.156	P=0.308	P=0.445N	P=0.394N	P=0.152
POLY 6	P=0.154	P=0.263	P=0.481N	P=0.471N	P=0.144
COCH-ARM / FISHERS	P=0.142	P=0.304	P=0.463N	P=0.383N	P=0.130
MAX-ISO-POLY-3	P=0.187	P=0.220	P=0.380N	P=0.347N	P=0.109

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Spleen					
Hyperplasia Lymphoid					
LESION RATES					
OVERALL (a)	39/47 (83%)	41/48 (85%)	38/48 (79%)	39/48 (81%)	35/48 (73%)
POLY-3 RATE (b)	39/44.36	41/46.52	38/46.01	39/44.45	35/43.93
POLY-3 PERCENT (g)	87.9%	88.1%	82.6%	87.8%	79.7%
TERMINAL (d)	32/35 (91%)	28/30 (93%)	31/34 (91%)	27/28 (96%)	25/31 (81%)
FIRST INCIDENCE	41	350	503	492	282
STATISTICAL TESTS					
POLY 3	P=0.156N	P=0.624	P=0.329N	P=0.630N	P=0.206N
POLY 1.5	P=0.129N	P=0.570	P=0.365N	P=0.590N	P=0.194N
POLY 6	P=0.167N	P=0.642N	P=0.301N	P=0.633	P=0.211N
COCH-ARM / FISHERS	P=0.088N	P=0.482	P=0.416N	P=0.519N	P=0.175N
MAX-ISO-POLY-3	P=0.209N	P=0.486	P=0.226N	P=0.489N	P=0.130N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Spleen					
Necrosis					
<hr/>					
LESION RATES					
OVERALL (a)	0/47 (0%)	0/48 (0%)	1/48 (2%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/41.85	0/40.20	1/43.27	0/39.88	0/40.36
POLY-3 PERCENT (g)	0%	0%	2.3%	0%	0%
TERMINAL (d)	0/35 (0%)	0/30 (0%)	0/34 (0%)	0/28 (0%)	0/31 (0%)
FIRST INCIDENCE	---	---	716	---	---
<hr/>					
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Stomach, Forestomach Inflammation Chronic					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	2/48 (4%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/42.49	0/40.20	2/43.49	0/39.88	0/40.36
POLY-3 PERCENT (g)	0%	0%	4.6%	0%	0%
TERMINAL (d)	0/35 (0%)	0/30 (0%)	1/34 (3%)	0/28 (0%)	0/31 (0%)
FIRST INCIDENCE	---	---	657	---	---
STATISTICAL TESTS					
POLY 3	P=0.494N	(e)	P=0.242	(e)	(e)
POLY 1.5	P=0.491N	(e)	P=0.242	(e)	(e)
POLY 6	P=0.498N	(e)	P=0.242	(e)	(e)
COCH-ARM / FISHERS	P=0.490N	(e)	P=0.247	(e)	(e)
MAX-ISO-POLY-3	P=0.404	(e)	P=0.080	(e)	(e)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Stomach, Forestomach: Epithelium Hyperplasia					
LESION RATES					
OVERALL (a)	2/48 (4%)	1/48 (2%)	3/48 (6%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	2/43.60	1/40.20	3/44.07	0/39.88	0/40.36
POLY-3 PERCENT (g)	4.6%	2.5%	6.8%	0%	0%
TERMINAL (d)	0/35 (0%)	1/30 (3%)	1/34 (3%)	0/28 (0%)	0/31 (0%)
FIRST INCIDENCE	540	726 (T)	540	---	---
STATISTICAL TESTS					
POLY 3	P=0.103N	P=0.528N	P=0.505	P=0.257N	P=0.255N
POLY 1.5	P=0.100N	P=0.515N	P=0.507	P=0.247N	P=0.247N
POLY 6	P=0.107N	P=0.543N	P=0.502	P=0.270N	P=0.263N
COCH-ARM / FISHERS	P=0.097N	P=0.500N	P=0.500	P=0.247N	P=0.247N
MAX-ISO-POLY-3	P=0.179N	P=0.311N	P=0.329	P=0.095N	P=0.092N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Stomach, Glandular Cyst					
LESION RATES					
OVERALL (a)	4/48 (8%)	1/48 (2%)	1/46 (2%)	3/48 (6%)	0/48 (0%)
POLY-3 RATE (b)	4/42.49	1/40.20	1/42.00	3/39.88	0/40.36
POLY-3 PERCENT (g)	9.4%	2.5%	2.4%	7.5%	0%
TERMINAL (d)	4/35 (11%)	1/30 (3%)	1/34 (3%)	3/28 (11%)	0/31 (0%)
FIRST INCIDENCE	726 (T)	726 (T)	726 (T)	726 (T)	---
STATISTICAL TESTS					
POLY 3	P=0.126N	P=0.195N	P=0.182N	P=0.535N	P=0.066N
POLY 1.5	P=0.124N	P=0.187N	P=0.183N	P=0.517N	P=0.064N
POLY 6	P=0.127N	P=0.205N	P=0.180N	P=0.557N	P=0.069N
COCH-ARM / FISHERS	P=0.120N	P=0.181N	P=0.194N	P=0.500N	P=0.059N
MAX-ISO-POLY-3	P=0.034N*	P=0.099N	P=0.086N	P=0.383N	P=0.024N*

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Stomach, Glandular: Epithelium Hyperplasia					
LESION RATES					
OVERALL (a)	1/48 (2%)	1/48 (2%)	1/46 (2%)	1/48 (2%)	0/48 (0%)
POLY-3 RATE (b)	1/42.49	1/40.20	1/42.00	1/39.90	0/40.36
POLY-3 PERCENT (g)	2.4%	2.5%	2.4%	2.5%	0%
TERMINAL (d)	1/35 (3%)	1/30 (3%)	1/34 (3%)	0/28 (0%)	0/31 (0%)
FIRST INCIDENCE	726 (T)	726 (T)	726 (T)	721	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Testes: Seminiferous Tubule Degeneration					
LESION RATES					
OVERALL (a)	4/48 (8%)	2/48 (4%)	5/47 (11%)	2/48 (4%)	0/48 (0%)
POLY-3 RATE (b)	4/42.49	2/40.20	5/42.71	2/39.88	0/40.36
POLY-3 PERCENT (g)	9.4%	5%	11.7%	5%	0%
TERMINAL (d)	4/35 (11%)	2/30 (7%)	4/33 (12%)	2/28 (7%)	0/31 (0%)
FIRST INCIDENCE	726 (T)	726 (T)	583	726 (T)	---
STATISTICAL TESTS					
POLY 3	P=0.045N*	P=0.363N	P=0.503	P=0.366N	P=0.066N
POLY 1.5	P=0.044N*	P=0.350N	P=0.502	P=0.351N	P=0.064N
POLY 6	P=0.047N*	P=0.377N	P=0.504	P=0.386N	P=0.069N
COCH-ARM / FISHERS	P=0.043N*	P=0.339N	P=0.486	P=0.339N	P=0.059N
MAX-ISO-POLY-3	P=0.072N	P=0.225N	P=0.366	P=0.228N	P=0.024N*

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Testes: Seminiferous Tubule Dilatation					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	0/47 (0%)	0/48 (0%)	2/48 (4%)
POLY-3 RATE (b)	0/42.49	0/40.20	0/42.23	0/39.88	2/40.36
POLY-3 PERCENT (g)	0%	0%	0%	0%	5%
TERMINAL (d)	0/35 (0%)	0/30 (0%)	0/33 (0%)	0/28 (0%)	2/31 (7%)
FIRST INCIDENCE	---	---	---	---	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.020*	(e)	(e)	(e)	P=0.226
POLY 1.5	P=0.020*	(e)	(e)	(e)	P=0.231
POLY 6	P=0.020*	(e)	(e)	(e)	P=0.221
COCH-ARM / FISHERS	P=0.022*	(e)	(e)	(e)	P=0.247
MAX-ISO-POLY-3	P=0.020*	(e)	(e)	(e)	P=0.075

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Thymus Atrophy					
LESION RATES					
OVERALL (a)	45/46 (98%)	43/44 (98%)	46/46 (100%)	43/44 (98%)	47/48 (98%)
POLY-3 RATE (b)	45/45.00	43/43.11	46/46.00	43/43.47	47/47.27
POLY-3 PERCENT (g)	100%	99.7%	100%	98.9%	99.4%
TERMINAL (d)	35/35 (100%)	27/27 (100%)	33/33 (100%)	28/28 (100%)	31/31 (100%)
FIRST INCIDENCE	478	393	503	336	282
STATISTICAL TESTS					
POLY 3	P=0.650N	P=1.000N	P=1.000	P=0.862N	P=0.997N
POLY 1.5	P=0.456N	P=0.977N	P=1.000	P=0.676N	P=0.835N
POLY 6	P=0.990N	P=1.000N	P=0.500	P=1.000N	P=1.000N
COCH-ARM / FISHERS	P=0.586N	P=0.742N	P=0.500	P=0.742N	P=0.742
MAX-ISO-POLY-3	P=0.263N	P=0.158N	P=0.161	P=0.157N	P=0.170N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Thymus					
Hyperplasia Lymphoid					
<hr/>					
LESION RATES					
OVERALL (a)	0/46 (0%)	0/44 (0%)	0/46 (0%)	0/44 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/41.44	0/36.35	0/42.05	0/37.02	0/40.36
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%
TERMINAL (d)	0/35 (0%)	0/27 (0%)	0/33 (0%)	0/28 (0%)	0/31 (0%)
FIRST INCIDENCE	---	---	---	---	---
<hr/>					
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Thyroid Gland Infiltration Cellular Lymphocyte					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	0/48 (0%)	1/48 (2%)	1/47 (2%)
POLY-3 RATE (b)	0/42.49	0/40.20	0/43.23	1/39.88	1/39.49
POLY-3 PERCENT (g)	0%	0%	0%	2.5%	2.5%
TERMINAL (d)	0/35 (0%)	0/30 (0%)	0/34 (0%)	1/28 (4%)	0/30 (0%)
FIRST INCIDENCE	---	---	---	726 (T)	694
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Thyroid Gland: C-Cell Hyperplasia					
LESION RATES					
OVERALL (a)	2/48 (4%)	1/48 (2%)	2/48 (4%)	0/48 (0%)	1/47 (2%)
POLY-3 RATE (b)	2/42.49	1/40.20	2/43.23	0/39.88	1/39.36
POLY-3 PERCENT (g)	4.7%	2.5%	4.6%	0%	2.5%
TERMINAL (d)	2/35 (6%)	1/30 (3%)	2/34 (6%)	0/28 (0%)	1/30 (3%)
FIRST INCIDENCE	726 (T)	726 (T)	726 (T)	---	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.364N	P=0.519N	P=0.688N	P=0.251N	P=0.527N
POLY 1.5	P=0.360N	P=0.510N	P=0.687N	P=0.244N	P=0.518N
POLY 6	P=0.369N	P=0.530N	P=0.690N	P=0.261N	P=0.535N
COCH-ARM / FISHERS	P=0.355N	P=0.500N	P=0.692N	P=0.247N	P=0.508N
MAX-ISO-POLY-3	P=0.327N	P=0.301N	P=0.493N	P=0.089N	P=0.308N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Thyroid Gland: Follicle Cyst					
LESION RATES					
OVERALL (a)	1/48 (2%)	3/48 (6%)	2/48 (4%)	2/48 (4%)	1/47 (2%)
POLY-3 RATE (b)	1/42.49	3/40.48	2/43.23	2/40.41	1/40.10
POLY-3 PERCENT (g)	2.4%	7.4%	4.6%	5%	2.5%
TERMINAL (d)	1/35 (3%)	1/30 (3%)	2/34 (6%)	1/28 (4%)	0/30 (0%)
FIRST INCIDENCE	726 (T)	678	726 (T)	566	462
STATISTICAL TESTS					
POLY 3	P=0.424N	P=0.288	P=0.506	P=0.482	P=0.748
POLY 1.5	P=0.415N	P=0.296	P=0.506	P=0.492	P=0.752
POLY 6	P=0.432N	P=0.279	P=0.504	P=0.471	P=0.744
COCH-ARM / FISHERS	P=0.405N	P=0.308	P=0.500	P=0.500	P=0.747
MAX-ISO-POLY-3	P=0.507	P=0.146	P=0.287	P=0.270	P=0.484

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Tissue NOS					
Necrosis					
<hr/>					
LESION RATES					
OVERALL (a)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/2 (50%)	0/0 (0%)
POLY-3 RATE (b)	0/0.00	0/0.00	0/0.00	1/1.47	0/0.00
POLY-3 PERCENT (g)	0%	0%	0%	67.9%	0%
TERMINAL (d)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/1 (100%)	0/0 (0%)
FIRST INCIDENCE	---	---	---	726 (T)	---
<hr/>					
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Urinary Bladder					
Infiltration Cellular Lymphocyte					
LESION RATES					
OVERALL (a)	6/48 (13%)	5/48 (10%)	11/48 (23%)	15/48 (31%)	8/48 (17%)
POLY-3 RATE (b)	6/42.49	5/40.43	11/44.28	15/43.14	8/41.45
POLY-3 PERCENT (g)	14.1%	12.4%	24.8%	34.8%	19.3%
TERMINAL (d)	6/35 (17%)	4/30 (13%)	8/34 (24%)	6/28 (21%)	4/31 (13%)
FIRST INCIDENCE	726 (T)	667	571	492	533
STATISTICAL TESTS					
POLY 3	P=0.219	P=0.535N	P=0.161	P=0.022*	P=0.366
POLY 1.5	P=0.224	P=0.518N	P=0.157	P=0.022*	P=0.375
POLY 6	P=0.223	P=0.553N	P=0.166	P=0.022*	P=0.363
COCH-ARM / FISHERS	P=0.237	P=0.500N	P=0.142	P=0.023*	P=0.387
MAX-ISO-POLY-3	P=0.102	P=0.409N	P=0.107	P=0.012*	P=0.265

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Males				
	Veh ctrlMale	Tri 1.25Male	Tri 2.7 Male	Tri 5.8 Male	Tri 12.5Male
Urinary Bladder: Lumen Dilatation					
LESION RATES					
OVERALL (a)	0/48 (0%)	1/48 (2%)	3/48 (6%)	3/48 (6%)	0/48 (0%)
POLY-3 RATE (b)	0/42.49	1/40.57	3/43.65	3/40.06	0/40.36
POLY-3 PERCENT (g)	0%	2.5%	6.9%	7.5%	0%
TERMINAL (d)	0/35 (0%)	0/30 (0%)	1/34 (3%)	1/28 (4%)	0/31 (0%)
FIRST INCIDENCE	---	622	617	685	---
STATISTICAL TESTS					
POLY 3	P=0.487N	P=0.491	P=0.123	P=0.108	(e)
POLY 1.5	P=0.477N	P=0.495	P=0.123	P=0.113	(e)
POLY 6	P=0.496N	P=0.486	P=0.123	P=0.102	(e)
COCH-ARM / FISHERS	P=0.464N	P=0.500	P=0.121	P=0.121	(e)
MAX-ISO-POLY-3	P=0.202	P=0.158	P=0.042*	P=0.037*	(e)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Adrenal Cortex					
Accessory Adrenal Cortical Nodule					
LESION RATES					
OVERALL (a)	3/48 (6%)	1/48 (2%)	3/48 (6%)	2/48 (4%)	0/48 (0%)
POLY-3 RATE (b)	3/43.16	1/41.07	3/42.81	2/42.20	0/43.36
POLY-3 PERCENT (g)	7%	2.4%	7%	4.7%	0%
TERMINAL (d)	3/35 (9%)	0/29 (0%)	2/31 (7%)	2/37 (5%)	0/35 (0%)
FIRST INCIDENCE	726 (T)	510	639	726 (T)	---
STATISTICAL TESTS					
POLY 3	P=0.108N	P=0.323N	P=0.659	P=0.510N	P=0.118N
POLY 1.5	P=0.111N	P=0.316N	P=0.661	P=0.511N	P=0.118N
POLY 6	P=0.103N	P=0.332N	P=0.655	P=0.504N	P=0.117N
COCH-ARM / FISHERS	P=0.115N	P=0.308N	P=0.661N	P=0.500N	P=0.121N
MAX-ISO-POLY-3	P=0.091N	P=0.172N	P=0.496	P=0.334N	P=0.038N*

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Adrenal Cortex					
Amyloid Deposition					
LESION RATES					
OVERALL (a)	44/48 (92%)	42/48 (88%)	43/48 (90%)	39/48 (81%)	44/48 (92%)
POLY-3 RATE (b)	44/47.06	42/46.20	43/47.56	39/45.72	44/46.49
POLY-3 PERCENT (g)	93.5%	90.9%	90.4%	85.3%	94.6%
TERMINAL (d)	33/35 (94%)	26/29 (90%)	28/31 (90%)	31/37 (84%)	34/35 (97%)
FIRST INCIDENCE	538	493	448	426	498
STATISTICAL TESTS					
POLY 3	P=0.455	P=0.466N	P=0.430N	P=0.165N	P=0.586
POLY 1.5	P=0.497	P=0.428N	P=0.438N	P=0.154N	P=0.633
POLY 6	P=0.395	P=0.524N	P=0.450N	P=0.188N	P=0.500
COCH-ARM / FISHERS	P=0.535	P=0.370N	P=0.500N	P=0.116N	P=0.643N
MAX-ISO-POLY-3	P=0.370	P=0.315N	P=0.288N	P=0.096N	P=0.403

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Adrenal Cortex Cyst					
LESION RATES					
OVERALL (a)	2/48 (4%)	1/48 (2%)	0/48 (0%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	2/43.16	1/40.42	0/42.50	0/42.20	0/43.36
POLY-3 PERCENT (g)	4.6%	2.5%	0%	0%	0%
TERMINAL (d)	2/35 (6%)	1/29 (3%)	0/31 (0%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	726 (T)	726 (T)	---	---	---
STATISTICAL TESTS					
POLY 3	P=0.125N	P=0.523N	P=0.240N	P=0.242N	P=0.236N
POLY 1.5	P=0.126N	P=0.514N	P=0.239N	P=0.243N	P=0.236N
POLY 6	P=0.122N	P=0.534N	P=0.244N	P=0.239N	P=0.235N
COCH-ARM / FISHERS	P=0.128N	P=0.500N	P=0.247N	P=0.247N	P=0.247N
MAX-ISO-POLY-3	P=0.055N	P=0.305N	P=0.079N	P=0.080N	P=0.075N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Adrenal Cortex Hypertrophy					
LESION RATES					
OVERALL (a)	0/48 (0%)	1/48 (2%)	0/48 (0%)	1/48 (2%)	0/48 (0%)
POLY-3 RATE (b)	0/43.16	1/40.52	0/42.50	1/42.29	0/43.36
POLY-3 PERCENT (g)	0%	2.5%	0%	2.4%	0%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	0/31 (0%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	---	702	---	702	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Adrenal Cortex					
Vacuolization Cytoplasmic					
LESION RATES					
OVERALL (a)	1/48 (2%)	0/48 (0%)	0/48 (0%)	2/48 (4%)	2/48 (4%)
POLY-3 RATE (b)	1/43.16	0/40.42	0/42.50	2/42.20	2/44.03
POLY-3 PERCENT (g)	2.3%	0%	0%	4.7%	4.5%
TERMINAL (d)	1/35 (3%)	0/29 (0%)	0/31 (0%)	2/37 (5%)	1/35 (3%)
FIRST INCIDENCE	726 (T)	---	---	726 (T)	498
STATISTICAL TESTS					
POLY 3	P=0.147	P=0.513N	P=0.503N	P=0.492	P=0.507
POLY 1.5	P=0.142	P=0.508N	P=0.501N	P=0.491	P=0.505
POLY 6	P=0.154	P=0.520N	P=0.506N	P=0.497	P=0.510
COCH-ARM / FISHERS	P=0.133	P=0.500N	P=0.500N	P=0.500	P=0.500
MAX-ISO-POLY-3	P=0.204	P=0.174N	P=0.162N	P=0.275	P=0.288

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Adrenal Cortex: Subcapsular Hyperplasia					
LESION RATES					
OVERALL (a)	47/48 (98%)	48/48 (100%)	47/48 (98%)	47/48 (98%)	48/48 (100%)
POLY-3 RATE (b)	47/48.00	48/48.00	47/47.63	47/47.00	48/48.00
POLY-3 PERCENT (g)	97.9%	100%	98.7%	100%	100%
TERMINAL (d)	34/35 (97%)	29/29 (100%)	31/31 (100%)	37/37 (100%)	35/35 (100%)
FIRST INCIDENCE	343	254	448	426	475
STATISTICAL TESTS					
POLY 3	P=0.341	P=0.500	P=0.703	P=0.504	P=0.500
POLY 1.5	P=0.334	P=0.500	P=0.733	P=0.504	P=0.500
POLY 6	P=0.357	P=0.500	P=0.645	P=0.504	P=0.500
COCH-ARM / FISHERS	P=0.423	P=0.500	P=0.753N	P=0.753N	P=0.500
MAX-ISO-POLY-3	P=0.156	P=0.158	P=0.378	P=0.163	P=0.158

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Adrenal Medulla Hyperplasia					
LESION RATES					
OVERALL (a)	1/48 (2%)	0/48 (0%)	1/48 (2%)	1/48 (2%)	2/48 (4%)
POLY-3 RATE (b)	1/43.16	0/40.42	1/42.50	1/42.20	2/43.36
POLY-3 PERCENT (g)	2.3%	0%	2.4%	2.4%	4.6%
TERMINAL (d)	1/35 (3%)	0/29 (0%)	1/31 (3%)	1/37 (3%)	2/35 (6%)
FIRST INCIDENCE	726 (T)	---	726 (T)	726 (T)	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.225	P=0.513N	P=0.757	P=0.756	P=0.502
POLY 1.5	P=0.220	P=0.508N	P=0.759	P=0.755	P=0.501
POLY 6	P=0.232	P=0.520N	P=0.754	P=0.759	P=0.503
COCH-ARM / FISHERS	P=0.212	P=0.500N	P=0.753N	P=0.753N	P=0.500
MAX-ISO-POLY-3	P=0.258	P=0.174N	P=0.495	P=0.493	P=0.282

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Bone Marrow: Myeloid Cell Hyperplasia					
LESION RATES					
OVERALL (a)	1/47 (2%)	3/48 (6%)	4/48 (8%)	5/48 (10%)	2/48 (4%)
POLY-3 RATE (b)	1/42.51	3/40.85	4/43.56	5/44.06	2/43.91
POLY-3 PERCENT (g)	2.4%	7.3%	9.2%	11.4%	4.6%
TERMINAL (d)	0/34 (0%)	1/29 (3%)	0/31 (0%)	2/37 (5%)	1/35 (3%)
FIRST INCIDENCE	629	657	621	426	556
STATISTICAL TESTS					
POLY 3	P=0.566	P=0.291	P=0.186	P=0.109	P=0.511
POLY 1.5	P=0.558	P=0.299	P=0.186	P=0.106	P=0.510
POLY 6	P=0.577	P=0.281	P=0.185	P=0.115	P=0.513
COCH-ARM / FISHERS	P=0.543	P=0.316	P=0.187	P=0.107	P=0.508
MAX-ISO-POLY-3	P=0.241	P=0.149	P=0.089	P=0.051	P=0.292

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Bone, Femur Fibro-osseous Lesion					
LESION RATES					
OVERALL (a)	13/48 (27%)	10/48 (21%)	8/48 (17%)	11/48 (23%)	10/48 (21%)
POLY-3 RATE (b)	13/43.58	10/41.42	8/42.50	11/42.20	10/43.59
POLY-3 PERCENT (g)	29.8%	24.2%	18.8%	26.1%	22.9%
TERMINAL (d)	12/35 (34%)	6/29 (21%)	8/31 (26%)	11/37 (30%)	9/35 (26%)
FIRST INCIDENCE	604	618	726 (T)	726 (T)	663
STATISTICAL TESTS					
POLY 3	P=0.400N	P=0.365N	P=0.173N	P=0.442N	P=0.313N
POLY 1.5	P=0.413N	P=0.347N	P=0.166N	P=0.439N	P=0.314N
POLY 6	P=0.381N	P=0.384N	P=0.186N	P=0.433N	P=0.310N
COCH-ARM / FISHERS	P=0.428N	P=0.317N	P=0.162N	P=0.407N	P=0.317N
MAX-ISO-POLY-3	P=0.374N	P=0.282N	P=0.118N	P=0.350N	P=0.231N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Bone: Cranium					
Hyperostosis					
LESION RATES					
OVERALL (a)	0/0 (0%)	0/1 (0%)	0/0 (0%)	0/1 (0%)	0/0 (0%)
POLY-3 RATE (b)	0/0.00	0/0.51	0/0.00	0/0.29	0/0.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%
TERMINAL (d)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)
FIRST INCIDENCE	---	---	---	---	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Brain, Cerebrum Mineralization					
LESION RATES					
OVERALL (a)	30/48 (63%)	29/48 (60%)	27/48 (56%)	25/48 (52%)	33/48 (69%)
POLY-3 RATE (b)	30/45.71	29/43.60	27/44.65	25/45.04	33/45.74
POLY-3 PERCENT (g)	65.6%	66.5%	60.5%	55.5%	72.2%
TERMINAL (d)	22/35 (63%)	20/29 (69%)	20/31 (65%)	19/37 (51%)	26/35 (74%)
FIRST INCIDENCE	596	493	535	482	475
STATISTICAL TESTS					
POLY 3	P=0.287	P=0.555	P=0.384N	P=0.218N	P=0.325
POLY 1.5	P=0.275	P=0.575N	P=0.357N	P=0.223N	P=0.336
POLY 6	P=0.298	P=0.494	P=0.437N	P=0.213N	P=0.302
COCH-ARM / FISHERS	P=0.253	P=0.500N	P=0.339N	P=0.205N	P=0.334
MAX-ISO-POLY-3	P=0.260	P=0.465	P=0.304N	P=0.161N	P=0.246

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Clitoral Gland: Duct Dilatation					
LESION RATES					
OVERALL (a)	18/46 (39%)	26/44 (59%)	22/45 (49%)	13/45 (29%)	15/43 (35%)
POLY-3 RATE (b)	18/42.40	26/40.42	22/43.02	13/40.36	15/40.71
POLY-3 PERCENT (g)	42.5%	64.3%	51.1%	32.2%	36.8%
TERMINAL (d)	16/34 (47%)	18/28 (64%)	12/29 (41%)	11/34 (32%)	11/33 (33%)
FIRST INCIDENCE	604	510	448	499	626
STATISTICAL TESTS					
POLY 3	P=0.038N*	P=0.033*	P=0.277	P=0.230N	P=0.382N
POLY 1.5	P=0.043N*	P=0.036*	P=0.261	P=0.232N	P=0.398N
POLY 6	P=0.033N*	P=0.032*	P=0.300	P=0.220N	P=0.362N
COCH-ARM / FISHERS	P=0.053N	P=0.046*	P=0.234	P=0.209N	P=0.423N
MAX-ISO-POLY-3	P=0.064N	P=0.021*	P=0.211	P=0.171N	P=0.301N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Eye Cataract					
LESION RATES					
OVERALL (a)	3/47 (6%)	4/46 (9%)	2/48 (4%)	2/45 (4%)	2/46 (4%)
POLY-3 RATE (b)	3/42.61	4/39.04	2/42.56	2/41.09	2/42.08
POLY-3 PERCENT (g)	7%	10.3%	4.7%	4.9%	4.8%
TERMINAL (d)	3/35 (9%)	4/28 (14%)	1/31 (3%)	2/37 (5%)	2/35 (6%)
FIRST INCIDENCE	726 (T)	726 (T)	709	726 (T)	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.315N	P=0.452	P=0.500N	P=0.517N	P=0.506N
POLY 1.5	P=0.320N	P=0.467	P=0.495N	P=0.519N	P=0.507N
POLY 6	P=0.306N	P=0.433	P=0.509N	P=0.509N	P=0.505N
COCH-ARM / FISHERS	P=0.327N	P=0.488	P=0.490N	P=0.521N	P=0.510N
MAX-ISO-POLY-3	P=0.410N	P=0.310	P=0.324N	P=0.339N	P=0.329N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Gallbladder					
Infiltration Cellular Lymphocyte					
LESION RATES					
OVERALL (a)	1/45 (2%)	1/46 (2%)	0/44 (0%)	0/45 (0%)	3/44 (7%)
POLY-3 RATE (b)	1/40.61	1/39.04	0/39.10	0/41.09	3/40.50
POLY-3 PERCENT (g)	2.5%	2.6%	0%	0%	7.4%
TERMINAL (d)	1/33 (3%)	1/28 (4%)	0/28 (0%)	0/37 (0%)	2/34 (6%)
FIRST INCIDENCE	726 (T)	726 (T)	---	---	643
STATISTICAL TESTS					
POLY 3	P=0.091	P=0.752	P=0.508N	P=0.498N	P=0.304
POLY 1.5	P=0.089	P=0.757	P=0.506N	P=0.499N	P=0.301
POLY 6	P=0.094	P=0.745	P=0.511N	P=0.494N	P=0.308
COCH-ARM / FISHERS	P=0.087	P=0.747N	P=0.506N	P=0.500N	P=0.300
MAX-ISO-POLY-3	P=0.061	P=0.489	P=0.166N	P=0.158N	P=0.153

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Harderian Gland Infiltration Cellular Lymphocyte					
LESION RATES					
OVERALL (a)	18/48 (38%)	25/48 (52%)	25/47 (53%)	24/48 (50%)	27/47 (57%)
POLY-3 RATE (b)	18/45.32	25/44.40	25/44.29	24/44.83	27/44.36
POLY-3 PERCENT (g)	39.7%	56.3%	56.5%	53.5%	60.9%
TERMINAL (d)	13/35 (37%)	14/29 (48%)	17/31 (55%)	19/37 (51%)	22/35 (63%)
FIRST INCIDENCE	343	525	503	426	513
STATISTICAL TESTS					
POLY 3	P=0.085	P=0.083	P=0.081	P=0.132	P=0.033*
POLY 1.5	P=0.087	P=0.088	P=0.084	P=0.128	P=0.035*
POLY 6	P=0.085	P=0.084	P=0.079	P=0.147	P=0.031*
COCH-ARM / FISHERS	P=0.092	P=0.109	P=0.092	P=0.152	P=0.041*
MAX-ISO-POLY-3	P=0.035*	P=0.057	P=0.054	P=0.093	P=0.020*

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Heart					
Cardiomyopathy					
LESION RATES					
OVERALL (a)	2/48 (4%)	1/48 (2%)	0/48 (0%)	1/48 (2%)	2/48 (4%)
POLY-3 RATE (b)	2/43.16	1/40.59	0/42.50	1/42.20	2/43.66
POLY-3 PERCENT (g)	4.6%	2.5%	0%	2.4%	4.6%
TERMINAL (d)	2/35 (6%)	0/29 (0%)	0/31 (0%)	1/37 (3%)	1/35 (3%)
FIRST INCIDENCE	726 (T)	682	---	726 (T)	643
STATISTICAL TESTS					
POLY 3	P=0.441	P=0.521N	P=0.240N	P=0.508N	P=0.690N
POLY 1.5	P=0.435	P=0.513N	P=0.239N	P=0.509N	P=0.691N
POLY 6	P=0.451	P=0.531N	P=0.244N	P=0.503N	P=0.687N
COCH-ARM / FISHERS	P=0.427	P=0.500N	P=0.247N	P=0.500N	P=0.692N
MAX-ISO-POLY-3	P=0.453N	P=0.303N	P=0.079N	P=0.289N	P=0.495N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Intestine Large, Cecum: Lymphoid Tissue Hyperplasia					
LESION RATES					
OVERALL (a)	0/47 (0%)	0/48 (0%)	0/48 (0%)	0/45 (0%)	0/46 (0%)
POLY-3 RATE (b)	0/42.61	0/40.42	0/42.50	0/41.09	0/42.08
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	0/31 (0%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	---	---	---	---	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Intestine Small, Ileum: Lymphoid Tissue Hyperplasia					
LESION RATES					
OVERALL (a)	1/47 (2%)	0/48 (0%)	0/48 (0%)	0/45 (0%)	0/46 (0%)
POLY-3 RATE (b)	1/42.61	0/40.42	0/42.50	0/41.09	0/42.08
POLY-3 PERCENT (g)	2.4%	0%	0%	0%	0%
TERMINAL (d)	1/35 (3%)	0/29 (0%)	0/31 (0%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	726 (T)	---	---	---	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Islets, Pancreatic Hyperplasia					
LESION RATES					
OVERALL (a)	1/48 (2%)	0/48 (0%)	1/48 (2%)	0/48 (0%)	1/48 (2%)
POLY-3 RATE (b)	1/43.58	0/40.42	1/42.50	0/42.20	1/44.03
POLY-3 PERCENT (g)	2.3%	0%	2.4%	0%	2.3%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	1/31 (3%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	604	---	726 (T)	---	498
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Kidney					
Accumulation, Hyaline Droplet					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	2/48 (4%)	1/48 (2%)	1/48 (2%)
POLY-3 RATE (b)	0/43.16	0/40.42	2/43.45	1/42.77	1/43.48
POLY-3 PERCENT (g)	0%	0%	4.6%	2.3%	2.3%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	0/31 (0%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	---	---	503	545	696
STATISTICAL TESTS					
POLY 3	P=0.404	(e)	P=0.238	P=0.498	P=0.501
POLY 1.5	P=0.397	(e)	P=0.238	P=0.497	P=0.501
POLY 6	P=0.413	(e)	P=0.237	P=0.502	P=0.503
COCH-ARM / FISHERS	P=0.387	(e)	P=0.247	P=0.500	P=0.500
MAX-ISO-POLY-3	P=0.253	(e)	P=0.077	P=0.158	P=0.160

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Kidney Casts					
LESION RATES					
OVERALL (a)	0/48 (0%)	2/48 (4%)	1/48 (2%)	0/48 (0%)	1/48 (2%)
POLY-3 RATE (b)	0/43.16	2/40.42	1/42.50	0/42.20	1/43.36
POLY-3 PERCENT (g)	0%	5%	2.4%	0%	2.3%
TERMINAL (d)	0/35 (0%)	2/29 (7%)	1/31 (3%)	0/37 (0%)	1/35 (3%)
FIRST INCIDENCE	---	726 (T)	726 (T)	---	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.649	P=0.223	P=0.497	(e)	P=0.501
POLY 1.5	P=0.648N	P=0.228	P=0.499	(e)	P=0.501
POLY 6	P=0.650N	P=0.215	P=0.494	(e)	P=0.502
COCH-ARM / FISHERS	P=0.643N	P=0.247	P=0.500	(e)	P=0.500
MAX-ISO-POLY-3	P=0.364	P=0.075	P=0.158	(e)	P=0.159

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Kidney Infarct					
LESION RATES					
OVERALL (a)	7/48 (15%)	6/48 (13%)	9/48 (19%)	5/48 (10%)	8/48 (17%)
POLY-3 RATE (b)	7/43.38	6/40.52	9/42.75	5/42.20	8/43.90
POLY-3 PERCENT (g)	16.1%	14.8%	21.1%	11.9%	18.2%
TERMINAL (d)	6/35 (17%)	5/29 (17%)	8/31 (26%)	5/37 (14%)	6/35 (17%)
FIRST INCIDENCE	668	702	657	726 (T)	643
STATISTICAL TESTS					
POLY 3	P=0.507	P=0.553N	P=0.379	P=0.398N	P=0.510
POLY 1.5	P=0.491	P=0.532N	P=0.387	P=0.398N	P=0.506
POLY 6	P=0.532	P=0.580N	P=0.365	P=0.391N	P=0.518
COCH-ARM / FISHERS	P=0.472	P=0.500N	P=0.392	P=0.379N	P=0.500
MAX-ISO-POLY-3	P=0.618	P=0.435N	P=0.281	P=0.288N	P=0.399

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Kidney					
Infiltration Cellular Lymphocyte					
LESION RATES					
OVERALL (a)	29/48 (60%)	33/48 (69%)	33/48 (69%)	31/48 (65%)	30/48 (63%)
POLY-3 RATE (b)	29/45.99	33/43.01	33/44.00	31/46.24	30/46.73
POLY-3 PERCENT (g)	63.1%	76.7%	75%	67%	64.2%
TERMINAL (d)	20/35 (57%)	26/29 (90%)	27/31 (87%)	24/37 (65%)	23/35 (66%)
FIRST INCIDENCE	590	533	535	426	475
STATISTICAL TESTS					
POLY 3	P=0.272N	P=0.112	P=0.152	P=0.427	P=0.541
POLY 1.5	P=0.330N	P=0.164	P=0.201	P=0.409	P=0.532
POLY 6	P=0.218N	P=0.062	P=0.092	P=0.441	P=0.537
COCH-ARM / FISHERS	P=0.431N	P=0.261	P=0.261	P=0.417	P=0.500
MAX-ISO-POLY-3	P=0.368	P=0.079	P=0.107	P=0.344	P=0.454

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Kidney					
Infiltration Cellular Polymorphonuclear					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	1/48 (2%)	0/48 (0%)	2/48 (4%)
POLY-3 RATE (b)	0/43.16	0/40.42	1/43.16	0/42.20	2/44.03
POLY-3 PERCENT (g)	0%	0%	2.3%	0%	4.5%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	0/31 (0%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	---	---	503	---	556
STATISTICAL TESTS					
POLY 3	P=0.081	(e)	P=0.500	(e)	P=0.241
POLY 1.5	P=0.079	(e)	P=0.501	(e)	P=0.240
POLY 6	P=0.084	(e)	P=0.498	(e)	P=0.244
COCH-ARM / FISHERS	P=0.076	(e)	P=0.500	(e)	P=0.247
MAX-ISO-POLY-3	P=0.060	(e)	P=0.158	(e)	P=0.080

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Kidney					
Metaplasia Osseous					
LESION RATES					
OVERALL (a)	1/48 (2%)	1/48 (2%)	2/48 (4%)	2/48 (4%)	1/48 (2%)
POLY-3 RATE (b)	1/43.16	1/40.42	2/42.97	2/42.20	1/43.36
POLY-3 PERCENT (g)	2.3%	2.5%	4.7%	4.7%	2.3%
TERMINAL (d)	1/35 (3%)	1/29 (3%)	0/31 (0%)	2/37 (5%)	1/35 (3%)
FIRST INCIDENCE	726 (T)	726 (T)	660	726 (T)	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.587N	P=0.746	P=0.498	P=0.492	P=0.760N
POLY 1.5	P=0.592N	P=0.752	P=0.500	P=0.491	P=0.760N
POLY 6	P=0.580N	P=0.739	P=0.496	P=0.497	P=0.759N
COCH-ARM / FISHERS	P=0.600N	P=0.753N	P=0.500	P=0.500	P=0.753N
MAX-ISO-POLY-3	P=0.582	P=0.481	P=0.279	P=0.275	P=0.498N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Kidney Mineralization					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)	1/48 (2%)
POLY-3 RATE (b)	0/43.16	0/40.42	0/42.50	0/42.20	1/43.36
POLY-3 PERCENT (g)	0%	0%	0%	0%	2.3%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	0/31 (0%)	0/37 (0%)	1/35 (3%)
FIRST INCIDENCE	---	---	---	---	726 (T)
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Kidney Nephropathy					
LESION RATES					
OVERALL (a)	14/48 (29%)	13/48 (27%)	10/48 (21%)	11/48 (23%)	10/48 (21%)
POLY-3 RATE (b)	14/43.69	13/44.18	10/44.45	11/42.87	10/43.57
POLY-3 PERCENT (g)	32.1%	29.4%	22.5%	25.7%	23%
TERMINAL (d)	12/35 (34%)	4/29 (14%)	4/31 (13%)	9/37 (24%)	8/35 (23%)
FIRST INCIDENCE	643	254	535	580	685
STATISTICAL TESTS					
POLY 3	P=0.232N	P=0.486N	P=0.221N	P=0.338N	P=0.238N
POLY 1.5	P=0.230N	P=0.489N	P=0.228N	P=0.343N	P=0.238N
POLY 6	P=0.232N	P=0.484N	P=0.213N	P=0.322N	P=0.237N
COCH-ARM / FISHERS	P=0.222N	P=0.500N	P=0.240N	P=0.321N	P=0.240N
MAX-ISO-POLY-3	P=0.296N	P=0.395N	P=0.158N	P=0.257N	P=0.170N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Kidney: Cortex Cyst					
LESION RATES					
OVERALL (a)	1/48 (2%)	0/48 (0%)	1/48 (2%)	1/48 (2%)	0/48 (0%)
POLY-3 RATE (b)	1/43.16	0/40.42	1/42.50	1/42.20	0/43.36
POLY-3 PERCENT (g)	2.3%	0%	2.4%	2.4%	0%
TERMINAL (d)	1/35 (3%)	0/29 (0%)	1/31 (3%)	1/37 (3%)	0/35 (0%)
FIRST INCIDENCE	726 (T)	---	726 (T)	726 (T)	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Kidney: Renal Tubule Cyst					
LESION RATES					
OVERALL (a)	0/48 (0%)	1/48 (2%)	1/48 (2%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/43.16	1/40.42	1/42.50	0/42.20	0/43.36
POLY-3 PERCENT (g)	0%	2.5%	2.4%	0%	0%
TERMINAL (d)	0/35 (0%)	1/29 (3%)	1/31 (3%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	---	726 (T)	726 (T)	---	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Kidney: Renal Tubule Hyperplasia					
LESION RATES					
OVERALL (a)	0/48 (0%)	2/48 (4%)	2/48 (4%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/43.16	2/40.42	2/42.62	0/42.20	0/43.36
POLY-3 PERCENT (g)	0%	5%	4.7%	0%	0%
TERMINAL (d)	0/35 (0%)	2/29 (7%)	1/31 (3%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	---	726 (T)	695	---	---
STATISTICAL TESTS					
POLY 3	P=0.232N	P=0.223	P=0.234	(e)	(e)
POLY 1.5	P=0.232N	P=0.228	P=0.236	(e)	(e)
POLY 6	P=0.232N	P=0.215	P=0.231	(e)	(e)
COCH-ARM / FISHERS	P=0.230N	P=0.247	P=0.247	(e)	(e)
MAX-ISO-POLY-3	P=0.238N	P=0.075	P=0.075	(e)	(e)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Liver Angiectasis					
LESION RATES					
OVERALL (a)	2/48 (4%)	1/48 (2%)	1/48 (2%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	2/43.16	1/40.42	1/42.50	0/42.20	0/43.36
POLY-3 PERCENT (g)	4.6%	2.5%	2.4%	0%	0%
TERMINAL (d)	2/35 (6%)	1/29 (3%)	1/31 (3%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	726 (T)	726 (T)	726 (T)	---	---
STATISTICAL TESTS					
POLY 3	P=0.115N	P=0.523N	P=0.505N	P=0.242N	P=0.236N
POLY 1.5	P=0.117N	P=0.514N	P=0.502N	P=0.243N	P=0.236N
POLY 6	P=0.111N	P=0.534N	P=0.511N	P=0.239N	P=0.235N
COCH-ARM / FISHERS	P=0.118N	P=0.500N	P=0.500N	P=0.247N	P=0.247N
MAX-ISO-POLY-3	P=0.094N	P=0.305N	P=0.286N	P=0.080N	P=0.075N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Liver					
Basophilic Focus					
LESION RATES					
OVERALL (a)	3/48 (6%)	5/48 (10%)	3/48 (6%)	2/48 (4%)	5/48 (10%)
POLY-3 RATE (b)	3/43.38	5/41.16	3/43.06	2/42.20	5/43.72
POLY-3 PERCENT (g)	6.9%	12.2%	7%	4.7%	11.4%
TERMINAL (d)	2/35 (6%)	2/29 (7%)	1/31 (3%)	2/37 (5%)	4/35 (11%)
FIRST INCIDENCE	668	618	639	726 (T)	626
STATISTICAL TESTS					
POLY 3	P=0.400	P=0.327	P=0.659	P=0.513N	P=0.360
POLY 1.5	P=0.396	P=0.338	P=0.661	P=0.512N	P=0.359
POLY 6	P=0.408	P=0.315	P=0.655	P=0.509N	P=0.362
COCH-ARM / FISHERS	P=0.392	P=0.357	P=0.661N	P=0.500N	P=0.357
MAX-ISO-POLY-3	P=0.392	P=0.211	P=0.496	P=0.337N	P=0.233

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Liver					
Clear Cell Focus					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	1/48 (2%)	1/48 (2%)	0/48 (0%)
POLY-3 RATE (b)	0/43.16	0/40.42	1/42.50	1/42.20	0/43.36
POLY-3 PERCENT (g)	0%	0%	2.4%	2.4%	0%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	1/31 (3%)	1/37 (3%)	0/35 (0%)
FIRST INCIDENCE	---	---	726 (T)	726 (T)	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Liver Cyst					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	1/48 (2%)	1/48 (2%)	0/48 (0%)
POLY-3 RATE (b)	0/43.16	0/40.42	1/42.87	1/42.20	0/43.36
POLY-3 PERCENT (g)	0%	0%	2.3%	2.4%	0%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	0/31 (0%)	1/37 (3%)	0/35 (0%)
FIRST INCIDENCE	---	---	621	726 (T)	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Liver Deformity					
LESION RATES					
OVERALL (a)	1/48 (2%)	1/48 (2%)	0/48 (0%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	1/43.16	1/40.42	0/42.50	0/42.20	0/43.36
POLY-3 PERCENT (g)	2.3%	2.5%	0%	0%	0%
TERMINAL (d)	1/35 (3%)	1/29 (3%)	0/31 (0%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	726 (T)	726 (T)	---	---	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Liver					
Eosinophilic Focus					
LESION RATES					
OVERALL (a)	1/48 (2%)	0/48 (0%)	0/48 (0%)	0/48 (0%)	1/48 (2%)
POLY-3 RATE (b)	1/43.16	0/40.42	0/42.50	0/42.20	1/43.78
POLY-3 PERCENT (g)	2.3%	0%	0%	0%	2.3%
TERMINAL (d)	1/35 (3%)	0/29 (0%)	0/31 (0%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	726 (T)	---	---	---	604
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Liver Fatty Change					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)	1/48 (2%)
POLY-3 RATE (b)	0/43.16	0/40.42	0/42.50	0/42.20	1/43.91
POLY-3 PERCENT (g)	0%	0%	0%	0%	2.3%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	0/31 (0%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	---	---	---	---	556
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Liver Fibrosis					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	2/48 (4%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/43.16	0/40.42	2/42.61	0/42.20	0/43.36
POLY-3 PERCENT (g)	0%	0%	4.7%	0%	0%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	1/31 (3%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	---	---	696	---	---
STATISTICAL TESTS					
POLY 3	P=0.483N	(e)	P=0.234	(e)	(e)
POLY 1.5	P=0.487N	(e)	P=0.236	(e)	(e)
POLY 6	P=0.479N	(e)	P=0.231	(e)	(e)
COCH-ARM / FISHERS	P=0.490N	(e)	P=0.247	(e)	(e)
MAX-ISO-POLY-3	P=0.386N	(e)	P=0.075	(e)	(e)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Liver					
Hematopoietic Cell Proliferation					
LESION RATES					
OVERALL (a)	2/48 (4%)	1/48 (2%)	0/48 (0%)	1/48 (2%)	1/48 (2%)
POLY-3 RATE (b)	2/43.51	1/40.68	0/42.50	1/42.99	1/43.91
POLY-3 PERCENT (g)	4.6%	2.5%	0%	2.3%	2.3%
TERMINAL (d)	1/35 (3%)	0/29 (0%)	0/31 (0%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	629	657	---	426	556
STATISTICAL TESTS					
POLY 3	P=0.514N	P=0.523N	P=0.242N	P=0.504N	P=0.497N
POLY 1.5	P=0.520N	P=0.514N	P=0.240N	P=0.506N	P=0.498N
POLY 6	P=0.505N	P=0.535N	P=0.247N	P=0.500N	P=0.496N
COCH-ARM / FISHERS	P=0.526N	P=0.500N	P=0.247N	P=0.500N	P=0.500N
MAX-ISO-POLY-3	P=0.302N	P=0.305N	P=0.080N	P=0.285N	P=0.278N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Liver					
Hepatodiaphragmatic Nodule					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/43.16	0/40.42	0/42.50	0/42.20	0/43.36
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	0/31 (0%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	---	---	---	---	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Liver					
Infiltration Cellular Lymphocyte					
LESION RATES					
OVERALL (a)	21/48 (44%)	22/48 (46%)	17/48 (35%)	19/48 (40%)	19/48 (40%)
POLY-3 RATE (b)	21/44.82	22/42.69	17/43.02	19/42.28	19/43.71
POLY-3 PERCENT (g)	46.9%	51.5%	39.5%	44.9%	43.5%
TERMINAL (d)	17/35 (49%)	14/29 (48%)	14/31 (45%)	18/37 (49%)	17/35 (49%)
FIRST INCIDENCE	590	535	660	705	643
STATISTICAL TESTS					
POLY 3	P=0.373N	P=0.410	P=0.315N	P=0.514N	P=0.457N
POLY 1.5	P=0.369N	P=0.443	P=0.290N	P=0.490N	P=0.438N
POLY 6	P=0.377N	P=0.376	P=0.356N	P=0.531N	P=0.483N
COCH-ARM / FISHERS	P=0.366N	P=0.500	P=0.266N	P=0.418N	P=0.418N
MAX-ISO-POLY-3	P=0.466N	P=0.332	P=0.245N	P=0.430N	P=0.375N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Liver					
Inflammation Chronic					
LESION RATES					
OVERALL (a)	3/48 (6%)	5/48 (10%)	6/48 (13%)	3/48 (6%)	3/48 (6%)
POLY-3 RATE (b)	3/43.28	5/40.90	6/43.40	3/42.69	3/43.78
POLY-3 PERCENT (g)	6.9%	12.2%	13.8%	7%	6.9%
TERMINAL (d)	2/35 (6%)	3/29 (10%)	3/31 (10%)	2/37 (5%)	2/35 (6%)
FIRST INCIDENCE	695	657	621	580	604
STATISTICAL TESTS					
POLY 3	P=0.317N	P=0.325	P=0.242	P=0.656	P=0.657N
POLY 1.5	P=0.324N	P=0.337	P=0.243	P=0.653	P=0.659N
POLY 6	P=0.306N	P=0.311	P=0.240	P=0.661N	P=0.654N
COCH-ARM / FISHERS	P=0.332N	P=0.357	P=0.243	P=0.661N	P=0.661N
MAX-ISO-POLY-3	P=0.445N	P=0.210	P=0.146	P=0.493	P=0.494N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Liver					
Mixed Cell Focus					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	1/48 (2%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/43.16	0/40.42	1/42.56	0/42.20	0/43.36
POLY-3 PERCENT (g)	0%	0%	2.4%	0%	0%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	0/31 (0%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	---	---	709	---	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Liver Pigmentation					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/43.16	0/40.42	0/42.50	0/42.20	0/43.36
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	0/31 (0%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	---	---	---	---	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Liver					
Tension Lipidosis					
LESION RATES					
OVERALL (a)	2/48 (4%)	1/48 (2%)	2/48 (4%)	0/48 (0%)	1/48 (2%)
POLY-3 RATE (b)	2/43.16	1/40.42	2/42.73	0/42.20	1/43.59
POLY-3 PERCENT (g)	4.6%	2.5%	4.7%	0%	2.3%
TERMINAL (d)	2/35 (6%)	1/29 (3%)	1/31 (3%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	726 (T)	726 (T)	664	---	663
STATISTICAL TESTS					
POLY 3	P=0.340N	P=0.523N	P=0.691	P=0.242N	P=0.497N
POLY 1.5	P=0.345N	P=0.514N	P=0.692	P=0.243N	P=0.498N
POLY 6	P=0.331N	P=0.534N	P=0.687	P=0.239N	P=0.494N
COCH-ARM / FISHERS	P=0.349N	P=0.500N	P=0.692N	P=0.247N	P=0.500N
MAX-ISO-POLY-3	P=0.289N	P=0.305N	P=0.496	P=0.080N	P=0.278N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Liver					
Vacuolization Cytoplasmic					
LESION RATES					
OVERALL (a)	4/48 (8%)	5/48 (10%)	2/48 (4%)	2/48 (4%)	1/48 (2%)
POLY-3 RATE (b)	4/43.91	5/41.63	2/42.87	2/42.20	1/43.52
POLY-3 PERCENT (g)	9.1%	12%	4.7%	4.7%	2.3%
TERMINAL (d)	2/35 (6%)	1/29 (3%)	1/31 (3%)	2/37 (5%)	0/35 (0%)
FIRST INCIDENCE	596	533	621	726 (T)	685
STATISTICAL TESTS					
POLY 3	P=0.075N	P=0.466	P=0.348N	P=0.356N	P=0.181N
POLY 1.5	P=0.076N	P=0.479	P=0.342N	P=0.353N	P=0.180N
POLY 6	P=0.074N	P=0.452	P=0.358N	P=0.355N	P=0.182N
COCH-ARM / FISHERS	P=0.076N	P=0.500	P=0.339N	P=0.339N	P=0.181N
MAX-ISO-POLY-3	P=0.100N	P=0.336	P=0.210N	P=0.218N	P=0.086N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Liver: Hepatocyte Necrosis					
LESION RATES					
OVERALL (a)	2/48 (4%)	2/48 (4%)	6/48 (13%)	5/48 (10%)	4/48 (8%)
POLY-3 RATE (b)	2/43.28	2/41.12	6/44.07	5/43.35	4/43.90
POLY-3 PERCENT (g)	4.6%	4.9%	13.6%	11.5%	9.1%
TERMINAL (d)	1/35 (3%)	0/29 (0%)	2/31 (7%)	2/37 (5%)	2/35 (6%)
FIRST INCIDENCE	695	583	503	545	604
STATISTICAL TESTS					
POLY 3	P=0.325	P=0.676	P=0.138	P=0.216	P=0.343
POLY 1.5	P=0.315	P=0.682	P=0.137	P=0.212	P=0.341
POLY 6	P=0.340	P=0.668	P=0.139	P=0.226	P=0.348
COCH-ARM / FISHERS	P=0.300	P=0.692N	P=0.134	P=0.218	P=0.339
MAX-ISO-POLY-3	P=0.230	P=0.479	P=0.073	P=0.119	P=0.205

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Lung Hemorrhage					
LESION RATES					
OVERALL (a)	1/48 (2%)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	1/43.16	0/40.42	0/42.50	0/42.20	0/43.36
POLY-3 PERCENT (g)	2.3%	0%	0%	0%	0%
TERMINAL (d)	1/35 (3%)	0/29 (0%)	0/31 (0%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	726 (T)	---	---	---	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Lung					
Infiltration Cellular Histiocyte					
LESION RATES					
OVERALL (a)	2/48 (4%)	2/48 (4%)	3/48 (6%)	3/48 (6%)	3/48 (6%)
POLY-3 RATE (b)	2/43.28	2/40.64	3/42.50	3/42.87	3/44.46
POLY-3 PERCENT (g)	4.6%	4.9%	7.1%	7%	6.8%
TERMINAL (d)	1/35 (3%)	1/29 (3%)	3/31 (10%)	2/37 (5%)	1/35 (3%)
FIRST INCIDENCE	695	668	726 (T)	499	498
STATISTICAL TESTS					
POLY 3	P=0.425	P=0.671	P=0.492	P=0.496	P=0.512
POLY 1.5	P=0.412	P=0.680	P=0.496	P=0.493	P=0.508
POLY 6	P=0.442	P=0.660	P=0.483	P=0.503	P=0.518
COCH-ARM / FISHERS	P=0.392	P=0.692N	P=0.500	P=0.500	P=0.500
MAX-ISO-POLY-3	P=0.560	P=0.474	P=0.317	P=0.320	P=0.336

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Lung					
Infiltration Cellular Lymphocyte					
LESION RATES					
OVERALL (a)	0/48 (0%)	3/48 (6%)	0/48 (0%)	1/48 (2%)	0/48 (0%)
POLY-3 RATE (b)	0/43.16	3/40.42	0/42.50	1/42.20	0/43.36
POLY-3 PERCENT (g)	0%	7.4%	0%	2.4%	0%
TERMINAL (d)	0/35 (0%)	3/29 (10%)	0/31 (0%)	1/37 (3%)	0/35 (0%)
FIRST INCIDENCE	---	726 (T)	---	726 (T)	---
STATISTICAL TESTS					
POLY 3	P=0.297N	P=0.107	(e)	P=0.495	(e)
POLY 1.5	P=0.294N	P=0.111	(e)	P=0.495	(e)
POLY 6	P=0.299N	P=0.101	(e)	P=0.498	(e)
COCH-ARM / FISHERS	P=0.290N	P=0.121	(e)	P=0.500	(e)
MAX-ISO-POLY-3	P=0.185N	P=0.037*	(e)	P=0.158	(e)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Lung: Alveolar Epithelium Hyperplasia					
LESION RATES					
OVERALL (a)	2/48 (4%)	0/48 (0%)	3/48 (6%)	2/48 (4%)	3/48 (6%)
POLY-3 RATE (b)	2/43.16	0/40.42	3/42.75	2/42.87	3/44.03
POLY-3 PERCENT (g)	4.6%	0%	7%	4.7%	6.8%
TERMINAL (d)	2/35 (6%)	0/29 (0%)	2/31 (7%)	1/37 (3%)	2/35 (6%)
FIRST INCIDENCE	726 (T)	---	657	499	498
STATISTICAL TESTS					
POLY 3	P=0.276	P=0.252N	P=0.496	P=0.692	P=0.509
POLY 1.5	P=0.266	P=0.246N	P=0.498	P=0.689	P=0.506
POLY 6	P=0.290	P=0.259N	P=0.491	P=0.690N	P=0.513
COCH-ARM / FISHERS	P=0.249	P=0.247N	P=0.500	P=0.692N	P=0.500
MAX-ISO-POLY-3	P=0.289	P=0.090N	P=0.320	P=0.497	P=0.333

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Lymph Node, Mandibular Hyperplasia Lymphoid					
LESION RATES					
OVERALL (a)	19/47 (40%)	14/48 (29%)	15/48 (31%)	17/48 (35%)	15/47 (32%)
POLY-3 RATE (b)	19/42.58	14/41.92	15/43.20	17/43.73	15/43.66
POLY-3 PERCENT (g)	44.6%	33.4%	34.7%	38.9%	34.4%
TERMINAL (d)	18/34 (53%)	10/29 (35%)	12/31 (39%)	13/37 (35%)	12/34 (35%)
FIRST INCIDENCE	604	533	660	499	513
STATISTICAL TESTS					
POLY 3	P=0.340N	P=0.199N	P=0.234N	P=0.373N	P=0.223N
POLY 1.5	P=0.370N	P=0.190N	P=0.233N	P=0.394N	P=0.238N
POLY 6	P=0.298N	P=0.210N	P=0.237N	P=0.332N	P=0.203N
COCH-ARM / FISHERS	P=0.410N	P=0.174N	P=0.236N	P=0.385N	P=0.260N
MAX-ISO-POLY-3	P=0.283N	P=0.144N	P=0.172N	P=0.295N	P=0.165N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Lymph Node, Mandibular Infiltration Cellular Plasma Cell					
LESION RATES					
OVERALL (a)	2/47 (4%)	0/48 (0%)	2/48 (4%)	0/48 (0%)	0/47 (0%)
POLY-3 RATE (b)	2/42.16	0/40.42	2/42.74	0/42.20	0/42.36
POLY-3 PERCENT (g)	4.7%	0%	4.7%	0%	0%
TERMINAL (d)	2/34 (6%)	0/29 (0%)	1/31 (3%)	0/37 (0%)	0/34 (0%)
FIRST INCIDENCE	726 (T)	---	660	---	---
STATISTICAL TESTS					
POLY 3	P=0.144N	P=0.246N	P=0.689N	P=0.237N	P=0.236N
POLY 1.5	P=0.148N	P=0.241N	P=0.687N	P=0.238N	P=0.236N
POLY 6	P=0.138N	P=0.253N	P=0.693N	P=0.233N	P=0.235N
COCH-ARM / FISHERS	P=0.154N	P=0.242N	P=0.684N	P=0.242N	P=0.247N
MAX-ISO-POLY-3	P=0.091N	P=0.086N	P=0.494N	P=0.076N	P=0.075N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Lymph Node, Mesenteric Angiectasis					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/47 (0%)	0/46 (0%)	1/46 (2%)	1/48 (2%)
POLY-3 RATE (b)	0/43.16	0/40.38	0/41.63	1/41.20	1/43.36
POLY-3 PERCENT (g)	0%	0%	0%	2.4%	2.3%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	0/31 (0%)	1/36 (3%)	1/35 (3%)
FIRST INCIDENCE	---	---	---	726 (T)	726 (T)
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Lymph Node, Mesenteric Hemorrhage					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/47 (0%)	2/46 (4%)	0/46 (0%)	1/48 (2%)
POLY-3 RATE (b)	0/43.16	0/40.38	2/41.97	0/41.20	1/43.36
POLY-3 PERCENT (g)	0%	0%	4.8%	0%	2.3%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	0/31 (0%)	0/36 (0%)	1/35 (3%)
FIRST INCIDENCE	---	---	671	---	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.452	(e)	P=0.231	(e)	P=0.501
POLY 1.5	P=0.447	(e)	P=0.230	(e)	P=0.501
POLY 6	P=0.459	(e)	P=0.231	(e)	P=0.502
COCH-ARM / FISHERS	P=0.441	(e)	P=0.237	(e)	P=0.500
MAX-ISO-POLY-3	P=0.308	(e)	P=0.073	(e)	P=0.159

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Lymph Node, Mesenteric Hyperplasia Lymphoid					
LESION RATES					
OVERALL (a)	27/48 (56%)	28/47 (60%)	29/46 (63%)	23/46 (50%)	24/48 (50%)
POLY-3 RATE (b)	27/45.22	28/42.92	29/42.97	23/44.13	24/45.06
POLY-3 PERCENT (g)	59.7%	65.3%	67.5%	52.1%	53.3%
TERMINAL (d)	22/35 (63%)	19/29 (66%)	23/31 (74%)	18/36 (50%)	19/35 (54%)
FIRST INCIDENCE	343	493	639	484	475
STATISTICAL TESTS					
POLY 3	P=0.119N	P=0.373	P=0.291	P=0.304N	P=0.341N
POLY 1.5	P=0.134N	P=0.404	P=0.303	P=0.327N	P=0.344N
POLY 6	P=0.098N	P=0.341	P=0.278	P=0.262N	P=0.330N
COCH-ARM / FISHERS	P=0.153N	P=0.452	P=0.323	P=0.345N	P=0.341N
MAX-ISO-POLY-3	P=0.206N	P=0.295	P=0.221	P=0.232N	P=0.266N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Lymph Node, Mesenteric Infiltration Cellular Histiocyte					
LESION RATES					
OVERALL (a)	2/48 (4%)	1/47 (2%)	1/46 (2%)	2/46 (4%)	0/48 (0%)
POLY-3 RATE (b)	2/43.28	1/40.38	1/41.63	2/41.38	0/43.36
POLY-3 PERCENT (g)	4.6%	2.5%	2.4%	4.8%	0%
TERMINAL (d)	1/35 (3%)	1/29 (3%)	1/31 (3%)	1/36 (3%)	0/35 (0%)
FIRST INCIDENCE	695	726 (T)	726 (T)	678	---
STATISTICAL TESTS					
POLY 3	P=0.228N	P=0.524N	P=0.514N	P=0.678	P=0.237N
POLY 1.5	P=0.231N	P=0.516N	P=0.513N	P=0.677	P=0.237N
POLY 6	P=0.222N	P=0.536N	P=0.517N	P=0.683	P=0.236N
COCH-ARM / FISHERS	P=0.234N	P=0.508N	P=0.516N	P=0.675	P=0.247N
MAX-ISO-POLY-3	P=0.171N	P=0.305N	P=0.293N	P=0.481	P=0.075N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Lymph Node, Mesenteric Infiltration Cellular Plasma Cell					
LESION RATES					
OVERALL (a)	1/48 (2%)	3/47 (6%)	3/46 (7%)	2/46 (4%)	0/48 (0%)
POLY-3 RATE (b)	1/43.16	3/40.38	3/41.95	2/41.69	0/43.36
POLY-3 PERCENT (g)	2.3%	7.4%	7.2%	4.8%	0%
TERMINAL (d)	1/35 (3%)	3/29 (10%)	2/31 (7%)	1/36 (3%)	0/35 (0%)
FIRST INCIDENCE	726 (T)	726 (T)	639	580	---
STATISTICAL TESTS					
POLY 3	P=0.152N	P=0.281	P=0.295	P=0.488	P=0.499N
POLY 1.5	P=0.154N	P=0.289	P=0.294	P=0.486	P=0.499N
POLY 6	P=0.148N	P=0.270	P=0.294	P=0.494	P=0.498N
COCH-ARM / FISHERS	P=0.156N	P=0.301	P=0.292	P=0.484	P=0.500N
MAX-ISO-POLY-3	P=0.173N	P=0.143	P=0.146	P=0.271	P=0.158N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Lymph Node: Mediastinal Hyperplasia Lymphoid					
LESION RATES					
OVERALL (a)	2/7 (29%)	0/4 (0%)	0/8 (0%)	0/2 (0%)	0/6 (0%)
POLY-3 RATE (b)	2/6.28	0/2.29	0/6.09	0/1.42	0/5.60
POLY-3 PERCENT (g)	31.8%	0%	0%	0%	0%
TERMINAL (d)	0/3 (0%)	0/0 (0%)	0/1 (0%)	0/1 (0%)	0/4 (0%)
FIRST INCIDENCE	629	---	---	---	---
STATISTICAL TESTS					
POLY 3	P=0.165N	P=0.479N	P=0.222N	P=0.594N	P=0.243N
POLY 1.5	P=0.187N	P=0.420N	P=0.203N	P=0.571N	P=0.248N
POLY 6	P=0.133N	P=0.575N	P=0.263N	P=0.621N	P=0.239N
COCH-ARM / FISHERS	P=0.215N	P=0.382N	P=0.200N	P=0.583N	P=0.269N
MAX-ISO-POLY-3	P=0.035N*	P=0.253N	P=0.068N	P=0.303N	P=0.072N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Mesentery					
Inflammation Chronic					
LESION RATES					
OVERALL (a)	0/7 (0%)	0/4 (0%)	0/11 (0%)	2/8 (25%)	0/6 (0%)
POLY-3 RATE (b)	0/6.78	0/3.61	0/9.59	2/8.00	0/5.58
POLY-3 PERCENT (g)	0%	0%	0%	25%	0%
TERMINAL (d)	0/6 (0%)	0/2 (0%)	0/5 (0%)	2/8 (25%)	0/5 (0%)
FIRST INCIDENCE	---	---	---	726 (T)	---
STATISTICAL TESTS					
POLY 3	P=0.520	(e)	(e)	P=0.262	(e)
POLY 1.5	P=0.523	(e)	(e)	P=0.259	(e)
POLY 6	P=0.522	(e)	(e)	P=0.269	(e)
COCH-ARM / FISHERS	P=0.530	(e)	(e)	P=0.267	(e)
MAX-ISO-POLY-3	P=0.246	(e)	(e)	P=0.091	(e)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Mesentery Necrosis					
LESION RATES					
OVERALL (a)	7/7 (100%)	4/4 (100%)	10/11 (91%)	7/8 (88%)	6/6 (100%)
POLY-3 RATE (b)	7/7.00	4/4.00	10/10.88	7/8.00	6/6.00
POLY-3 PERCENT (g)	100%	100%	91.9%	87.5%	100%
TERMINAL (d)	6/6 (100%)	2/2 (100%)	5/5 (100%)	7/8 (88%)	5/5 (100%)
FIRST INCIDENCE	668	668	621	726 (T)	604
STATISTICAL TESTS					
POLY 3	P=0.723N	(e)	P=0.639N	P=0.527N	(e)
POLY 1.5	P=0.715	(e)	P=0.613N	P=0.527N	(e)
POLY 6	P=0.723N	(e)	P=0.692N	P=0.527N	(e)
COCH-ARM / FISHERS	P=0.712	(e)	P=0.611N	P=0.533N	(e)
MAX-ISO-POLY-3	P=0.490N	(e)	P=0.236N	P=0.183N	(e)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Nose					
Eosinophilic Material					
LESION RATES					
OVERALL (a)	44/48 (92%)	42/48 (88%)	44/48 (92%)	46/48 (96%)	42/48 (88%)
POLY-3 RATE (b)	44/47.11	42/45.82	44/47.33	46/47.00	42/47.04
POLY-3 PERCENT (g)	93.4%	91.7%	93%	97.9%	89.3%
TERMINAL (d)	32/35 (91%)	27/29 (93%)	28/31 (90%)	36/37 (97%)	32/35 (91%)
FIRST INCIDENCE	538	493	448	426	475
STATISTICAL TESTS					
POLY 3	P=0.347N	P=0.531N	P=0.628N	P=0.288	P=0.362N
POLY 1.5	P=0.362N	P=0.464N	P=0.622N	P=0.255	P=0.346N
POLY 6	P=0.358N	P=0.625N	P=0.647N	P=0.304	P=0.407N
COCH-ARM / FISHERS	P=0.427N	P=0.370N	P=0.643N	P=0.339	P=0.370N
MAX-ISO-POLY-3	P=0.306N	P=0.370N	P=0.465N	P=0.142	P=0.232N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Nose					
Inflammation Chronic					
LESION RATES					
OVERALL (a)	0/48 (0%)	1/48 (2%)	0/48 (0%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/43.16	1/40.42	0/42.50	0/42.20	0/43.36
POLY-3 PERCENT (g)	0%	2.5%	0%	0%	0%
TERMINAL (d)	0/35 (0%)	1/29 (3%)	0/31 (0%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	---	726 (T)	---	---	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Nose: Olfactory Epithelium Accumulation, Hyaline Droplet					
LESION RATES					
OVERALL (a)	2/48 (4%)	1/48 (2%)	2/48 (4%)	4/48 (8%)	1/48 (2%)
POLY-3 RATE (b)	2/43.16	1/40.67	2/42.87	4/42.20	1/43.36
POLY-3 PERCENT (g)	4.6%	2.5%	4.7%	9.5%	2.3%
TERMINAL (d)	2/35 (6%)	0/29 (0%)	1/31 (3%)	4/37 (11%)	1/35 (3%)
FIRST INCIDENCE	726 (T)	659	621	726 (T)	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.516N	P=0.521N	P=0.692	P=0.326	P=0.498N
POLY 1.5	P=0.523N	P=0.513N	P=0.693	P=0.326	P=0.499N
POLY 6	P=0.506N	P=0.530N	P=0.689	P=0.332	P=0.497N
COCH-ARM / FISHERS	P=0.535N	P=0.500N	P=0.692N	P=0.339	P=0.500N
MAX-ISO-POLY-3	P=0.442N	P=0.303N	P=0.497	P=0.193	P=0.279N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Nose: Posterior to Upper Incisor Malformation					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/43.16	0/40.42	0/42.50	0/42.20	0/43.36
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	0/31 (0%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	---	---	---	---	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Nose: Respiratory Epithelium Accumulation, Hyaline Droplet					
LESION RATES					
OVERALL (a)	34/48 (71%)	34/48 (71%)	27/48 (56%)	34/48 (71%)	30/48 (63%)
POLY-3 RATE (b)	34/45.52	34/45.97	27/44.39	34/45.22	30/46.16
POLY-3 PERCENT (g)	74.7%	74%	60.8%	75.2%	65%
TERMINAL (d)	26/35 (74%)	19/29 (66%)	19/31 (61%)	28/37 (76%)	21/35 (60%)
FIRST INCIDENCE	590	493	535	426	475
STATISTICAL TESTS					
POLY 3	P=0.247N	P=0.564N	P=0.111N	P=0.576	P=0.212N
POLY 1.5	P=0.267N	P=0.583N	P=0.102N	P=0.561	P=0.226N
POLY 6	P=0.226N	P=0.537N	P=0.131N	P=0.592	P=0.199N
COCH-ARM / FISHERS	P=0.306N	P=0.589N	P=0.101N	P=0.589N	P=0.258N
MAX-ISO-POLY-3	P=0.264N	P=0.467N	P=0.075N	P=0.477	P=0.152N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Ovary Atrophy					
LESION RATES					
OVERALL (a)	46/48 (96%)	46/48 (96%)	45/48 (94%)	46/48 (96%)	46/48 (96%)
POLY-3 RATE (b)	46/48.00	46/47.65	45/47.21	46/46.42	46/47.35
POLY-3 PERCENT (g)	95.8%	96.5%	95.3%	99.1%	97.1%
TERMINAL (d)	33/35 (94%)	28/29 (97%)	30/31 (97%)	37/37 (100%)	34/35 (97%)
FIRST INCIDENCE	343	254	448	426	475
STATISTICAL TESTS					
POLY 3	P=0.394	P=0.641	P=0.650N	P=0.357	P=0.585
POLY 1.5	P=0.440	P=0.666	P=0.590N	P=0.420	P=0.631
POLY 6	P=0.357	P=0.599	P=0.690	P=0.291	P=0.535
COCH-ARM / FISHERS	P=0.544	P=0.692N	P=0.500N	P=0.692N	P=0.692N
MAX-ISO-POLY-3	P=0.442	P=0.427	P=0.449N	P=0.150	P=0.361

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Ovary Cyst					
LESION RATES					
OVERALL (a)	9/48 (19%)	5/48 (10%)	8/48 (17%)	10/48 (21%)	13/48 (27%)
POLY-3 RATE (b)	9/43.98	5/41.26	8/43.26	10/42.69	13/43.83
POLY-3 PERCENT (g)	20.5%	12.1%	18.5%	23.4%	29.7%
TERMINAL (d)	6/35 (17%)	3/29 (10%)	7/31 (23%)	9/37 (24%)	11/35 (31%)
FIRST INCIDENCE	604	580	448	580	604
STATISTICAL TESTS					
POLY 3	P=0.053	P=0.228N	P=0.515N	P=0.471	P=0.227
POLY 1.5	P=0.051	P=0.214N	P=0.505N	P=0.473	P=0.231
POLY 6	P=0.057	P=0.246N	P=0.537N	P=0.477	P=0.222
COCH-ARM / FISHERS	P=0.049*	P=0.193N	P=0.500N	P=0.500	P=0.233
MAX-ISO-POLY-3	P=0.090	P=0.156N	P=0.409N	P=0.371	P=0.159

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Ovary					
Hematocyst					
LESION RATES					
OVERALL (a)	1/48 (2%)	1/48 (2%)	0/48 (0%)	0/48 (0%)	2/48 (4%)
POLY-3 RATE (b)	1/43.75	1/40.80	0/42.50	0/42.20	2/43.75
POLY-3 PERCENT (g)	2.3%	2.5%	0%	0%	4.6%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	0/31 (0%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	538	618	---	---	629
STATISTICAL TESTS					
POLY 3	P=0.287	P=0.745	P=0.506N	P=0.507N	P=0.500
POLY 1.5	P=0.285	P=0.751	P=0.503N	P=0.506N	P=0.500
POLY 6	P=0.292	P=0.738	P=0.510N	P=0.506N	P=0.501
COCH-ARM / FISHERS	P=0.282	P=0.753N	P=0.500N	P=0.500N	P=0.500
MAX-ISO-POLY-3	P=0.206	P=0.480	P=0.165N	P=0.167N	P=0.280

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Pancreas					
Infiltration Cellular Lymphocyte					
LESION RATES					
OVERALL (a)	26/48 (54%)	25/48 (52%)	22/48 (46%)	25/48 (52%)	22/48 (46%)
POLY-3 RATE (b)	26/44.35	25/43.46	22/43.66	25/43.54	22/44.09
POLY-3 PERCENT (g)	58.6%	57.5%	50.4%	57.4%	49.9%
TERMINAL (d)	22/35 (63%)	17/29 (59%)	19/31 (61%)	20/37 (54%)	20/35 (57%)
FIRST INCIDENCE	604	533	535	580	604
STATISTICAL TESTS					
POLY 3	P=0.263N	P=0.545N	P=0.283N	P=0.541N	P=0.268N
POLY 1.5	P=0.271N	P=0.531N	P=0.273N	P=0.548N	P=0.266N
POLY 6	P=0.249N	P=0.562N	P=0.310N	P=0.510N	P=0.271N
COCH-ARM / FISHERS	P=0.282N	P=0.500N	P=0.270N	P=0.500N	P=0.270N
MAX-ISO-POLY-3	P=0.352N	P=0.457N	P=0.215N	P=0.454N	P=0.200N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Pancreas: Acinus Degeneration					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	3/48 (6%)	1/48 (2%)	1/48 (2%)
POLY-3 RATE (b)	0/43.16	0/40.42	3/42.62	1/42.20	1/43.36
POLY-3 PERCENT (g)	0%	0%	7%	2.4%	2.3%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	2/31 (7%)	1/37 (3%)	1/35 (3%)
FIRST INCIDENCE	---	---	695	726 (T)	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.485	(e)	P=0.116	P=0.495	P=0.501
POLY 1.5	P=0.478	(e)	P=0.118	P=0.495	P=0.501
POLY 6	P=0.493	(e)	P=0.113	P=0.498	P=0.502
COCH-ARM / FISHERS	P=0.468	(e)	P=0.121	P=0.500	P=0.500
MAX-ISO-POLY-3	P=0.197	(e)	P=0.038*	P=0.158	P=0.159

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Pancreas: Duct Dilatation					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	1/48 (2%)	0/48 (0%)	3/48 (6%)
POLY-3 RATE (b)	0/43.16	0/40.42	1/42.50	0/42.20	3/43.71
POLY-3 PERCENT (g)	0%	0%	2.4%	0%	6.9%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	1/31 (3%)	0/37 (0%)	2/35 (6%)
FIRST INCIDENCE	---	---	726 (T)	---	629
STATISTICAL TESTS					
POLY 3	P=0.016*	(e)	P=0.497	(e)	P=0.121
POLY 1.5	P=0.016*	(e)	P=0.499	(e)	P=0.120
POLY 6	P=0.017*	(e)	P=0.494	(e)	P=0.122
COCH-ARM / FISHERS	P=0.016*	(e)	P=0.500	(e)	P=0.121
MAX-ISO-POLY-3	P=0.015*	(e)	P=0.158	(e)	P=0.040*

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Parathyroid Gland Cyst					
LESION RATES					
OVERALL (a)	0/44 (0%)	1/45 (2%)	2/45 (4%)	0/45 (0%)	2/43 (5%)
POLY-3 RATE (b)	0/39.51	1/38.59	2/40.50	0/39.87	2/39.55
POLY-3 PERCENT (g)	0%	2.6%	4.9%	0%	5.1%
TERMINAL (d)	0/32 (0%)	0/27 (0%)	2/31 (7%)	0/35 (0%)	1/31 (3%)
FIRST INCIDENCE	---	493	726 (T)	---	556
STATISTICAL TESTS					
POLY 3	P=0.268	P=0.495	P=0.242	(e)	P=0.237
POLY 1.5	P=0.264	P=0.499	P=0.243	(e)	P=0.235
POLY 6	P=0.274	P=0.490	P=0.240	(e)	P=0.239
COCH-ARM / FISHERS	P=0.259	P=0.506	P=0.253	(e)	P=0.241
MAX-ISO-POLY-3	P=0.130	P=0.159	P=0.079	(e)	P=0.077

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Pituitary Gland Angiectasis					
LESION RATES					
OVERALL (a)	1/47 (2%)	2/47 (4%)	3/47 (6%)	2/46 (4%)	7/46 (15%)
POLY-3 RATE (b)	1/43.05	2/39.42	3/41.56	2/40.77	7/41.41
POLY-3 PERCENT (g)	2.3%	5.1%	7.2%	4.9%	16.9%
TERMINAL (d)	1/35 (3%)	2/28 (7%)	2/30 (7%)	2/36 (6%)	6/33 (18%)
FIRST INCIDENCE	726 (T)	726 (T)	709	726 (T)	714
STATISTICAL TESTS					
POLY 3	P=0.008**	P=0.469	P=0.292	P=0.481	P=0.025*
POLY 1.5	P=0.008**	P=0.480	P=0.298	P=0.481	P=0.026*
POLY 6	P=0.008**	P=0.456	P=0.286	P=0.486	P=0.025*
COCH-ARM / FISHERS	P=0.008**	P=0.500	P=0.308	P=0.492	P=0.027*
MAX-ISO-POLY-3	P=0.008**	P=0.263	P=0.148	P=0.268	P=0.011*

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Pituitary Gland: Pars Distalis Cyst					
LESION RATES					
OVERALL (a)	0/47 (0%)	0/47 (0%)	0/47 (0%)	0/46 (0%)	2/46 (4%)
POLY-3 RATE (b)	0/43.05	0/39.42	0/41.50	0/40.77	2/41.48
POLY-3 PERCENT (g)	0%	0%	0%	0%	4.8%
TERMINAL (d)	0/35 (0%)	0/28 (0%)	0/30 (0%)	0/36 (0%)	1/33 (3%)
FIRST INCIDENCE	---	---	---	---	696
STATISTICAL TESTS					
POLY 3	P=0.020*	(e)	(e)	(e)	P=0.229
POLY 1.5	P=0.020*	(e)	(e)	(e)	P=0.230
POLY 6	P=0.021*	(e)	(e)	(e)	P=0.229
COCH-ARM / FISHERS	P=0.020*	(e)	(e)	(e)	P=0.242
MAX-ISO-POLY-3	P=0.019*	(e)	(e)	(e)	P=0.074

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Pituitary Gland: Pars Distalis Hyperplasia					
LESION RATES					
OVERALL (a)	3/47 (6%)	4/47 (9%)	5/47 (11%)	1/46 (2%)	9/46 (20%)
POLY-3 RATE (b)	3/43.10	4/39.91	5/41.75	1/40.77	9/41.83
POLY-3 PERCENT (g)	7%	10%	12%	2.5%	21.5%
TERMINAL (d)	2/35 (6%)	3/28 (11%)	4/30 (13%)	1/36 (3%)	7/33 (21%)
FIRST INCIDENCE	714	580	657	726 (T)	604
STATISTICAL TESTS					
POLY 3	P=0.033*	P=0.458	P=0.338	P=0.325N	P=0.051
POLY 1.5	P=0.032*	P=0.473	P=0.346	P=0.326N	P=0.052
POLY 6	P=0.034*	P=0.441	P=0.329	P=0.320N	P=0.051
COCH-ARM / FISHERS	P=0.033*	P=0.500	P=0.357	P=0.317N	P=0.055
MAX-ISO-POLY-3	P=0.023*	P=0.315	P=0.218	P=0.173N	P=0.026*

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Salivary Glands					
Infiltration Cellular Lymphocyte					
LESION RATES					
OVERALL (a)	36/48 (75%)	38/48 (79%)	39/48 (81%)	39/48 (81%)	35/48 (73%)
POLY-3 RATE (b)	36/46.26	38/44.52	39/45.17	39/45.40	35/45.30
POLY-3 PERCENT (g)	77.8%	85.4%	86.3%	85.9%	77.3%
TERMINAL (d)	26/35 (74%)	26/29 (90%)	30/31 (97%)	32/37 (87%)	28/35 (80%)
FIRST INCIDENCE	538	493	503	482	513
STATISTICAL TESTS					
POLY 3	P=0.328N	P=0.247	P=0.204	P=0.228	P=0.576N
POLY 1.5	P=0.326N	P=0.306	P=0.257	P=0.231	P=0.537N
POLY 6	P=0.329N	P=0.179	P=0.130	P=0.231	P=0.582
COCH-ARM / FISHERS	P=0.334N	P=0.404	P=0.311	P=0.311	P=0.500N
MAX-ISO-POLY-3	P=0.340N	P=0.171	P=0.134	P=0.155	P=0.473N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Skin, Control: Epidermis Hyperplasia					
LESION RATES					
OVERALL (a)	0/48 (0%)	1/48 (2%)	1/48 (2%)	0/48 (0%)	2/48 (4%)
POLY-3 RATE (b)	0/43.16	1/40.42	1/42.50	0/42.20	2/43.36
POLY-3 PERCENT (g)	0%	2.5%	2.4%	0%	4.6%
TERMINAL (d)	0/35 (0%)	1/29 (3%)	1/31 (3%)	0/37 (0%)	2/35 (6%)
FIRST INCIDENCE	---	726 (T)	726 (T)	---	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.192	P=0.487	P=0.497	(e)	P=0.238
POLY 1.5	P=0.191	P=0.492	P=0.499	(e)	P=0.238
POLY 6	P=0.194	P=0.480	P=0.494	(e)	P=0.239
COCH-ARM / FISHERS	P=0.189	P=0.500	P=0.500	(e)	P=0.247
MAX-ISO-POLY-3	P=0.096	P=0.158	P=0.158	(e)	P=0.077

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Skin, Control: Epidermis Inflammation					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/43.16	0/40.42	0/42.50	0/42.20	0/43.36
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	0/31 (0%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	---	---	---	---	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female

Skin, Site of Application: Dermis
Inflammation Chronic

LESION RATES

OVERALL (a)	0/48 (0%)	2/48 (4%)	0/48 (0%)	0/48 (0%)	1/48 (2%)
POLY-3 RATE (b)	0/43.16	2/40.60	0/42.50	0/42.20	1/43.78
POLY-3 PERCENT (g)	0%	4.9%	0%	0%	2.3%
TERMINAL (d)	0/35 (0%)	1/29 (3%)	0/31 (0%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	---	679	---	---	604

STATISTICAL TESTS

POLY 3	P=0.584	P=0.223	(e)	(e)	P=0.503
POLY 1.5	P=0.585	P=0.229	(e)	(e)	P=0.502
POLY 6	P=0.585	P=0.217	(e)	(e)	P=0.505
COCH-ARM / FISHERS	P=0.588	P=0.247	(e)	(e)	P=0.500
MAX-ISO-POLY-3	P=0.319	P=0.075	(e)	(e)	P=0.161

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Skin, Site of Application: Epidermis					
Hyperplasia					
LESION RATES					
OVERALL (a)	0/48 (0%)	5/48 (10%)	7/48 (15%)	10/48 (21%)	39/48 (81%)
POLY-3 RATE (b)	0/43.16	5/41.70	7/43.57	10/42.20	39/46.97
POLY-3 PERCENT (g)	0%	12%	16.1%	23.7%	83%
TERMINAL (d)	0/35 (0%)	2/29 (7%)	4/31 (13%)	10/37 (27%)	29/35 (83%)
FIRST INCIDENCE	---	533	535	726 (T)	475
STATISTICAL TESTS					
POLY 3	P<0.001**	P=0.027*	P=0.008**	P<0.001**	P<0.001**
POLY 1.5	P<0.001**	P=0.028*	P=0.008**	P<0.001**	P<0.001**
POLY 6	P<0.001**	P=0.026*	P=0.007**	P<0.001**	P<0.001**
COCH-ARM / FISHERS	P<0.001**	P=0.028*	P=0.006**	P<0.001**	P<0.001**
MAX-ISO-POLY-3	P<0.001**	P=0.009**	P=0.003**	P<0.001**	P<0.001**

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Skin, Site of Application: Epidermis					
Inflammation					
LESION RATES					
OVERALL (a)	0/48 (0%)	3/48 (6%)	1/48 (2%)	2/48 (4%)	4/48 (8%)
POLY-3 RATE (b)	0/43.16	3/41.56	1/43.10	2/42.20	4/44.07
POLY-3 PERCENT (g)	0%	7.2%	2.3%	4.7%	9.1%
TERMINAL (d)	0/35 (0%)	1/29 (3%)	0/31 (0%)	2/37 (5%)	2/35 (6%)
FIRST INCIDENCE	---	254	535	726 (T)	556
STATISTICAL TESTS					
POLY 3	P=0.075	P=0.112	P=0.500	P=0.232	P=0.063
POLY 1.5	P=0.073	P=0.115	P=0.500	P=0.232	P=0.062
POLY 6	P=0.078	P=0.107	P=0.498	P=0.235	P=0.064
COCH-ARM / FISHERS	P=0.072	P=0.121	P=0.500	P=0.247	P=0.059
MAX-ISO-POLY-3	P=0.038*	P=0.038*	P=0.158	P=0.075	P=0.021*

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Skin, Site of Application: Epidermis					
Ulcer					
LESION RATES					
OVERALL (a)	0/48 (0%)	2/48 (4%)	0/48 (0%)	1/48 (2%)	0/48 (0%)
POLY-3 RATE (b)	0/43.16	2/41.56	0/42.50	1/42.20	0/43.36
POLY-3 PERCENT (g)	0%	4.8%	0%	2.4%	0%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	0/31 (0%)	1/37 (3%)	0/35 (0%)
FIRST INCIDENCE	---	254	---	726 (T)	---
STATISTICAL TESTS					
POLY 3	P=0.415N	P=0.229	(e)	P=0.495	(e)
POLY 1.5	P=0.414N	P=0.233	(e)	P=0.495	(e)
POLY 6	P=0.415N	P=0.223	(e)	P=0.498	(e)
COCH-ARM / FISHERS	P=0.412N	P=0.247	(e)	P=0.500	(e)
MAX-ISO-POLY-3	P=0.305N	P=0.075	(e)	P=0.158	(e)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Skin: Epidermis					
Hyperplasia					
LESION RATES					
OVERALL (a)	0/48 (0%)	1/48 (2%)	0/48 (0%)	2/48 (4%)	1/48 (2%)
POLY-3 RATE (b)	0/43.16	1/40.42	0/42.50	2/42.20	1/43.36
POLY-3 PERCENT (g)	0%	2.5%	0%	4.7%	2.3%
TERMINAL (d)	0/35 (0%)	1/29 (3%)	0/31 (0%)	2/37 (5%)	1/35 (3%)
FIRST INCIDENCE	---	726 (T)	---	726 (T)	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.326	P=0.487	(e)	P=0.232	P=0.501
POLY 1.5	P=0.324	P=0.492	(e)	P=0.232	P=0.501
POLY 6	P=0.330	P=0.480	(e)	P=0.235	P=0.502
COCH-ARM / FISHERS	P=0.318	P=0.500	(e)	P=0.247	P=0.500
MAX-ISO-POLY-3	P=0.198	P=0.158	(e)	P=0.075	P=0.159

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Skin: Epidermis					
Ulcer					
LESION RATES					
OVERALL (a)	1/48 (2%)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	1/43.16	0/40.42	0/42.50	0/42.20	0/43.36
POLY-3 PERCENT (g)	2.3%	0%	0%	0%	0%
TERMINAL (d)	1/35 (3%)	0/29 (0%)	0/31 (0%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	726 (T)	---	---	---	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Spleen					
Hematopoietic Cell Proliferation					
LESION RATES					
OVERALL (a)	24/48 (50%)	30/48 (63%)	26/48 (54%)	28/48 (58%)	23/48 (48%)
POLY-3 RATE (b)	24/45.08	30/45.32	26/47.28	28/46.43	23/46.33
POLY-3 PERCENT (g)	53.2%	66.2%	55%	60.3%	49.6%
TERMINAL (d)	17/35 (49%)	16/29 (55%)	14/31 (45%)	20/37 (54%)	15/35 (43%)
FIRST INCIDENCE	596	493	448	426	475
STATISTICAL TESTS					
POLY 3	P=0.216N	P=0.145	P=0.516	P=0.318	P=0.446N
POLY 1.5	P=0.230N	P=0.143	P=0.482	P=0.285	P=0.464N
POLY 6	P=0.206N	P=0.153	P=0.545	P=0.356	P=0.432N
COCH-ARM / FISHERS	P=0.262N	P=0.152	P=0.419	P=0.270	P=0.500N
MAX-ISO-POLY-3	P=0.294N	P=0.101	P=0.434	P=0.249	P=0.366N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Spleen					
Hyperplasia Lymphoid					
LESION RATES					
OVERALL (a)	36/48 (75%)	38/48 (79%)	34/48 (71%)	39/48 (81%)	37/48 (77%)
POLY-3 RATE (b)	36/45.28	38/43.70	34/44.05	39/44.43	37/45.86
POLY-3 PERCENT (g)	79.5%	87%	77.2%	87.8%	80.7%
TERMINAL (d)	30/35 (86%)	27/29 (93%)	27/31 (87%)	33/37 (89%)	30/35 (86%)
FIRST INCIDENCE	596	493	639	482	498
STATISTICAL TESTS					
POLY 3	P=0.551	P=0.239	P=0.496N	P=0.207	P=0.551
POLY 1.5	P=0.496	P=0.300	P=0.450N	P=0.217	P=0.536
POLY 6	P=0.501N	P=0.174	P=0.564N	P=0.216	P=0.567
COCH-ARM / FISHERS	P=0.421	P=0.404	P=0.409N	P=0.311	P=0.500
MAX-ISO-POLY-3	P=0.462	P=0.158	P=0.390N	P=0.132	P=0.441

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Spleen Necrosis					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	2/48 (4%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/43.16	0/40.42	2/42.71	0/42.20	0/43.36
POLY-3 PERCENT (g)	0%	0%	4.7%	0%	0%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	1/31 (3%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	---	---	671	---	---
STATISTICAL TESTS					
POLY 3	P=0.483N	(e)	P=0.235	(e)	(e)
POLY 1.5	P=0.487N	(e)	P=0.236	(e)	(e)
POLY 6	P=0.478N	(e)	P=0.232	(e)	(e)
COCH-ARM / FISHERS	P=0.490N	(e)	P=0.247	(e)	(e)
MAX-ISO-POLY-3	P=0.386N	(e)	P=0.075	(e)	(e)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Stomach, Forestomach Inflammation Chronic					
LESION RATES					
OVERALL (a)	1/48 (2%)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	1/43.51	0/40.42	0/42.50	0/42.20	0/43.36
POLY-3 PERCENT (g)	2.3%	0%	0%	0%	0%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	0/31 (0%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	629	---	---	---	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Stomach, Forestomach: Epithelium Hyperplasia					
LESION RATES					
OVERALL (a)	2/48 (4%)	0/48 (0%)	2/48 (4%)	1/48 (2%)	0/48 (0%)
POLY-3 RATE (b)	2/43.97	0/40.42	2/42.71	1/42.20	0/43.36
POLY-3 PERCENT (g)	4.6%	0%	4.7%	2.4%	0%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	1/31 (3%)	1/37 (3%)	0/35 (0%)
FIRST INCIDENCE	590	---	671	726 (T)	---
STATISTICAL TESTS					
POLY 3	P=0.206N	P=0.256N	P=0.684	P=0.514N	P=0.240N
POLY 1.5	P=0.211N	P=0.248N	P=0.689	P=0.512N	P=0.239N
POLY 6	P=0.199N	P=0.267N	P=0.675	P=0.514N	P=0.242N
COCH-ARM / FISHERS	P=0.218N	P=0.247N	P=0.692N	P=0.500N	P=0.247N
MAX-ISO-POLY-3	P=0.137N	P=0.094N	P=0.488	P=0.296N	P=0.078N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Stomach, Glandular Cyst					
LESION RATES					
OVERALL (a)	4/47 (9%)	1/48 (2%)	0/48 (0%)	1/45 (2%)	0/46 (0%)
POLY-3 RATE (b)	4/42.96	1/40.42	0/42.50	1/41.09	0/42.08
POLY-3 PERCENT (g)	9.3%	2.5%	0%	2.4%	0%
TERMINAL (d)	3/35 (9%)	1/29 (3%)	0/31 (0%)	1/37 (3%)	0/35 (0%)
FIRST INCIDENCE	629	726 (T)	---	726 (T)	---
STATISTICAL TESTS					
POLY 3	P=0.060N	P=0.197N	P=0.061N	P=0.192N	P=0.062N
POLY 1.5	P=0.063N	P=0.187N	P=0.059N	P=0.193N	P=0.062N
POLY 6	P=0.056N	P=0.211N	P=0.064N	P=0.188N	P=0.063N
COCH-ARM / FISHERS	P=0.070N	P=0.174N	P=0.056N	P=0.194N	P=0.061N
MAX-ISO-POLY-3	P=0.008N**	P=0.102N	P=0.020N*	P=0.094N	P=0.020N*

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Stomach, Glandular: Epithelium Hyperplasia					
LESION RATES					
OVERALL (a)	2/47 (4%)	1/48 (2%)	1/48 (2%)	1/45 (2%)	1/46 (2%)
POLY-3 RATE (b)	2/42.61	1/40.42	1/42.50	1/41.09	1/42.08
POLY-3 PERCENT (g)	4.7%	2.5%	2.4%	2.4%	2.4%
TERMINAL (d)	2/35 (6%)	1/29 (3%)	1/31 (3%)	1/37 (3%)	1/35 (3%)
FIRST INCIDENCE	726 (T)	726 (T)	726 (T)	726 (T)	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.457N	P=0.518N	P=0.501N	P=0.513N	P=0.504N
POLY 1.5	P=0.464N	P=0.508N	P=0.497N	P=0.514N	P=0.505N
POLY 6	P=0.448N	P=0.532N	P=0.508N	P=0.507N	P=0.503N
COCH-ARM / FISHERS	P=0.474N	P=0.492N	P=0.492N	P=0.516N	P=0.508N
MAX-ISO-POLY-3	P=0.457N	P=0.301N	P=0.282N	P=0.293N	P=0.284N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Thymus Atrophy					
LESION RATES					
OVERALL (a)	44/47 (94%)	42/46 (91%)	42/48 (88%)	47/48 (98%)	44/48 (92%)
POLY-3 RATE (b)	44/45.98	42/43.86	42/46.58	47/47.00	44/47.64
POLY-3 PERCENT (g)	95.7%	95.8%	90.2%	100%	92.4%
TERMINAL (d)	34/35 (97%)	29/29 (100%)	30/31 (97%)	37/37 (100%)	32/35 (91%)
FIRST INCIDENCE	590	533	448	426	475
STATISTICAL TESTS					
POLY 3	P=0.437N	P=0.732	P=0.242N	P=0.203	P=0.399N
POLY 1.5	P=0.554N	P=0.622N	P=0.242N	P=0.154	P=0.447N
POLY 6	P=0.279N	P=0.663	P=0.267N	P=0.311	P=0.345N
COCH-ARM / FISHERS	P=0.487	P=0.488N	P=0.254N	P=0.301	P=0.512N
MAX-ISO-POLY-3	P=0.365N	P=0.491	P=0.125N	P=0.050*	P=0.238N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Thymus					
Hyperplasia Lymphoid					
LESION RATES					
OVERALL (a)	1/47 (2%)	1/46 (2%)	0/48 (0%)	0/48 (0%)	2/48 (4%)
POLY-3 RATE (b)	1/43.48	1/40.72	0/42.50	0/42.20	2/43.36
POLY-3 PERCENT (g)	2.3%	2.5%	0%	0%	4.6%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	0/31 (0%)	0/37 (0%)	2/35 (6%)
FIRST INCIDENCE	604	493	---	---	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.290	P=0.746	P=0.505N	P=0.506N	P=0.499
POLY 1.5	P=0.289	P=0.750	P=0.501N	P=0.505N	P=0.502
POLY 6	P=0.293	P=0.740	P=0.509N	P=0.505N	P=0.497
COCH-ARM / FISHERS	P=0.290	P=0.747	P=0.495N	P=0.495N	P=0.508
MAX-ISO-POLY-3	P=0.207	P=0.481	P=0.165N	P=0.167N	P=0.281

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Thyroid Gland Infiltration Cellular Lymphocyte					
LESION RATES					
OVERALL (a)	2/48 (4%)	4/48 (8%)	0/48 (0%)	1/48 (2%)	0/48 (0%)
POLY-3 RATE (b)	2/43.51	4/40.42	0/42.50	1/42.20	0/43.36
POLY-3 PERCENT (g)	4.6%	9.9%	0%	2.4%	0%
TERMINAL (d)	1/35 (3%)	4/29 (14%)	0/31 (0%)	1/37 (3%)	0/35 (0%)
FIRST INCIDENCE	629	726 (T)	---	726 (T)	---
STATISTICAL TESTS					
POLY 3	P=0.072N	P=0.303	P=0.242N	P=0.511N	P=0.238N
POLY 1.5	P=0.072N	P=0.317	P=0.240N	P=0.510N	P=0.237N
POLY 6	P=0.071N	P=0.286	P=0.247N	P=0.508N	P=0.238N
COCH-ARM / FISHERS	P=0.072N	P=0.339	P=0.247N	P=0.500N	P=0.247N
MAX-ISO-POLY-3	P=0.048N*	P=0.182	P=0.080N	P=0.292N	P=0.076N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Thyroid Gland: C-Cell Hyperplasia					
LESION RATES					
OVERALL (a)	9/48 (19%)	4/48 (8%)	2/48 (4%)	5/48 (10%)	2/48 (4%)
POLY-3 RATE (b)	9/43.58	4/40.68	2/42.72	5/42.20	2/43.36
POLY-3 PERCENT (g)	20.7%	9.8%	4.7%	11.9%	4.6%
TERMINAL (d)	8/35 (23%)	3/29 (10%)	1/31 (3%)	5/37 (14%)	2/35 (6%)
FIRST INCIDENCE	604	657	668	726 (T)	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.055N	P=0.141N	P=0.026N*	P=0.209N	P=0.025N*
POLY 1.5	P=0.059N	P=0.131N	P=0.026N*	P=0.208N	P=0.025N*
POLY 6	P=0.051N	P=0.155N	P=0.028N*	P=0.204N	P=0.024N*
COCH-ARM / FISHERS	P=0.066N	P=0.116N	P=0.025N*	P=0.193N	P=0.025N*
MAX-ISO-POLY-3	P=0.011N*	P=0.091N	P=0.012N*	P=0.137N	P=0.011N*

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Thyroid Gland: Follicle Cyst					
LESION RATES					
OVERALL (a)	5/48 (10%)	3/48 (6%)	4/48 (8%)	3/48 (6%)	7/48 (15%)
POLY-3 RATE (b)	5/43.51	3/40.81	4/42.61	3/42.20	7/44.55
POLY-3 PERCENT (g)	11.5%	7.4%	9.4%	7.1%	15.7%
TERMINAL (d)	4/35 (11%)	1/29 (3%)	3/31 (10%)	3/37 (8%)	4/35 (11%)
FIRST INCIDENCE	629	671	696	726 (T)	513
STATISTICAL TESTS					
POLY 3	P=0.204	P=0.392N	P=0.513N	P=0.373N	P=0.395
POLY 1.5	P=0.194	P=0.378N	P=0.506N	P=0.372N	P=0.389
POLY 6	P=0.219	P=0.408N	P=0.525N	P=0.369N	P=0.405
COCH-ARM / FISHERS	P=0.181	P=0.357N	P=0.500N	P=0.357N	P=0.379
MAX-ISO-POLY-3	P=0.254	P=0.266N	P=0.376N	P=0.246N	P=0.285

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Tissue NOS					
Necrosis					
LESION RATES					
OVERALL (a)	0/0 (0%)	2/3 (67%)	0/2 (0%)	0/0 (0%)	0/1 (0%)
POLY-3 RATE (b)	0/0.00	2/2.78	0/0.96	0/0.00	0/1.00
POLY-3 PERCENT (g)	0%	72%	0%	0%	0%
TERMINAL (d)	0/0 (0%)	1/1 (100%)	0/0 (0%)	0/0 (0%)	0/1 (0%)
FIRST INCIDENCE	---	682	---	---	---
STATISTICAL TESTS					
POLY 3	(e)	(e)	(e)	(e)	(e)
POLY 1.5	(e)	(e)	(e)	(e)	(e)
POLY 6	(e)	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	P=0.384N	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Urinary Bladder Infiltration Cellular Lymphocyte					
LESION RATES					
OVERALL (a)	24/48 (50%)	30/48 (63%)	25/48 (52%)	22/48 (46%)	26/47 (55%)
POLY-3 RATE (b)	24/45.25	30/42.24	25/44.23	22/44.96	26/45.84
POLY-3 PERCENT (g)	53%	71%	56.5%	48.9%	56.7%
TERMINAL (d)	20/35 (57%)	22/29 (76%)	19/31 (61%)	17/37 (46%)	20/35 (57%)
FIRST INCIDENCE	343	629	535	426	475
STATISTICAL TESTS					
POLY 3	P=0.359N	P=0.058	P=0.452	P=0.428N	P=0.443
POLY 1.5	P=0.419N	P=0.084	P=0.470	P=0.445N	P=0.414
POLY 6	P=0.288N	P=0.041*	P=0.433	P=0.396N	P=0.485
COCH-ARM / FISHERS	P=0.501N	P=0.152	P=0.500	P=0.419N	P=0.377
MAX-ISO-POLY-3	P=0.334N	P=0.041*	P=0.369	P=0.347N	P=0.362

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Urinary Bladder: Lumen Dilatation					
LESION RATES					
OVERALL (a)	0/48 (0%)	1/48 (2%)	0/48 (0%)	0/48 (0%)	0/47 (0%)
POLY-3 RATE (b)	0/43.16	1/41.11	0/42.50	0/42.20	0/43.03
POLY-3 PERCENT (g)	0%	2.4%	0%	0%	0%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	0/31 (0%)	0/37 (0%)	0/35 (0%)
FIRST INCIDENCE	---	493	---	---	---
STATISTICAL TESTS					
POLY 3	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS**

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Uterus					
Infiltration Cellular Polymorphonuclear					
LESION RATES					
OVERALL (a)	0/48 (0%)	0/48 (0%)	1/48 (2%)	2/48 (4%)	2/48 (4%)
POLY-3 RATE (b)	0/43.16	0/40.42	1/42.50	2/42.77	2/44.13
POLY-3 PERCENT (g)	0%	0%	2.4%	4.7%	4.5%
TERMINAL (d)	0/35 (0%)	0/29 (0%)	1/31 (3%)	1/37 (3%)	0/35 (0%)
FIRST INCIDENCE	---	---	726 (T)	545	604
STATISTICAL TESTS					
POLY 3	P=0.093	(e)	P=0.497	P=0.235	P=0.242
POLY 1.5	P=0.089	(e)	P=0.499	P=0.233	P=0.240
POLY 6	P=0.099	(e)	P=0.494	P=0.239	P=0.245
COCH-ARM / FISHERS	P=0.083	(e)	P=0.500	P=0.247	P=0.247
MAX-ISO-POLY-3	P=0.134	(e)	P=0.158	P=0.075	P=0.080

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Uterus: Endometrium Hyperplasia Cystic					
LESION RATES					
OVERALL (a)	48/48 (100%)	47/48 (98%)	48/48 (100%)	46/48 (96%)	48/48 (100%)
POLY-3 RATE (b)	48/48.00	47/47.74	48/48.00	46/46.42	48/48.00
POLY-3 PERCENT (g)	100%	98.5%	100%	99.1%	100%
TERMINAL (d)	35/35 (100%)	29/29 (100%)	31/31 (100%)	37/37 (100%)	35/35 (100%)
FIRST INCIDENCE	343	254	448	426	475
STATISTICAL TESTS					
POLY 3	P=0.660	P=0.635N	(e)	P=0.910N	(e)
POLY 1.5	P=0.622	P=0.564N	(e)	P=0.699N	(e)
POLY 6	P=0.766	P=0.792N	(e)	P=1.000N	(e)
COCH-ARM / FISHERS	P=0.645	P=0.500N	(e)	P=0.247N	(e)
MAX-ISO-POLY-3	P=0.431	P=0.159N	(e)	P=0.159N	(e)

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 104 WEEKS

DOSE	Females				
	Veh ctrlFemale	Tri 1.25Female	Tri 2.7 Female	Tri 5.8 Female	Tri 12.5Female
Uterus: Lumen Dilatation					
LESION RATES					
OVERALL (a)	2/48 (4%)	0/48 (0%)	0/48 (0%)	1/48 (2%)	1/48 (2%)
POLY-3 RATE (b)	2/43.21	0/40.42	0/42.50	1/42.20	1/43.36
POLY-3 PERCENT (g)	4.6%	0%	0%	2.4%	2.3%
TERMINAL (d)	1/35 (3%)	0/29 (0%)	0/31 (0%)	1/37 (3%)	1/35 (3%)
FIRST INCIDENCE	714	---	---	726 (T)	726 (T)
STATISTICAL TESTS					
POLY 3	P=0.644	P=0.252N	P=0.241N	P=0.508N	P=0.499N
POLY 1.5	P=0.637	P=0.246N	P=0.239N	P=0.509N	P=0.499N
POLY 6	P=0.645N	P=0.260N	P=0.244N	P=0.504N	P=0.498N
COCH-ARM / FISHERS	P=0.626	P=0.247N	P=0.247N	P=0.500N	P=0.500N
MAX-ISO-POLY-3	P=0.205N	P=0.090N	P=0.079N	P=0.290N	P=0.279N

Experiment Number: 03039 - 02

Test Type: CHRONIC

Route: Dermal

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Triclosan

CAS Number: 3380-34-5

Date Report Requested: 08/17/2021

Time Report Requested: 17:12:36

First Dose M/F: 09/11/13 / 09/11/13

Lab: NCTR

LEGEND

- (a) Number of tumor-bearing animals/number of animals examined at site.
 - (b) Number of tumor-bearing animals/Poly-3 number
 - (d) Observed incidence at terminal kill.
 - (e) Value of statistic cannot be computed.
 - (f) Beneath the control incidence are the P-values associated with the trend test. Beneath the dosed group incidence are the P-values corresponding to pairwise comparisons between the controls and that dosed group.
 - (g) Poly-3 adjusted lifetime tumor incidence.
 - (n) No statistics are calculated if all dose groups have fewer than two tumors.
 - (I) Interim sacrifice
 - (T) Terminal sacrifice
 - # Tumor rates based on numbers of animals necropsied.
 - * To the right of any statistical result, indicates significance at ($P \leq 0.05$).
 - ** To the right of any statistical result, indicates significance at ($P \leq 0.01$).
 - N Indicates a negative trend for all tests
- The Cochran-Armitage and Fishers exact tests compare directly the overall incidence rates.

*** END OF REPORT ***