

**Study Number:** I20263  
**Test Type:** TOX  
**Route:** Dosing in Feed  
**Species/Strain:** Rat/Harlan Sprague Dawley

**I06: Mean Feed Consumption**  
**Test Compound:** Tris (chloropropyl) phosphate  
**CAS Number:** 13674-84-5

**Date Report Requested:** 10/14/2022  
**Time Report Requested:** 13:00:10  
**Lab:** Burleson Research Technologies

**Study Number:** I20263  
**Study Gender:** Both  
**PWG Approval Date:** See web page for date of PWG Approval  
**Version:** v1.4.2  
**Stat Version:** v2.9.1A

Study Number: I20263

Test Type: TOX

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I06: Mean Feed Consumption

Test Compound: Tris (chloropropyl) phosphate

CAS Number: 13674-84-5

Date Report Requested: 10/14/2022

Time Report Requested: 13:00:10

Lab: Burlinson Research Technologies

F0 Females

Treatment Groups (ppm)

Phase	Days	0			2500			5000		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Gestation	6 - 9	17.4 ± 0.2 **	71.5 ± 0.6 **	30	16.9 ± 0.3	69.2 ± 1.0	29	17.1 ± 0.4	70.8 ± 1.6	29
	9 - 12	18.1 ± 0.2 *	70.3 ± 0.6 **	30	18.4 ± 0.3	71.5 ± 0.9	29	18.4 ± 0.3	72.6 ± 0.8	29
	12 - 15	18.3 ± 0.3 **	66.5 ± 0.6 **	30	18.7 ± 0.3	68.0 ± 0.9	29	18.4 ± 0.3	67.3 ± 0.8	29
	15 - 18	20.4 ± 0.3 **	67.4 ± 0.6 **	30	21.6 ± 0.3 **	70.7 ± 0.7 **	29	21.4 ± 0.3 **	70.8 ± 0.7 **	29
	18 - 21	21.2 ± 0.3 **	61.4 ± 0.5 **	30	22.5 ± 0.4 **	64.0 ± 0.8 **	29	22.0 ± 0.3 *	63.6 ± 0.7 *	29
	6 - 21	19.1 ± 0.2 *	66.3 ± 0.4 **	30	19.6 ± 0.3	67.6 ± 0.6	29	19.5 ± 0.2	67.8 ± 0.6 *	29
Lactation	1 - 4	28.3 ± 0.7	102.5 ± 2.0	30	31.1 ± 0.7 *	111.5 ± 2.2 *	29	29.7 ± 0.8	107.2 ± 2.5	29
	4 - 7	36.5 ± 0.5	129.7 ± 1.7	30	38.5 ± 0.8	134.4 ± 2.6	29	36.4 ± 0.6	128.9 ± 1.6	29
	7 - 14	45.5 ± 0.7	158.4 ± 2.2	30	48.4 ± 0.8 *	164.2 ± 2.6	29	45.8 ± 0.8	159.1 ± 2.3	28
	14 - 21	58.8 ± 0.7 **	209.2 ± 2.7 **	30	59.1 ± 0.9	200.6 ± 3.3 *	27	54.3 ± 0.8 **	190.4 ± 2.9 **	26
	21 - 28	97.3 ± 1.0 **	363.7 ± 4.9 **	29	94.6 ± 1.3	336.7 ± 5.0 **	27	92.3 ± 2.1 **	340.0 ± 8.0 **	28
	1 - 28	59.0 ± 0.7	213.3 ± 2.6 **	30	59.9 ± 0.9	210.3 ± 3.3	28	56.7 ± 1.2	203.3 ± 4.2 *	29

**Study Number:** I20263

**Test Type:** TOX

**Route:** Dosing in Feed

**Species/Strain:** Rat/Harlan Sprague Dawley

**I06: Mean Feed Consumption**

**Test Compound:** Tris (chloropropyl) phosphate

**CAS Number:** 13674-84-5

**Date Report Requested:** 10/14/2022

**Time Report Requested:** 13:00:10

**Lab:** Burleson Research Technologies

---

**F0 Females**

---

Phase	Days	Treatment Groups (ppm)		
		10000		
		Wt (g/animal/day)	Wt (g/kg/day)	N
Gestation	6 - 9	14.9 ± 0.6 **	61.5 ± 2.3 **	29
	9 - 12	18.9 ± 0.4	74.5 ± 1.3 **	30
	12 - 15	20.1 ± 0.4 **	73.2 ± 1.0 **	30
	15 - 18	22.6 ± 0.5 **	73.8 ± 0.9 **	30
	18 - 21	23.9 ± 0.5 **	68.2 ± 0.8 **	30
	6 - 21	20.1 ± 0.4	69.6 ± 0.8 **	30
Lactation	1 - 4	29.7 ± 0.9	105.7 ± 2.8	28
	4 - 7	36.5 ± 0.9	127.2 ± 3.1	28
	7 - 14	46.4 ± 1.4	156.8 ± 4.3	28
	14 - 21	53.4 ± 2.0 **	183.1 ± 6.5 **	24
	21 - 28	88.4 ± 3.7 **	319.4 ± 13.7 **	27
	1 - 28	55.9 ± 1.9	196.6 ± 6.5 *	28

---

Study Number: I20263

Test Type: TOX

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I06: Mean Feed Consumption

Test Compound: Tris (chloropropyl) phosphate

CAS Number: 13674-84-5

Date Report Requested: 10/14/2022

Time Report Requested: 13:00:10

Lab: Burleson Research Technologies

F1 Males: SRBC

Treatment Groups (ppm)

Phase	Days	0			2500			5000		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	16.8 ± 0.2	131.8 ± 1.3 **	12	16.9 ± 0.3	138.8 ± 1.9 **	12	18.4 ± 0.5 *	153.6 ± 3.7 **	12
	7 - 14	21.0 ± 0.2 *	122.8 ± 1.1 **	12	21.4 ± 0.3	130.6 ± 2.4 *	12	23.0 ± 0.5 **	141.0 ± 2.6 **	12
	14 - 21	24.4 ± 0.2	112.1 ± 0.8 **	12	23.8 ± 0.4	113.1 ± 2.8	12	24.2 ± 0.4	117.2 ± 2.9	12
	21 - 28	26.2 ± 0.2 **	99.5 ± 1.1 **	12	26.6 ± 0.7	104.1 ± 3.3	12	25.6 ± 0.6	102.3 ± 2.4	12
	28 - 35	27.3 ± 0.3	91.9 ± 1.4	12	27.4 ± 0.3	93.9 ± 1.7	12	25.4 ± 0.7	89.4 ± 2.0	12
	42 - 49	26.3 ± 0.4	77.2 ± 1.2	12	25.8 ± 0.3	75.9 ± 1.3	12	24.0 ± 0.7 *	73.2 ± 1.6	12
	49 - 56	22.6 ± 1.7	63.4 ± 4.7	12	24.5 ± 0.2	68.7 ± 1.0	12	23.0 ± 0.7	67.2 ± 1.4	12
	56 - 63	24.8 ± 0.4	67.0 ± 0.7	12	24.5 ± 0.2	66.1 ± 0.9	12	22.9 ± 0.6	64.5 ± 1.2	12
	63 - 70	24.6 ± 0.4	64.2 ± 0.8	12	24.1 ± 0.2	63.0 ± 0.7	12	24.0 ± 1.0	65.4 ± 2.2	12
	70 - 77	24.1 ± 0.5	61.4 ± 0.9 *	12	24.3 ± 0.2	61.8 ± 0.5	12	23.2 ± 0.6	61.5 ± 1.3	12
	77 - 84	24.5 ± 0.5	61.1 ± 1.0	12	24.8 ± 0.2	61.8 ± 0.5	12	23.3 ± 0.6	60.8 ± 1.3	12
	84 - 91	23.8 ± 0.5	58.5 ± 0.6 *	12	24.5 ± 0.2	59.9 ± 0.6	12	23.2 ± 0.5	59.8 ± 1.2	12
	91 - 98	24.1 ± 0.5	57.9 ± 1.0	12	24.0 ± 0.4	57.3 ± 1.2	12	22.2 ± 0.5	55.7 ± 1.0	12
	98 - 105	24.4 ± 0.5 *	57.8 ± 0.8	12	24.2 ± 0.1	56.6 ± 0.6	12	21.7 ± 0.4 **	53.7 ± 1.4	12
	105 - 112	23.0 ± 0.4 *	53.9 ± 0.5	12	23.3 ± 0.1	53.9 ± 0.6	12	20.8 ± 0.5 **	50.6 ± 1.0 *	12

Study Number: I20263

Test Type: TOX

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I06: Mean Feed Consumption

Test Compound: Tris (chloropropyl) phosphate

CAS Number: 13674-84-5

Date Report Requested: 10/14/2022

Time Report Requested: 13:00:10

Lab: Burlison Research Technologies

---

F1 Males: SRBC

---

Phase	Days	Treatment Groups (ppm)		
		10000		
		Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	17.4 ± 0.4	152.3 ± 4.2 **	12
	7 - 14	22.1 ± 0.4	143.0 ± 3.4 **	12
	14 - 21	25.6 ± 0.4	129.7 ± 2.8 **	12
	21 - 28	32.9 ± 1.4 **	137.5 ± 6.0 **	12
	28 - 35	28.0 ± 1.0	102.6 ± 3.7	10
	42 - 49	25.9 ± 0.6	82.1 ± 2.4	12
	49 - 56	25.0 ± 0.6	75.4 ± 2.2	12
	56 - 63	25.7 ± 0.6	74.0 ± 2.2	12
	63 - 70	25.1 ± 0.7	69.7 ± 2.1	12
	70 - 77	25.1 ± 0.7	67.5 ± 2.0 *	12
	77 - 84	25.2 ± 0.8	66.6 ± 2.4	12
	84 - 91	24.3 ± 0.6	63.2 ± 1.9	12
	91 - 98	23.6 ± 0.5	59.9 ± 1.6	12
	98 - 105	23.7 ± 0.5	58.9 ± 1.6	12
	105 - 112	22.6 ± 0.4	55.5 ± 1.2	12

---

Study Number: I20263

Test Type: TOX

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I06: Mean Feed Consumption

Test Compound: Tris (chloropropyl) phosphate

CAS Number: 13674-84-5

Date Report Requested: 10/14/2022

Time Report Requested: 13:00:10

Lab: Burlison Research Technologies

F1 Females: SRBC

Treatment Groups (ppm)

Phase	Days	0			2500			5000		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	14.0 ± 0.1 *	125.2 ± 1.5 **	12	14.0 ± 0.2	137.3 ± 3.7 **	12	14.7 ± 0.3	141.4 ± 3.2 **	12
	7 - 14	17.0 ± 0.4	123.0 ± 3.0	12	16.1 ± 0.1	123.3 ± 2.5	12	15.9 ± 0.1	119.4 ± 2.2	12
	14 - 21	19.4 ± 0.5 *	120.4 ± 3.6	12	16.6 ± 0.3 **	107.6 ± 2.6	12	17.6 ± 0.6	112.4 ± 4.6	12
	21 - 28	19.1 ± 0.5	105.9 ± 3.3 *	12	17.7 ± 0.2	101.8 ± 1.7	12	17.9 ± 0.5	102.3 ± 3.8	12
	28 - 35	18.1 ± 0.4	93.0 ± 2.8	12	18.3 ± 0.5	96.7 ± 2.3	12	19.7 ± 0.4	103.6 ± 3.0	12
	42 - 49	18.7 ± 0.3 *	88.2 ± 2.2	12	16.4 ± 0.1 **	78.0 ± 1.4 **	12	16.9 ± 0.2 *	80.6 ± 1.8	12
	49 - 56	17.1 ± 0.3 **	78.3 ± 1.8	12	15.3 ± 0.2 **	70.6 ± 1.2 **	12	16.1 ± 0.1 **	74.3 ± 1.5	12
	56 - 63	16.7 ± 0.2 **	74.2 ± 1.7	12	14.9 ± 0.1 **	67.1 ± 1.0 **	12	15.7 ± 0.0 **	70.6 ± 1.5	12
	63 - 70	16.8 ± 0.2 **	72.4 ± 1.7	12	14.9 ± 0.1 **	65.7 ± 0.9 *	12	15.1 ± 0.2 **	66.7 ± 1.2	12
	70 - 77	15.9 ± 0.3	67.4 ± 1.7 *	12	15.1 ± 0.1 *	64.9 ± 0.9	12	16.0 ± 0.1	69.6 ± 1.7	12
	77 - 84	16.0 ± 0.1	66.7 ± 1.4 *	12	15.5 ± 0.1 *	65.3 ± 1.1	12	16.1 ± 0.2	68.8 ± 2.0	12
	84 - 91	16.3 ± 0.3	66.6 ± 1.7	12	14.8 ± 0.1 **	61.9 ± 0.9	12	15.3 ± 0.1	64.2 ± 1.1	12
	91 - 98	16.3 ± 0.4	65.8 ± 2.0	12	14.6 ± 0.1 **	59.7 ± 0.8 *	12	15.4 ± 0.2	63.5 ± 1.1	12
	98 - 105	17.4 ± 0.3 *	69.0 ± 1.6	12	15.0 ± 0.1 **	60.4 ± 0.8 **	12	15.3 ± 0.4 **	61.8 ± 1.4 *	12

**Study Number:** I20263

**Test Type:** TOX

**Route:** Dosing in Feed

**Species/Strain:** Rat/Harlan Sprague Dawley

**I06: Mean Feed Consumption**

**Test Compound:** Tris (chloropropyl) phosphate

**CAS Number:** 13674-84-5

**Date Report Requested:** 10/14/2022

**Time Report Requested:** 13:00:10

**Lab:** Burleson Research Technologies

---

**F1 Females: SRBC**

---

Phase	Days	Treatment Groups (ppm)		
		10000		
		Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	14.7 ± 0.3	146.8 ± 2.8 **	12
	7 - 14	15.9 ± 0.3	124.1 ± 2.6	12
	14 - 21	17.5 ± 0.6 *	116.5 ± 4.2	12
	21 - 28	21.4 ± 0.6	126.6 ± 4.4 *	12
	28 - 35	17.7 ± 0.6	97.0 ± 3.1	12
	42 - 49	16.9 ± 0.3 **	84.4 ± 2.0	12
	49 - 56	15.7 ± 0.3 **	75.6 ± 1.6	12
	56 - 63	15.2 ± 0.2 **	71.2 ± 1.3	12
	63 - 70	15.0 ± 0.5 **	68.9 ± 2.5	12
	70 - 77	15.7 ± 0.3	71.4 ± 1.5	12
	77 - 84	15.7 ± 0.3	70.6 ± 1.6	12
	84 - 91	15.3 ± 0.4	67.8 ± 1.7	12
	91 - 98	15.3 ± 0.3	66.4 ± 1.4	12
	98 - 105	15.6 ± 0.3 *	66.7 ± 1.5	12

---

Study Number: I20263

Test Type: TOX

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I06: Mean Feed Consumption

Test Compound: Tris (chloropropyl) phosphate

CAS Number: 13674-84-5

Date Report Requested: 10/14/2022

Time Report Requested: 13:00:10

Lab: Burlison Research Technologies

F1 Males: KLH

Treatment Groups (ppm)

Phase	Days	0			2500			5000		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	17.2 ± 0.5	138.4 ± 2.7 **	12	16.6 ± 0.2	140.8 ± 2.6	12	16.8 ± 0.4	146.7 ± 2.9	12
	7 - 14	22.3 ± 0.4	131.1 ± 2.0 **	12	21.8 ± 0.4	133.9 ± 2.5	12	22.4 ± 0.3	141.3 ± 2.7 *	12
	14 - 21	24.8 ± 0.5	114.1 ± 2.3 **	12	25.0 ± 0.6	119.7 ± 2.8	12	24.9 ± 0.2	122.2 ± 2.2 *	12
	21 - 28	26.3 ± 0.5	101.5 ± 1.9 **	12	25.9 ± 0.5	103.7 ± 2.0	12	25.5 ± 0.4	105.3 ± 2.5	10
	28 - 35	28.6 ± 1.4	96.3 ± 4.8	12	26.7 ± 0.8	93.1 ± 2.4	10	27.0 ± 0.7	97.5 ± 2.9	12
	35 - 42	27.1 ± 0.7 *	83.6 ± 1.8	10	27.7 ± 1.0	89.0 ± 3.1	10	27.0 ± 0.6	88.6 ± 2.3	10
	42 - 49	26.7 ± 0.6 **	78.9 ± 1.7 **	10	27.9 ± 1.3	84.1 ± 3.9	12	29.3 ± 0.6 *	91.0 ± 2.2 **	10
	49 - 56	26.4 ± 0.9 *	72.7 ± 1.7	10	27.8 ± 0.9	79.5 ± 2.9	12	23.6 ± 0.5	71.4 ± 1.5	8
	56 - 63	25.4 ± 0.7	67.7 ± 1.5	8	27.1 ± 1.0	74.2 ± 2.5	12	26.7 ± 1.1	78.1 ± 3.4 *	8
	63 - 70	25.3 ± 0.6 **	65.6 ± 1.4	10	26.6 ± 1.0	70.1 ± 2.8	10	24.0 ± 0.3	67.3 ± 1.4	10
	77 - 84	25.7 ± 0.7 **	61.9 ± 1.2	12	26.5 ± 0.7	66.4 ± 1.9	12	24.2 ± 0.3	63.9 ± 1.1	12
	84 - 91	25.1 ± 0.6 *	59.2 ± 1.1	12	26.7 ± 1.2	65.5 ± 2.8	12	24.2 ± 0.3	62.8 ± 1.4	12
	91 - 98	23.9 ± 0.6 **	55.6 ± 1.1	12	24.3 ± 0.8	58.8 ± 1.9	12	20.8 ± 1.2	52.8 ± 2.9	12
	98 - 105	23.1 ± 0.5 *	52.8 ± 1.0	12	23.8 ± 1.0	56.5 ± 2.2	12	21.1 ± 0.7	52.9 ± 1.7	12



**Study Number:** I20263

**Test Type:** TOX

**Route:** Dosing in Feed

**Species/Strain:** Rat/Harlan Sprague Dawley

**I06: Mean Feed Consumption**

**Test Compound:** Tris (chloropropyl) phosphate

**CAS Number:** 13674-84-5

**Date Report Requested:** 10/14/2022

**Time Report Requested:** 13:00:10

**Lab:** Burleson Research Technologies

---

**F1 Males: KLH**

---

Phase	Days	Treatment Groups (ppm)		
		10000		
		Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	17.0 ± 0.8	159.2 ± 6.6 **	8
	7 - 14	23.1 ± 1.2	155.1 ± 8.8 **	8
	14 - 21	23.9 ± 0.5	124.0 ± 3.1 *	6
	21 - 28	25.7 ± 0.4	111.7 ± 2.3 **	8
	28 - 35	26.0 ± 0.4	98.9 ± 1.8	8
	35 - 42	24.6 ± 1.0	85.9 ± 3.5	8
	42 - 49	30.9 ± 1.4 *	101.3 ± 4.9 **	8
	49 - 56	24.5 ± 0.5	76.0 ± 1.8	8
	56 - 63	23.7 ± 0.1	70.4 ± 1.2	8
	63 - 70	22.5 ± 0.3 **	65.0 ± 1.8	6
	77 - 84	23.7 ± 0.1	64.2 ± 1.1	8
	84 - 91	23.7 ± 0.3	62.3 ± 1.5	8
	91 - 98	22.2 ± 0.4	57.2 ± 1.4	8
98 - 105	21.8 ± 0.3	55.1 ± 1.1	8	

---

Study Number: I20263

Test Type: TOX

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I06: Mean Feed Consumption

Test Compound: Tris (chloropropyl) phosphate

CAS Number: 13674-84-5

Date Report Requested: 10/14/2022

Time Report Requested: 13:00:10

Lab: Burlinson Research Technologies

F1 Females: KLH

Treatment Groups (ppm)

Phase	Days	0			2500			5000		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	13.2 ± 0.3	125.1 ± 2.6 **	12	13.5 ± 0.1	131.8 ± 1.6 *	12	13.6 ± 0.3	138.7 ± 2.8 **	12
	7 - 14	16.3 ± 0.2	119.8 ± 2.6 **	12	15.9 ± 0.2	119.7 ± 2.8	12	16.1 ± 0.2	125.0 ± 2.4	12
	14 - 21	17.2 ± 0.2	106.9 ± 2.4 **	12	18.0 ± 0.5	113.6 ± 3.3	12	16.7 ± 0.1	109.3 ± 2.2	12
	21 - 28	18.3 ± 0.2	101.1 ± 2.8 *	9	18.3 ± 0.2	104.1 ± 2.3	9	16.5 ± 0.1 **	97.9 ± 1.8	12
	28 - 35	18.6 ± 0.4 *	94.0 ± 3.3	12	19.0 ± 0.5	99.3 ± 2.8	12	18.1 ± 0.3	98.7 ± 2.8	9
	35 - 42	18.4 ± 0.5 **	88.0 ± 2.5	12	20.1 ± 0.6	98.1 ± 2.6 *	12	17.8 ± 0.4	92.2 ± 3.3	12
	42 - 49	17.7 ± 0.0	82.4 ± 3.3	6	19.4 ± 0.5	93.7 ± 3.5	6	20.8 ± 0.8 *	103.9 ± 4.5 **	12
	49 - 56	17.4 ± 0.2	77.9 ± 2.1	9	18.5 ± 0.3	83.9 ± 1.7	9	16.9 ± 0.5	81.2 ± 3.7	9
	56 - 63	17.6 ± 0.1 *	75.9 ± 1.8	9	17.9 ± 0.3	78.1 ± 0.8	9	17.0 ± 0.4	79.1 ± 3.1	9
	63 - 70	16.7 ± 0.3	70.0 ± 1.7 *	9	17.2 ± 0.4	75.6 ± 2.1	6	16.5 ± 0.4	76.0 ± 2.4	12
	77 - 84	16.8 ± 0.3 *	68.0 ± 1.5	12	16.9 ± 0.1	69.6 ± 0.8	12	16.3 ± 0.3	72.7 ± 2.7	12
	84 - 91	16.4 ± 0.4 **	65.4 ± 1.5	12	16.4 ± 0.1	66.6 ± 0.8	12	15.4 ± 0.2	67.5 ± 2.1	12
	91 - 98	16.1 ± 0.3	63.3 ± 1.4	12	16.3 ± 0.2	65.2 ± 0.7	12	15.2 ± 0.4	65.3 ± 2.8	12

**Study Number:** I20263

**Test Type:** TOX

**Route:** Dosing in Feed

**Species/Strain:** Rat/Harlan Sprague Dawley

**I06: Mean Feed Consumption**

**Test Compound:** Tris (chloropropyl) phosphate

**CAS Number:** 13674-84-5

**Date Report Requested:** 10/14/2022

**Time Report Requested:** 13:00:10

**Lab:** Burleson Research Technologies

---

**F1 Females: KLH**

---

Phase	Days	Treatment Groups (ppm)		
		10000		
		Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	13.5 ± 0.3	144.3 ± 2.5 **	12
	7 - 14	17.0 ± 0.4	138.1 ± 2.3 **	12
	14 - 21	18.6 ± 0.4	126.2 ± 3.1 **	12
	21 - 28	18.2 ± 0.1	111.1 ± 1.7 *	12
	28 - 35	17.7 ± 0.1	99.4 ± 2.2	12
	35 - 42	17.3 ± 0.3	91.7 ± 2.2	12
	42 - 49	17.9 ± 0.2	91.1 ± 2.1	12
	49 - 56	17.5 ± 0.2	84.9 ± 2.6	9
	56 - 63	16.9 ± 0.3	79.4 ± 2.9	9
	63 - 70	17.5 ± 0.5	80.5 ± 3.6	9
	77 - 84	16.0 ± 0.2	70.8 ± 1.7	12
	84 - 91	15.7 ± 0.2	68.5 ± 1.6	12
	91 - 98	15.7 ± 0.3	67.1 ± 1.7	12

---

Study Number: I20263

Test Type: TOX

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I06: Mean Feed Consumption

Test Compound: Tris (chloropropyl) phosphate

CAS Number: 13674-84-5

Date Report Requested: 10/14/2022

Time Report Requested: 13:00:10

Lab: Burlison Research Technologies

F1 Males: Immunophenotyping

Treatment Groups (ppm)

Phase	Days	0			2500			5000		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	16.6 ± 0.6 *	135.4 ± 2.8 **	12	16.7 ± 0.3	140.9 ± 2.9	12	17.6 ± 0.4	150.2 ± 3.8 **	12
	7 - 14	22.0 ± 0.4	130.0 ± 1.7 **	12	22.1 ± 0.4	134.9 ± 3.0	12	22.3 ± 0.3	137.9 ± 3.9	10
	14 - 21	24.3 ± 0.5	112.2 ± 1.1 **	12	24.2 ± 0.3	114.3 ± 2.1	12	25.2 ± 0.6	121.2 ± 3.6 *	12
	21 - 28	25.8 ± 0.5	100.7 ± 1.0 **	12	25.7 ± 0.3	101.3 ± 1.8	12	25.1 ± 0.4	101.7 ± 2.3	12
	28 - 35	26.8 ± 0.4	91.2 ± 0.6 *	12	26.9 ± 0.2	92.6 ± 1.6	12	25.8 ± 0.7	91.7 ± 2.3	12
	35 - 42	27.7 ± 0.6 **	85.8 ± 1.0	12	26.8 ± 0.3	84.0 ± 1.5	12	25.9 ± 0.5	84.1 ± 1.5	12
	42 - 49	27.4 ± 0.4	80.1 ± 0.6 *	12	28.1 ± 0.8	83.2 ± 2.0	10	25.7 ± 0.6	78.7 ± 1.7	10
	49 - 56	26.6 ± 0.9	75.3 ± 2.2	8	26.0 ± 0.4	73.2 ± 1.7	10	25.3 ± 0.8	72.9 ± 1.8	10
	56 - 63	26.4 ± 0.8	70.6 ± 1.4	12	25.2 ± 0.3	68.1 ± 1.4	10	25.1 ± 0.9	70.0 ± 1.7	8
	63 - 70	25.4 ± 0.7	66.3 ± 1.3	12	24.0 ± 0.4	63.4 ± 1.5	10	24.4 ± 0.8	66.1 ± 1.5	8
	77 - 84	26.0 ± 0.4 **	64.1 ± 0.8	12	25.5 ± 0.4	63.9 ± 1.3	12	23.6 ± 0.4 **	60.3 ± 1.1 *	12
	84 - 91	25.7 ± 0.4 **	61.5 ± 1.0	12	25.4 ± 0.4	62.2 ± 1.2	12	23.3 ± 0.5 **	58.2 ± 1.3	12

**Study Number:** I20263

**Test Type:** TOX

**Route:** Dosing in Feed

**Species/Strain:** Rat/Harlan Sprague Dawley

**I06: Mean Feed Consumption**

**Test Compound:** Tris (chloropropyl) phosphate

**CAS Number:** 13674-84-5

**Date Report Requested:** 10/14/2022

**Time Report Requested:** 13:00:10

**Lab:** Burleson Research Technologies

---

**F1 Males: Immunophenotyping**

---

Phase	Days	Treatment Groups (ppm)		
		10000		
		Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	18.0 ± 0.6	163.4 ± 5.3 **	10
	7 - 14	22.3 ± 0.5	146.3 ± 3.7 **	10
	14 - 21	24.4 ± 0.7	124.8 ± 4.3 **	8
	21 - 28	26.4 ± 0.6	112.7 ± 2.5 **	10
	28 - 35	26.4 ± 0.4	98.7 ± 1.9 *	10
	35 - 42	25.5 ± 0.5 *	87.1 ± 1.8	10
	42 - 49	29.3 ± 1.1	93.4 ± 2.4 **	10
	49 - 56	25.6 ± 0.6	77.0 ± 1.9	10
	56 - 63	24.9 ± 0.9	72.0 ± 1.9	10
	63 - 70	23.6 ± 0.4	66.5 ± 1.2	10
	77 - 84	24.0 ± 0.3 **	63.6 ± 1.2	10
	84 - 91	23.7 ± 0.4 **	61.0 ± 0.9	10

Study Number: I20263

Test Type: TOX

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I06: Mean Feed Consumption

Test Compound: Tris (chloropropyl) phosphate

CAS Number: 13674-84-5

Date Report Requested: 10/14/2022

Time Report Requested: 13:00:10

Lab: Burlinson Research Technologies

F1 Females: Immunophenotyping

Treatment Groups (ppm)

Phase	Days	0			2500			5000		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	13.2 ± 0.3 **	127.0 ± 2.4 **	12	13.2 ± 0.1	129.6 ± 2.2	12	13.4 ± 0.1	133.5 ± 2.2	12
	7 - 14	15.7 ± 0.2 **	117.0 ± 1.9 **	12	15.4 ± 0.2	116.6 ± 1.9	12	16.1 ± 0.3	122.6 ± 2.8	12
	14 - 21	16.0 ± 0.2 **	101.5 ± 1.5 **	12	15.3 ± 0.0	98.1 ± 1.3	12	16.4 ± 0.3	105.4 ± 2.8	9
	21 - 28	18.0 ± 0.3 *	102.7 ± 1.7	12	16.5 ± 0.2 *	94.8 ± 1.6 *	12	16.4 ± 0.4 *	94.9 ± 3.0	12
	28 - 35	18.4 ± 0.3	95.4 ± 2.0 *	12	17.1 ± 0.3 *	89.8 ± 1.8	12	17.7 ± 0.2	93.7 ± 2.0	12
	35 - 42	18.2 ± 0.2 *	88.4 ± 1.3	12	17.8 ± 0.3	87.8 ± 1.8	12	17.0 ± 0.2 *	84.8 ± 2.0	12
	42 - 49	17.3 ± 0.1	81.2 ± 1.8 **	9	15.7 ± 0.3	75.3 ± 1.8	6	17.8 ± 0.4	87.4 ± 2.4	9
	49 - 56	17.7 ± 0.2	80.2 ± 1.1	12	17.0 ± 0.0	81.2 ± 1.6	3	16.5 ± 0.5	78.0 ± 2.6	6
	56 - 63	16.9 ± 0.2	73.7 ± 1.0 *	12	17.0 ± 0.0	79.0 ± 1.6	3	17.1 ± 0.4	77.9 ± 2.2	9
	63 - 70	16.8 ± 0.1 *	71.5 ± 1.0	12	15.7 ± 0.1 *	69.4 ± 1.2	6	14.9 ± 0.5 **	65.4 ± 2.3	9
77 - 84	16.6 ± 0.2 *	67.9 ± 1.0	12	16.6 ± 0.2	69.1 ± 1.3	12	15.8 ± 0.2	67.8 ± 1.3	12	

**Study Number:** I20263

**Test Type:** TOX

**Route:** Dosing in Feed

**Species/Strain:** Rat/Harlan Sprague Dawley

**I06: Mean Feed Consumption**

**Test Compound:** Tris (chloropropyl) phosphate

**CAS Number:** 13674-84-5

**Date Report Requested:** 10/14/2022

**Time Report Requested:** 13:00:10

**Lab:** Burleson Research Technologies

---

**F1 Females: Immunophenotyping**

---

Phase	Days	Treatment Groups (ppm)		
		10000		
		Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	13.9 ± 0.1 **	148.6 ± 3.2 **	12
	7 - 14	16.8 ± 0.2 *	136.4 ± 3.3 **	12
	14 - 21	17.1 ± 0.4	115.6 ± 3.5 **	12
	21 - 28	16.9 ± 0.3 *	102.7 ± 2.4	12
	28 - 35	18.8 ± 0.5	105.7 ± 2.9	12
	35 - 42	17.7 ± 0.4	93.6 ± 2.1	12
	42 - 49	18.5 ± 0.5	94.4 ± 2.5 **	12
	49 - 56	17.9 ± 0.6	87.3 ± 3.0	12
	56 - 63	16.7 ± 0.4	79.6 ± 1.6 *	9
	63 - 70	16.1 ± 0.2	75.0 ± 1.1	9
77 - 84	16.1 ± 0.3	72.1 ± 1.3	12	

---

Study Number: I20263

Test Type: TOX

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I06: Mean Feed Consumption

Test Compound: Tris (chloropropyl) phosphate

CAS Number: 13674-84-5

Date Report Requested: 10/14/2022

Time Report Requested: 13:00:10

Lab: Burleson Research Technologies

F1 Males: CTL

Treatment Groups (ppm)

Phase	Days	0			2500			5000		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	16.8 ± 0.3	131.4 ± 1.9 **	12	17.9 ± 0.6	152.2 ± 8.4 *	12	17.0 ± 0.5	142.1 ± 3.4 *	12
	7 - 14	21.3 ± 0.3	123.9 ± 1.7 **	12	22.0 ± 0.5	142.2 ± 10.5 *	12	21.3 ± 0.5	132.3 ± 3.0 *	12
	14 - 21	23.8 ± 0.3	108.7 ± 1.7 **	12	25.6 ± 0.7	133.3 ± 15.6	12	23.0 ± 0.5	112.4 ± 2.5	12
	21 - 28	25.0 ± 0.3	94.5 ± 1.3 **	12	28.3 ± 0.8 *	109.2 ± 3.9	11	23.4 ± 0.3	95.0 ± 1.6	12
	28 - 35	26.3 ± 0.3	87.4 ± 1.2	12	28.2 ± 0.4	95.2 ± 2.1	11	23.9 ± 0.3 *	85.3 ± 1.1	12
	42 - 49	25.8 ± 0.3	74.1 ± 1.4	12	25.4 ± 0.4	75.1 ± 1.3	11	23.5 ± 0.4 **	72.9 ± 1.4	12
	49 - 56	25.2 ± 0.3 **	68.7 ± 1.3	12	25.5 ± 0.3	71.7 ± 1.8	11	22.8 ± 0.4 **	67.3 ± 1.5	12
	56 - 63	24.9 ± 0.3 **	65.0 ± 1.3	12	26.1 ± 0.2	70.3 ± 2.1	11	22.4 ± 0.5 **	63.7 ± 1.7	12
	63 - 70	24.0 ± 0.2 *	60.6 ± 1.0	12	26.9 ± 0.9	70.0 ± 3.2	11	21.7 ± 0.5 *	59.7 ± 1.6	12
	70 - 77	23.3 ± 0.2	57.5 ± 1.1	12	25.4 ± 0.4	63.8 ± 2.3 *	11	22.2 ± 0.4	59.6 ± 1.3	12
	77 - 84	23.7 ± 0.2	57.2 ± 1.1	12	26.1 ± 0.4 **	64.2 ± 2.3 *	11	22.5 ± 0.5	59.4 ± 1.3	12
	84 - 91	23.6 ± 0.2 *	55.5 ± 1.0	12	25.0 ± 0.2	60.4 ± 1.7	11	22.1 ± 0.5 *	57.4 ± 1.5	12
	91 - 98	22.2 ± 0.5 **	51.6 ± 1.5	12	21.8 ± 0.6	52.4 ± 2.4	11	19.7 ± 0.5 **	50.6 ± 1.5	12



**Study Number:** I20263

**Test Type:** TOX

**Route:** Dosing in Feed

**Species/Strain:** Rat/Harlan Sprague Dawley

**I06: Mean Feed Consumption**

**Test Compound:** Tris (chloropropyl) phosphate

**CAS Number:** 13674-84-5

**Date Report Requested:** 10/14/2022

**Time Report Requested:** 13:00:10

**Lab:** Burleson Research Technologies

---

**F1 Males: CTL**

---

Phase	Days	Treatment Groups (ppm)		
		10000		
		Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	17.8 ± 0.4	155.3 ± 6.9 **	12
	7 - 14	23.4 ± 0.7	152.3 ± 7.6 **	12
	14 - 21	25.0 ± 0.6	128.0 ± 5.0 **	12
	21 - 28	30.4 ± 1.0 **	127.9 ± 6.1 **	12
	28 - 35	27.3 ± 1.1	99.9 ± 5.4	12
	42 - 49	25.0 ± 0.4	78.6 ± 2.0	12
	49 - 56	23.4 ± 0.2 **	70.3 ± 1.2	12
	56 - 63	23.3 ± 0.3 **	66.5 ± 1.2	12
	63 - 70	22.9 ± 0.5	62.8 ± 1.6	12
	70 - 77	23.1 ± 0.5	61.7 ± 1.5	12
	77 - 84	23.4 ± 0.3	61.7 ± 1.4	12
	84 - 91	22.7 ± 0.5	58.9 ± 1.5	12
	91 - 98	19.5 ± 0.5 **	50.1 ± 1.2	12

Study Number: I20263

Test Type: TOX

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I06: Mean Feed Consumption

Test Compound: Tris (chloropropyl) phosphate

CAS Number: 13674-84-5

Date Report Requested: 10/14/2022

Time Report Requested: 13:00:10

Lab: Burlison Research Technologies

F1 Females: CTL

Treatment Groups (ppm)

Phase	Days	0			2500			5000		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	13.8 ± 0.1 **	126.2 ± 2.1 **	12	13.6 ± 0.1	132.3 ± 2.3	12	14.9 ± 0.4	143.4 ± 4.0 **	12
	7 - 14	16.1 ± 0.3	116.6 ± 2.7 **	12	16.1 ± 0.1	122.7 ± 1.9	12	16.1 ± 0.2	123.5 ± 2.0	12
	14 - 21	18.6 ± 0.6	114.6 ± 3.6	12	18.9 ± 0.4	121.3 ± 3.4	12	18.1 ± 0.3	116.9 ± 2.8	12
	21 - 28	18.8 ± 0.4	103.3 ± 3.0	12	18.9 ± 0.6	107.0 ± 3.6	12	18.8 ± 0.4	107.4 ± 2.3	12
	28 - 35	19.4 ± 0.4 **	98.6 ± 3.0	12	20.4 ± 0.5	106.6 ± 3.2	12	17.5 ± 0.1 *	93.2 ± 2.1	12
	42 - 49	19.2 ± 0.6 **	89.4 ± 3.1 **	12	18.2 ± 0.4	86.1 ± 2.6	9	16.4 ± 0.2 **	78.5 ± 1.6 **	12
	49 - 56	16.8 ± 0.3 **	75.7 ± 1.8	12	17.0 ± 0.2	77.6 ± 1.6	12	15.7 ± 0.3 *	72.7 ± 1.9	12
	56 - 63	17.0 ± 0.4 **	74.6 ± 2.4	12	16.1 ± 0.2 *	71.7 ± 1.5	12	15.3 ± 0.2 **	69.3 ± 1.5	12
	63 - 70	16.6 ± 0.5 **	71.1 ± 2.3	12	16.6 ± 0.5	73.0 ± 2.7	12	15.2 ± 0.3	66.9 ± 1.7	12
	70 - 77	15.8 ± 0.4	66.9 ± 2.2	12	16.8 ± 0.5	72.5 ± 2.7	12	15.4 ± 0.2	66.0 ± 1.5	12
	77 - 84	16.0 ± 0.4 *	66.6 ± 1.8	12	16.9 ± 0.3	71.5 ± 2.0	12	15.8 ± 0.4	67.0 ± 1.6	12
	84 - 91	15.2 ± 0.4 **	62.6 ± 1.9	12	14.7 ± 0.2	62.2 ± 1.6	12	14.7 ± 0.3	63.2 ± 1.7	11

**Study Number:** I20263

**Test Type:** TOX

**Route:** Dosing in Feed

**Species/Strain:** Rat/Harlan Sprague Dawley

**I06: Mean Feed Consumption**

**Test Compound:** Tris (chloropropyl) phosphate

**CAS Number:** 13674-84-5

**Date Report Requested:** 10/14/2022

**Time Report Requested:** 13:00:10

**Lab:** Burleson Research Technologies

---

**F1 Females: CTL**

---

Phase	Days	Treatment Groups (ppm)		
		10000		
		Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	14.9 ± 0.1 **	147.1 ± 3.2 **	12
	7 - 14	17.1 ± 0.6	132.6 ± 4.5 **	12
	14 - 21	17.5 ± 0.6	114.6 ± 3.7	12
	21 - 28	17.4 ± 0.4	102.6 ± 3.4	12
	28 - 35	17.3 ± 0.2 **	95.1 ± 2.5	12
	42 - 49	15.9 ± 0.5 **	79.5 ± 2.4 *	12
	49 - 56	15.2 ± 0.3 **	73.7 ± 2.1	12
	56 - 63	15.5 ± 0.5 **	73.0 ± 2.3	12
	63 - 70	14.6 ± 0.2 **	67.2 ± 1.7	12
	70 - 77	15.5 ± 0.2	69.6 ± 2.0	12
	77 - 84	15.1 ± 0.2	67.4 ± 2.4	12
	84 - 91	13.6 ± 0.2 **	60.9 ± 1.6	12

Study Number: I20263

Test Type: TOX

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I06: Mean Feed Consumption

Test Compound: Tris (chloropropyl) phosphate

CAS Number: 13674-84-5

Date Report Requested: 10/14/2022

Time Report Requested: 13:00:10

Lab: Burlinson Research Technologies

F1 Males: Immunopath

Treatment Groups (ppm)

Phase	Days	0			2500			5000		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	16.7 ± 0.2	137.3 ± 2.2 **	12	16.1 ± 0.2	138.7 ± 2.5	12	17.6 ± 0.4	152.5 ± 3.2 **	12
	7 - 14	22.0 ± 0.1	131.6 ± 2.0 **	12	21.1 ± 0.3	131.8 ± 2.3	12	23.4 ± 0.7	147.6 ± 4.9 **	12
	14 - 21	24.6 ± 0.1	114.8 ± 1.5 **	12	23.9 ± 0.2	116.1 ± 1.8	12	25.7 ± 0.8	128.9 ± 4.3 **	10
	21 - 28	25.8 ± 0.2	100.5 ± 1.4 **	12	24.3 ± 0.3	98.3 ± 1.9	12	27.8 ± 1.0	114.4 ± 4.3 *	12
	28 - 35	27.0 ± 0.2	92.2 ± 1.1	12	24.8 ± 0.3 *	89.4 ± 1.7	10	27.9 ± 1.0	101.6 ± 3.7	12
	35 - 42	27.1 ± 0.4	84.7 ± 1.2	12	25.5 ± 0.6	83.9 ± 1.9	12	27.7 ± 0.9	92.4 ± 4.5	10
	42 - 49	28.0 ± 0.6	83.4 ± 1.3	10	27.1 ± 0.7	84.9 ± 2.4	12	27.1 ± 0.8	85.6 ± 3.4	10
	49 - 56	25.7 ± 0.5 *	72.9 ± 1.1	12	23.1 ± 0.7 *	69.8 ± 2.1	12	23.6 ± 1.0	72.7 ± 3.7	12
	56 - 63	25.5 ± 0.8 *	69.5 ± 1.8	10	22.6 ± 0.9 *	66.0 ± 2.2	12	23.2 ± 0.5	69.2 ± 2.0	12
	63 - 70	24.1 ± 0.5	64.8 ± 0.9	10	21.7 ± 0.3 **	63.0 ± 1.6	10	22.3 ± 0.7	64.2 ± 1.9	10
	77 - 84	25.3 ± 0.3 **	63.1 ± 0.7	12	23.9 ± 0.4 *	64.2 ± 1.7	12	23.5 ± 0.4 **	63.2 ± 1.2	12
	84 - 91	24.5 ± 0.4 **	59.5 ± 0.8	12	24.3 ± 0.1	63.6 ± 1.6	12	22.8 ± 0.3 **	59.4 ± 1.1	12

**Study Number:** I20263

**Test Type:** TOX

**Route:** Dosing in Feed

**Species/Strain:** Rat/Harlan Sprague Dawley

**I06: Mean Feed Consumption**

**Test Compound:** Tris (chloropropyl) phosphate

**CAS Number:** 13674-84-5

**Date Report Requested:** 10/14/2022

**Time Report Requested:** 13:00:10

**Lab:** Burleson Research Technologies

---

**F1 Males: Immunopath**

---

Phase	Days	Treatment Groups (ppm)		
		10000		
		Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	15.9 ± 0.5	151.5 ± 5.4 **	10
	7 - 14	23.8 ± 1.1	161.2 ± 7.3 **	8
	14 - 21	25.5 ± 0.8	135.2 ± 4.1 **	10
	21 - 28	27.9 ± 0.8	123.2 ± 3.9 **	10
	28 - 35	25.1 ± 0.6	98.3 ± 3.4	10
	35 - 42	24.5 ± 0.8	88.1 ± 3.5	10
	42 - 49	27.5 ± 0.8	93.1 ± 3.9	10
	49 - 56	22.7 ± 0.6 *	73.8 ± 2.4	10
	56 - 63	22.8 ± 0.7 *	72.0 ± 2.5	10
	63 - 70	22.1 ± 0.3	67.9 ± 2.2	10
	77 - 84	23.5 ± 0.2 **	66.8 ± 2.3	10
	84 - 91	22.4 ± 0.4 **	61.9 ± 2.2	10

Study Number: I20263

Test Type: TOX

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I06: Mean Feed Consumption

Test Compound: Tris (chloropropyl) phosphate

CAS Number: 13674-84-5

Date Report Requested: 10/14/2022

Time Report Requested: 13:00:10

Lab: Burlison Research Technologies

F1 Females: Immunopath

Treatment Groups (ppm)

Phase	Days	0			2500			5000		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	14.1 ± 0.2	136.2 ± 4.2 *	12	13.1 ± 0.3	127.9 ± 2.0	12	13.7 ± 0.4	136.2 ± 3.4	12
	7 - 14	16.4 ± 0.2	121.9 ± 2.8 **	12	15.3 ± 0.0 **	115.4 ± 1.6	12	16.9 ± 0.2	130.6 ± 3.5	9
	14 - 21	17.5 ± 0.2	109.7 ± 2.2 **	12	16.1 ± 0.2 **	101.8 ± 1.3	12	18.3 ± 0.4	119.0 ± 3.4	12
	21 - 28	18.2 ± 0.2 **	102.1 ± 2.1	12	17.6 ± 0.2	99.4 ± 1.5	12	18.0 ± 0.3	104.5 ± 2.3	12
	28 - 35	18.8 ± 0.3 **	96.3 ± 2.5	12	19.3 ± 0.0	99.8 ± 1.4	12	18.4 ± 0.4	97.7 ± 2.9	9
	35 - 42	19.4 ± 0.3 **	93.5 ± 2.0	12	19.0 ± 0.6 **	93.6 ± 3.6	11	19.5 ± 0.7 *	98.6 ± 4.4	12
	42 - 49	19.8 ± 1.1	91.0 ± 4.7	12	19.9 ± 0.9	97.0 ± 4.3	5	21.3 ± 0.7	102.2 ± 3.9	6
	49 - 56	18.7 ± 0.3 *	82.7 ± 2.3	12	19.3 ± 0.8	87.5 ± 3.9	8	18.1 ± 0.1	83.1 ± 2.3	6
	56 - 63	18.4 ± 0.6	78.4 ± 2.3	12	17.2 ± 0.4	75.5 ± 1.7	8	20.4 ± 0.0	88.4 ± 3.7	3
	63 - 70	18.2 ± 0.4 *	75.9 ± 2.1	12	16.9 ± 0.4	73.5 ± 2.5	8	20.5 ± 0.2	88.7 ± 1.8 *	6
77 - 84	16.9 ± 0.1 **	68.1 ± 1.8	12	18.3 ± 0.4	75.6 ± 1.3 *	11	16.1 ± 0.2	67.8 ± 1.3	12	

**Study Number:** I20263

**Test Type:** TOX

**Route:** Dosing in Feed

**Species/Strain:** Rat/Harlan Sprague Dawley

**I06: Mean Feed Consumption**

**Test Compound:** Tris (chloropropyl) phosphate

**CAS Number:** 13674-84-5

**Date Report Requested:** 10/14/2022

**Time Report Requested:** 13:00:10

**Lab:** Burleson Research Technologies

---

**F1 Females: Immunopath**

---

Phase	Days	Treatment Groups (ppm)		
		10000		
		Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	13.5 ± 0.3	142.3 ± 1.5	11
	7 - 14	16.4 ± 0.4	133.3 ± 1.7 *	11
	14 - 21	16.9 ± 0.3	116.5 ± 2.6	11
	21 - 28	16.3 ± 0.3 **	102.8 ± 2.7	8
	28 - 35	16.2 ± 0.2 **	94.6 ± 2.0	11
	35 - 42	16.6 ± 0.6 **	91.6 ± 4.1	11
	42 - 49	17.3 ± 1.0	92.7 ± 6.1	8
	49 - 56	17.2 ± 0.8	88.4 ± 5.0	8
	56 - 63	16.0 ± 1.0	79.2 ± 5.0	8
	63 - 70	14.9 ± 0.3 **	72.0 ± 1.5	8
77 - 84	14.1 ± 0.2 **	65.6 ± 1.5	11	

Study Number: I20263

Test Type: TOX

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I06: Mean Feed Consumption

Test Compound: Tris (chloropropyl) phosphate

CAS Number: 13674-84-5

Date Report Requested: 10/14/2022

Time Report Requested: 13:00:10

Lab: Burleson Research Technologies

F1 Males: SXXX

Treatment Groups (ppm)

Phase	Days	0			2500			5000		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	17.1 ± 0.4	134.1 ± 3.3 **	12	17.0 ± 0.3	138.0 ± 2.2	12	19.2 ± 0.8	157.4 ± 5.6 **	12
	7 - 14	22.2 ± 0.4	128.5 ± 2.5 **	12	21.6 ± 0.3	131.0 ± 2.0	12	24.2 ± 0.5 *	144.1 ± 2.2 **	12
	14 - 21	25.1 ± 0.5	113.7 ± 2.5 **	12	24.3 ± 0.4	115.2 ± 3.3	12	25.8 ± 0.5	119.9 ± 1.5 *	12
	21 - 28	26.4 ± 0.4	98.4 ± 1.7 *	12	26.5 ± 0.4	102.4 ± 1.6	12	26.3 ± 0.5	101.0 ± 1.4	12
	28 - 35	28.0 ± 0.5 **	91.7 ± 1.6	12	26.7 ± 0.2	90.5 ± 1.3	12	27.2 ± 0.3	91.2 ± 1.0	12
	42 - 49	27.5 ± 1.0 **	78.5 ± 2.8	12	25.1 ± 0.2	74.4 ± 1.5	12	26.1 ± 0.5	75.1 ± 1.5	12
	49 - 56	25.0 ± 0.6	68.1 ± 1.2	12	24.3 ± 0.2	68.7 ± 1.2	12	25.6 ± 0.5	70.1 ± 1.4	12
	56 - 63	25.0 ± 0.5	65.2 ± 1.1	12	24.2 ± 0.3	65.6 ± 1.6	12	25.8 ± 0.4	68.4 ± 1.2	12
	63 - 70	23.9 ± 0.6	60.3 ± 1.3	12	23.8 ± 0.2	62.3 ± 1.3	12	24.1 ± 0.3	62.3 ± 1.2	12
	70 - 77	23.4 ± 0.5	57.7 ± 1.2	12	24.2 ± 0.4	61.7 ± 1.6	12	24.0 ± 0.3	60.4 ± 0.8	12
	77 - 84	23.5 ± 0.5	56.6 ± 1.2	12	24.0 ± 0.2	59.8 ± 1.2	12	23.9 ± 0.3	59.2 ± 0.9	12
84 - 91	23.4 ± 0.5 *	54.9 ± 1.0	12	23.6 ± 0.2	57.8 ± 1.2	12	23.5 ± 0.4	57.5 ± 1.0	12	



**Study Number:** I20263

**Test Type:** TOX

**Route:** Dosing in Feed

**Species/Strain:** Rat/Harlan Sprague Dawley

**I06: Mean Feed Consumption**

**Test Compound:** Tris (chloropropyl) phosphate

**CAS Number:** 13674-84-5

**Date Report Requested:** 10/14/2022

**Time Report Requested:** 13:00:10

**Lab:** Burleson Research Technologies

**F1 Males: SXXX**

Phase	Days	Treatment Groups (ppm)		
		10000		
		Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	16.5 ± 0.4	144.3 ± 4.3 **	12
	7 - 14	21.5 ± 0.4	140.3 ± 4.6 **	12
	14 - 21	24.6 ± 0.4	125.4 ± 3.2 **	12
	21 - 28	25.5 ± 0.6	106.3 ± 2.8	12
	28 - 35	25.1 ± 0.7 **	91.2 ± 2.8	12
	42 - 49	24.1 ± 0.4 **	74.9 ± 1.3	12
	49 - 56	24.1 ± 0.3	71.2 ± 1.1	12
	56 - 63	23.7 ± 0.3	66.8 ± 1.1	12
	63 - 70	22.7 ± 0.3	62.1 ± 1.0	12
	70 - 77	23.1 ± 0.4	61.3 ± 1.1	12
	77 - 84	22.7 ± 0.3	59.1 ± 1.0	12
	84 - 91	22.0 ± 0.4 *	56.2 ± 1.1	12

Study Number: I20263

Test Type: TOX

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I06: Mean Feed Consumption

Test Compound: Tris (chloropropyl) phosphate

CAS Number: 13674-84-5

Date Report Requested: 10/14/2022

Time Report Requested: 13:00:10

Lab: Burlison Research Technologies

F1 Females: SXXX

Treatment Groups (ppm)

Phase	Days	0			2500			5000		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	13.6 ± 0.1 **	127.5 ± 2.6 **	12	13.6 ± 0.1	129.3 ± 1.7	12	14.2 ± 0.2 **	137.3 ± 1.5 **	12
	7 - 14	17.1 ± 0.1	125.7 ± 2.6	12	15.7 ± 0.1 **	120.4 ± 1.7	12	15.8 ± 0.3 **	120.4 ± 1.8	12
	14 - 21	19.0 ± 0.3 *	117.2 ± 3.1	12	18.4 ± 0.6	119.9 ± 5.4	12	16.9 ± 0.3 **	109.1 ± 1.5	12
	21 - 28	19.3 ± 0.3 *	106.3 ± 3.0	12	18.4 ± 0.2	104.3 ± 1.7	12	17.5 ± 0.4 **	100.7 ± 1.7	12
	28 - 35	20.3 ± 0.4 **	103.3 ± 3.2 **	12	18.7 ± 0.3 *	98.1 ± 2.5	12	18.0 ± 0.3 **	95.4 ± 1.6	12
	42 - 49	19.7 ± 0.7 **	90.2 ± 3.4	12	16.4 ± 0.2 **	78.3 ± 1.5 **	12	17.2 ± 0.2 **	83.9 ± 1.3	12
	49 - 56	17.5 ± 0.4	77.2 ± 2.2	12	16.1 ± 0.2 *	74.0 ± 1.4	12	16.4 ± 0.5	77.4 ± 2.3	12
	56 - 63	16.9 ± 0.3 *	72.5 ± 2.3	12	16.2 ± 0.2	72.7 ± 1.0	12	15.5 ± 0.2 **	71.4 ± 1.0	12
	63 - 70	16.4 ± 0.2 *	68.8 ± 1.7	12	15.9 ± 0.3	69.7 ± 1.5	12	15.3 ± 0.3 *	69.5 ± 1.4	12
	70 - 77	16.2 ± 0.4	66.7 ± 2.0	12	16.4 ± 0.2	70.1 ± 1.3	12	15.5 ± 0.2	69.1 ± 1.1	12
	77 - 84	16.7 ± 0.3 **	67.5 ± 1.9	12	16.4 ± 0.4	69.0 ± 1.9	12	16.1 ± 0.3	71.2 ± 1.6	12
84 - 91	15.8 ± 0.3 **	63.1 ± 2.1	12	15.4 ± 0.3 *	64.5 ± 1.2	12	15.0 ± 0.1 *	65.5 ± 0.9	12	

**Study Number:** I20263

**Test Type:** TOX

**Route:** Dosing in Feed

**Species/Strain:** Rat/Harlan Sprague Dawley

**I06: Mean Feed Consumption**

**Test Compound:** Tris (chloropropyl) phosphate

**CAS Number:** 13674-84-5

**Date Report Requested:** 10/14/2022

**Time Report Requested:** 13:00:10

**Lab:** Burleson Research Technologies

---

**F1 Females: SXXX**

---

Phase	Days	Treatment Groups (ppm)		
		10000		
		Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	14.7 ± 0.2 **	148.3 ± 4.3 **	12
	7 - 14	16.8 ± 0.4	131.7 ± 3.7	12
	14 - 21	18.2 ± 0.6	119.1 ± 2.7	12
	21 - 28	18.6 ± 0.4	107.8 ± 2.5	12
	28 - 35	17.5 ± 0.5 **	93.6 ± 2.1 *	12
	42 - 49	16.9 ± 0.4 **	82.2 ± 1.2	12
	49 - 56	16.7 ± 0.4	78.6 ± 1.1	12
	56 - 63	16.2 ± 0.3	74.2 ± 0.9	12
	63 - 70	15.6 ± 0.3	69.9 ± 0.9	12
	70 - 77	16.0 ± 0.4	70.4 ± 1.3	12
	77 - 84	15.3 ± 0.3 **	66.7 ± 0.7	12
	84 - 91	14.7 ± 0.3 *	63.7 ± 0.7	12

**Study Number:** I20263

**Test Type:** TOX

**Route:** Dosing in Feed

**Species/Strain:** Rat/Harlan Sprague Dawley

**I06: Mean Feed Consumption**

**Test Compound:** Tris (chloropropyl) phosphate

**CAS Number:** 13674-84-5

**Date Report Requested:** 10/14/2022

**Time Report Requested:** 13:00:10

**Lab:** Burlison Research Technologies

LEGEND

---

Reported as the mean  $\pm$  SEM. N is the number of animals, number of cages for group housed adult animals or number of litters.

Feed consumption values were excluded when excessive spillage was recorded.

Statistical analysis performed by Jonckheere (trend) and Shirley or Dunn (pairwise) tests.

Statistical significance for the control group indicates a significant trend test

Statistical significance for a treatment group indicates a significant pairwise test compared to the vehicle control group

\* Statistically significant at  $P \leq 0.05$

\*\* Statistically significant at  $P \leq 0.01$

Consumption is not reported for the non-pregnant animals during gestation and lactation phases

SXXX – General toxicity endpoints only are reported for this cohort. No immune function data reported due to study quality.

**\*\* END OF REPORT \*\***