

## PA06: Organ Weights Summary

Study Number: I20263  
 DTTID: 104-016-002-000-4  
 Study Type: Immune screening with perinatal exposure  
 Species/Strain: Rat/Harlan Sprague Dawley

Test Compound: Tris(chloropropyl) phosphate  
 CAS Number: 13674-84-5  
 DTXSID: DTXSID201016652

Date: 20 Aug 2024  
 Time: 9:23:48 AM

F1 Males: SRBC SD 95

	Treatment Groups (ppm)				
	0	2500	5000	10000	15 (mg/kg CPS)
Terminal Body Weight (g)	433.7 ± 10.3[12]**	417.3 ± 7.6[12]	418.8 ± 8.1[12]	399.0 ± 5.9[12]**	409.5 ± 4.2[8]
<b>Spleen</b>					
Absolute (g)	0.759 ± 0.042[12]	0.698 ± 0.028[12]	0.751 ± 0.029[12]	0.655 ± 0.020[12]	0.519 ± 0.015[8]**
Relative (mg/g)	1.75 ± 0.09[12]	1.67 ± 0.06[12]	1.79 ± 0.07[12]	1.64 ± 0.05[12]	1.27 ± 0.03[8]**
<b>Thymus</b>					
Absolute (g)	0.410 ± 0.019[12]	0.398 ± 0.020[12]	0.403 ± 0.020[12]	0.373 ± 0.015[12]	0.171 ± 0.014[8]**
Relative (mg/g)	0.95 ± 0.04[12]	0.95 ± 0.03[12]	0.96 ± 0.04[12]	0.93 ± 0.03[12]	0.42 ± 0.03[8]**

## PA06: Organ Weights Summary

Study Number: I20263  
 DTTID: 104-016-002-000-4  
 Study Type: Immune screening with perinatal exposure  
 Species/Strain: Rat/Harlan Sprague Dawley

Test Compound: Tris(chloropropyl) phosphate  
 CAS Number: 13674-84-5  
 DTXSID: DTXSID201016652

Date: 20 Aug 2024  
 Time: 9:23:48 AM

F1 Males: SRBC SD 115

	Treatment Groups (ppm)				
	0	2500	5000	10000	15 (mg/kg CPS)
Terminal Body Weight (g)	433.0 ± 8.1[12]*	437.1 ± 4.4[12]	417.5 ± 10.5[12]	413.6 ± 7.5[12]	439.2 ± 6.0[5]
<b>Spleen</b>					
Absolute (g)	0.734 ± 0.033[12]*	0.678 ± 0.022[12]	0.675 ± 0.024[12]	0.644 ± 0.027[12]	0.508 ± 0.015[5]**
Relative (mg/g)	1.69 ± 0.07[12]	1.55 ± 0.05[12]	1.62 ± 0.04[12]	1.55 ± 0.05[12]	1.16 ± 0.03[5]**
<b>Thymus</b>					
Absolute (g)	0.387 ± 0.023[12]	0.411 ± 0.014[12]	0.368 ± 0.019[12]	0.370 ± 0.017[12]	0.168 ± 0.003[5]**
Relative (mg/g)	0.89 ± 0.05[12]	0.94 ± 0.03[12]	0.89 ± 0.05[12]	0.90 ± 0.04[12]	0.38 ± 0.01[5]**

## PA06: Organ Weights Summary

Study Number: I20263  
 DTTID: 104-016-002-000-4  
 Study Type: Immune screening with perinatal exposure  
 Species/Strain: Rat/Harlan Sprague Dawley

Test Compound: Tris(chloropropyl) phosphate  
 CAS Number: 13674-84-5  
 DTXSID: DTXSID201016652

Date: 20 Aug 2024  
 Time: 9:23:48 AM

F1 Females: SRBC SD 94

	Treatment Groups (ppm)				
	0	2500	5000	10000	15 (mg/kg CPS)
Terminal Body Weight (g)	256.9 ± 6.0[12]**	245.2 ± 2.7[12]*	233.5 ± 2.5[12]**	236.9 ± 3.6[12]**	244.4 ± 2.0[8]
<b>Spleen</b>					
Absolute (g)	0.548 ± 0.032[12]	0.543 ± 0.022[12]	0.494 ± 0.008[12]	0.506 ± 0.016[12]	0.404 ± 0.010[8]**
Relative (mg/g)	2.13 ± 0.11[12]	2.22 ± 0.09[12]	2.12 ± 0.04[12]	2.14 ± 0.07[12]	1.65 ± 0.04[8]**
<b>Thymus</b>					
Absolute (g)	0.279 ± 0.015[12]	0.308 ± 0.016[12]	0.258 ± 0.006[12]	0.390 ± 0.048[12]*	0.132 ± 0.010[8]**
Relative (mg/g)	1.08 ± 0.05[12]**	1.25 ± 0.06[12]	1.11 ± 0.03[12]	1.66 ± 0.23[12]**	0.54 ± 0.04[8]**

## PA06: Organ Weights Summary

Study Number: I20263  
 DTTID: 104-016-002-000-4  
 Study Type: Immune screening with perinatal exposure  
 Species/Strain: Rat/Harlan Sprague Dawley

Test Compound: Tris(chloropropyl) phosphate  
 CAS Number: 13674-84-5  
 DTXSID: DTXSID201016652

Date: 20 Aug 2024  
 Time: 9:23:48 AM

F1 Females: SRBC SD 109

	Treatment Groups (ppm)				
	0	2500	5000	10000	15 (mg/kg CPS)
Terminal Body Weight (g)	255.3 ± 5.8[12]**	247.8 ± 3.6[12]	247.9 ± 5.7[12]	231.9 ± 4.2[12]**	251.4 ± 5.5[5]
<b>Spleen</b>					
Absolute (g)	0.560 ± 0.029[12]	0.564 ± 0.018[12]	0.532 ± 0.015[12]	0.519 ± 0.021[12]	0.407 ± 0.023[5]**
Relative (mg/g)	2.19 ± 0.10[12]	2.27 ± 0.06[12]	2.15 ± 0.05[12]	2.23 ± 0.07[12]	1.61 ± 0.06[5]**
<b>Thymus</b>					
Absolute (g)	0.271 ± 0.007[12]	0.274 ± 0.009[12]	0.266 ± 0.008[12]	0.270 ± 0.011[12]	0.127 ± 0.012[5]**
Relative (mg/g)	1.06 ± 0.03[12]	1.11 ± 0.04[12]	1.08 ± 0.04[12]	1.17 ± 0.04[12]	0.51 ± 0.05[5]**

## PA06: Organ Weights Summary

Study Number: I20263  
 DTTID: 104-016-002-000-4  
 Study Type: Immune screening with perinatal exposure  
 Species/Strain: Rat/Harlan Sprague Dawley

Test Compound: Tris(chloropropyl) phosphate  
 CAS Number: 13674-84-5  
 DTXSID: DTXSID201016652

Date: 20 Aug 2024  
 Time: 9:23:48 AM

F1 Males: KLH

	Treatment Groups (ppm)				
	0	2500	5000	10000	15 (mg/kg CPS)
Terminal Body Weight (g)	442.1 ± 8.6[12]**	426.3 ± 7.3[12]	404.1 ± 6.0[12]**	401.3 ± 4.7[10]**	395.3 ± 7.0[7]**
<b>Spleen</b>					
Absolute (g)	0.702 ± 0.026[12]	0.696 ± 0.017[12]	0.656 ± 0.024[12]	0.688 ± 0.024[10]	0.392 ± 0.016[7]**
Relative (mg/g)	1.59 ± 0.06[12]	1.63 ± 0.03[12]	1.63 ± 0.06[12]	1.71 ± 0.05[10]	1.00 ± 0.05[7]**
<b>Thymus</b>					
Absolute (g)	0.422 ± 0.024[12]	0.388 ± 0.016[12]	0.381 ± 0.014[12]	0.435 ± 0.022[10]	0.131 ± 0.014[7]**
Relative (mg/g)	0.95 ± 0.04[12]	0.91 ± 0.04[12]	0.95 ± 0.03[12]	1.08 ± 0.05[10]	0.33 ± 0.04[7]**

## PA06: Organ Weights Summary

Study Number: I20263  
 DTTID: 104-016-002-000-4  
 Study Type: Immune screening with perinatal exposure  
 Species/Strain: Rat/Harlan Sprague Dawley

Test Compound: Tris(chloropropyl) phosphate  
 CAS Number: 13674-84-5  
 DTXSID: DTXSID201016652

Date: 20 Aug 2024  
 Time: 9:23:48 AM

F1 Females: KLH

	Treatment Groups (ppm)				
	0	2500	5000	10000	15 (mg/kg CPS)
Terminal Body Weight (g)	260.3 ± 5.5[12]**	258.2 ± 3.2[12]	242.6 ± 5.8[12]**	242.3 ± 3.0[12]**	234.3 ± 2.9[8]**
<b>Spleen</b>					
Absolute (g)	0.556 ± 0.024[12]*	0.555 ± 0.017[12]	0.542 ± 0.021[12]	0.511 ± 0.012[12]	0.343 ± 0.008[8]**
Relative (mg/g)	2.14 ± 0.09[12]	2.15 ± 0.07[12]	2.24 ± 0.09[12]	2.11 ± 0.05[12]	1.46 ± 0.04[8]**
<b>Thymus</b>					
Absolute (g)	0.275 ± 0.020[12]	0.289 ± 0.013[12]	0.258 ± 0.017[12]	0.312 ± 0.012[12]	0.119 ± 0.013[8]**
Relative (mg/g)	1.06 ± 0.07[12]*	1.12 ± 0.04[12]	1.06 ± 0.06[12]	1.29 ± 0.05[12]*	0.50 ± 0.05[8]**

## PA06: Organ Weights Summary

Study Number: I20263  
 DTTID: 104-016-002-000-4  
 Study Type: Immune screening with perinatal exposure  
 Species/Strain: Rat/Harlan Sprague Dawley

Test Compound: Tris(chloropropyl) phosphate  
 CAS Number: 13674-84-5  
 DTXSID: DTXSID201016652

Date: 20 Aug 2024  
 Time: 9:23:48 AM

F1 Males: Immunophenotyping

	Treatment Groups (ppm)				
	0	2500	5000	10000	15 (mg/kg CPS)
Terminal Body Weight (g)	433.3 ± 8.0[12]**	425.4 ± 7.3[12]	414.2 ± 7.8[12]	404.1 ± 7.5[11]*	421.0 ± 3.1[8]
<b>Spleen</b>					
Absolute (g)	0.694 ± 0.025[12]	0.667 ± 0.029[12]	0.677 ± 0.023[11]	0.707 ± 0.025[11]	0.505 ± 0.023[8]**
Relative (mg/g)	1.60 ± 0.05[12]*	1.57 ± 0.06[12]	1.65 ± 0.06[11]	1.76 ± 0.07[11]	1.20 ± 0.06[8]**
<b>Thymus</b>					
Absolute (g)	0.383 ± 0.015[12]	0.357 ± 0.016[12]	0.354 ± 0.016[12]	0.378 ± 0.024[11]	0.132 ± 0.007[8]**
Relative (mg/g)	0.89 ± 0.03[12]	0.84 ± 0.03[12]	0.85 ± 0.03[12]	0.94 ± 0.07[11]	0.31 ± 0.02[8]**

## PA06: Organ Weights Summary

Study Number: I20263  
 DTTID: 104-016-002-000-4  
 Study Type: Immune screening with perinatal exposure  
 Species/Strain: Rat/Harlan Sprague Dawley

Test Compound: Tris(chloropropyl) phosphate  
 CAS Number: 13674-84-5  
 DTXSID: DTXSID201016652

Date: 20 Aug 2024  
 Time: 9:23:48 AM

### F1 Females: Immunophenotyping

	<b>Treatment Groups (ppm)</b>				
	0	2500	5000	10000	15 (mg/kg CPS)
<b>Terminal Body Weight (g)</b>	252.5 ± 4.2[12]**	247.8 ± 3.2[12]	242.8 ± 3.5[12]	230.7 ± 2.2[12]**	235.9 ± 2.7[8]**
<b>Spleen</b>					
Absolute (g)	0.537 ± 0.016[12]**	0.515 ± 0.015[12]	0.498 ± 0.017[12]	0.468 ± 0.020[12]**	0.405 ± 0.009[8]**
Relative (mg/g)	2.13 ± 0.06[12]	2.08 ± 0.05[12]	2.05 ± 0.06[12]	2.03 ± 0.09[12]	1.72 ± 0.05[8]**
<b>Thymus</b>					
Absolute (g)	0.282 ± 0.018[12]	0.265 ± 0.016[12]	0.232 ± 0.009[12]	0.282 ± 0.016[12]	0.093 ± 0.006[8]**
Relative (mg/g)	1.11 ± 0.06[12]	1.07 ± 0.06[12]	0.96 ± 0.04[12]	1.22 ± 0.07[12]	0.39 ± 0.02[8]**



## PA06: Organ Weights Summary

Study Number: I20263  
 DTTID: 104-016-002-000-4  
 Study Type: Immune screening with perinatal exposure  
 Species/Strain: Rat/Harlan Sprague Dawley

Test Compound: Tris(chloropropyl) phosphate  
 CAS Number: 13674-84-5  
 DTXSID: DTXSID201016652

Date: 20 Aug 2024  
 Time: 9:23:48 AM

F1 Males: CTL

	Treatment Groups (ppm)				
	0	2500	5000	10000	15 (mg/kg CPS)
Terminal Body Weight (g)	432.3 ± 6.8[12]**	421.5 ± 10.8[11]	393.8 ± 4.9[12]**	393.1 ± 8.1[12]**	400.5 ± 4.4[8]**
<b>Lung</b>					
Absolute (g)	2.07 ± 0.04[12]	2.08 ± 0.06[11]	2.10 ± 0.06[12]	2.04 ± 0.05[12]	2.72 ± 0.10[8]**
Relative (mg/g)	4.79 ± 0.13[12]*	4.96 ± 0.14[11]	5.33 ± 0.14[12]*	5.21 ± 0.15[12]	6.78 ± 0.21[8]**
<b>Spleen</b>					
Absolute (g)	0.740 ± 0.041[12]	0.708 ± 0.020[11]	0.676 ± 0.020[12]	0.699 ± 0.022[12]	0.414 ± 0.013[8]**
Relative (mg/g)	1.71 ± 0.09[12]	1.69 ± 0.05[11]	1.72 ± 0.05[12]	1.78 ± 0.05[12]	1.04 ± 0.04[8]**
<b>Thymus</b>					
Absolute (g)	0.412 ± 0.023[12]	0.433 ± 0.025[11]	0.369 ± 0.012[12]	0.388 ± 0.016[12]	0.128 ± 0.010[8]**
Relative (mg/g)	0.96 ± 0.06[12]	1.03 ± 0.06[11]	0.94 ± 0.03[12]	0.99 ± 0.05[12]	0.32 ± 0.02[8]**

## PA06: Organ Weights Summary

Study Number: I20263  
 DTTID: 104-016-002-000-4  
 Study Type: Immune screening with perinatal exposure  
 Species/Strain: Rat/Harlan Sprague Dawley

Test Compound: Tris(chloropropyl) phosphate  
 CAS Number: 13674-84-5  
 DTXSID: DTXSID201016652

Date: 20 Aug 2024  
 Time: 9:23:48 AM

F1 Females: CTL

	Treatment Groups (ppm)				
	0	2500	5000	10000	15 (mg/kg CPS)
Terminal Body Weight (g)	246.7 ± 5.0[12]	239.9 ± 5.0[12]	239.3 ± 4.5[11]	232.4 ± 6.2[12]	233.5 ± 3.8[8]
<b>Lung</b>					
Absolute (g)	1.60 ± 0.06[12]*	1.58 ± 0.04[12]	1.56 ± 0.03[11]	1.41 ± 0.06[12]*	1.87 ± 0.05[8]**
Relative (mg/g)	6.48 ± 0.19[12]	6.61 ± 0.19[12]	6.55 ± 0.17[11]	6.07 ± 0.19[12]	8.02 ± 0.26[8]**
<b>Spleen</b>					
Absolute (g)	0.517 ± 0.015[12]	0.537 ± 0.019[12]	0.506 ± 0.016[11]	0.500 ± 0.016[12]	0.338 ± 0.013[8]**
Relative (mg/g)	2.10 ± 0.06[12]	2.24 ± 0.07[12]	2.12 ± 0.06[11]	2.15 ± 0.05[12]	1.45 ± 0.07[8]**
<b>Thymus</b>					
Absolute (g)	0.270 ± 0.013[12]	0.311 ± 0.010[12]	0.262 ± 0.017[11]	0.267 ± 0.013[12]	0.112 ± 0.038[8]**
Relative (mg/g)	1.09 ± 0.05[12]	1.30 ± 0.04[12]*	1.10 ± 0.08[11]	1.15 ± 0.05[12]	0.48 ± 0.16[8]**

## PA06: Organ Weights Summary

Study Number: I20263  
 DTTID: 104-016-002-000-4  
 Study Type: Immune screening with perinatal exposure  
 Species/Strain: Rat/Harlan Sprague Dawley

Test Compound: Tris(chloropropyl) phosphate  
 CAS Number: 13674-84-5  
 DTXSID: DTXSID201016652

Date: 20 Aug 2024  
 Time: 9:23:48 AM

### F1 Males: Immunopath

	Treatment Groups (ppm)				
	0	2500	5000	10000	15 (mg/kg CPS)
Terminal Body Weight (g)	418.0 ± 7.5[12]**	392.4 ± 8.8[12]	393.1 ± 10.0[12]	365.6 ± 10.6[11]**	411.4 ± 7.5[8]
<b>Adrenal Gland, Right</b>					
Absolute (g)	0.0289 ± 0.0011[12]*	0.0286 ± 0.0016[12]	0.0251 ± 0.0013[12]	0.0268 ± 0.0017[11]	0.0335 ± 0.0023[8]
Relative (mg/g)	0.07 ± 0.00[12]	0.07 ± 0.00[12]	0.06 ± 0.00[12]	0.07 ± 0.01[11]	0.08 ± 0.01[8]
<b>Kidney, Right</b>					
Absolute (g)	1.47 ± 0.04[12]	1.34 ± 0.03[12]*	1.36 ± 0.03[12]	1.36 ± 0.04[11]	1.55 ± 0.04[8]
Relative (mg/g)	3.52 ± 0.07[12]	3.41 ± 0.07[12]	3.48 ± 0.07[12]	3.73 ± 0.10[11]	3.77 ± 0.08[8]*
<b>Liver</b>					
Absolute (g)	15.18 ± 0.37[12]	14.35 ± 0.41[12]	15.33 ± 0.47[12]	15.42 ± 0.58[11]	14.39 ± 0.44[8]
Relative (mg/g)	36.29 ± 0.42[12]**	36.53 ± 0.32[12]	38.96 ± 0.31[12]**	42.13 ± 0.72[11]**	34.95 ± 0.61[8]
<b>Lung</b>					
Absolute (g)	2.83 ± 0.04[12]**	2.67 ± 0.08[12]	2.77 ± 0.06[12]	2.48 ± 0.08[11]**	2.82 ± 0.11[8]
Relative (mg/g)	6.80 ± 0.17[12]	6.80 ± 0.12[12]	7.08 ± 0.18[12]	6.79 ± 0.14[11]	6.85 ± 0.20[8]
<b>Spleen</b>					
Absolute (g)	0.726 ± 0.025[11]**	0.684 ± 0.017[12]	0.680 ± 0.025[12]	0.618 ± 0.027[11]**	0.529 ± 0.024[8]**
Relative (mg/g)	1.76 ± 0.07[11]	1.75 ± 0.04[12]	1.74 ± 0.06[12]	1.70 ± 0.08[11]	1.29 ± 0.06[8]**
<b>Thymus</b>					
Absolute (g)	0.432 ± 0.022[12]	0.422 ± 0.018[12]	0.436 ± 0.024[12]	0.460 ± 0.024[11]	0.151 ± 0.009[8]**
Relative (mg/g)	1.04 ± 0.05[12]*	1.08 ± 0.05[12]	1.11 ± 0.05[12]	1.26 ± 0.06[11]*	0.37 ± 0.02[8]**

## PA06: Organ Weights Summary

Study Number: I20263  
 DTTID: 104-016-002-000-4  
 Study Type: Immune screening with perinatal exposure  
 Species/Strain: Rat/Harlan Sprague Dawley

Test Compound: Tris(chloropropyl) phosphate  
 CAS Number: 13674-84-5  
 DTXSID: DTXSID201016652

Date: 20 Aug 2024  
 Time: 9:23:48 AM

### F1 Females: Immunopath

	Treatment Groups (ppm)				
	0	2500	5000	10000	15 (mg/kg CPS)
Terminal Body Weight (g)	254.1 ± 5.8[12]**	246.7 ± 4.1[11]	243.1 ± 3.2[12]	219.5 ± 3.9[11]**	235.7 ± 3.2[7]*
<b>Adrenal Gland, Right</b>					
Absolute (g)	0.0302 ± 0.0021[12]	0.0311 ± 0.0012[11]	0.0289 ± 0.0012[12]	0.0300 ± 0.0014[11]	0.0365 ± 0.0011[8]*
Relative (mg/g)	0.12 ± 0.01[12]	0.13 ± 0.00[11]	0.12 ± 0.00[12]	0.14 ± 0.01[11]	0.15 ± 0.01[7]**
<b>Kidney, Right</b>					
Absolute (g)	0.84 ± 0.02[12]*	0.84 ± 0.01[11]	0.83 ± 0.01[12]	0.78 ± 0.01[11]*	0.80 ± 0.01[8]
Relative (mg/g)	3.30 ± 0.07[12]*	3.41 ± 0.07[11]	3.40 ± 0.06[12]	3.55 ± 0.05[11]*	3.43 ± 0.07[7]
<b>Liver</b>					
Absolute (g)	8.63 ± 0.25[12]	9.12 ± 0.18[11]	9.08 ± 0.17[12]	8.78 ± 0.18[11]	7.49 ± 0.09[8]**
Relative (mg/g)	33.92 ± 0.36[12]**	36.96 ± 0.37[11]**	37.35 ± 0.48[12]**	40.01 ± 0.49[11]**	31.63 ± 0.47[7]**
<b>Lung</b>					
Absolute (g)	2.16 ± 0.05[12]**	2.09 ± 0.05[11]	2.11 ± 0.04[12]	1.86 ± 0.07[11]**	2.10 ± 0.04[8]
Relative (mg/g)	8.52 ± 0.23[12]	8.47 ± 0.22[11]	8.69 ± 0.11[12]	8.47 ± 0.26[11]	9.06 ± 0.17[7]
<b>Spleen</b>					
Absolute (g)	0.571 ± 0.016[12]**	0.545 ± 0.020[11]	0.507 ± 0.013[12]*	0.485 ± 0.021[11]**	0.395 ± 0.020[8]**
Relative (mg/g)	2.26 ± 0.07[12]	2.21 ± 0.07[11]	2.09 ± 0.06[12]	2.21 ± 0.09[11]	1.74 ± 0.08[7]**
<b>Thymus</b>					
Absolute (g)	0.314 ± 0.011[12]	0.293 ± 0.011[11]	0.295 ± 0.011[12]	0.315 ± 0.012[11]	0.110 ± 0.011[8]**
Relative (mg/g)	1.24 ± 0.05[12]*	1.19 ± 0.04[11]	1.21 ± 0.04[12]	1.44 ± 0.06[11]*	0.46 ± 0.05[7]**

## PA06: Organ Weights Summary

Study Number: I20263

Test Compound: Tris(chloropropyl) phosphate

Date: 20 Aug 2024

DTTID: 104-016-002-000-4

CAS Number: 13674-84-5

Time: 9:23:48 AM

Study Type: Immune screening with perinatal exposure

DTXSID: DTXSID201016652

Species/Strain: Rat/Harlan Sprague Dawley

### LEGEND

Data are displayed as mean  $\pm$  SEM (N) unless otherwise noted.

Relative organ weights (organ-weight-to-body-weight ratios) are given as mg organ weight/g body weight.

Statistical analysis performed by Jonckheere (trend) and Williams or Dunnett (pairwise) tests. The positive control group (15 mg/kg CPS) was excluded from trend test.

Statistical analysis for the positive control group (15 mg/kg CPS) compared to the vehicle control group was performed using the t-test.

Statistical significance for the control group indicates a significant trend test.

Statistical significance for a treatment group indicates a significant pairwise test compared to the vehicle control group.

\* Statistically significant at  $P \leq 0.05$

\*\* Statistically significant at  $P \leq 0.01$

SRBC SD94/95 - General toxicity endpoints only are reported for this cohort. No immune function data reported due to study quality.

SEM = Standard Error of the Mean

SD = Study Day

CTL = Cytotoxic T Lymphocytes; KLH = Keyhole Limpet Hemocyanin; SRBC = Sheep Red Blood Cells

CPS = Cyclophosphamide

Animals from the two SRBC cohorts were removed on the day indicated in the table headers.

Males from the KLH cohort were removed on SD 105; females were removed on SD 104.

Males from the Immunophenotyping cohort were removed on SD 97; females were removed on SD 89.

Males from the CTL cohort were removed on SD 101-102; females were removed on SD 96-97.

Males from the Immunopath cohort were removed on SD 91-92; females were removed on SD 84-85.

Animals from the positive control group (15 mg/kg CPS) were purchased from a commercial source, age matched to the F1 animals, and removed on the same day as the F1 animals.

Terminal body weight for one Immunopath female in the positive control group (15 mg/kg CPS) was not collected. As a result, no relative organs weights were calculated for this animal.

**\*\* END OF REPORT \*\***