

TDMS No. 99002 - 04
Test Type: 90-DAY
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

E08: WATER AND COMPOUND CONSUMPTION TABLE

O-CHLOROPYRIDINE
CAS Number: 109-09-1

Date Report Reqsted: 05/11/2006
Time Report Reqsted: 08:59:16
First Dose M/F: 07/31/03 / 08/01/03
Lab: MBA

C Number: C99002B
Lock Date: 12/16/2004
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
Control List: Male: 001 Female: 007

TDMS No. 99002 - 04

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

E08: WATER AND COMPOUND CONSUMPTION TABLE

O-CHLOROPYRIDINE

CAS Number: 109-09-1

Date Report Requested: 05/11/2006

Time Report Requested: 08:59:16

First Dose M/F: 07/31/03 / 08/01/03

Lab: MBA

MALE

WEEK	VEHICLE CONTROL				10 PPM						30 PPM					
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	4.8	919	23.2	10	5.1	918	23.2	10	1.06	2.2	5.4	918	23.3	10	1.13	7.0
2	4.9	1150	25.9	10	5.2	1441	26.2	10	1.06	2.0	5.4	1344	26.2	10	1.10	6.2
3	4.6	1547	27.5	10	4.8	1335	27.6	10	1.04	1.7	5.0	1084	28.1	10	1.09	5.3
4	4.5	1241	29.0	10	4.8	1282	29.4	10	1.07	1.6	4.5	1001	29.9	10	1.00	4.5
5	4.9	1297	30.5	10	5.1	1400	31.1	10	1.04	1.6	5.0	1230	31.6	10	1.02	4.7
6	4.3	1462	31.9	10	4.6	1326	32.9	10	1.07	1.4	4.7	1391	33.3	10	1.09	4.2
7	4.8	1172	33.9	10	4.8	1207	34.4	10	1.00	1.4	4.9	970	34.8	10	1.02	4.2
8	5.1	1220	35.4	10	5.1	1021	36.2	10	1.00	1.4	4.9	1088	36.4	10	0.96	4.0
9	4.1	1430	36.5	10	4.8	1332	37.4	10	1.17	1.3	4.8	1166	37.6	10	1.17	3.8
10	4.6	1715	37.5	10	4.5	1472	38.4	10	0.98	1.2	4.6	1571	38.6	10	1.00	3.6
11	4.7	1571	37.5	10	4.8	1406	38.9	10	1.02	1.2	4.4	1318	38.7	10	0.94	3.4
12	5.0	1281	38.8	10	5.1	1352	40.3	10	1.02	1.3	4.9	1275	40.1	10	0.98	3.7
13	5.1	1247	40.1	10	5.2	1212	41.7	10	1.02	1.2	5.2	1183	41.2	10	1.02	3.8
14	4.5	491	40.8	10	4.6	422	42.4	10	1.02	1.1	4.9	422	42.4	10	1.09	3.5

TDMS No. 99002 - 04
 Test Type: 90-DAY
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

E08: WATER AND COMPOUND CONSUMPTION TABLE
 O-CHLOROPYRIDINE
 CAS Number: 109-09-1

Date Report Requested: 05/11/2006
 Time Report Requested: 08:59:16
 First Dose M/F: 07/31/03 / 08/01/03
 Lab: MBA

MALE

WEEK	100 PPM						300 PPM						1000 PPM					
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	5.3	826	23.3	10	1.10	22.7	4.4	918	23.1	10	0.92	57.1	3.2	734	23.1	10	0.67	138.3
2	5.1	1344	26.0	10	1.04	19.6	4.5	1465	25.9	10	0.92	52.1	2.8	1246	24.6	10	0.57	113.8
3	4.5	1111	27.7	10	0.98	16.2	4.4	1618	27.8	10	0.96	47.4	3.0	1449	26.0	10	0.65	115.4
4	4.5	1351	29.4	10	1.00	15.3	4.3	1210	29.4	10	0.96	43.9	2.9	1026	26.8	10	0.64	108.4
5	4.7	1195	30.9	10	0.96	15.2	4.4	1468	30.8	10	0.90	42.8	3.2	1501	27.7	10	0.65	115.5
6	4.8	1095	32.1	10	1.12	15.0	4.2	1657	32.5	10	0.98	38.8	3.2	1290	28.8	10	0.74	111.3
7	4.5	975	33.4	10	0.94	13.5	4.2	1444	34.0	10	0.88	37.1	3.3	1410	29.7	10	0.69	111.1
8	5.1	1217	34.8	10	1.00	14.7	4.7	1481	35.6	10	0.92	39.6	3.4	1645	30.5	10	0.67	111.6
9	4.8	1068	36.1	10	1.17	13.3	4.3	1665	36.9	10	1.05	34.9	3.3	1402	31.0	10	0.80	106.6
10	4.5	1471	37.1	10	0.98	12.1	4.2	1714	37.7	10	0.91	33.4	3.2	1643	31.4	10	0.70	101.9
11	4.5	1133	37.5	10	0.96	12.0	4.1	1673	37.8	10	0.87	32.5	3.0	1394	31.5	10	0.64	95.4
12	5.0	1346	38.2	10	1.00	13.1	4.3	1346	38.7	10	0.86	33.3	3.3	1375	32.0	10	0.66	103.0
13	4.8	1242	39.3	10	0.94	12.2	4.9	1532	40.0	10	0.96	36.7	3.4	1053	32.5	10	0.67	104.6
14	5.4	562	40.2	10	1.20	13.4	4.7	632	40.5	10	1.04	34.8	3.3	562	33.0	10	0.73	100.1

*** END OF MALES ***

TDMS No. 99002 - 04

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

E08: WATER AND COMPOUND CONSUMPTION TABLE

O-CHLOROPYRIDINE

CAS Number: 109-09-1

Date Report Reqsted: 05/11/2006

Time Report Reqsted: 08:59:16

First Dose M/F: 07/31/03 / 08/01/03

Lab: MBA

FEMALE

WEEK	VEHICLE CONTROL				10 PPM						30 PPM					
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	2.8	963	18.6	10	3.0	962	19.1	10	1.07	1.6	2.7	962	18.8	10	0.96	4.3
2	3.1	1691	19.9	10	2.9	1691	20.6	10	0.94	1.4	2.9	1690	20.0	10	0.94	4.3
3	2.9	1681	19.7	10	2.5	1681	20.6	10	0.86	1.2	3.0	1191	20.6	10	1.03	4.4
4	3.3	843	21.4	10	2.6	1338	19.5	10	0.79	1.3	2.5	1192	21.4	10	0.76	3.5
5	3.7	1656	23.3	10	3.7	1656	23.1	10	1.00	1.6	3.4	1316	22.6	10	0.92	4.5
6	3.0	1675	23.2	10	3.1	976	23.3	10	1.03	1.3	3.0	1325	23.8	10	1.00	3.8
7	3.1	1666	25.2	10	3.5	1666	25.4	10	1.13	1.4	3.1	1666	25.5	10	1.00	3.7
8	2.8	1699	25.6	10	3.1	1698	26.5	10	1.11	1.2	2.8	1698	26.1	10	1.00	3.2
9	3.3	1664	27.4	10	3.4	1664	27.0	10	1.03	1.3	3.4	1664	26.3	10	1.03	3.9
10	3.1	1674	27.0	10	3.2	1674	27.7	10	1.03	1.2	3.3	1674	27.7	10	1.06	3.6
11	3.0	1194	28.3	10	3.3	1218	28.6	10	1.10	1.2	3.1	1696	28.5	10	1.03	3.3
12	3.7	1520	29.3	9	3.7	1689	29.2	10	1.00	1.3	3.2	1689	29.5	10	0.86	3.3
13	3.0	1491	29.2	9	4.3	1656	30.1	10	1.43	1.4	2.4	1656	30.6	10	0.80	2.4
14	3.5	625	28.5	9	3.3	695	31.8	10	0.94	1.0	3.4	696	31.2	10	0.97	3.3

TDMS No. 99002 - 04
 Test Type: 90-DAY
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

E08: WATER AND COMPOUND CONSUMPTION TABLE
 O-CHLOROPYRIDINE
 CAS Number: 109-09-1

Date Report Reqsted: 05/11/2006
 Time Report Reqsted: 08:59:16
 First Dose M/F: 07/31/03 / 08/01/03
 Lab: MBA

FEMALE

WEEK	100 PPM						300 PPM						1000 PPM					
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	2.3	961	19.0	10	0.82	12.1	3.3	960	18.1	10	1.18	54.7	1.6	956	18.5	10	0.57	86.3
2	2.7	1690	19.7	10	0.87	13.7	2.7	1690	20.3	10	0.87	40.0	3.8	1690	18.9	10	1.23	200.8
3	2.9	1330	20.3	10	1.00	14.3	3.3	1192	22.1	10	1.14	44.7	1.4	977	18.9	10	0.48	74.0
4	2.8	1686	21.5	10	0.85	13.0	2.6	1686	22.3	10	0.79	34.9	1.1	1686	21.0	10	0.33	52.4
5	3.0	1656	22.8	10	0.81	13.1	3.7	682	23.9	10	1.00	46.4	1.3	487	23.0	10	0.35	56.5
6	2.5	1675	23.0	10	0.83	10.9	2.9	837	25.0	10	0.97	34.8	2.4	350	22.9	10	0.80	104.7
7	3.1	1666	25.4	10	1.00	12.2	2.9	1666	26.4	10	0.94	33.0	2.1	1666	24.7	10	0.68	85.1
8	2.5	1698	26.3	10	0.89	9.5	2.7	1699	26.6	10	0.96	30.5	2.2	1338	25.2	10	0.79	87.3
9	3.0	1663	27.3	10	0.91	11.0	3.2	1664	28.4	10	0.97	33.8	2.3	832	25.8	10	0.70	89.3
10	3.1	1674	27.8	10	1.00	11.1	3.3	1674	29.3	10	1.06	33.8	2.6	1674	26.8	10	0.84	96.9
11	3.1	1696	28.6	10	1.03	10.9	4.3	740	30.0	10	1.43	43.0	2.5	848	27.5	10	0.83	91.0
12	3.1	1335	29.7	10	0.84	10.4	3.4	1199	31.3	10	0.92	32.6	2.9	844	28.3	10	0.78	102.6
13	2.6	1656	29.6	10	0.87	8.8	3.2	1656	31.2	10	1.07	30.8	1.8	1301	27.6	10	0.60	65.2
14	3.4	696	30.3	10	0.97	11.2	3.4	697	31.9	10	0.97	32.0	2.8	697	28.4	10	0.80	98.6

*** END OF REPORT ***