

**Study Number:** C04052

**Test Type:** TOX

**Route:** Nose-Only Inhalation

**Species/Strain:** Mouse/B6C3F1/N

**I04G: Mean Body Weight Gain**

**Test Compound:** Stachybotrys chartarum

**CAS Number:** 67892-26-6

**Date Report Requested:** 11/15/2021

**Time Report Requested:** 14:28:58

**Lab:** Battelle

**Study Number:**

C04052

**Study Gender:**

Both

**PWG Approval Date:**

See web page for date of PWG Approval

**Version:**

v1.3.3-2-g40295ca

**Stat Version:**

S

**Study Number:** C04052

**Test Type:** TOX

**Route:** Nose-Only Inhalation

**Species/Strain:** Mouse/B6C3F1/N

**I04G: Mean Body Weight Gain**  
**Test Compound:** Stachybotrys chartarum  
**CAS Number:** 67892-26-6

**Date Report Requested:** 11/15/2021

**Time Report Requested:** 14:28:58

**Lab:** Battelle

**Males**

**Treatment Groups (Air)**

Phase	Days	Air Control		Heat Inactivated Particle Control		Viable Stachybotrys chartarum	
		Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N
SD	1 - 8	0.4 ± 0.1	9	0.1 ± 0.1	10	-0.0 ± 0.1	10
	8 - 15	0.9 ± 0.1	9	1.0 ± 0.1	10	0.9 ± 0.1	10
	15 - 22	0.6 ± 0.1	9	0.5 ± 0.1	10	0.8 ± 0.2	10
	22 - 29	0.5 ± 0.1	9	0.7 ± 0.2	10	0.8 ± 0.1	10
	29 - 36	2.4 ± 0.2	9	2.2 ± 0.2	10	1.9 ± 0.2	10
	36 - 43	-0.6 ± 0.1	9	-0.4 ± 0.1	10	-0.2 ± 0.1	10
	43 - 50	0.7 ± 0.1	9	0.9 ± 0.1	10	0.8 ± 0.1	10
	50 - 58	1.0 ± 0.2	9	1.1 ± 0.1	10	1.1 ± 0.1	10
	58 - 64	1.3 ± 0.1	9	0.8 ± 0.2	10	1.3 ± 0.2	10
	64 - 71	0.5 ± 0.2	9	0.8 ± 0.2	10	0.6 ± 0.1	10
	71 - 78	0.7 ± 0.1	9	0.8 ± 0.2	10	0.9 ± 0.1	10
	78 - 85	0.3 ± 0.2	9	0.2 ± 0.1	10	0.7 ± 0.1	10
	85 - 88	0.1 ± 0.2	9	-0.2 ± 0.1	10	-0.3 ± 0.1	10
	1 - 88	8.8 ± 0.4	9	8.4 ± 0.5	10	9.3 ± 0.6	10

**Study Number:** C04052

**Test Type:** TOX

**Route:** Nose-Only Inhalation

**Species/Strain:** Mouse/B6C3F1/N

**I04G: Mean Body Weight Gain**  
**Test Compound:** Stachybotrys chartarum  
**CAS Number:** 67892-26-6

**Date Report Requested:** 11/15/2021

**Time Report Requested:** 14:28:58

**Lab:** Battelle

**Females**

**Treatment Groups (Air)**

Phase	Days	Air Control		Heat Inactivated Particle Control		Viable Stachybotrys chartarum	
		Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N
SD	1 - 8	0.3 ± 0.1	10	0.5 ± 0.3	10	0.3 ± 0.1	10
	8 - 15	0.9 ± 0.2	10	0.9 ± 0.2	10	0.7 ± 0.2	10
	15 - 22	0.7 ± 0.2	10	0.9 ± 0.2	10	0.9 ± 0.2	10
	22 - 29	0.6 ± 0.2	10	1.0 ± 0.3	10	0.5 ± 0.3	10
	29 - 36	1.7 ± 0.3	10	2.6 ± 0.3	10	0.9 ± 0.4 ##	10
	36 - 43	-0.1 ± 0.2	10	0.3 ± 0.2	10	0.1 ± 0.2	10
	43 - 50	0.8 ± 0.2	10	0.7 ± 0.3	10	0.4 ± 0.3	10
	50 - 58	0.9 ± 0.2	10	0.9 ± 0.3	10	0.9 ± 0.2	10
	58 - 64	0.9 ± 0.4	10	0.9 ± 0.3	10	0.8 ± 0.2	10
	64 - 71	0.9 ± 0.3	10	0.7 ± 0.3	10	0.7 ± 0.3	10
	71 - 78	0.9 ± 0.2	10	1.2 ± 0.2	10	1.5 ± 0.3	10
	78 - 85	0.6 ± 0.2	10	0.6 ± 0.2	10	0.6 ± 0.2	10
	85 - 88	-0.1 ± 0.1	10	-0.5 ± 0.3	10	-0.2 ± 0.3	10
	1 - 88	9.0 ± 1.0	10	10.8 ± 0.8	10	8.2 ± 0.9	10

**Study Number:** C04052

**Test Type:** TOX

**Route:** Nose-Only Inhalation

**Species/Strain:** Mouse/B6C3F1/N

**I04G: Mean Body Weight Gain**  
**Test Compound:** Stachybotrys chartarum  
**CAS Number:** 67892-26-6

**Date Report Requested:** 11/15/2021

**Time Report Requested:** 14:28:58

**Lab:** Battelle

**LEGEND**

---

Data are displayed as mean  $\pm$  SEM

SD – Study Day

Pairwise comparisons of Heat Inactivated Particle Control vs. Air Control, Viable Stachybotrys Chartarum vs. Air Control, and Heat Inactivated Particle Control vs. Viable Stachybotrys Chartarum were performed using one-way ANOVA with post-hoc Tukey HSD test. No trend test was performed.

\* Statistically significant pairwise difference from Air Control at  $P \leq 0.05$

\*\* Statistically significant pairwise difference from Air Control at  $P \leq 0.01$

# Statistically significant pairwise difference from Heat Inactivated Particle Control at  $P \leq 0.05$

## Statistically significant pairwise difference from Heat Inactivated Particle Control at  $P \leq 0.01$

Air Control = air vehicle control

Heat Inactivated Particle Control = non-viable biological particle

Viable Stachybotrys chartarum = test article of Stachybotrys chartarum

\*\* END OF REPORT \*\*