## M17: Bone Marrow Cellularity

Study Number: I10577

DTTID: 103-005-013-000-3

Study Type: Immune screening

Species/Strain: Mouse/B6C3F1/N

Test Compound: Pyrene

CAS Number: 129-00-0

DTXSID: DTXSID3024289

Date: 10 Oct 2024

Time: 9:41:25 AM

Females: Immunopath

	Treatment Groups								
	0 mg/kg	3.1 mg/kg	$6.3~\mathrm{mg/kg}$	12.5  mg/kg	25 mg/kg	50  mg/kg	100 mg/kg	200  mg/kg	10 mg/kg B(a)P
Bone Marrow Cells (x10 <sup>6</sup> )	$7.188 \pm 0.324[8]$	$6.697 \pm 0.770[8]$	$7.418 \pm 0.666[8]$	$7.050 \pm 0.388[8]$	$7.769 \pm 0.757[8]$	$8.017 \pm 0.864[6]$	$8.439 \pm 0.860[8]$	$7.519 \pm 0.554[8]$	$7.519 \pm 0.357[8]$

## M17: Bone Marrow Cellularity

Study Number: I10577

DTTID: 103-005-013-000-3

Study Type: Immune screening

Species/Strain: Mouse/B6C3F1/N

Test Compound: Pyrene CAS Number: 129-00-0

Date: 10 Oct 2024

Time: 9:41:25 AM

DTXSID: DTXSID3024289

## **LEGEND**

Data are displayed as mean  $\pm$  SEM (N) unless otherwise noted.

Statistical analysis performed by Jonckheere (trend) and Shirley or Dunn (pairwise) tests. The positive control group (10 mg/kg B(a)P) was excluded from trend test.

Statistical analysis for the positive control group (10 mg/kg B(a)P) compared to the vehicle control group was performed using the Wilcoxon rank sum test.

Statistical significance for the control group indicates a significant trend test.

Statistical significance for a treatment group indicates a significant pairwise test compared to the vehicle control group.

- \* Statistically significant at  $P \le 0.05$
- \*\* Statistically significant at  $P \le 0.01$

SD = Study Day

SEM = Standard Error of the Mean

B(a)P = Benzo(a)pyrene

Females from the vehicle control and treatment groups were removed on SD 28.

\*\* END OF REPORT \*\*