

**Study Number:** C11042B-01  
**Test Type:** TOX with Perinatal Exposure  
**Route:** Dosing in Feed  
**Species/Strain:** Rat/Harlan Sprague Dawley

**I04G: Mean Body Weight Gain**  
**Test Compound:** Triphenyl Phosphate (TPHP)  
**CAS Number:** 115-86-6

**Date Report Requested:** 05/28/2026  
**Time Report Requested:** 13:53:33  
**Lab:** Battelle

**Study Number:** C11042B-01  
**Study Sex:** Both  
**PWG Approval Date:** See web page for date of PWG Approval  
**Version:** v1.7.8  
**Stat Version:** 2022.10.13S

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I04G: Mean Body Weight Gain

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 13:53:33

Lab: Battelle

F0 Females

Treatment Groups (ppm)

Phase	Days	0		30		100		300		1000		3000	
		Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N
Gestation	6 - 9	13.2 ± 0.8 **	23	13.0 ± 0.7	31	12.6 ± 0.5	30	13.6 ± 0.7	26	11.8 ± 0.6	29	8.4 ± 0.9 **	31
	9 - 12	15.3 ± 0.8	23	14.9 ± 0.7	31	15.3 ± 0.8	30	15.0 ± 0.9	26	14.9 ± 0.9	29	13.9 ± 0.8	31
	12 - 15	18.4 ± 1.3	23	17.4 ± 0.8	31	16.7 ± 1.1	30	17.0 ± 1.0	26	16.3 ± 1.1	29	16.0 ± 1.0	31
	15 - 18	36.9 ± 1.9	23	39.0 ± 1.2	31	38.2 ± 1.2	30	40.1 ± 1.7	26	36.4 ± 2.0	29	33.8 ± 1.8	31
	18 - 21	42.8 ± 2.4	20	43.3 ± 1.2	28	42.7 ± 1.3	27	43.4 ± 2.1	23	37.7 ± 2.0	26	40.1 ± 2.1	28
	6 - 21	127.1 ± 4.7 **	20	127.7 ± 3.1	28	124.1 ± 3.2	27	127.1 ± 4.7	23	116.2 ± 5.1	26	110.3 ± 4.5 **	28
Lactation	1 - 4	11.8 ± 1.4	19	9.7 ± 1.5	28	9.1 ± 1.4	26	10.9 ± 2.0	22	8.7 ± 1.2	25	8.7 ± 1.5	27
	4 - 7	1.7 ± 2.7	19	8.4 ± 1.6	24	6.9 ± 2.3	23	2.9 ± 2.0	21	4.6 ± 1.3	25	6.7 ± 1.3	27
	7 - 10	13.3 ± 2.2	19	4.6 ± 2.0 **	24	7.5 ± 1.6	23	7.4 ± 1.7	21	7.9 ± 1.4	25	9.3 ± 2.0	27
	10 - 13	3.8 ± 2.2	19	11.8 ± 2.1 *	24	9.8 ± 1.7	23	13.9 ± 1.8 **	21	7.5 ± 2.1	25	2.4 ± 1.9	27
	13 - 16	1.8 ± 1.9	19	3.9 ± 1.6	24	1.9 ± 1.5	23	1.8 ± 1.8	21	0.6 ± 1.5	25	5.7 ± 1.3	27
	16 - 19	-3.8 ± 1.8 **	19	-10.3 ± 1.8	24	-6.4 ± 1.8	23	-6.6 ± 2.0	21	-2.6 ± 1.9	25	1.1 ± 1.3	27
	19 - 21	-5.7 ± 1.8	19	-5.7 ± 1.8	24	-5.6 ± 1.5	23	-7.0 ± 1.9	21	-4.2 ± 1.2	25	-6.6 ± 1.3	27
	21 - 25	-10.8 ± 1.8 *	19	-12.6 ± 2.3	24	-12.8 ± 1.5	23	-10.0 ± 1.9	21	-7.2 ± 1.2	25	-8.2 ± 1.2	27
	25 - 28	1.2 ± 1.3	19	-0.4 ± 1.6	24	-3.1 ± 1.3	23	-0.5 ± 1.4	21	-3.2 ± 1.3	25	-1.3 ± 1.2	27
1 - 28	13.2 ± 1.7 *	19	9.3 ± 1.7	24	6.3 ± 2.5	23	13.5 ± 2.1	21	11.9 ± 1.9	25	17.9 ± 2.4	27	

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I04G: Mean Body Weight Gain

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 13:53:33

Lab: Battelle

F1 Males: Biosample Cohort

Treatment Groups (ppm)

Phase	Days	0		30		100		300		1000		3000	
		Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N
PND	28 - 35	44.5 ± 1.5 **	5	39.6 ± 2.4	5	40.6 ± 0.4	5	40.7 ± 1.0	5	36.1 ± 2.2 **	5	34.4 ± 3.2 **	5
	35 - 42	45.5 ± 2.3 **	5	43.8 ± 2.5	5	42.7 ± 0.9	5	43.1 ± 1.3	5	40.6 ± 1.8	5	37.3 ± 1.2 **	5
	42 - 49	47.2 ± 1.4 **	5	48.2 ± 2.3	5	46.9 ± 1.0	5	45.5 ± 0.9	5	46.3 ± 1.5	5	43.1 ± 0.7	5
	49 - 56	43.9 ± 0.8 **	5	43.1 ± 1.8	5	40.7 ± 1.0	5	39.5 ± 1.9	5	40.5 ± 2.5	5	38.6 ± 0.5 *	5
	56 - 63	33.5 ± 1.2	5	31.2 ± 2.1	5	32.8 ± 1.6	5	33.9 ± 3.7	5	30.1 ± 2.0	5	29.4 ± 1.9	5
	63 - 70	26.8 ± 1.1	5	23.0 ± 2.4	5	22.2 ± 1.7	5	23.9 ± 2.4	5	20.4 ± 1.1	5	23.1 ± 2.4	5
	70 - 77	22.6 ± 2.0	5	21.5 ± 1.6	5	20.5 ± 0.3	5	18.6 ± 1.9	5	24.0 ± 1.4	5	20.1 ± 3.6	5
	77 - 84	15.6 ± 1.1	5	20.5 ± 2.3	5	13.5 ± 2.3	5	17.8 ± 1.0	5	21.8 ± 1.8	5	18.4 ± 2.2	5
	84 - 91	15.3 ± 0.9	5	12.2 ± 1.2	5	13.8 ± 1.2	5	11.9 ± 0.8	5	14.2 ± 1.2	5	13.0 ± 1.1	5
	91 - 98	7.6 ± 1.4	5	7.5 ± 1.2	5	5.7 ± 1.4	5	7.8 ± 1.5	5	9.9 ± 1.7	5	9.7 ± 2.5	5
	98 - 105	9.8 ± 1.8	5	13.6 ± 0.7	5	10.9 ± 1.1	5	13.2 ± 1.2	5	11.4 ± 1.7	5	13.4 ± 0.9	5
	105 - 112	9.9 ± 1.9 *	5	8.5 ± 1.7	5	7.1 ± 1.3	5	5.9 ± 1.2	5	6.8 ± 1.0	5	5.2 ± 0.7	5
	112 - 119	5.8 ± 2.0	5	5.0 ± 1.4	5	4.9 ± 1.2	5	9.4 ± 3.4	5	7.2 ± 1.7	5	10.3 ± 2.2	5
	119 - 126	11.1 ± 1.8	5	9.7 ± 2.0	5	8.9 ± 2.7	4	13.2 ± 3.1	5	7.8 ± 1.0	5	6.3 ± 1.7	5
28 - 126	339.1 ± 5.8 *	5	327.3 ± 14.8	5	307.2 ± 8.8	4	324.3 ± 8.1	5	317.0 ± 4.8	5	302.3 ± 10.8 *	5	

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I04G: Mean Body Weight Gain

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 13:53:33

Lab: Battelle

F1 Females: Biosample Cohort

Treatment Groups (ppm)

Phase	Days	0		30		100		300		1000		3000	
		Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N
PND	28 - 35	32.1 ± 1.4	5	31.2 ± 0.7	5	32.5 ± 1.4	5	27.2 ± 0.9	5	31.1 ± 2.2	5	31.4 ± 2.1	5
	35 - 42	30.8 ± 1.3	5	30.1 ± 0.8	5	30.2 ± 1.3	5	30.1 ± 1.2	5	30.3 ± 1.4	5	26.2 ± 1.7	5
	42 - 49	22.3 ± 3.0	5	21.3 ± 2.5	5	19.4 ± 1.6	5	23.6 ± 1.2	5	20.9 ± 0.9	5	19.5 ± 1.6	5
	49 - 56	20.3 ± 3.4	5	18.3 ± 3.2	5	18.1 ± 2.4	5	21.7 ± 1.1	5	17.4 ± 0.6	5	16.5 ± 1.2	5
	56 - 63	17.2 ± 2.7	5	13.6 ± 2.9	5	15.7 ± 1.0	5	15.6 ± 2.4	5	16.2 ± 1.7	5	13.0 ± 1.5	5
	63 - 70	11.8 ± 2.2	5	5.8 ± 3.8	5	10.5 ± 1.5	5	9.3 ± 2.9	5	9.0 ± 2.3	5	8.6 ± 2.8	5
	70 - 77	9.6 ± 3.0	5	12.0 ± 2.7	5	11.2 ± 1.1	5	9.9 ± 3.0	5	9.5 ± 2.7	5	7.6 ± 1.8	5
	77 - 84	10.5 ± 3.2	5	6.9 ± 1.6	5	6.8 ± 0.4	5	8.4 ± 3.8	5	5.2 ± 1.4	5	7.0 ± 1.2	5
	84 - 91	10.0 ± 2.8	5	9.2 ± 2.6	5	5.7 ± 1.0	5	6.5 ± 2.3	5	10.8 ± 0.7	5	5.7 ± 1.3	5
	91 - 98	-3.6 ± 3.1	5	0.0 ± 3.4	5	2.6 ± 1.9	5	2.7 ± 1.2	5	3.6 ± 0.7	5	3.9 ± 1.4	5
	98 - 105	7.6 ± 1.7	5	6.2 ± 2.4	5	3.9 ± 2.8	5	8.8 ± 3.2	5	5.1 ± 1.5	5	4.0 ± 2.2	5
	105 - 112	2.6 ± 0.6	5	0.7 ± 2.0	5	4.4 ± 2.4	5	4.3 ± 2.5	5	2.9 ± 1.4	5	1.0 ± 2.8	5
	112 - 119	-1.0 ± 0.7	5	-2.1 ± 1.9	5	-1.1 ± 2.0	5	-0.3 ± 2.4	5	-0.5 ± 1.4	5	1.6 ± 2.2	5
	119 - 126	4.2 ± 2.6	5	6.7 ± 2.3	5	4.1 ± 2.6	5	4.4 ± 1.0	5	7.2 ± 1.5	5	-13.0 ± 6.6 **	5
28 - 126	174.3 ± 5.9	5	159.8 ± 3.2	5	164.0 ± 4.2	5	172.1 ± 7.0	5	168.7 ± 3.7	5	132.9 ± 13.2 **	5	

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I04G: Mean Body Weight Gain

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 13:53:33

Lab: Battelle

F1 Males: Subchronic Cohort

Treatment Groups (ppm)

Phase	Days	0		30		100		300		1000		3000	
		Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N
PND	28 - 35	41.4 ± 1.2 **	10	40.6 ± 1.1	10	40.9 ± 1.5	10	41.8 ± 1.3	10	36.2 ± 1.2 *	10	34.3 ± 1.6 **	10
	35 - 42	43.7 ± 1.0	10	45.4 ± 1.6	10	43.3 ± 2.3	10	44.7 ± 0.9	10	42.4 ± 1.1	10	41.3 ± 1.6	10
	42 - 49	47.7 ± 1.9 *	10	46.6 ± 1.2	10	46.3 ± 1.8	10	47.0 ± 1.0	10	44.2 ± 1.4	10	43.7 ± 1.5	10
	49 - 56	31.1 ± 6.7	10	42.2 ± 1.0 *	10	40.9 ± 1.4	10	39.6 ± 1.4	10	40.9 ± 1.0	10	36.2 ± 1.9	10
	56 - 63	37.3 ± 5.5	10	31.1 ± 1.1	10	33.1 ± 1.5	10	35.7 ± 1.6	10	33.4 ± 1.4	10	29.1 ± 2.0	10
	63 - 70	26.6 ± 2.4	10	23.4 ± 1.3	10	22.2 ± 0.9	10	26.0 ± 1.7	10	25.0 ± 1.8	10	22.0 ± 2.2	10
	70 - 77	21.7 ± 2.0	10	19.2 ± 1.6	10	20.0 ± 1.7	10	19.5 ± 1.5	10	18.7 ± 1.1	10	16.6 ± 1.7	10
	77 - 84	15.1 ± 1.4	10	15.1 ± 1.6	10	12.1 ± 1.6	10	14.1 ± 1.8	10	14.1 ± 1.8	10	12.7 ± 1.6	10
	84 - 91	13.6 ± 1.9	10	14.7 ± 1.1	10	16.4 ± 1.2	10	17.2 ± 1.9	10	14.3 ± 1.3	10	13.8 ± 1.0	10
	91 - 98	7.6 ± 1.2	10	7.0 ± 1.7	10	9.8 ± 1.8	10	7.9 ± 1.0	10	10.9 ± 1.1	10	7.3 ± 1.5	10
	98 - 105	12.5 ± 0.9	10	11.9 ± 1.1	10	10.9 ± 1.1	10	12.1 ± 1.4	10	10.6 ± 0.7	10	11.7 ± 1.1	10
	105 - 112	6.9 ± 0.9	10	9.6 ± 0.8	10	6.8 ± 1.3	10	9.5 ± 1.3	10	8.3 ± 1.4	10	7.6 ± 1.6	10
	112 - 119	9.4 ± 0.8	10	9.8 ± 2.0	10	10.0 ± 1.1	10	9.5 ± 1.2	10	9.5 ± 1.3	10	8.1 ± 0.8	10
	28 - 119	314.5 ± 5.7	10	316.6 ± 8.6	10	312.8 ± 11.2	10	324.7 ± 4.4	10	308.5 ± 7.7	10	284.4 ± 10.6	10

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I04G: Mean Body Weight Gain

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 13:53:33

Lab: Battelle

F1 Females: Subchronic Cohort

Treatment Groups (ppm)

Phase	Days	0		30		100		300		1000		3000	
		Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N
PND	28 - 35	29.1 ± 1.0 **	10	29.4 ± 1.0	10	29.6 ± 0.6	10	28.2 ± 1.0	10	28.6 ± 1.0	10	24.4 ± 0.8 **	10
	35 - 42	28.7 ± 1.6	10	30.6 ± 1.3	10	28.4 ± 1.1	10	28.6 ± 1.1	10	27.6 ± 1.2	10	27.3 ± 1.2	10
	42 - 49	24.8 ± 1.8	10	23.0 ± 1.3	10	26.1 ± 0.9	10	25.2 ± 1.0	10	24.8 ± 1.0	10	24.1 ± 1.1	10
	49 - 56	19.6 ± 2.1	10	20.5 ± 1.7	10	19.9 ± 1.2	10	19.1 ± 1.6	10	19.5 ± 1.1	10	18.6 ± 0.9	10
	56 - 63	15.2 ± 1.3	10	14.1 ± 1.5	10	14.3 ± 1.5	10	13.9 ± 1.0	10	12.7 ± 2.2	10	15.6 ± 2.2	10
	63 - 70	11.5 ± 1.2	10	9.5 ± 2.7	10	12.3 ± 2.4	10	11.5 ± 1.3	10	13.7 ± 2.6	10	11.9 ± 0.9	10
	70 - 77	10.4 ± 1.1	10	12.4 ± 2.3	10	9.9 ± 1.1	10	7.7 ± 1.7	10	9.4 ± 1.5	10	10.2 ± 1.9	10
	77 - 84	6.9 ± 2.9	10	3.3 ± 3.2	10	5.5 ± 1.4	10	6.1 ± 1.5	10	5.1 ± 2.1	10	5.2 ± 2.4	10
	84 - 91	8.2 ± 2.0	10	7.7 ± 2.5	10	9.0 ± 1.1	10	8.1 ± 1.4	10	7.9 ± 1.6	10	8.4 ± 1.1	10
	91 - 98	-1.1 ± 1.4	10	7.9 ± 4.0 *	10	-0.6 ± 1.5	10	1.5 ± 1.1	10	-0.9 ± 1.6	10	1.8 ± 1.5	10
	98 - 105	7.3 ± 2.0	10	2.6 ± 2.6	10	8.3 ± 1.9	10	4.9 ± 1.4	10	7.3 ± 1.8	10	2.8 ± 1.7	10
	105 - 112	0.4 ± 1.5	10	2.6 ± 1.6	10	-0.2 ± 1.3	10	1.4 ± 1.2	10	4.2 ± 1.5	10	1.0 ± 1.7	10
	112 - 119	2.9 ± 2.1	10	3.2 ± 1.6	10	2.0 ± 2.3	10	4.0 ± 2.0	10	1.5 ± 1.6	10	4.1 ± 1.1	10
28 - 119	163.9 ± 2.9	10	166.7 ± 5.3	10	164.4 ± 3.6	10	160.3 ± 3.9	10	161.3 ± 4.3	10	155.2 ± 5.0	10	

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I04G: Mean Body Weight Gain

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 13:53:33

Lab: Battelle

F1 Males: Neurobehavioral Cohort

Phase	Days	Treatment Groups (ppm)											
		0		30		100		300		1000		3000	
		Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N
PND	28 - 35	47.0 ± 1.2 **	19	48.0 ± 0.8	20	47.0 ± 0.9	20	46.3 ± 1.0	20	46.1 ± 0.7	20	42.6 ± 0.9 **	20
	35 - 42	50.4 ± 0.9 **	19	52.2 ± 0.8	20	50.4 ± 0.8	20	49.5 ± 0.8	20	50.4 ± 0.8	20	46.9 ± 1.1 **	20
	42 - 49	51.3 ± 1.4	19	50.9 ± 1.2	20	51.5 ± 1.0	20	52.3 ± 1.1	20	52.6 ± 1.1	20	49.2 ± 0.9	20
	49 - 56	43.1 ± 1.1	19	39.3 ± 1.1	20	40.1 ± 1.2	20	42.3 ± 1.2	20	42.6 ± 1.0	20	39.8 ± 1.0	20
	56 - 63	31.2 ± 1.0	19	29.7 ± 1.3	20	30.1 ± 1.0	20	31.6 ± 0.8	20	28.8 ± 1.0	20	29.8 ± 1.0	20
	63 - 70	22.0 ± 1.0	19	19.9 ± 1.6	20	26.6 ± 1.2	20	26.9 ± 1.0 *	20	24.2 ± 1.5	20	21.8 ± 1.6	20
	70 - 77	13.3 ± 1.1	19	14.3 ± 2.1	20	16.6 ± 0.8	20	16.9 ± 1.1	20	10.8 ± 1.3	20	14.4 ± 1.6	20
	77 - 84	17.4 ± 0.8	18	17.7 ± 1.7	20	14.5 ± 1.1	20	8.0 ± 6.4	20	16.8 ± 1.1	20	15.9 ± 1.0	20
	84 - 91	18.5 ± 1.1	18	17.7 ± 1.1	20	11.6 ± 0.8	20	17.1 ± 5.1	20	16.6 ± 1.5	20	16.6 ± 1.1	20
	91 - 98	15.1 ± 0.7 **	18	13.9 ± 0.7	20	9.9 ± 0.8 **	20	12.1 ± 1.3 **	20	9.7 ± 0.8 **	20	12.8 ± 1.0 **	20
	98 - 105	11.8 ± 1.2 **	18	10.5 ± 1.2	20	10.5 ± 0.8	20	9.2 ± 0.8	20	8.8 ± 1.1	20	7.7 ± 0.8 **	20
	105 - 112	8.4 ± 0.8	18	8.7 ± 0.8	20	9.6 ± 0.8	20	8.3 ± 0.8	20	6.2 ± 2.9	20	6.8 ± 0.9	20
	112 - 119	6.3 ± 0.9	18	6.4 ± 0.7	20	6.7 ± 0.8	20	7.7 ± 0.6	20	9.1 ± 2.2	20	6.4 ± 0.8	20
	119 - 126	9.9 ± 0.8 **	18	7.8 ± 0.9	20	7.7 ± 0.7 *	20	5.9 ± 0.5 **	20	6.9 ± 0.8 **	20	7.6 ± 0.7 **	20
126 - 133	9.6 ± 1.0	18	10.2 ± 1.2	20	9.4 ± 1.0	20	8.8 ± 1.0	20	9.0 ± 1.1	20	8.7 ± 0.9	20	
28 - 133	357.1 ± 5.1 **	18	347.2 ± 7.2	20	342.0 ± 6.0	20	342.9 ± 4.0	20	338.6 ± 5.2 *	20	327.0 ± 6.0 **	20	

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I04G: Mean Body Weight Gain

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 13:53:33

Lab: Battelle

F1 Females: Neurobehavioral Cohort

Phase	Days	Treatment Groups (ppm)											
		0		30		100		300		1000		3000	
		Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N	Wt Gain (g)	N
PND	28 - 35	33.3 ± 0.9	19	34.3 ± 0.6	20	33.5 ± 0.5	20	34.7 ± 0.7	20	34.1 ± 0.7	20	31.7 ± 0.9	20
	35 - 42	32.6 ± 0.9 *	19	30.9 ± 0.7	20	31.2 ± 1.1	20	30.5 ± 0.7	20	29.6 ± 0.6 *	20	30.1 ± 0.6	20
	42 - 49	25.1 ± 1.2 *	19	25.9 ± 1.1	20	23.1 ± 1.0	20	25.0 ± 0.9	20	22.0 ± 0.9	20	23.6 ± 1.0	20
	49 - 56	19.6 ± 1.1 **	19	21.6 ± 1.4	20	22.2 ± 1.6	20	19.8 ± 1.4	20	18.4 ± 0.9	20	16.6 ± 1.3	20
	56 - 63	14.3 ± 1.0	19	13.3 ± 1.3	20	14.3 ± 1.4	20	14.6 ± 1.5	20	13.5 ± 0.8	20	12.0 ± 1.2	20
	63 - 70	12.0 ± 2.1	19	10.3 ± 1.6	20	10.1 ± 1.7	20	11.4 ± 0.9	20	9.8 ± 0.7	20	10.8 ± 1.4	20
	70 - 77	10.5 ± 1.7	19	12.4 ± 1.6	20	11.0 ± 1.6	20	9.8 ± 1.0	20	8.1 ± 1.3	20	10.0 ± 1.4	20
	77 - 84	7.2 ± 1.5	19	7.4 ± 1.3	20	8.7 ± 1.6	20	7.8 ± 1.0	20	8.3 ± 1.4	20	8.4 ± 1.0	20
	84 - 91	9.4 ± 1.0	19	8.7 ± 1.5	20	5.4 ± 1.0	20	4.6 ± 0.8 *	20	7.9 ± 1.3	20	7.8 ± 1.1	20
	91 - 98	5.3 ± 1.2	19	4.3 ± 1.2	20	2.8 ± 1.6	20	4.9 ± 0.8	20	3.3 ± 1.3	20	3.4 ± 1.7	20
	98 - 105	1.6 ± 1.5	19	5.5 ± 1.7	20	5.3 ± 2.2	20	1.0 ± 0.9	20	5.0 ± 1.6	20	3.5 ± 1.2	20
	105 - 112	4.6 ± 1.4	19	3.8 ± 1.4	20	5.2 ± 1.5	20	5.5 ± 1.1	20	2.3 ± 1.4	20	1.8 ± 1.4	20
	112 - 119	3.2 ± 1.8	19	0.0 ± 1.6	20	0.1 ± 1.9	20	2.7 ± 1.0	20	3.6 ± 1.0	20	2.8 ± 0.9	20
	119 - 126	3.8 ± 1.2	19	3.1 ± 0.9	20	2.7 ± 1.1	20	4.3 ± 1.1	20	3.3 ± 0.9	20	2.1 ± 1.0	20
126 - 133	4.8 ± 1.5	19	4.2 ± 1.4	20	6.3 ± 1.6	20	4.8 ± 1.4	20	4.7 ± 0.9	20	6.1 ± 1.2	20	
28 - 133	187.4 ± 3.5 **	19	185.7 ± 3.3	20	181.9 ± 4.2	20	181.3 ± 4.0	20	173.6 ± 3.7 *	20	170.6 ± 3.2 **	20	

**Study Number:** C11042B-01  
**Test Type:** TOX with Perinatal Exposure  
**Route:** Dosing in Feed  
**Species/Strain:** Rat/Harlan Sprague Dawley

**I04G: Mean Body Weight Gain**  
**Test Compound:** Triphenyl Phosphate (TPHP)  
**CAS Number:** 115-86-6

**Date Report Requested:** 05/28/2026  
**Time Report Requested:** 13:53:33  
**Lab:** Battelle

#### LEGEND

---

Weights are displayed as mean  $\pm$  SEM, with N as the number of animals.

GD = Gestation Day; LD = Lactation Day; PND = Postnatal Day

Statistical analysis of weight data was performed by Jonckheere (trend) and Williams or Dunnett (pairwise) tests.

Statistical significance for the control group indicates a significant trend test.

Statistical significance for a treatment group indicates a significant pairwise test compared to the vehicle control group.

\* Statistically significant at  $p \leq 0.05$

\*\* Statistically significant at  $p \leq 0.01$

Three F0 females from each dose group were removed on GD 18 for biological sampling.

Three F0 females from the 30 and 100 ppm dose groups were removed on LD 4 for biological sampling.

Body weights are reported through PND 133 for the Neurobehavioral Cohort, and PND 119 for the Subchronic Cohort, after which euthanasia of animals across staggered terminal dates occurred.

SEM = Standard Error of the Mean

**\*\* END OF REPORT \*\***