

Study Number: C11042B-01
Test Type: TOX with Perinatal Exposure
Route: Dosing in Feed
Species/Strain: Rat/Harlan Sprague Dawley

I04: Mean Body Weight Summary
Test Compound: Triphenyl Phosphate (TPHP)
CAS Number: 115-86-6

Date Report Requested: 05/28/2026
Time Report Requested: 13:46:54
Lab: Battelle

Study Number: C11042B-01
Study Sex: Both
PWG Approval Date: See web page for date of PWG Approval
Version: v1.7.8
Stat Version: 2022.10.13S

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I04: Mean Body Weight Summary

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 13:46:54

Lab: Battelle

F0 Females

Treatment Groups (ppm)

Phase Day	0			30			100			300		
	Wt (g)	N		Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
GD6	232.1 ± 2.6	23		229.9 ± 2.3	99.1	31	229.6 ± 2.2	98.9	30	233.2 ± 3.4	100.5	26
GD9	245.3 ± 2.6	23		242.9 ± 2.4	99.0	31	242.2 ± 2.3	98.7	30	246.7 ± 3.7	100.6	26
GD12	260.6 ± 2.6	23		257.9 ± 2.5	99.0	31	257.5 ± 2.5	98.8	30	261.8 ± 3.7	100.5	26
GD15	279.0 ± 3.2 *	23		275.3 ± 2.7	98.7	31	274.2 ± 2.8	98.3	30	278.7 ± 4.1	99.9	26
GD18	315.9 ± 4.0 *	23		314.4 ± 3.3	99.5	31	312.4 ± 3.4	98.9	30	318.9 ± 5.1	100.9	26
GD21	357.9 ± 5.6 **	20		359.0 ± 4.3	100.3	28	352.6 ± 4.2	98.5	27	356.9 ± 5.8	99.7	23
LD1	264.3 ± 3.3 *	19		264.8 ± 2.6	100.2	28	261.1 ± 2.6	98.8	27	260.7 ± 3.8	98.6	23
LD4	276.1 ± 4.0 **	19		274.5 ± 3.0	99.4	28	270.1 ± 2.6	97.8	26	271.9 ± 4.3	98.5	22
LD7	277.8 ± 2.3 *	19		283.2 ± 2.8	101.9	24	275.2 ± 2.9	99.1	23	276.1 ± 4.2	99.4	21
LD10	291.1 ± 3.3 **	19		287.8 ± 2.7	98.9	24	282.7 ± 3.0	97.1	23	283.4 ± 3.7	97.4	21
LD13	294.9 ± 2.7 **	19		299.6 ± 2.4	101.6	24	292.5 ± 3.0	99.2	23	297.3 ± 4.0	100.8	21
LD16	296.6 ± 3.4 **	19		303.4 ± 2.4	102.3	24	294.4 ± 3.2	99.3	23	299.1 ± 3.3	100.8	21
LD19	292.8 ± 3.3	19		293.2 ± 2.6	100.1	24	288.0 ± 3.1	98.4	23	292.5 ± 3.9	99.9	21
LD21	287.2 ± 2.7	19		287.5 ± 3.1	100.1	24	282.4 ± 2.4	98.4	23	285.5 ± 3.6	99.4	21
LD25	276.3 ± 2.8	19		274.9 ± 3.0	99.5	24	269.6 ± 2.8	97.6	23	275.5 ± 3.5	99.7	21
LD28	277.5 ± 2.6	19		274.5 ± 2.9	98.9	24	266.6 ± 3.2	96.0	23	275.0 ± 3.9	99.1	21

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I04: Mean Body Weight Summary

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 13:46:54

Lab: Battelle

F0 Females

Phase Day	Treatment Groups (ppm)					
	1000			3000		
	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
GD6	232.0 ± 2.3	100.0	29	229.4 ± 2.2	98.8	31
GD9	243.9 ± 2.4	99.4	29	237.8 ± 2.5	96.9	31
GD12	258.7 ± 2.2	99.3	29	251.7 ± 2.5	96.6	31
GD15	275.0 ± 2.7	98.6	29	267.7 ± 2.9	95.9	31
GD18	311.5 ± 3.7	98.6	29	301.4 ± 4.0	95.4	31
GD21	346.4 ± 5.3	96.8	26	339.4 ± 5.6 *	94.8	28
LD1	263.6 ± 2.7	99.7	25	254.3 ± 3.3	96.2	28
LD4	272.3 ± 2.8	98.6	25	263.5 ± 3.0 *	95.4	27
LD7	276.9 ± 2.5	99.7	25	270.2 ± 3.2	97.3	27
LD10	284.7 ± 3.1	97.8	25	279.5 ± 3.8 *	96.0	27
LD13	292.2 ± 2.8	99.1	25	281.9 ± 3.4 **	95.6	27
LD16	292.8 ± 2.4	98.7	25	287.6 ± 3.7	97.0	27
LD19	290.1 ± 2.4	99.1	25	288.8 ± 3.3	98.6	27
LD21	285.9 ± 2.3	99.6	25	282.2 ± 3.1	98.3	27
LD25	278.6 ± 2.1	100.8	25	274.0 ± 3.1	99.1	27
LD28	275.5 ± 2.4	99.3	25	272.6 ± 3.2	98.2	27

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I04: Mean Body Weight Summary

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 13:46:54

Lab: Battelle

F1 Males: Biosample Cohort

Treatment Groups (ppm)

Phase Day	0			30			100			300		
	Wt (g)	N		Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
PND28	90.1 ± 3.2	5		89.3 ± 2.3	99.1	5	87.7 ± 2.1	97.3	5	88.9 ± 2.1	98.6	5
PND35	134.6 ± 4.1	5		128.8 ± 3.7	95.7	5	128.3 ± 2.3	95.3	5	129.6 ± 2.7	96.3	5
PND42	180.1 ± 5.9 *	5		172.6 ± 5.0	95.9	5	171.0 ± 2.4	95.0	5	172.7 ± 3.3	95.9	5
PND49	227.3 ± 7.1 **	5		220.8 ± 6.7	97.2	5	218.0 ± 3.0	95.9	5	218.2 ± 2.7	96.0	5
PND56	271.2 ± 7.7 **	5		263.9 ± 6.5	97.3	5	258.7 ± 2.9	95.4	5	257.7 ± 3.2	95.0	5
PND63	304.7 ± 6.9 **	5		295.2 ± 6.8	96.9	5	291.5 ± 4.2	95.7	5	291.6 ± 3.5	95.7	5
PND70	331.5 ± 7.5 **	5		318.2 ± 8.1	96.0	5	313.7 ± 4.7	94.6	5	315.4 ± 3.8	95.1	5
PND77	354.1 ± 8.2 **	5		339.6 ± 9.1	95.9	5	334.2 ± 4.7	94.4	5	334.0 ± 5.0	94.3	5
PND84	369.8 ± 8.2 **	5		360.2 ± 10.7	97.4	5	347.6 ± 5.3	94.0	5	351.8 ± 4.6	95.2	5
PND91	385.1 ± 8.1 **	5		372.4 ± 11.7	96.7	5	361.4 ± 5.5	93.8	5	363.7 ± 4.6	94.4	5
PND98	392.7 ± 7.6 *	5		379.8 ± 12.2	96.7	5	367.1 ± 6.3	93.5	5	371.5 ± 4.2	94.6	5
PND105	402.5 ± 8.1 *	5		393.4 ± 12.5	97.7	5	378.0 ± 6.6	93.9	5	384.8 ± 5.2	95.6	5
PND112	412.4 ± 7.6 *	5		401.9 ± 13.8	97.5	5	385.1 ± 7.5	93.4	5	390.7 ± 5.4	94.7	5
PND119	418.1 ± 7.6 *	5		406.9 ± 14.3	97.3	5	390.0 ± 7.8	93.3	5	400.0 ± 4.7	95.7	5
PND126	429.2 ± 8.1 *	5		416.5 ± 15.9	97.0	5	393.2 ± 8.0	91.6	4	413.2 ± 6.9	96.3	5

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I04: Mean Body Weight Summary

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 13:46:54

Lab: Battelle

F1 Males: Biosample Cohort

Phase Day	Treatment Groups (ppm)					
	1000			3000		
	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
PND28	90.0 ± 3.3	99.8	5	85.1 ± 3.9	94.4	5
PND35	126.1 ± 4.3	93.7	5	119.5 ± 6.3	88.8	5
PND42	166.7 ± 5.2	92.6	5	156.8 ± 7.2 *	87.1	5
PND49	213.0 ± 5.6	93.7	5	199.9 ± 7.8 **	87.9	5
PND56	253.5 ± 5.6	93.4	5	238.5 ± 7.6 **	87.9	5
PND63	283.6 ± 5.1 *	93.1	5	267.8 ± 6.6 **	87.9	5
PND70	304.0 ± 5.3 **	91.7	5	290.9 ± 6.0 **	87.8	5
PND77	328.0 ± 4.2 *	92.6	5	311.0 ± 7.0 **	87.8	5
PND84	349.8 ± 4.5	94.6	5	329.4 ± 8.8 **	89.1	5
PND91	364.0 ± 4.5	94.5	5	342.4 ± 9.3 **	88.9	5
PND98	373.8 ± 4.5	95.2	5	352.1 ± 11.6 **	89.7	5
PND105	385.2 ± 5.6	95.7	5	365.5 ± 11.6 *	90.8	5
PND112	392.0 ± 5.8	95.1	5	370.7 ± 11.3 *	89.9	5
PND119	399.2 ± 6.8	95.5	5	381.1 ± 12.6 *	91.1	5
PND126	407.0 ± 6.4	94.8	5	387.4 ± 11.6 *	90.2	5

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I04: Mean Body Weight Summary

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 13:46:54

Lab: Battelle

F1 Females: Biosample Cohort

Treatment Groups (ppm)

Phase Day	0			30			100			300		
	Wt (g)	N		Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
PND28	80.7 ± 2.5	5		80.3 ± 2.5	99.5	5	80.1 ± 4.0	99.2	5	76.1 ± 1.8	94.3	5
PND35	112.8 ± 3.5	5		111.5 ± 2.7	98.8	5	112.6 ± 5.3	99.8	5	103.2 ± 2.0	91.5	5
PND42	143.6 ± 3.8	5		141.5 ± 2.7	98.6	5	142.8 ± 5.7	99.4	5	133.4 ± 2.7	92.9	5
PND49	165.9 ± 5.8	5		162.8 ± 4.6	98.2	5	162.2 ± 4.6	97.8	5	156.9 ± 3.1	94.6	5
PND56	186.2 ± 4.0 *	5		181.1 ± 4.0	97.3	5	180.4 ± 6.1	96.9	5	178.6 ± 3.3	95.9	5
PND63	203.4 ± 6.1 *	5		194.7 ± 5.1	95.7	5	196.0 ± 5.1	96.4	5	194.3 ± 5.2	95.5	5
PND70	215.3 ± 5.8	5		200.4 ± 3.7	93.1	5	206.5 ± 6.2	95.9	5	203.6 ± 5.2	94.6	5
PND77	224.9 ± 5.6 *	5		212.4 ± 5.7	94.5	5	217.7 ± 6.8	96.8	5	213.4 ± 4.2	94.9	5
PND84	235.4 ± 3.9 **	5		219.3 ± 5.0	93.2	5	224.6 ± 6.6	95.4	5	221.8 ± 7.2	94.2	5
PND91	245.4 ± 4.3 **	5		228.5 ± 4.8	93.1	5	230.2 ± 7.4	93.8	5	228.3 ± 5.3	93.1	5
PND98	241.7 ± 3.3	5		228.5 ± 5.6	94.5	5	232.8 ± 7.1	96.3	5	231.0 ± 5.9	95.6	5
PND105	249.3 ± 4.0 *	5		234.7 ± 3.8	94.2	5	236.7 ± 7.4	94.9	5	239.8 ± 7.8	96.2	5
PND112	251.9 ± 4.5	5		235.4 ± 4.5	93.5	5	241.1 ± 7.6	95.7	5	244.1 ± 10.1	96.9	5
PND119	250.8 ± 4.2	5		233.4 ± 3.0	93.0	5	240.0 ± 6.2	95.7	5	243.7 ± 8.3	97.2	5
PND126	255.0 ± 6.5	5		240.1 ± 4.7	94.1	5	244.1 ± 7.8	95.7	5	248.2 ± 7.9	97.3	5

Study Number: C11042B-01
Test Type: TOX with Perinatal Exposure
Route: Dosing in Feed
Species/Strain: Rat/Harlan Sprague Dawley

I04: Mean Body Weight Summary
Test Compound: Triphenyl Phosphate (TPHP)
CAS Number: 115-86-6

Date Report Requested: 05/28/2026
Time Report Requested: 13:46:54
Lab: Battelle

F1 Females: Biosample Cohort

Phase Day	Treatment Groups (ppm)					
	1000			3000		
	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
PND28	82.8 ± 2.1	102.6	5	74.9 ± 1.8	92.8	5
PND35	113.9 ± 1.8	100.9	5	106.3 ± 3.7	94.2	5
PND42	144.2 ± 3.1	100.4	5	132.4 ± 4.9	92.2	5
PND49	165.1 ± 2.4	99.6	5	151.9 ± 5.4	91.6	5
PND56	182.5 ± 2.8	98.0	5	168.4 ± 4.4 *	90.5	5
PND63	198.7 ± 3.3	97.7	5	181.5 ± 4.2 *	89.2	5
PND70	207.8 ± 4.7	96.5	5	190.1 ± 5.8 *	88.3	5
PND77	217.3 ± 3.5	96.6	5	197.6 ± 4.6 **	87.9	5
PND84	222.5 ± 3.1	94.5	5	204.6 ± 4.5 **	86.9	5
PND91	233.3 ± 3.2	95.1	5	210.3 ± 5.7 **	85.7	5
PND98	236.9 ± 3.2	98.0	5	214.2 ± 5.9 **	88.6	5
PND105	242.0 ± 4.2	97.1	5	218.2 ± 5.9 **	87.5	5
PND112	244.9 ± 4.0	97.2	5	219.2 ± 7.3 **	87.0	5
PND119	244.4 ± 3.8	97.4	5	220.7 ± 7.2 **	88.0	5
PND126	251.6 ± 4.0	98.7	5	207.8 ± 13.6 **	81.5	5

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I04: Mean Body Weight Summary

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 13:46:54

Lab: Battelle

F1 Males: Subchronic Cohort

Treatment Groups (ppm)

Phase Day	0			30			100			300		
	Wt (g)	N		Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
PND28	91.0 ± 2.4	10		89.8 ± 1.5	98.7	10	90.0 ± 2.3	98.9	10	85.9 ± 2.7	94.3	10
PND35	132.4 ± 3.4 **	10		130.4 ± 2.2	98.5	10	130.9 ± 3.2	98.9	10	127.6 ± 3.2	96.4	10
PND42	176.1 ± 3.8 **	10		175.9 ± 2.9	99.9	10	174.2 ± 5.1	98.9	10	172.3 ± 3.8	97.8	10
PND49	223.8 ± 4.7 **	10		222.5 ± 3.5	99.4	10	220.6 ± 6.4	98.5	10	219.3 ± 4.1	98.0	10
PND56	254.9 ± 9.5 *	10		264.6 ± 4.2	103.8	10	261.5 ± 7.5	102.6	10	258.9 ± 3.4	101.6	10
PND63	292.2 ± 5.8 *	10		295.8 ± 4.7	101.2	10	294.6 ± 8.3	100.8	10	294.7 ± 4.1	100.8	10
PND70	318.8 ± 5.7 *	10		319.2 ± 5.3	100.1	10	316.8 ± 9.0	99.4	10	320.7 ± 4.9	100.6	10
PND77	340.5 ± 5.3 *	10		338.4 ± 6.1	99.4	10	336.8 ± 9.5	98.9	10	340.2 ± 5.8	99.9	10
PND84	355.6 ± 6.2 **	10		353.5 ± 6.8	99.4	10	348.8 ± 9.2	98.1	10	354.3 ± 5.3	99.6	10
PND91	369.2 ± 6.3 *	10		368.1 ± 6.8	99.7	10	365.2 ± 10.1	98.9	10	371.6 ± 5.4	100.6	10
PND98	376.8 ± 6.4 *	10		375.1 ± 7.8	99.6	10	375.1 ± 11.0	99.5	10	379.5 ± 5.7	100.7	10
PND105	389.3 ± 7.0 *	10		387.0 ± 8.3	99.4	10	386.0 ± 11.8	99.2	10	391.6 ± 6.2	100.6	10
PND112	396.1 ± 7.0	10		396.6 ± 8.0	100.1	10	392.8 ± 12.4	99.2	10	401.1 ± 6.0	101.3	10
PND119	405.5 ± 7.0	10		406.4 ± 9.0	100.2	10	402.8 ± 12.2	99.3	10	410.6 ± 6.2	101.2	10

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I04: Mean Body Weight Summary

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 13:46:54

Lab: Battelle

F1 Males: Subchronic Cohort

Phase Day	Treatment Groups (ppm)					
	1000			3000		
	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
PND28	91.2 ± 1.7	100.2	10	84.1 ± 2.5	92.3	10
PND35	127.5 ± 2.0	96.3	10	118.4 ± 3.8 **	89.4	10
PND42	169.9 ± 2.9	96.4	10	159.7 ± 4.9 **	90.7	10
PND49	214.1 ± 4.0	95.6	10	203.4 ± 5.8 **	90.9	10
PND56	255.0 ± 4.3	100.0	10	239.6 ± 6.7	94.0	10
PND63	288.4 ± 4.5	98.7	10	268.7 ± 7.6 *	92.0	10
PND70	313.4 ± 5.3	98.3	10	290.7 ± 8.8 *	91.2	10
PND77	332.0 ± 5.9	97.5	10	307.3 ± 9.3 **	90.3	10
PND84	346.2 ± 6.8	97.3	10	320.0 ± 9.6 **	90.0	10
PND91	360.5 ± 7.5	97.6	10	333.8 ± 10.3 *	90.4	10
PND98	371.4 ± 7.9	98.6	10	341.2 ± 10.7 *	90.5	10
PND105	382.0 ± 8.0	98.1	10	352.8 ± 10.9 *	90.6	10
PND112	390.3 ± 8.2	98.5	10	360.4 ± 11.7 *	91.0	10
PND119	399.8 ± 8.2	98.6	10	368.5 ± 12.1 *	90.9	10

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I04: Mean Body Weight Summary

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 13:46:54

Lab: Battelle

F1 Females: Subchronic Cohort

Treatment Groups (ppm)

Phase Day	0			30			100			300		
	Wt (g)	N		Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
PND28	78.0 ± 1.8	10		83.6 ± 1.8	107.1	10	81.8 ± 1.7	104.8	10	80.4 ± 1.8	103.0	10
PND35	107.1 ± 1.8	10		113.0 ± 2.3	105.5	10	111.4 ± 1.9	104.0	10	108.6 ± 2.6	101.4	10
PND42	135.8 ± 2.2 *	10		143.6 ± 2.6	105.7	10	139.8 ± 2.5	102.9	10	137.2 ± 3.0	101.0	10
PND49	160.6 ± 2.5	10		166.6 ± 3.1	103.7	10	165.9 ± 2.5	103.3	10	162.4 ± 3.5	101.1	10
PND56	180.2 ± 2.5	10		187.1 ± 3.4	103.8	10	185.8 ± 2.5	103.1	10	181.5 ± 3.8	100.7	10
PND63	195.5 ± 2.9	10		201.2 ± 3.6	102.9	10	200.0 ± 2.2	102.3	10	195.4 ± 4.0	100.0	10
PND70	207.0 ± 2.4	10		210.7 ± 4.6	101.8	10	212.3 ± 3.3	102.6	10	206.9 ± 3.7	100.0	10
PND77	217.4 ± 2.5	10		223.0 ± 4.9	102.6	10	222.3 ± 3.7	102.2	10	214.6 ± 5.0	98.7	10
PND84	224.3 ± 3.4	10		226.3 ± 5.0	100.9	10	227.7 ± 3.5	101.5	10	220.8 ± 4.1	98.4	10
PND91	232.4 ± 3.4	10		234.0 ± 6.6	100.7	10	236.7 ± 3.0	101.8	10	228.9 ± 5.0	98.5	10
PND98	231.3 ± 3.3	10		241.9 ± 4.3	104.6	10	236.1 ± 3.3	102.1	10	230.4 ± 5.3	99.6	10
PND105	238.6 ± 3.1	10		244.5 ± 5.5	102.5	10	244.5 ± 3.7	102.5	10	235.3 ± 5.4	98.6	10
PND112	239.0 ± 3.4	10		247.0 ± 5.4	103.4	10	244.2 ± 3.2	102.2	10	236.7 ± 5.3	99.0	10
PND119	241.9 ± 3.4	10		250.3 ± 5.2	103.4	10	246.2 ± 3.5	101.8	10	240.7 ± 4.3	99.5	10

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I04: Mean Body Weight Summary

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 13:46:54

Lab: Battelle

F1 Females: Subchronic Cohort

Phase Day	Treatment Groups (ppm)					
	1000			3000		
	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
PND28	81.2 ± 1.6	104.1	10	78.3 ± 1.3	100.4	10
PND35	109.8 ± 1.7	102.5	10	102.8 ± 1.7	96.0	10
PND42	137.4 ± 2.5	101.2	10	130.0 ± 2.6	95.7	10
PND49	162.2 ± 2.9	101.0	10	154.1 ± 3.2	96.0	10
PND56	181.7 ± 2.9	100.8	10	172.7 ± 3.8	95.8	10
PND63	194.4 ± 3.6	99.4	10	188.3 ± 4.4	96.3	10
PND70	208.1 ± 4.1	100.5	10	200.2 ± 4.6	96.7	10
PND77	217.4 ± 4.2	100.0	10	210.4 ± 5.3	96.8	10
PND84	222.5 ± 4.6	99.2	10	215.6 ± 5.1	96.1	10
PND91	230.4 ± 3.8	99.1	10	224.0 ± 5.1	96.3	10
PND98	229.6 ± 4.4	99.3	10	225.7 ± 5.7	97.6	10
PND105	236.9 ± 4.1	99.3	10	228.5 ± 5.2	95.8	10
PND112	241.0 ± 4.8	100.9	10	229.5 ± 5.8	96.0	10
PND119	242.5 ± 5.0	100.3	10	233.5 ± 5.3	96.5	10

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I04: Mean Body Weight Summary

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 13:46:54

Lab: Battelle

F1 Males: Neurobehavioral Cohort

Phase Day	Treatment Groups (ppm)										
	0		30			100			300		
	Wt (g)	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
PND28	88.8 ± 2.0	19	89.5 ± 1.6	100.8	20	88.3 ± 1.3	99.4	20	88.9 ± 1.0	100.2	20
PND35	135.8 ± 2.9 *	19	137.5 ± 2.1	101.2	20	135.3 ± 1.7	99.6	20	135.2 ± 1.8	99.5	20
PND42	186.2 ± 3.6 **	19	189.6 ± 2.5	101.8	20	185.7 ± 2.3	99.7	20	184.7 ± 2.2	99.2	20
PND49	237.6 ± 4.6 *	19	240.6 ± 3.0	101.3	20	237.2 ± 2.8	99.8	20	237.1 ± 3.1	99.8	20
PND56	280.7 ± 5.2 *	19	279.9 ± 3.4	99.7	20	277.3 ± 3.4	98.8	20	279.4 ± 3.2	99.6	20
PND63	311.8 ± 5.7 *	19	309.6 ± 4.0	99.3	20	307.4 ± 3.6	98.6	20	311.0 ± 3.3	99.7	20
PND70	333.8 ± 5.6	19	329.5 ± 5.1	98.7	20	333.9 ± 4.0	100.0	20	337.9 ± 3.8	101.2	20
PND77	347.1 ± 6.0 *	19	343.7 ± 5.2	99.0	20	350.5 ± 4.4	101.0	20	354.8 ± 3.7	102.2	20
PND84	367.3 ± 5.7 *	18	361.5 ± 5.6	98.4	20	365.0 ± 4.8	99.4	20	362.8 ± 6.9	98.8	20
PND91	385.8 ± 5.5 **	18	379.2 ± 6.0	98.3	20	376.7 ± 4.9	97.6	20	379.9 ± 3.6	98.5	20
PND98	400.9 ± 5.7 **	18	393.1 ± 6.2	98.0	20	386.5 ± 5.4	96.4	20	392.0 ± 3.8	97.8	20
PND105	412.7 ± 5.8 **	18	403.6 ± 6.6	97.8	20	397.0 ± 5.7	96.2	20	401.2 ± 3.8	97.2	20
PND112	421.1 ± 6.2 **	18	412.3 ± 6.8	97.9	20	406.6 ± 6.2	96.6	20	409.4 ± 4.3	97.2	20
PND119	427.3 ± 6.2 **	18	418.7 ± 7.0	98.0	20	413.3 ± 6.0	96.7	20	417.1 ± 4.4	97.6	20
PND126	437.3 ± 6.3 **	18	426.5 ± 7.4	97.5	20	420.9 ± 6.2	96.3	20	423.0 ± 4.4	96.7	20
PND133	446.9 ± 6.3 **	18	436.7 ± 7.7	97.7	20	430.3 ± 6.5	96.3	20	431.8 ± 4.4	96.6	20

Study Number: C11042B-01
Test Type: TOX with Perinatal Exposure
Route: Dosing in Feed
Species/Strain: Rat/Harlan Sprague Dawley

I04: Mean Body Weight Summary
Test Compound: Triphenyl Phosphate (TPHP)
CAS Number: 115-86-6

Date Report Requested: 05/28/2026
Time Report Requested: 13:46:54
Lab: Battelle

F1 Males: Neurobehavioral Cohort

Phase Day	Treatment Groups (ppm)					
	1000			3000		
	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
PND28	90.4 ± 1.2	101.8	20	83.5 ± 2.0	94.0	20
PND35	136.5 ± 1.4	100.5	20	126.1 ± 2.6 **	92.9	20
PND42	186.9 ± 1.9	100.3	20	173.0 ± 3.3 **	92.9	20
PND49	239.4 ± 2.6	100.8	20	222.2 ± 3.7 **	93.6	20
PND56	282.0 ± 2.6	100.5	20	262.0 ± 4.1 **	93.4	20
PND63	310.8 ± 2.9	99.7	20	291.8 ± 4.2 **	93.6	20
PND70	335.0 ± 3.3	100.4	20	313.6 ± 4.5 **	94.0	20
PND77	345.8 ± 3.5	99.6	20	328.0 ± 5.2 *	94.5	20
PND84	362.6 ± 4.0	98.7	20	343.9 ± 5.4 *	93.6	20
PND91	379.2 ± 4.6	98.3	20	360.5 ± 5.8 **	93.4	20
PND98	388.9 ± 4.7	97.0	20	373.3 ± 6.4 **	93.1	20
PND105	397.7 ± 5.1	96.4	20	381.0 ± 6.8 **	92.3	20
PND112	403.9 ± 5.7	95.9	20	387.9 ± 6.7 **	92.1	20
PND119	413.0 ± 5.5	96.6	20	394.2 ± 6.8 **	92.3	20
PND126	419.9 ± 5.3	96.0	20	401.8 ± 7.2 **	91.9	20
PND133	429.0 ± 5.8	96.0	20	410.6 ± 7.4 **	91.9	20

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I04: Mean Body Weight Summary

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 13:46:54

Lab: Battelle

F1 Females: Neurobehavioral Cohort

Phase Day	Treatment Groups (ppm)										
	0			30			100			300	
	Wt (g)	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
PND28	80.4 ± 1.6	19	81.3 ± 1.6	101.1	20	79.5 ± 1.2	98.8	20	80.9 ± 0.7	100.6	20
PND35	113.8 ± 2.3	19	115.7 ± 1.8	101.7	20	113.0 ± 1.4	99.3	20	115.6 ± 1.2	101.6	20
PND42	146.4 ± 2.4 *	19	146.6 ± 2.1	100.2	20	144.1 ± 2.0	98.5	20	146.0 ± 1.7	99.8	20
PND49	171.5 ± 2.9 *	19	172.5 ± 2.6	100.6	20	167.2 ± 2.4	97.5	20	171.1 ± 2.0	99.8	20
PND56	191.1 ± 3.6 **	19	194.0 ± 3.3	101.5	20	189.4 ± 3.3	99.1	20	190.9 ± 2.4	99.9	20
PND63	205.4 ± 3.5 **	19	207.3 ± 2.9	100.9	20	203.8 ± 2.9	99.2	20	205.4 ± 3.5	100.0	20
PND70	217.4 ± 3.7 **	19	217.7 ± 3.0	100.1	20	213.9 ± 3.6	98.4	20	216.8 ± 3.3	99.7	20
PND77	227.9 ± 3.9 **	19	230.1 ± 3.5	101.0	20	224.8 ± 3.4	98.7	20	226.7 ± 3.5	99.5	20
PND84	235.1 ± 3.6 **	19	237.5 ± 3.3	101.0	20	233.5 ± 3.1	99.3	20	234.5 ± 4.0	99.7	20
PND91	244.5 ± 3.8 **	19	246.2 ± 3.0	100.7	20	238.9 ± 3.5	97.7	20	239.0 ± 3.6	97.7	20
PND98	249.9 ± 4.2 **	19	250.4 ± 3.1	100.2	20	241.8 ± 4.0	96.8	20	243.9 ± 3.7	97.6	20
PND105	251.5 ± 4.1 **	19	256.0 ± 3.6	101.8	20	247.1 ± 4.2	98.3	20	244.9 ± 3.9	97.4	20
PND112	256.0 ± 4.5 **	19	259.8 ± 3.6	101.5	20	252.3 ± 3.7	98.5	20	250.4 ± 4.0	97.8	20
PND119	259.2 ± 4.2 **	19	259.8 ± 3.0	100.2	20	252.4 ± 3.9	97.4	20	253.1 ± 4.1	97.6	20
PND126	263.0 ± 4.1 **	19	262.9 ± 3.1	99.9	20	255.1 ± 4.2	97.0	20	257.4 ± 4.4	97.8	20
PND133	267.9 ± 4.0 **	19	267.0 ± 3.6	99.7	20	261.4 ± 5.0	97.6	20	262.2 ± 4.2	97.9	20

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I04: Mean Body Weight Summary

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 13:46:54

Lab: Battelle

F1 Females: Neurobehavioral Cohort

Phase Day	Treatment Groups (ppm)					
	1000			3000		
	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
PND28	80.2 ± 1.1	99.7	20	78.1 ± 0.9	97.1	20
PND35	114.3 ± 1.3	100.4	20	109.8 ± 1.3	96.5	20
PND42	143.8 ± 1.6	98.3	20	139.9 ± 1.4	95.6	20
PND49	165.8 ± 1.8	96.7	20	163.5 ± 1.6	95.3	20
PND56	184.2 ± 2.0	96.4	20	180.1 ± 2.2 **	94.3	20
PND63	197.7 ± 2.2	96.2	20	192.0 ± 1.8 **	93.5	20
PND70	207.5 ± 2.5 *	95.4	20	202.8 ± 2.4 **	93.3	20
PND77	215.5 ± 3.0 *	94.6	20	212.7 ± 2.8 **	93.4	20
PND84	223.8 ± 2.7 *	95.2	20	221.2 ± 2.5 **	94.1	20
PND91	231.7 ± 3.0 **	94.7	20	229.0 ± 2.4 **	93.7	20
PND98	235.0 ± 2.8 **	94.1	20	232.4 ± 2.9 **	93.0	20
PND105	240.0 ± 2.9 *	95.4	20	235.9 ± 2.6 **	93.8	20
PND112	242.3 ± 3.1 *	94.6	20	237.8 ± 3.3 **	92.9	20
PND119	245.9 ± 3.3 *	94.8	20	240.6 ± 3.2 **	92.8	20
PND126	249.2 ± 3.4 *	94.7	20	242.6 ± 2.8 **	92.2	20
PND133	253.8 ± 3.9 *	94.7	20	248.8 ± 3.2 **	92.9	20

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I04: Mean Body Weight Summary

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 13:46:54

Lab: Battelle

LEGEND

Weights are displayed as mean \pm SEM, with N as the number of animals.

GD = Gestation Day; LD = Lactation Day; PND = Postnatal Day

Statistical analysis of weight data was performed by Jonckheere (trend) and Williams or Dunnett (pairwise) tests.

Statistical significance for the control group indicates a significant trend test.

Statistical significance for a treatment group indicates a significant pairwise test compared to the vehicle control group.

* Statistically significant at $p \leq 0.05$

** Statistically significant at $p \leq 0.01$

Three F0 females from each dose group were removed on GD 18 for biological sampling.

Three F0 females from the 30 and 100 ppm dose groups were removed on LD 4 for biological sampling.

Body weights are reported through PND 133 for the Neurobehavioral Cohort, and PND 119 for the Subchronic Cohort, after which euthanasia of animals across staggered terminal dates occurred.

SEM = Standard Error of the Mean

**** END OF REPORT ****