

Study Number: C11042B-01
Test Type: TOX with Perinatal Exposure
Route: Dosing in Feed
Species/Strain: Rat/Harlan Sprague Dawley

I08: Mean Test Compound Consumption
Test Compound: Triphenyl Phosphate (TPHP)
CAS Number: 115-86-6

Date Report Requested: 05/28/2026
Time Report Requested: 15:18:30
Lab: Battelle

Study Number: C11042B-01
Study Sex: Both
PWG Approval Date: See web page for date of PWG Approval
Version: v1.7.8
Stat Version: 2026.04.15S

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I08: Mean Test Compound Consumption

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 15:18:30

Lab: Battelle

F0 Females

Treatment Groups (ppm)

Phase	Days	0		30		100		300		1000	
		Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N
Gestation	6 - 9	0.0 ± 0.0	23	2.2 ± 0.0	31	7.5 ± 0.1	30	22.3 ± 0.2	26	69.4 ± 0.7	29
	9 - 12	0.0 ± 0.0	23	2.2 ± 0.0	31	7.4 ± 0.1	30	22.4 ± 0.2	26	70.8 ± 0.9	29
	12 - 15	0.0 ± 0.0	23	2.1 ± 0.0	31	7.0 ± 0.1	30	20.6 ± 0.2	26	68.1 ± 0.7	29
	15 - 18	0.0 ± 0.0	23	2.1 ± 0.0	31	7.2 ± 0.1	30	21.4 ± 0.5	26	70.9 ± 0.9	28
	18 - 21	0.0 ± 0.0	20	1.9 ± 0.0	28	6.5 ± 0.1	27	19.1 ± 0.3	23	62.8 ± 0.8	26
	6 - 21	0.0 ± 0.0	20	2.1 ± 0.0	28	7.0 ± 0.1	27	20.9 ± 0.2	23	67.9 ± 0.5	26
Lactation	1 - 4	0.0 ± 0.0	17	3.6 ± 0.1	28	12.6 ± 0.3	24	37.8 ± 1.3	22	126.0 ± 5.1	25
	4 - 7	0.0 ± 0.0	19	4.1 ± 0.1	24	13.7 ± 0.2	23	40.7 ± 0.7	21	128.2 ± 3.0	25
	7 - 10	0.0 ± 0.0	19	4.9 ± 0.1	24	16.9 ± 0.3	23	50.4 ± 1.1	21	157.9 ± 7.0	25
	10 - 13	0.0 ± 0.0	19	5.2 ± 0.1	24	17.9 ± 0.3	23	54.2 ± 0.8	21	165.4 ± 5.3	24
	13 - 16	0.0 ± 0.0	19	5.7 ± 0.1	24	19.6 ± 0.3	23	59.4 ± 0.8	21	182.7 ± 6.8	25
	16 - 19	0.0 ± 0.0	19	6.9 ± 0.1	24	23.6 ± 0.5	23	69.7 ± 1.3	21	220.9 ± 8.6	25
	19 - 21	0.0 ± 0.0	19	9.1 ± 0.2	24	31.2 ± 0.7	23	92.6 ± 1.5	21	290.9 ± 12.9	25
	21 - 25	0.0 ± 0.0	19	10.5 ± 0.2	24	35.5 ± 0.7	23	106.7 ± 1.7	21	330.0 ± 14.8	25
	25 - 28	0.0 ± 0.0	19	10.6 ± 0.2	24	35.9 ± 0.6	23	110.8 ± 2.1	21	332.7 ± 14.6	25
	1 - 28	0.0 ± 0.0	19	6.8 ± 0.1	24	23.4 ± 0.4	23	70.2 ± 1.0	21	218.0 ± 8.1	25

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I08: Mean Test Compound Consumption

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 15:18:30

Lab: Battelle

F0 Females

Phase	Days	Treatment Groups (ppm)	
		3000	
		Dose/Day (mg/kg/day)	N
Gestation	6 - 9	195.8 ± 6.8	30
	9 - 12	212.8 ± 4.7	31
	12 - 15	206.3 ± 4.3	31
	15 - 18	210.9 ± 2.6	31
	18 - 21	193.8 ± 2.7	28
	6 - 21	202.1 ± 2.8	28
Lactation	1 - 4	401.3 ± 12.7	27
	4 - 7	408.3 ± 10.2	27
	7 - 10	473.8 ± 11.2	27
	10 - 13	508.7 ± 14.4	27
	13 - 16	566.4 ± 14.0	27
	16 - 19	670.0 ± 18.6	27
	19 - 21	859.3 ± 28.0	27
	21 - 25	1006.2 ± 32.8	27
	25 - 28	1039.2 ± 35.5	27
1 - 28	669.9 ± 18.7	27	

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I08: Mean Test Compound Consumption

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 15:18:30

Lab: Battelle

F1 Males: Biosample Cohort

Treatment Groups (ppm)

Phase	Days	0		30		100		300		1000	
		Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N
Postnatal	28 - 35	0.0 ± 0.0	3	3.8 ± 0.1	3	13.7 ± 0.4	3	42.5 ± 1.4	3	138.7 ± 3.5	3
	35 - 41	0.0 ± 0.0	3	4.2 ± 0.1	3	14.6 ± 0.1	3	44.3 ± 0.5	3	150.0 ± 8.4	3
	41 - 49	0.0 ± 0.0	3	3.5 ± 0.0	3	12.2 ± 0.5	3	39.4 ± 3.1	3	122.1 ± 1.0	3
	49 - 56	0.0 ± 0.0	3	3.1 ± 0.0	3	10.9 ± 0.6	3	35.7 ± 3.5	3	106.9 ± 1.3	3
	56 - 63	0.0 ± 0.0	3	2.7 ± 0.1	3	10.2 ± 0.7	3	30.1 ± 2.0	3	93.3 ± 1.3	3
	63 - 70	0.0 ± 0.0	3	2.5 ± 0.1	3	9.4 ± 0.8	3	27.6 ± 3.0	3	82.3 ± 2.1	3
	70 - 77	0.0 ± 0.0	3	2.3 ± 0.1	3	8.8 ± 0.1	3	25.6 ± 2.7	3	79.6 ± 0.7	3
	77 - 84	0.0 ± 0.0	3	2.2 ± 0.1	3	8.1 ± 0.6	3	23.6 ± 2.4	3	77.3 ± 0.8	3
	84 - 91	0.0 ± 0.0	3	2.0 ± 0.1	3	7.5 ± 0.6	3	19.6 ± 0.0	2	71.1 ± 0.3	3
	91 - 98	0.0 ± 0.0	2	1.9 ± 0.1	3	7.2 ± 0.5	3	22.5 ± 2.6	3	69.6 ± 1.0	3
	98 - 105	0.0 ± 0.0	3	1.8 ± 0.1	3	6.6 ± 0.4	3	19.2 ± 0.1	2	68.2 ± 0.7	3
	105 - 112	0.0 ± 0.0	2	1.8 ± 0.1	3	6.5 ± 0.4	3	23.2 ± 4.3	3	64.1 ± 1.1	3
	112 - 119	0.0 ± 0.0	2	1.7 ± 0.1	3	6.2 ± 0.4	3	18.7 ± 0.4	3	58.9 ± 0.5	3
	119 - 126	0.0 ± 0.0	2	1.8 ± 0.1	3	6.5 ± 0.8	2	22.4 ± 4.0	3	61.1 ± 1.4	3
28 - 126	0.0 ± 0.0	3	2.3 ± 0.1	3	8.4 ± 0.8	2	25.8 ± 2.1	3	80.4 ± 0.4	3	

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I08: Mean Test Compound Consumption

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 15:18:30

Lab: Battelle

F1 Males: Biosample Cohort

Phase	Days	Treatment Groups (ppm)	
		3000	N
		Dose/Day (mg/kg/day)	
Postnatal	28 - 35	407.5 ± 22.5	3
	35 - 41	500.6 ± 66.4	3
	41 - 49	396.2 ± 26.8	3
	49 - 56	354.1 ± 15.9	3
	56 - 63	304.9 ± 27.7	2
	63 - 70	275.4 ± 21.7	2
	70 - 77	265.2 ± 16.3	3
	77 - 84	237.8 ± 4.9	2
	84 - 91	218.7 ± 0.5	3
	91 - 98	209.1 ± 5.3	3
	98 - 105	208.3 ± 6.4	3
	105 - 112	207.6 ± 3.6	3
	112 - 119	188.0 ± 4.2	3
	119 - 126	185.2 ± 2.9	3
	28 - 126	252.0 ± 7.7	3

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I08: Mean Test Compound Consumption

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 15:18:30

Lab: Battelle

F1 Females: Biosample Cohort

Treatment Groups (ppm)

Phase	Days	0		30		100		300		1000	
		Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N
Postnatal	28 - 35	0.0 ± 0.0	2	4.1 ± 0.0	2	13.9 ± 0.1	2	41.8 ± 0.1	2	140.5 ± 7.3	3
	35 - 41	0.0 ± 0.0	2	4.2 ± 0.0	2	15.2 ± 0.1	2	44.4 ± 2.1	2	144.3 ± 2.0	3
	41 - 49	0.0 ± 0.0	2	3.9 ± 0.2	2	12.4 ± 0.0	2	38.5 ± 3.8	2	122.7 ± 4.8	2
	49 - 56	0.0 ± 0.0	2	3.5 ± 0.1	2	11.7 ± 1.0	2	33.5 ± 1.7	2	138.8 ± 15.9	3
	56 - 63	0.0 ± 0.0	2	3.4 ± 0.4	2	10.1 ± 0.6	2	30.3 ± 2.7	2	114.0 ± 7.4	3
	63 - 70	0.0 ± 0.0	2	3.1 ± 0.4	2	9.5 ± 0.8	2	28.0 ± 2.4	2	122.5 ± 7.6	3
	70 - 77	0.0 ± 0.0	2	3.0 ± 0.2	2	9.1 ± 0.7	2	26.2 ± 3.3	2	94.4 ± 6.6	3
	77 - 84	0.0 ± 0.0	2	2.7 ± 0.1	2	9.4 ± 1.8	2	25.3 ± 2.6	2	98.5 ± 6.0	3
	84 - 91	0.0 ± 0.0	2	2.6 ± 0.0	2	7.9 ± 0.5	2	24.0 ± 0.9	2	108.1 ± 15.6	2
	91 - 98	0.0	1	2.5 ± 0.2	2	7.7 ± 0.5	2	22.7 ± 2.6	2	76.0 ± 3.8	3
	98 - 105	0.0 ± 0.0	2	2.4 ± 0.1	2	7.4 ± 0.5	2	22.5 ± 2.0	2	72.8 ± 0.7	2
	105 - 112	0.0 ± 0.0	2	2.4 ± 0.1	2	7.0 ± 0.2	2	22.0 ± 1.2	2	75.6 ± 3.9	3
	112 - 119	0.0 ± 0.0	2	2.1 ± 0.2	2	6.5 ± 0.4	2	21.0 ± 2.7	2	76.6 ± 11.9	3
	119 - 126	0.0 ± 0.0	2	2.3 ± 0.1	2	7.0 ± 0.6	2	23.3 ± 4.3	2	74.5 ± 5.5	3
28 - 126	0.0 ± 0.0	2	2.9 ± 0.1	2	9.1 ± 0.6	2	27.2 ± 2.4	2	100.8 ± 5.5	3	

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I08: Mean Test Compound Consumption

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 15:18:30

Lab: Battelle

F1 Females: Biosample Cohort

Phase	Days	Treatment Groups (ppm)	
		3000	
		Dose/Day (mg/kg/day)	N
Postnatal	28 - 35	432.8 ± 4.5	3
	35 - 41	527.5 ± 83.3	3
	41 - 49	356.6 ± 27.2	2
	49 - 56	330.1 ± 22.2	2
	56 - 63	310.4 ± 27.6	2
	63 - 70	318.6 ± 43.3	3
	70 - 77	247.4 ± 14.8	2
	77 - 84	240.7 ± 2.3	2
	84 - 91	248.0 ± 6.6	3
	91 - 98	217.2 ± 17.8	3
	98 - 105	257.5 ± 20.8	3
	105 - 112	223.3 ± 12.3	2
	112 - 119	198.7 ± 4.8	3
	119 - 126	214.2 ± 9.3	3
	28 - 126	271.4 ± 6.2	3

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I08: Mean Test Compound Consumption

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 15:18:30

Lab: Battelle

F1 Males: Subchronic Cohort

Treatment Groups (ppm)

Phase	Days	0		30		100		300		1000	
		Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N
Postnatal	28 - 35	0.0 ± 0.0	6	4.1 ± 0.1	6	14.0 ± 0.3	6	42.9 ± 1.1	6	136.4 ± 2.5	6
	35 - 41	0.0 ± 0.0	6	4.6 ± 0.2	6	15.2 ± 0.4	6	46.6 ± 1.8	6	156.5 ± 5.0	6
	41 - 49	0.0 ± 0.0	6	3.6 ± 0.1	6	12.2 ± 0.2	6	38.5 ± 1.9	6	132.9 ± 6.1	6
	49 - 56	0.0 ± 0.0	6	3.1 ± 0.1	6	10.7 ± 0.3	6	32.8 ± 1.2	6	116.0 ± 4.3	6
	56 - 63	0.0 ± 0.0	6	2.8 ± 0.0	6	9.4 ± 0.3	6	29.9 ± 1.1	6	100.1 ± 2.7	6
	63 - 70	0.0 ± 0.0	6	2.6 ± 0.0	6	8.8 ± 0.4	6	27.7 ± 1.3	6	91.8 ± 4.1	6
	70 - 77	0.0 ± 0.0	6	2.3 ± 0.0	6	8.1 ± 0.4	6	26.1 ± 0.7	6	83.1 ± 3.7	6
	77 - 84	0.0 ± 0.0	6	2.3 ± 0.0	6	7.7 ± 0.3	6	23.8 ± 0.8	6	78.2 ± 2.1	6
	84 - 91	0.0 ± 0.0	6	2.1 ± 0.1	6	7.2 ± 0.2	6	22.5 ± 0.8	6	72.3 ± 1.7	6
	91 - 98	0.0 ± 0.0	6	2.1 ± 0.1	6	7.2 ± 0.3	6	21.0 ± 0.6	5	69.8 ± 1.3	6
	98 - 105	0.0 ± 0.0	6	2.0 ± 0.1	6	6.4 ± 0.2	5	20.0 ± 0.9	5	67.2 ± 2.1	6
	105 - 112	0.0 ± 0.0	6	1.9 ± 0.1	6	6.2 ± 0.2	6	20.2 ± 0.3	6	63.7 ± 1.5	6
	112 - 119	0.0 ± 0.0	6	1.8 ± 0.1	6	6.0 ± 0.2	6	19.8 ± 0.5	6	60.6 ± 1.7	6
28 - 119	0.0 ± 0.0	6	2.5 ± 0.0	6	8.3 ± 0.2	6	26.1 ± 0.7	6	85.4 ± 1.8	6	

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I08: Mean Test Compound Consumption

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 15:18:30

Lab: Battelle

F1 Males: Subchronic Cohort

Phase	Days	Treatment Groups (ppm)	
		3000	
		Dose/Day (mg/kg/day)	N
Postnatal	28 - 35	427.3 ± 6.8	6
	35 - 41	487.8 ± 23.7	6
	41 - 49	398.5 ± 14.9	6
	49 - 56	348.3 ± 8.4	6
	56 - 63	308.6 ± 8.3	6
	63 - 70	271.1 ± 5.7	6
	70 - 77	244.3 ± 4.8	6
	77 - 84	238.3 ± 10.0	6
	84 - 91	215.0 ± 2.3	6
	91 - 98	209.6 ± 4.0	6
	98 - 105	200.5 ± 6.1	6
	105 - 112	194.0 ± 3.1	6
	112 - 119	185.3 ± 3.5	6
	28 - 119	259.6 ± 3.9	6

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I08: Mean Test Compound Consumption

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 15:18:30

Lab: Battelle

F1 Females: Subchronic Cohort

Treatment Groups (ppm)

Phase	Days	0		30		100		300		1000	
		Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N
Postnatal	28 - 35	0.0 ± 0.0	4	3.8 ± 0.0	3	13.0 ± 0.2	4	40.7 ± 0.9	4	133.3 ± 3.6	3
	35 - 41	0.0 ± 0.0	4	4.1 ± 0.1	3	13.8 ± 0.6	4	42.5 ± 1.7	4	145.6 ± 10.7	3
	41 - 49	0.0 ± 0.0	4	3.4 ± 0.2	3	11.6 ± 0.3	4	36.4 ± 2.3	4	119.0 ± 9.0	3
	49 - 56	0.0 ± 0.0	4	3.2 ± 0.3	3	10.7 ± 0.1	4	33.1 ± 1.6	4	106.9 ± 6.7	3
	56 - 63	0.0 ± 0.0	4	2.8 ± 0.2	3	9.8 ± 0.4	4	29.1 ± 1.5	4	93.1 ± 4.9	3
	63 - 70	0.0 ± 0.0	4	2.5 ± 0.1	3	9.3 ± 0.5	4	29.4 ± 0.9	4	90.5 ± 2.8	3
	70 - 77	0.0 ± 0.0	4	2.3 ± 0.1	3	9.0 ± 0.1	4	24.7 ± 0.9	4	83.7 ± 6.2	3
	77 - 84	0.0 ± 0.0	4	2.2 ± 0.1	3	8.7 ± 0.2	4	23.7 ± 1.2	4	80.6 ± 4.2	3
	84 - 91	0.0 ± 0.0	4	2.2 ± 0.1	3	7.9 ± 0.4	4	22.0 ± 0.5	4	75.4 ± 6.6	3
	91 - 98	0.0 ± 0.0	4	2.2 ± 0.2	3	7.3 ± 0.3	4	21.4 ± 0.6	4	67.6 ± 8.7	3
	98 - 105	0.0 ± 0.0	4	1.9 ± 0.0	3	7.5 ± 0.5	4	20.8 ± 1.0	4	76.9 ± 4.0	3
	105 - 112	0.0 ± 0.0	4	1.9 ± 0.1	3	6.9 ± 0.2	4	19.6 ± 0.6	4	70.1 ± 3.4	3
	112 - 119	0.0 ± 0.0	4	1.8 ± 0.0	3	5.7 ± 0.6	4	18.5 ± 0.5	4	64.0 ± 2.9	3
28 - 119	0.0 ± 0.0	4	2.5 ± 0.1	3	8.9 ± 0.1	4	26.3 ± 0.8	4	87.7 ± 4.7	3	

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I08: Mean Test Compound Consumption

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 15:18:30

Lab: Battelle

F1 Females: Subchronic Cohort

Phase	Days	Treatment Groups (ppm)	
		3000	N
		Dose/Day (mg/kg/day)	
Postnatal	28 - 35	406.8 ± 18.9	4
	35 - 41	468.7 ± 41.6	4
	41 - 49	374.2 ± 18.6	4
	49 - 56	344.3 ± 17.5	4
	56 - 63	310.7 ± 18.7	4
	63 - 70	292.9 ± 17.0	4
	70 - 77	253.9 ± 4.7	4
	77 - 84	261.9 ± 13.1	4
	84 - 91	219.2 ± 2.5	4
	91 - 98	222.0 ± 11.3	4
	98 - 105	206.3 ± 8.0	4
	105 - 112	208.8 ± 12.4	4
	112 - 119	186.7 ± 3.5	4
	28 - 119	271.2 ± 8.7	4

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I08: Mean Test Compound Consumption

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 15:18:30

Lab: Battelle

F1 Males: Neurobehavioral Cohort

Phase	Days	Treatment Groups (ppm)									
		0		30		100		300		1000	
		Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N
Postnatal	28 - 35	0.0 ± 0.0	10	3.7 ± 0.1	11	12.4 ± 0.2	11	36.7 ± 0.3	11	124.6 ± 1.4	11
	35 - 41	0.0 ± 0.0	10	3.9 ± 0.1	11	12.9 ± 0.2	11	39.1 ± 0.6	11	131.5 ± 1.7	11
	41 - 49	0.0 ± 0.0	10	3.1 ± 0.0	11	10.5 ± 0.1	11	31.8 ± 0.3	11	106.0 ± 0.9	11
	49 - 56	0.0 ± 0.0	10	2.8 ± 0.0	11	9.5 ± 0.1	11	28.5 ± 0.4	11	94.4 ± 0.6	11
	56 - 63	0.0 ± 0.0	10	2.5 ± 0.0	11	8.3 ± 0.1	11	25.2 ± 0.3	11	82.5 ± 0.8	11
	63 - 70	0.0 ± 0.0	10	2.3 ± 0.0	11	7.7 ± 0.1	11	23.3 ± 0.3	11	76.7 ± 1.0	11
	70 - 77	0.0 ± 0.0	10	2.1 ± 0.1	11	7.1 ± 0.1	11	21.8 ± 0.4	11	66.7 ± 0.9	11
	77 - 84	0.0 ± 0.0	10	2.0 ± 0.0	11	6.7 ± 0.1	11	19.3 ± 1.0	11	66.5 ± 0.7	11
	84 - 91	0.0 ± 0.0	10	2.0 ± 0.0	11	6.4 ± 0.1	11	19.9 ± 0.7	11	68.5 ± 0.9	11
	91 - 98	0.0 ± 0.0	10	1.9 ± 0.0	11	6.2 ± 0.1	11	18.6 ± 0.3	11	63.9 ± 0.9	11
	98 - 105	0.0 ± 0.0	10	1.8 ± 0.0	11	6.1 ± 0.2	11	17.9 ± 0.2	11	60.0 ± 0.8	11
	105 - 112	0.0 ± 0.0	10	1.7 ± 0.0	11	5.7 ± 0.1	11	16.9 ± 0.2	11	55.8 ± 1.1	11
	112 - 119	0.0 ± 0.0	10	1.7 ± 0.0	11	5.6 ± 0.1	11	16.6 ± 0.3	11	54.5 ± 0.8	11
	119 - 126	0.0 ± 0.0	10	1.6 ± 0.0	11	5.5 ± 0.1	11	16.1 ± 0.2	11	54.1 ± 0.8	11
126 - 133	0.0 ± 0.0	10	1.6 ± 0.0	11	5.4 ± 0.1	11	16.0 ± 0.3	11	53.1 ± 1.0	11	
28 - 133	0.0 ± 0.0	10	2.1 ± 0.0	11	7.1 ± 0.1	11	21.2 ± 0.2	11	70.8 ± 0.6	11	

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I08: Mean Test Compound Consumption

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 15:18:30

Lab: Battelle

F1 Males: Neurobehavioral Cohort

Phase	Days	Treatment Groups (ppm)	
		3000	N
		Dose/Day (mg/kg/day)	
Postnatal	28 - 35	381.5 ± 5.2	11
	35 - 41	409.0 ± 6.7	11
	41 - 49	333.4 ± 4.4	11
	49 - 56	293.4 ± 4.6	11
	56 - 63	255.9 ± 5.0	11
	63 - 70	235.1 ± 5.9	11
	70 - 77	206.9 ± 3.5	11
	77 - 84	203.9 ± 4.5	11
	84 - 91	205.9 ± 2.5	11
	91 - 98	193.4 ± 2.5	11
	98 - 105	180.2 ± 2.9	11
	105 - 112	167.8 ± 2.5	11
	112 - 119	163.8 ± 2.9	11
	119 - 126	163.1 ± 2.6	11
	126 - 133	157.8 ± 2.3	11
28 - 133	215.3 ± 2.9	11	

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I08: Mean Test Compound Consumption

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 15:18:30

Lab: Battelle

F1 Females: Neurobehavioral Cohort

Treatment Groups (ppm)

Phase	Days	0		30		100		300		1000	
		Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N
Postnatal	28 - 35	0.0 ± 0.0	6	3.4 ± 0.1	6	11.5 ± 0.2	6	35.1 ± 0.4	7	117.4 ± 2.1	7
	35 - 41	0.0 ± 0.0	6	3.5 ± 0.1	6	11.9 ± 0.3	6	35.1 ± 0.6	7	120.8 ± 4.0	7
	41 - 49	0.0 ± 0.0	6	3.1 ± 0.2	6	10.5 ± 0.5	6	31.1 ± 0.9	7	107.1 ± 8.3	7
	49 - 56	0.0 ± 0.0	6	2.9 ± 0.1	6	9.5 ± 0.3	6	29.0 ± 0.9	7	92.9 ± 1.9	7
	56 - 63	0.0 ± 0.0	6	2.4 ± 0.1	6	8.3 ± 0.2	6	25.4 ± 0.7	7	80.1 ± 1.7	7
	63 - 70	0.0 ± 0.0	6	2.3 ± 0.1	6	7.8 ± 0.2	6	23.8 ± 0.6	7	77.4 ± 2.0	7
	70 - 77	0.0 ± 0.0	6	2.1 ± 0.1	6	7.6 ± 0.3	6	21.5 ± 0.2	7	68.3 ± 1.7	7
	77 - 84	0.0 ± 0.0	6	2.0 ± 0.0	6	7.4 ± 0.3	6	21.2 ± 0.5	7	69.2 ± 1.4	7
	84 - 91	0.0 ± 0.0	6	2.1 ± 0.1	6	6.8 ± 0.2	6	20.4 ± 0.6	7	72.7 ± 1.7	7
	91 - 98	0.0 ± 0.0	6	2.0 ± 0.0	6	6.5 ± 0.2	6	20.0 ± 0.3	7	65.5 ± 2.2	7
	98 - 105	0.0 ± 0.0	6	1.9 ± 0.1	6	6.5 ± 0.2	6	19.4 ± 0.4	7	65.2 ± 1.8	7
	105 - 112	0.0 ± 0.0	6	1.8 ± 0.0	6	6.2 ± 0.2	6	18.6 ± 0.3	7	61.2 ± 2.2	7
	112 - 119	0.0 ± 0.0	6	1.7 ± 0.0	6	5.8 ± 0.2	6	18.2 ± 0.5	7	59.5 ± 1.5	7
	119 - 126	0.0 ± 0.0	6	1.7 ± 0.0	6	5.7 ± 0.2	6	17.9 ± 0.3	7	59.1 ± 2.2	7
126 - 133	0.0 ± 0.0	6	1.7 ± 0.0	6	5.8 ± 0.1	6	17.1 ± 0.4	7	58.2 ± 1.7	7	
28 - 133	0.0 ± 0.0	6	2.2 ± 0.0	6	7.5 ± 0.2	6	22.4 ± 0.4	7	74.5 ± 1.9	7	

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I08: Mean Test Compound Consumption

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 15:18:30

Lab: Battelle

F1 Females: Neurobehavioral Cohort

Phase	Days	Treatment Groups (ppm)	
		3000	N
		Dose/Day (mg/kg/day)	
Postnatal	28 - 35	373.6 ± 7.7	7
	35 - 41	370.4 ± 8.6	7
	41 - 49	307.8 ± 4.8	7
	49 - 56	279.5 ± 4.7	7
	56 - 63	239.4 ± 3.6	7
	63 - 70	234.4 ± 2.7	7
	70 - 77	212.1 ± 4.3	7
	77 - 84	212.4 ± 5.0	7
	84 - 91	218.9 ± 3.4	7
	91 - 98	205.9 ± 4.9	7
	98 - 105	196.7 ± 4.0	7
	105 - 112	184.2 ± 6.7	7
	112 - 119	183.2 ± 5.0	7
	119 - 126	178.5 ± 3.9	7
	126 - 133	177.2 ± 4.6	7
28 - 133	226.2 ± 3.3	7	

Study Number: C11042B-01

Test Type: TOX with Perinatal Exposure

Route: Dosing in Feed

Species/Strain: Rat/Harlan Sprague Dawley

I08: Mean Test Compound Consumption

Test Compound: Triphenyl Phosphate (TPHP)

CAS Number: 115-86-6

Date Report Requested: 05/28/2026

Time Report Requested: 15:18:30

Lab: Battelle

LEGEND

Reported as the mean \pm SEM. N is the number of animals, or number of cages for group housed adult animals.

F0 females were singly housed. All F1 cohorts were group housed.

Chemical intake values were excluded when excessive spillage was recorded.

Consumption is not reported for the non-pregnant animals during gestation and lactation phases.

Consumption data for group housed adult animals in the F1 generation is analyzed with cage as the statistical unit.

Group housed adult animals were housed up to four animals per cage.

Statistical analysis was not performed on this data.

SEM = Standard Error of the Mean

One Gestation Day 15-18 F0 Female feed weight from the 1000 ppm group was excluded as an outlier, along with the relative feed weight for this interval.

Three F0 females from each dose group were removed on GD 18 for biological sampling.

Three F0 females from the 30 and 100 ppm dose groups were removed on LD 4 for biological sampling.

Compound consumption is reported through Postnatal Day 133 for the Neurobehavioral Cohort, and Postnatal Day 119 for the Subchronic Cohort, after which euthanasia of animals across staggered terminal dates occurred.

**** END OF REPORT ****