**Experiment Number:** C16008-03

Test Type: TOX

Route: Oral Gavage

Species/Strain: Mouse/B6C3F1/N

**C Number:** C16008-03

Cage Range: All

Date Range: All

Reasons For Removal: All

Removal Date Range: All

Treatment Groups: All

Study Gender: Female

Date Report Requested: 02/12/2018 Time Report Requested: 11:43:09

Lab: Battelle

**104: Mean Body Weight Summary** 

**Test Compound:** Crumbrubber various

**CAS Number:** CRUMBRUBBERVARIOUS

**Experiment Number:** C16008-03

Test Type: TOX
Route: Oral Gavage

Species/Strain: Mouse/B6C3F1/N

I04: Mean Body Weight Summary
Test Compound: Crumbrubber various

CAS Number: CRUMBRUBBERVARIOUS

Date Report Requested: 02/12/2018 Time Report Requested: 11:43:09

Lab: Battelle

## **Females**

Phase Day	Litter ID	Treatment Groups (mg/kg)				
		0		1250		
		Wt (g)	N	Wt (g)	% from CNTL	N
SD0		19.8 ± 0.3	15	20.4 ± 0.3	3.3	15
SD4		$20.8 \pm 0.3$	15	$20.8 \pm 0.2$	-0.0	15
SD7		$20.7 \pm 0.3$	15	$20.6 \pm 0.2$	-0.5	15
SD11		$21.0 \pm 0.3$	15	$21.0 \pm 0.2$	0.1	15
SD13		21.1 ± 0.4	5	$21.4 \pm 0.3$	1.7	5
SD14		21.1 ± 0.4	10	$21.0 \pm 0.2$	-0.3	10

**Experiment Number:** C16008-03

**Test Type:** TOX **Route:** Oral Gavage

Species/Strain: Mouse/B6C3F1/N

I04: Mean Body Weight Summary
Test Compound: Crumbrubber various
CAS Number: CRUMBRUBBERVARIOUS

Date Report Requested: 02/12/2018 Time Report Requested: 11:43:09

Lab: Battelle

## **LEGEND**

Data are displayed as mean ± SEM

Statistical analysis performed by Jonchkeere (trend) and Williams or Dunnett (pairwise) tests (unless otherwise noted).

Statistical significance for the control group indicates a significant trend test

Statistical significance for a treatment group indicates a significant pairwise test compared to the vehicle control group

- \* Statistically significant at P <= 0.05
- \*\* Statistically significant at P <= 0.01

SD - Study Day; GD - Gestation Day; LD - Lactation Day; PND - Postnatal Day, adults post-weaning

In multigenerational studies bodyweights reported for all animals until mating; pregnant animals only during gestation and littering; all animals post-weaning of the last litter Statistical analysis performed using the t-Test for comparing the two groups.

\*\* END OF REPORT \*\*