Test Type: Chronic PN Route: DOSED FEED Species/Strain: RATS/HSD

## P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

2-Hydroxy-4-methoxybenzophenone

**CAS Number:** 131-57-7

25020 NATD

Date Report Requested: 10/18/2018 Time Report Requested: 13:26:54 First Dose M/F: 11/08/10 / 11/09/10

Lab: BAT

25019 MSAC

Custom Rpt (Litter Based)

**NTP Study Number:** C10260

**Lock Date:** 07/22/2014

**Cage Range:** ALL

**Date Range:** ALL

**Reasons For Removal:** 25021 TSAC

**Removal Date Range:** ALL

**Treatment Groups:** Include ALL

**Study Gender:** Both

**TDMSE Version:** 2.5.0.0\_sfh

**PWG Approval Date:** 10/18/2016

Test Type: Chronic PN Route: DOSED FEED Species/Strain: RATS/HSD

# P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

2-Hydroxy-4-methoxybenzophenone

**CAS Number:** 131-57-7

**Date Report Requested:** 10/18/2018 Time Report Requested: 13:26:54 First Dose M/F: 11/08/10 / 11/09/10

Lab: BAT

# **MALE RATS**

FIRST TERMINAL SACRIFICE AT 729 DAYS INDIVIDUAL SURVIVAL TIMES (DAYS)

DOSE = 0	ppm M	ale											
TOTAL 50 [29]			UNCENSORED DEATHS 20						ENSOR	ED DEA	THS 0	TERMINAL 30	
UNCENS	ORED DI	EATH DA	YS										
508 709	540 709	577 715	626 715	666 724	670 724	673	675	680	692	694	695	707	708
CENSOR	ED DEAT	TH DAYS	;										
None													
DOSE = 10	00 ppr	n Male											
TOTAL 50	[25]		U	UNCENSORED DEATHS 21					ENSOR	ED DEA	THS 0		TERMINAL 29
UNCENS	ORED DI	EATH DA	YS										
162 683	239 693	464 708	481 708	572 711	592 715	593 726	618	618	640	652	666	673	683
CENSOR	ED DEAT	TH DAYS	;										
None													
DOSE = 30	00 ppr	n Male											
TOTAL 50	[25]		U	INCENS	ORED DI	EATHS 2	26	C	ENSOR	ED DEA	THS 0		TERMINAL 24
UNCENS	ORED DI	EATH DA	NYS										
430 671	467 673	488 675	562 680	570 689	573 698	576 698	596 702	599 709	624 715	624 722	640 724	646	646
CENSOR	ED DEAT	TH DAYS	;										
None													

Test Type: Chronic PN Route: DOSED FEED

Species/Strain: RATS/HSD

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

 $\hbox{$2$-Hydroxy-$4$-methoxybenzophenone}\\$ 

**CAS Number:** 131-57-7

Date Report Requested: 10/18/2018 Time Report Requested: 13:26:54 First Dose M/F: 11/08/10 / 11/09/10

Lab: BAT

**MALE RATS** 

FIRST TERMINAL SACRIFICE AT **729** DAYS INDIVIDUAL SURVIVAL TIMES (DAYS)

DOSE = 10000 ppm Male

TOTAL 50 [28] UNCENSORED DEATHS 17

**CENSORED DEATHS 0** 

**TERMINAL 33** 

**UNCENSORED DEATH DAYS** 

56 309 316 380 576 617 619 625 626 645 646 668 698 710 712 724 728

**CENSORED DEATH DAYS** 

None

Test Type: Chronic PN Route: DOSED FEED Species/Strain: RATS/HSD

### P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

2-Hydroxy-4-methoxybenzophenone

**CAS Number:** 131-57-7

Date Report Requested: 10/18/2018 Time Report Requested: 13:26:54 First Dose M/F: 11/08/10 / 11/09/10

Lab: BAT

## MALE RATS FIRST TERMINAL SACRIFICE AT 729 DAYS

KAPLAN-MEIER SURVIVAL PROBABILITY ESTIMATES (%)										
DOSE					TIME (	DAYS)				
	90	180	270	365	425	485	545	605	665	729(A)
0 ppm Male	100.0	100.0	100.0	100.0	100.0	100.0	96.0	94.0	92.0	60.0
1000 ppm Male	100.0	98.0	96.0	96.0	96.0	92.0	92.0	86.0	78.0	58.0
3000 ppm Male	100.0	100.0	100.0	100.0	100.0	96.0	94.0	82.0	72.0	48.0
10000 ppm Male	98.0	98.0	98.0	94.0	92.0	92.0	92.0	90.0	78.0	66.0

 <sup>(</sup>A) FIRST TERMINAL SACRIFICE
 (B) THE FIRST ENTRY IS THE TREND TEST RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS. NEGATIVE TRENDS ARE INDICATED BY "N". TREND AND PAIRWISE TESTS USE A PROPORTIONAL HAZARDS MODEL WITH DAMID AS A RANDOM EFFECT.
 (C) MEAN OF LITTER MEANS OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
 (D) MEAN OF LITTER MEANS OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: Chronic PN Route: DOSED FEED Species/Strain: RATS/HSD P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

2-Hydroxy-4-methoxybenzophenone

**CAS Number:** 131-57-7

Date Report Requested: 10/18/2018 Time Report Requested: 13:26:54 First Dose M/F: 11/08/10 / 11/09/10

Lab: BAT

MALE RATS

FIRST TERMINAL SACRIFICE AT 729 DAYS

#### **SURVIVAL SUMMARY STATISTICS**

DOSE	0 ppm Male	1000 ppm Male	3000 ppm Male	10000 ppm Male
SURVIVAL AT END OF STUDY (KAPLAN-MEIER)	60.0%	58.0%	48.0%	66.0%
SIGNIFICANCE (B) (LIFE TABLE)	P=0.486N	P=0.672	P=0.203	P=0.706N
MEAN DAY OF NATURAL DEATHS (C) (STANDARD ERROR)	668.5 (16.2)	604.2 (35.0)	639.8 (14.2)	559.8 (53.2)
MEAN LIFE SPAN (D) (STANDARD ERROR)	704.7 (6.5)	674.8 (18.2)	677.9 (12.0)	677.7 (17.1)

 <sup>(</sup>A) FIRST TERMINAL SACRIFICE
 (B) THE FIRST ENTRY IS THE TREND TEST RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS. NEGATIVE TRENDS ARE INDICATED BY "N". TREND AND PAIRWISE TESTS USE A PROPORTIONAL HAZARDS MODEL WITH DAMID AS A RANDOM EFFECT.
 (C) MEAN OF LITTER MEANS OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
 (D) MEAN OF LITTER MEANS OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: Chronic PN
Route: DOSED FEED
Species/Strain: RATS/HSD

# P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

2-Hydroxy-4-methoxybenzophenone

**CAS Number:** 131-57-7

Date Report Requested: 10/18/2018 Time Report Requested: 13:26:54 First Dose M/F: 11/08/10 / 11/09/10

Lab: BAT

# **FEMALE RATS**

FIRST TERMINAL SACRIFICE AT **730** DAYS INDIVIDUAL SURVIVAL TIMES (DAYS)

DOSE = 0	ppm Fe	emale											
TOTAL 50 [29] UNCENSORED DEATH				EATHS 2	HS 20 CENSORED DEATHS 0						TERMINAL 30		
UNCENS	ORED DI	EATH DA	YS										
344 610	379 641	387 641	424 644	466 664	478 694	505	541	571	571	582	596	603	610
CENSOR	ED DEAT	TH DAYS											
None													
DOSE = 10	000 ppr	n Fema	ıle										
TOTAL 50	TOTAL 50 [25] UN		INCENS	ORED D	EATHS 1	7	CENSORED DEATHS 0					TERMINAL 33	
UNCENS	ORED DI	EATH DA	YS										
308 714	330 714	458 723	483	504	529	617	618	641	645	672	674	680	694
CENSOR	ED DEAT	TH DAYS											
None													
DOSE = 30	000 ppr	n Fema	ile										
TOTAL 50	[25]		L	INCENS	ORED D	EATHS 1	6	C	ENSOR	ED DEA	THS 0		TERMINAL 34
UNCENS	ORED DI	EATH DA	YS										
109 721	498 725	511	525	540	603	641	667	681	707	709	709	709	712
CENSOR	ED DEAT	TH DAYS											
None													

Test Type: Chronic PN Route: DOSED FEED

Species/Strain: RATS/HSD

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

 $\hbox{$2$-Hydroxy-$4$-methoxybenzophenone}\\$ 

**CAS Number:** 131-57-7

Date Report Requested: 10/18/2018 Time Report Requested: 13:26:54 First Dose M/F: 11/08/10 / 11/09/10

Lab: BAT

### **FEMALE RATS**

FIRST TERMINAL SACRIFICE AT **730** DAYS INDIVIDUAL SURVIVAL TIMES (DAYS)

DOSE = 10000 ppm Female

TOTAL 50 [29] UNCENSORED DEATHS 24 CENSORED DEATHS 0 TERMINAL 26

UNCENSORED DEATH DAYS

379 411 498 543 577 578 581 599 603 604 641 659 674 659 667 679 709 691 694 694 694 709

**CENSORED DEATH DAYS** 

None

Test Type: Chronic PN Route: DOSED FEED Species/Strain: RATS/HSD P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

2-Hydroxy-4-methoxybenzophenone

**CAS Number:** 131-57-7

Date Report Requested: 10/18/2018 Time Report Requested: 13:26:54 First Dose M/F: 11/08/10 / 11/09/10

Lab: BAT

### **FEMALE RATS**

FIRST TERMINAL SACRIFICE AT 730 DAYS

		KAP	LAN-MEI	ER SUR	/IVAL PF	ROBABIL	ITY EST	IMATES	(%)			
DOSE TIME (DAYS)												
	90	180	270	365	425	485	545	605	665	730(A)		
0 ppm Female	100.0	100.0	100.0	98.0	92.0	88.0	84.0	74.0	62.0	60.0		
1000 ppm Female	100.0	100.0	100.0	96.0	96.0	92.0	88.0	88.0	80.0	66.0		
3000 ppm Female	100.0	98.0	98.0	98.0	98.0	98.0	90.0	88.0	86.0	68.0		
10000 ppm Female	98.0	98.0	98.0	98.0	94.0	92.0	88.0	76.0	70.0	52.0		

 <sup>(</sup>A) FIRST TERMINAL SACRIFICE
 (B) THE FIRST ENTRY IS THE TREND TEST RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS. NEGATIVE TRENDS ARE INDICATED BY "N". TREND AND PAIRWISE TESTS USE A PROPORTIONAL HAZARDS MODEL WITH DAMID AS A RANDOM EFFECT.
 (C) MEAN OF LITTER MEANS OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
 (D) MEAN OF LITTER MEANS OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: Chronic PN Route: DOSED FEED Species/Strain: RATS/HSD P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

2-Hydroxy-4-methoxybenzophenone

**CAS Number:** 131-57-7

Date Report Requested: 10/18/2018 Time Report Requested: 13:26:54 First Dose M/F: 11/08/10 / 11/09/10

Lab: BAT

### **FEMALE RATS**

FIRST TERMINAL SACRIFICE AT 730 DAYS

#### **SURVIVAL SUMMARY STATISTICS**

DOSE	0 ppm Female	1000 ppm Female	3000 ppm Female	10000 ppm Female
SURVIVAL AT END OF STUDY (KAPLAN-MEIER)	60.0%	66.0%	68.0%	52.0%
SIGNIFICANCE (B) (LIFE TABLE)	P=0.231	P=0.385N	P=0.238N	P=0.603
MEAN DAY OF NATURAL DEATHS (C) (STANDARD ERROR)	547.7 (24.1)	587.6 (36.1)	610.4 (39.2)	580.6 (24.9)
<b>MEAN LIFE SPAN (D)</b> (STANDARD ERROR)	659.1 (15.5)	681.9 (14.4)	691.7 (13.7)	658.0 (18.8)

\*\*\* END OF REPORT \*\*\*

 <sup>(</sup>A) FIRST TERMINAL SACRIFICE
 (B) THE FIRST ENTRY IS THE TREND TEST RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS. NEGATIVE TRENDS ARE INDICATED BY "N". TREND AND PAIRWISE TESTS USE A PROPORTIONAL HAZARDS MODEL WITH DAMID AS A RANDOM EFFECT.
 (C) MEAN OF LITTER MEANS OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
 (D) MEAN OF LITTER MEANS OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)