P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 03/26/2012

AVERAGE SEVERITY GRADES[b]

Vinylidene chloride **CAS Number:** 75-35-4

F2_M3

First Dose M/F: 06/20/05 / 06/20/05

Time Report Requested: 12:00:38

Lab: BNW

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

Test Type: CHRONIC

C20303 **NTP Study Number:**

05/19/2008 Lock Date:

ALL Cage Range:

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Include ALL **Treatment Groups:**

Study Gender: Both

TDMSE Version: 2.6.0.0_007

PWG Approval Date: NONE

Test Type: CHRONIC
Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

Experiment Number: 20303 - 06

Vinylidene chloride CAS Number: 75-35-4

Time Report Requested: 12:00:38
First Dose M/F: 06/20/05 / 06/20/05

B6C3F1 MICE MALE	Control	6.25 ppm	12.5 ppm	25 ppm
Disposition Summary				
Animals Initially In Study	50	50	50	50
Early Deaths				
Moribund Sacrifice	12	5	14	19
Natural Death	9	5	4	12
Survivors				
Moribund Sacrifice		1		
Natural Death				1
Terminal Sacrifice	29	39	32	18
Animals Examined Microscopically	50	50	50	50
ALIMENTARY SYSTEM				
Esophagus	(50)	(50)	(50)	(50)
Gallbladder	(42)	(45)	(47)	(41)
Intestine Large, Cecum	(47)	(48)	(48)	(40)
Artery, Inflammation	()	(10)	(10)	1 [2.0]
Intestine Large, Colon	(47)	(48)	(48)	(42)
Intestine Large, Rectum	(48)	(48)	(48)	(42)
Intestine Small, Duodenum	(44)	(47)	(47)	(38)
Necrosis	1 [3.0]	()	1 [1.0]	(-5)
Intestine Small, Ileum	(44)	(47)	(47)	(39)
Hyperplasia	()	` '	1 [3.0]	(- /
Intestine Small, Jejunum	(43)	(47)	(47)	(39)
Liver	(50)	(50)	(50)	(50)
Angiectasis	1 [2.0]	1 [2.0]	,	, ,
Basophilic Focus	2	4	2	7
Clear Cell Focus	16	11	10	8
Cyst			2 [2.5]	2 [4.0]
Degeneration, Cystic			1 [2.0]	1 [2.0]
Eosinophilic Focus	9	7	4	6
Fatty Change	1 [2.0]			
Infarct		1 [3.0]		
Mineralization				1 [2.0]
Mixed Cell Focus	2	2	1	1

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Vinylidene chloride

Vinylidene chloride Time Report Requested: 12:00:38

CAS Number: 75-35-4 First Dose M/F: 06/20/05 / 06/20/05

Lab: BNW

Species/Strain: MICE/B6C3F1

Test Type: CHRONIC

Experiment Number: 20303 - 06

Route: RESPIRATORY EXPOSURE WHOLE BODY

1 [3.0] 1 [2.0] (9) 8 [2.0] (49) (50) (50)	2 [3.0] (6) 6 [2.3] (50) 1 [4.0] (50)	6 [2.5] (3) 1 [2.0] (48)	
1 [2.0] (9) 8 [2.0] (49) (50) (50)	(6) 6 [2.3] (50) 1 [4.0]	(3) 1 [2.0]	
(9) 8 [2.0] (49) (50) (50)	6 [2.3] (50) 1 [4.0]	1 [2.0]	
8 [2.0] (49) (50) (50)	6 [2.3] (50) 1 [4.0]	1 [2.0]	
(49) (50) (50)	(50) 1 [4.0]	(48)	
(50) (50)	1 [4.0]	, ,	
(50)			
(50)		(50)	
The state of the s	(50)	(49)	
1 [2.0]	7 [2.3]	10 [2.0]	
2 [2.0]	3 [1.7]	7 [1.6]	
1 [1.0]			
2 [1.5]	2 [2.0]	4 [1.8]	
1 [2.0]		2 [2.0]	
		1 [2.0]	
	1 [2.0]		
(49)	(49)	(48)	
1 [1.0]	. ,	,	
1 [1.0]	1 [1.0]	1 [1.0]	
	3 [1.7]	5 [1.4]	
`,		,	
(2)		(1)	
2 [3.5]		1 [4.0]	
(0)	(1)	(3)	
. ,			
(50)	(50)	(50)	
] 10 [1.2]	12 [1.2]	13 [1.4]	
· •			
	(0) (50)	(0) (1) 1 [2.0] (2) (0) 2 [3.5] (0) (1) (50) (50)	(0) (1) (0) (1) (0) (1 [2.0] (2) (0) (1) (1) (2 [3.5] (1 [4.0] (2 [4.0] (3 [4.0] (5 (5 (5 (5 (5 (5 (5 (5 (5 (5 (5 (5 (5

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Vinylidene chloride **CAS Number:** 75-35-4 Time Report Requested: 12:00:38

First Dose M/F: 06/20/05 / 06/20/05

Lab: BNW

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

Test Type: CHRONIC

Experiment Number: 20303 - 06

Control	6.25 ppm	12.5 ppm	25 ppm	
(50)	(50)	(50)	(50)	
18 [1.4]	11 [1.4]	12 [1.3]		
(50)	(50)	(50)		
	3 [2.0]	2 [2.0]		
(50)	(49)	(49)		
3 [2.3]	4 [2.5]	4 [2.0]		
(26)	(22)	(26)	(24)	
		2 [2.0]	1 [2.0]	
(49)	(49)	(50)	(46)	
1 [1.0]	1 [2.0]	1 [1.0]	2 [1.0]	
(50)	(49)	(50)	(49)	
. ,	. ,	1 [2.0]	• •	
-	(50) 5 [1.8] 18 [1.4] (50) (50) (50) 3 [2.3] (26)	(50) (50) 5 [1.8] 6 [1.3] 18 [1.4] 11 [1.4] (50) (50) 3 [2.0] (50) (49) 3 [2.3] 4 [2.5] (26) (22) (49) (49) 1 [1.0] 1 [2.0]	(50) (50) (50) 5 [1.8] 6 [1.3] 5 [1.2] 18 [1.4] 11 [1.4] 12 [1.3] (50) (50) (50) 3 [2.0] 2 [2.0] (50) (49) (49) 3 [2.3] 4 [2.5] 4 [2.0] (26) (22) (26) (49) (49) (50) 1 [1.0] 1 [2.0] 1 [1.0] (50) (49) (50)	(50) (50) (50) (50) (50) (50) 5 [1.8] 6 [1.3] 5 [1.2] 3 [2.3] 18 [1.4] 11 [1.4] 12 [1.3] 10 [1.7] (50) (50) (50) (50) (50) (50) (50) (50)

GENERAL BODY SYSTEM

None

GENITAL SYSTEM				
Epididymis	(50)	(50)	(50)	(50)
Granuloma Sperm		1 [2.0]	1 [2.0]	
Inflammation, Chronic	1 [2.0]		1 [2.0]	
Spermatocele	1 [1.0]			
Preputial Gland	(50)	(50)	(50)	(50)
Ectasia	1 [3.0]	1 [4.0]		
Inflammation, Suppurative	1 [3.0]			
Inflammation, Chronic Active	3 [2.3]	5 [2.4]	3 [2.0]	2 [1.5]
Prostate	(50)	(50)	(50)	(50)
Inflammation, Suppurative	1 [2.0]	1 [3.0]	1 [2.0]	1 [3.0]
Inflammation, Chronic Active			2 [2.0]	1 [2.0]
Artery, Inflammation, Chronic Active			1 [3.0]	1 [2.0]

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 03/26/2012 AVERAGE SEVERITY GRADES[b]

> Vinylidene chloride **CAS Number:** 75-35-4

Time Report Requested: 12:00:38 First Dose M/F: 06/20/05 / 06/20/05

Lab: BNW

Route: RESPIRATORY EXPOSURE WHOLE BODY Species/Strain: MICE/B6C3F1

Test Type: CHRONIC

B6C3F1 MICE MALE	Control	6.25 ppm	12.5 ppm	25 ppm	
Seminal Vesicle	(50)	(50)	(50)	(50)	
Dilatation				1 [3.0]	
Inflammation, Suppurative		1 [3.0]		1 [4.0]	
Testes	(50)	(50)	(50)	(50)	
Atrophy		2 [2.5]			
Germinal Epithelium, Degeneration	2 [2.0]	5 [2.0]	3 [2.0]	1 [2.0]	
Interstitial Cell, Hyperplasia		1 [2.0]		2 [2.0]	
HEMATOPOIETIC SYSTEM					
Bone Marrow	(50)	(50)	(50)	(50)	
Erythroid Cell, Depletion Cellular			1 [2.0]		
Lymph Node	(2)	(2)	(0)	(2)	
Lumbar, Hyperplasia, Lymphoid				1 [3.0]	
Lymph Node, Bronchial	(33)	(34)	(31)	(19)	
Lymph Node, Mandibular	(17)	(29)	(19)	(25)	
Hyperplasia	1 [2.0]				
Lymph Node, Mediastinal	(43)	(29)	(43)	(38)	
Lymph Node, Mesenteric	(46)	(48)	(48)	(47)	
Angiectasis				2 [2.5]	
Inflammation, Granulomatous				2 [3.0]	
Necrosis		1 [2.0]			
Artery, Inflammation, Chronic Active				1 [2.0]	
Spleen	(50)	(49)	(50)	(50)	
Hematopoietic Cell Proliferation	1 [3.0]	4 [3.8]	2 [3.0]	5 [2.8]	
Hyperplasia, Lymphoid	1 [3.0]				
Lymphoid Follicle, Hyperplasia				1 [3.0]	
Thymus	(39)	(37)	(38)	(26)	
Cyst	1 [2.0]	(- /	()	(-)	
Necrosis	1 [3.0]				
INTEGUMENTARY SYSTEM					
Mammary Gland	(1)	(2)	(0)	(1)	
Skin	(50)	(50)	(50)	(50)	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Vinylidene chloride CAS Number: 75-35-4

Time Report Requested: 12:00:38

First Dose M/F: 06/20/05 / 06/20/05 **Lab:** BNW

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

Test Type: CHRONIC

Experiment Number: 20303 - 06

B6C3F1 MICE MALE	Control	6.25 ppm	12.5 ppm	25 ppm
Inflammation, Chronic Active	1 [1.0]			
Necrosis	4 [2.5]	5 [2.8]	3 [2.7]	3 [2.0]
Epidermis, Hyperplasia, Squamous			1 [1.0]	1 [2.0]
MUSCULOSKELETAL SYSTEM				
Bone	(50)	(50)	(50)	(50)
Fibrous Osteodystrophy				1
Hyperostosis	1 [2.0]			
Cartilage, Degeneration		1 [2.0]	4-1	4-1
Skeletal Muscle	(1)	(1)	(2)	(2)
NERVOUS SYSTEM				
Brain	(50)	(50)	(50)	(50)
Hemorrhage	()	()	()	1 [2.0]
Artery, Inflammation, Chronic Active				1 [2.0]
RESPIRATORY SYSTEM				
Larynx	(50)	(50)	(50)	(49)
Foreign Body	1	, ,	, ,	2
Inflammation				1 [1.0]
Inflammation, Suppurative	1 [2.0]	1 [1.0]		2 [1.0]
Inflammation, Chronic Active	1 [2.0]		1 [1.0]	
Metaplasia, Squamous	1 [2.0]			1 [2.0]
Artery, Inflammation, Chronic Active				1 [2.0]
Squamous Epithelium, Necrosis		1 [1.0]		1 [1.0]
Lung	(50)	(50)	(50)	(50)
Hemorrhage	1 [3.0]		1 [2.0]	
Inflammation, Chronic Active	2 [1.5]	1 [2.0]	3 [1.0]	1 [2.0]
Thrombosis		1 [2.0]		
Alveolar Epithelium, Hyperplasia	3 [1.3]	7 [1.3]	4 [1.8]	6 [2.3]
Alveolus, Infiltration Cellular, Histiocyte	4 [1.0]		3 [1.3]	4 [2.3]

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC
Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

Experiment Number: 20303 - 06

Vinylidene chloride CAS Number: 75-35-4

Time Report Requested: 12:00:38 First Dose M/F: 06/20/05 / 06/20/05

B6C3F1 MICE MALE	Control	6.25 ppm	12.5 ppm	25 ppm	
Serosa, Hyperplasia				1 [2.0]	
Nose	(50)	(50)	(49)	(49)	
Foreign Body	2		2	4	
Hemorrhage			1 [2.0]		
Hyperostosis	1 [2.0]	27 [1.3]	45 [2.1]	48 [2.2]	
Inflammation, Suppurative	3 [1.3]	2 [2.0]	4 [1.8]	7 [1.3]	
Inflammation, Chronic Active		1 [2.0]			
Polyp, Inflammatory				1 [3.0]	
Olfactory Epithelium, Accumulation, Hyaline Droplet	2 [1.0]	5 [1.0]	13 [1.3]	11 [1.3]	
Olfactory Epithelium, Atrophy	1 [2.0]	2 [1.0]	1 [1.0]		
Olfactory Epithelium, Metaplasia, Respiratory	17 [1.2]	39 [1.2]	47 [1.6]	48 [1.8]	
Olfactory Epithelium, Necrosis	4 [1.5]	1 [1.0]	2 [1.5]	4 [1.3]	
Respiratory Epithelium, Accumulation, Hyaline Droplet	17 [1.1]	21 [1.2]	24 [1.2]	16 [1.2]	
Respiratory Epithelium, Hyperplasia	37 [1.3]	36 [1.2]	35 [1.5]	39 [1.5]	
Respiratory Epithelium, Metaplasia, Squamous	2 [1.5]		3 [1.0]		
Respiratory Epithelium, Necrosis	2 [1.0]		2 [1.5]	3 [1.3]	
Turbinate, Atrophy		46 [1.1]	46 [2.1]	47 [2.8]	
Turbinate, Necrosis			1 [2.0]		
Pleura	(1)	(1)	(0)	(0)	
Trachea	(50)	(50)	(50)	(50)	
Inflammation, Suppurative	1 [1.0]			1 [1.0]	
Inflammation, Chronic Active				1 [2.0]	
Epithelium, Necrosis				1 [1.0]	
SPECIAL SENSES SYSTEM		-			
Eye	(50)	(50)	(50)	(48)	
Cataract				1 [2.0]	
Degeneration			1 [3.0]		
Necrosis			- •	1 [3.0]	
Cornea, Hyperplasia, Squamous		1 [2.0]			
Cornea, Inflammation, Chronic Active		1 [2.0]	1 [1.0]		
Harderian Gland	(50)	(50)	(50)	(50)	
Hyperplasia	, ,	2 [2.5]	3 [2.7]	1 [2.0]	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Route: RESPIRATORY EXPOSURE WHOLE BODY

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 03/26/2012 AVERAGE SEVERITY GRADES[b]

Vinylidene chloride CAS Number: 75-35-4

Time Report Requested: 12:00:38 First Dose M/F: 06/20/05 / 06/20/05

Lab: BNW

Species/Strain:	MICE/B6C3F1

Test Type: CHRONIC

B6C3F1 MICE MALE	Control	6.25 ppm	12.5 ppm	25 ppm	
Inflammation, Suppurative				1 [1.0]	
Inflammation, Chronic Active		2 [1.5]			
URINARY SYSTEM					
Kidney	(50)	(50)	(50)	(50)	
Cyst	1 [2.0]	1 [2.0]	5 [2.0]	7 [2.6]	
Hydronephrosis	2 [2.5]		1 [2.0]	3 [2.3]	
Infarct	2 [2.0]	2 [1.5]	2 [2.0]	1 [1.0]	
Inflammation, Chronic Active			1 [3.0]		
Metaplasia, Osseous	2 [1.5]	1 [2.0]	1 [2.0]		
Mineralization	1 [2.0]				
Nephropathy	44 [1.9]	46 [1.6]	37 [2.2]	44 [2.2]	
Papilla, Necrosis	1 [2.0]				
Pelvis, Inflammation, Chronic Active			1 [2.0]		
Renal Tubule, Hyperplasia		8 [1.8]	22 [1.7]	16 [1.7]	
Renal Tubule, Pigmentation		1 [2.0]			
Transitional Epithelium, Hyperplasia			1 [1.0]		
Urinary Bladder	(50)	(50)	(50)	(49)	
Inflammation, Chronic Active	(1 [2.0]	1 [2.0]	,	
Necrosis		1 [1.0]		1 [1.0]	
Transitional Epithelium, Hyperplasia		2 [1.5]	3 [1.7]	1 [2.0]	

*** END OF MALE ***

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Vinylidene chloride **CAS Number:** 75-35-4 Time Report Requested: 12:00:38 First Dose M/F: 06/20/05 / 06/20/05

Lab: BNW

B6C3F1 MICE FEMALE	Control	6.25 ppm	12.5 ppm	25 ppm
Disposition Summary				
Animals Initially In Study	50	50	50	50
Early Deaths				
Moribund Sacrifice	11	20	14	17
Natural Death	3	5	6	9
Survivors				
Moribund Sacrifice				1
Terminal Sacrifice	36	25	30	23
Animals Examined Microscopically	50	50	50	50
ALIMENTARY SYSTEM				
Esophagus	(50)	(50)	(50)	(50)
Gallbladder	(46)	(43)	(45)	(43)
Degeneration, Hyaline	1 [1.0]			
Hyperplasia	1 [2.0]			
Intestine Large, Cecum	(49)	(48)	(45)	(45)
Infiltration Cellular, Mast Cell			1 [2.0]	
Inflammation, Chronic Active			1 [2.0]	
Necrosis			2 [2.0]	
Intestine Large, Colon	(49)	(47)	(46)	(46)
Intestine Large, Rectum	(49)	(47)	(47)	(46)
Intestine Small, Duodenum	(49)	(47)	(45)	(46)
Inflammation, Suppurative	1 [1.0]			
Inflammation, Chronic Active			1 [1.0]	
Intestine Small, Ileum	(49)	(48)	(45)	(45)
Hemorrhage			1 [2.0]	
Hyperplasia		1 [2.0]	2 [3.0]	
Inflammation, Chronic Active			1 [2.0]	
Ulcer	1 [2.0]			
Intestine Small, Jejunum	(48)	(47)	(45)	(45)
Liver	(50)	(50)	(50)	(50)
Angiectasis	1 [3.0]	1 [2.0]		2 [2.0]
Basophilic Focus	1	4		3
Clear Cell Focus	5	2	6	3

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Experiment Number: 20303 - 06

Species/Strain: MICE/B6C3F1

Route: RESPIRATORY EXPOSURE WHOLE BODY

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Vinylidene chloride **CAS Number:** 75-35-4

Species/Strain: MICE/B6C3F1

Test Type: CHRONIC

Experiment Number: 20303 - 06

Time Report Requested: 12:00:38 First Dose M/F: 06/20/05 / 06/20/05

B6C3F1 MICE FEMALE	Control	6.25 ppm	12.5 ppm	25 ppm	
Cyst			1 [3.0]		
Eosinophilic Focus	9	10	9	4	
Fatty Change	2 [3.0]		2 [1.5]		
Hemorrhage	1 [2.0]				
Infarct	1 [2.0]		1 [4.0]		
Inflammation, Suppurative	1 [2.0]	1 [1.0]			
Inflammation, Chronic Active			2 [2.5]		
Mixed Cell Focus				1	
Necrosis	2 [1.5]	3 [2.3]	6 [2.0]	3 [2.0]	
Vacuolization Cytoplasmic	1 -1		- 1 - 1	1 [2.0]	
Mesentery	(10)	(16)	(19)	(37)	
Angiectasis	(10)	(/	1 [2.0]	()	
Infiltration Cellular, Mononuclear Cell			. [=.0]	1 [2.0]	
Artery, Inflammation	1 [2.0]			. [=.0]	
Fat, Necrosis	8 [2.3]	14 [2.2]	15 [2.0]	33 [2.1]	
Pancreas	(50)	(49)	(50)	(50)	
Atrophy	(00)	(10)	(00)	1 [3.0]	
Cyst		1 [2.0]	1 [3.0]	. [6.6]	
Fibrosis		1 [2.0]	. [0.0]		
Inflammation, Chronic Active	1 [2.0]	1 [1.0]			
Necrosis	1 [1.0]	1 [1.0]		1 [3.0]	
Artery, Inflammation, Chronic Active	2 [2.0]			1 [0.0]	
Salivary Glands	(50)	(50)	(50)	(50)	
Inflammation, Suppurative	(30)	(30)	1 [2.0]	(50)	
Necrosis		1 [1.0]	1 [2.0]		
Stomach, Forestomach	(50)	(49)	(50)	(50)	
Hyperplasia, Squamous	2 [2.0]	2 [2.0]	(30)	2 [2.0]	
Inflammation, Chronic Active	2 [2.0]	۷ [۷.0]		2 [2.0] 1 [1.0]	
Necrosis		1 [2 0]	1 [1.0]	4 [1.5]	
Ulcer	1 [2.0]	1 [2.0]	1 [1.0]		
	1 [2.0]	1 [2 0]		1 [2.0]	
Artery, Inflammation, Chronic Active	(40)	1 [2.0]	(40)	(40)	
Stomach, Glandular Mineralization	(49)	(48)	(49)	(49)	
	2 [1.0]	2 [1.0]	2 [1.0]	4 [4 0]	
Necrosis	4 [0 0]	1 [2.0]	3 [1.7]	1 [1.0]	
Artery, Inflammation, Chronic Active	1 [2.0]	1 [3.0]	(0)	(0)	
Tooth	(0)	(1)	(0)	(0)	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

Experiment Number: 20303 - 06

Vinylidene chloride **CAS Number:** 75-35-4 Time Report Requested: 12:00:38 First Dose M/F: 06/20/05 / 06/20/05

B6C3F1 MICE FEMALE	Control	6.25 ppm	12.5 ppm	25 ppm	
Dysplasia		1 [4.0]			
CARDIOVASCULAR SYSTEM					
Blood Vessel	(0)	(1)	(0)	(0)	
Heart	(50)	(50)	(50)	(50)	
Cardiomyopathy	9 [1.2]	12 [1.2]	12 [1.2]	9 [1.2]	
Inflammation, Suppurative			1 [3.0]		
Mineralization	2 [1.0]	1 [1.0]			
Necrosis, Chronic		1 [3.0]			
Thrombosis		2 [4.0]	1 [4.0]	3 [3.0]	
Artery, Inflammation, Chronic Active	2 [1.5]	2 [3.0]			
ENDOCRINE SYSTEM					
Adrenal Cortex	(50)	(49)	(50)	(49)	
Angiectasis	1 [3.0]	1 [4.0]			
Hyperplasia	6 [1.7]	6 [1.2]	8 [1.3]	8 [1.5]	
Hypertrophy	4 [2.3]		5 [1.4]	3 [1.7]	
Inflammation, Suppurative		1 [2.0]			
Vacuolization Cytoplasmic			1 [4.0]		
Subcapsular, Hyperplasia		1 [2.0]			
Adrenal Medulla	(50)	(48)	(50)	(49)	
Hyperplasia	1 [3.0]	3 [2.3]	1 [2.0]	4 [2.0]	
Inflammation, Suppurative		1 [2.0]			
Islets, Pancreatic	(50)	(49)	(50)	(50)	
Hyperplasia	1 [2.0]	1 [2.0]	1 [2.0]	3 [2.0]	
Parathyroid Gland	(24)	(22)	(21)	(31)	
Pituitary Gland	(50)	(50)	(48)	(47)	
Pars Distalis, Angiectasis			2 [2.0]	1 [3.0]	
Pars Distalis, Cyst				1 [4.0]	
Pars Distalis, Hyperplasia	6 [1.8]	9 [1.9]	8 [2.0]	8 [2.5]	
Thyroid Gland	(50)	(50)	(50)	(50)	
Follicular Cell, Hyperplasia		2 [2.5]	2 [2.0]		

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC
Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

Experiment Number: 20303 - 06

Vinylidene chloride CAS Number: 75-35-4

Time Report Requested: 12:00:38
First Dose M/F: 06/20/05 / 06/20/05

B6C3F1 MICE FEMALE	Control	6.25 ppm	12.5 ppm	25 ppm	
GENERAL BODY SYSTEM					
None					
GENITAL SYSTEM					
Clitoral Gland	(45)	(46)	(45)	(45)	
Hyperplasia			1 [1.0]		
Inflammation, Chronic Active				1 [1.0]	
Ovary	(50)	(49)	(49)	(49)	
Angiectasis			2 [2.5]		
Cyst	6 [2.7]	6 [2.8]	12 [3.1]	2 [3.0]	
Thrombosis		2 [3.0]	2 [3.0]	1 [3.0]	
Uterus	(50)	(49)	(50)	(50)	
Adenomyosis			1 [2.0]		
Angiectasis			1 [3.0]		
Hemorrhage			1 [2.0]		
Inflammation, Suppurative		1 [4.0]	1 [4.0]		
Inflammation, Histiocytic, Chronic Active	1 [2.0]				
Inflammation, Chronic Active	1 [2.0]				
Necrosis			1 [3.0]		
Thrombosis	1 [2.0]		2 [2.5]	1 [3.0]	
Ulcer		1 [4.0]			
Endometrium, Hyperplasia, Cystic	36 [2.8]	41 [2.6]	46 [3.0]	46 [2.9]	
HEMATOPOIETIC SYSTEM					
Bone Marrow	(50)	(49)	(50)	(50)	
Thrombosis	, ,	,	,	1 [2.0]	
Myeloid Cell, Hyperplasia		1 [3.0]	2 [3.0]	1 [4.0]	
Lymph Node	(8)	(11)	(1)	(8)	
Hyperplasia, Lymphoid		. ,	• •	1 [4.0]	
Iliac, Ectasia		1 [3.0]			

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC
Route: RESPIRATORY EXPOSURE WHOLE BODY

RESPIRATORY EXPOSURE WHOLE BOD

Species/Strain: MICE/B6C3F1

Experiment Number: 20303 - 06

Vinylidene chloride CAS Number: 75-35-4

Time Report Requested: 12:00:38 First Dose M/F: 06/20/05 / 06/20/05

Decet Mor France	0	0.05	40.5	05	
B6C3F1 MICE FEMALE	Control	6.25 ppm	12.5 ppm	25 ppm	
Lumbar, Renal, Angiectasis	1 [4.0]				
Lumbar, Renal, Inflammation, Granulomatous	1 [2.0]				
Renal, Angiectasis	1 [4.0]				
Renal, Ectasia				1 [2.0]	
Lymph Node, Bronchial	(25)	(38)	(38)	(38)	
Lymph Node, Mandibular	(31)	(35)	(30)	(37)	
Angiectasis		1 [4.0]		1 [3.0]	
Lymph Node, Mediastinal	(42)	(45)	(45)	(47)	
Lymph Node, Mesenteric	(47)	(48)	(47)	(45)	
Hemorrhage				1 [2.0]	
Hyperplasia, Lymphoid		1 [4.0]	1 [3.0]		
Spleen	(50)	(49)	(50)	(49)	
Hematopoietic Cell Proliferation	3 [3.0]	6 [2.8]	7 [3.0]	9 [2.3]	
Necrosis		1 [2.0]			
Thymus	(47)	(44)	(46)	(40)	
Cyst				1 [1.0]	
INTEGUMENTARY SYSTEM				·	
Mammary Gland	(50)	(50)	(50)	(50)	
Hyperplasia	(00)	1 [2.0]	(00)	3 [1.3]	
Skin	(50)	(50)	(50)	(50)	
Hemorrhage	(00)	1 [2.0]	(00)	(65)	
Inflammation, Chronic Active		. [2.0]		1 [2.0]	
Necrosis	3 [2.7]	2 [2.5]	2 [2.0]	[2.0]	
MUSCULOSKELETAL SYSTEM					
Bone	(50)	(50)	(50)	(50)	
Cyst				1 [2.0]	
Degeneration				1 [3.0]	
Hyperostosis		1 [2.0]			
Skeletal Muscle	(3)	(3)	(2)	(4)	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC **Route:** RESPIRATORY EXPOSURE WHOLE BODY

Experiment Number: 20303 - 06

Species/Strain: MICE/B6C3F1

Vinylidene chloride CAS Number: 75-35-4

Time Report Requested: 12:00:38 **First Dose M/F:** 06/20/05 / 06/20/05

B6C3F1 MICE FEMALE	Control	6.25 ppm	12.5 ppm	25 ppm	
NERVOUS SYSTEM					
	(50)	(50)	(50)	(50)	
Brain	(50)	(50)	(50)	(50)	
Artery, Meninges, Inflammation, Chronic Active Peripheral Nerve	1 [1.0]	(2)	(0)	1 [1.0]	
Spinal Cord	(2)	(2)	(0)	(0)	
Spirial Cord	(2)	(2)	(0)	(1)	
RESPIRATORY SYSTEM					
Larynx	(50)	(50)	(49)	(49)	
Degeneration, Hyaline	1 [1.0]	,	,	,	
Inflammation, Suppurative		1 [1.0]			
Metaplasia, Squamous	2 [2.0]		1 [2.0]	1 [2.0]	
Artery, Inflammation, Chronic Active	1 [1.0]				
Squamous Epithelium, Necrosis			1 [2.0]		
Lung	(50)	(50)	(50)	(49)	
Degeneration, Hyaline	1 [1.0]				
Fibrosis				1 [2.0]	
Hemorrhage		1 [2.0]	1 [2.0]	1 [2.0]	
Inflammation, Chronic Active	2 [1.5]	5 [1.2]	3 [1.0]	4 [1.5]	
Alveolar Epithelium, Hyperplasia	3 [1.3]	1 [1.0]	4 [1.3]	3 [1.3]	
Alveolus, Infiltration Cellular, Histiocyte	3 [2.0]	1 [1.0]	3 [1.3]	3 [2.0]	
Perivascular, Inflammation, Chronic Active				2 [1.0]	
Vein, Necrosis		1 [1.0]			
Nose	(50)	(50)	(50)	(50)	
Foreign Body		1	1	2	
Hyperostosis		13 [1.2]	45 [2.0]	48 [2.2]	
Inflammation, Suppurative		1 [2.0]	3 [1.7]	5 [1.2]	
Inflammation, Chronic Active	2 [2.0]	1 [2.0]		2 [1.0]	
Olfactory Epithelium, Accumulation, Hyaline Droplet	18 [1.6]	18 [1.5]	13 [1.4]	32 [1.8]	
Olfactory Epithelium, Metaplasia, Respiratory	3 [1.0]	29 [1.1]	49 [1.6]	50 [1.9]	
Olfactory Epithelium, Necrosis	-		2 [1.0]	1 [1.0]	
Respiratory Epithelium, Accumulation, Hyaline Droplet	38 [1.6]	33 [1.5]	29 [1.6]	42 [1.8]	
Respiratory Epithelium, Hyperplasia	33 [1.1]	41 [1.2]	39 [1.5]	43 [1.8]	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC
Route: RESPIRATORY EXPOSURE WHOLE BODY

oute. RESPIRATORY EXPOSURE WHOLE BOD

Species/Strain: MICE/B6C3F1

Experiment Number: 20303 - 06

Vinylidene chloride CAS Number: 75-35-4

Time Report Requested: 12:00:38
First Dose M/F: 06/20/05 / 06/20/05

B6C3F1 MICE FEMALE	Control	6.25 ppm	12.5 ppm	25 ppm	
Respiratory Epithelium, Metaplasia, Squamous	3 [1.0]	2 [1.5]	3 [1.3]	7 [1.1]	
Respiratory Epithelium, Necrosis	1 [1.0]	3 [1.0]	5 [1.0]	4 [1.0]	
Turbinate, Atrophy		46 [1.0]	50 [2.3]	49 [2.8]	
Trachea	(50)	(50)	(50)	(49)	
Degeneration, Hyaline	1 [1.0]				
Foreign Body	1				
Inflammation, Chronic Active	1 [2.0]				
Artery, Inflammation, Chronic Active		1 [3.0]			
SPECIAL SENSES SYSTEM					
Eye	(50)	(49)	(50)	(49)	
Cataract	` '	1 [1.0]	1 [3.0]	, ,	
Degeneration			1 [4.0]		
Cornea, Inflammation, Suppurative				1 [2.0]	
Cornea, Necrosis				1 [2.0]	
Harderian Gland	(50)	(50)	(50)	(48)	
Hyperplasia	1 [2.0]	1 [3.0]	2 [2.0]	2 [3.5]	
URINARY SYSTEM					
Kidney	(50)	(50)	(50)	(50)	
Cyst		2 [2.5]	1 [3.0]		
Hydronephrosis	2 [2.0]		1 [3.0]	3 [3.0]	
Infarct	5 [1.8]	5 [1.8]	2 [2.0]		
Inflammation, Chronic Active		1 [2.0]			
Metaplasia, Osseous	3 [1.3]		2 [2.0]	3 [1.3]	
Nephropathy	26 [1.4]	28 [1.3]	38 [1.4]	35 [1.5]	
Artery, Inflammation, Chronic Active	2 [2.0]	3 [2.3]		1 [2.0]	
Glomerulus, Amyloid Deposition		1 [1.0]		1 [2.0]	
Papilla, Inflammation, Suppurative		-	1 [1.0]		
Renal Tubule, Necrosis		1 [2.0]			
Renal Tubule, Pigmentation		-	1 [1.0]		
Urinary Bladder	(49)	(49)	(48)	(48)	
Artery, Inflammation, Chronic Active	1 [2.0]				

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Species/Strain: MICE/B6C3F1

Route: RESPIRATORY EXPOSURE WHOLE BODY

Test Type: CHRONIC

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 03/26/2012 AVERAGE SEVERITY GRADES[b]

Vinylidene chloride

CAS Number: 75-35-4

Time Report Requested: 12:00:38 First Dose M/F: 06/20/05 / 06/20/05

Lab: BNW

B6C3F1 MICE FEMALE	Control	6.25 ppm	12.5 ppm	25 ppm
Transitional Epithelium, Hyperplasia	1 [1.0]			

*** END OF REPORT ***